

Disclaimer

The following report(s) provides findings from an FDA-initiated query using Sentinel. While Sentinel queries may be undertaken to assess potential medical product safety risks, they may also be initiated for various other reasons. Some examples include determining a rate or count of an identified health outcome of interest, examining medical product use, exploring the feasibility of future, more detailed analyses within Sentinel, and seeking to better understand Sentinel capabilities.

Data obtained through Sentinel are intended to complement other types of evidence such as preclinical studies, clinical trials, postmarket studies, and adverse event reports, all of which are used by FDA to inform regulatory decisions regarding medical product safety. The information contained in this report is provided as part of FDA's commitment to place knowledge acquired from Sentinel in the public domain as soon as possible. Any public health actions taken by FDA regarding products involved in Sentinel queries will continue to be communicated through existing channels.

FDA wants to emphasize that the fact that FDA has initiated a query involving a medical product and is reporting findings related to that query does not mean that FDA is suggesting health care practitioners should change their prescribing practices for the medical product or that patients taking the medical product should stop using it. Patients who have questions about the use of an identified medical product should contact their health care practitioners.

The following report contains a description of the request, request specifications, and results from the modular program run(s).

If you are using a web page screen reader and are unable to access this document, please contact the Sentinel Operations Center for assistance at info@sentinelssystem.org.

Overview for Request: cder_mpl1p_wp058

Request ID: cder_mpl1p_wp058_nsdp_v01

Request Description: As part of the U.S. Food and Drug Administration (FDA)'s participation in the European Medicines Agency (EMA)-funded project, COVID-19 infection and medicines in pregnancy (CONSIGN) to understand the natural history of COVID-19 in pregnant patients, we evaluated the prevalence of medication use among pregnant patients with and without COVID-19 and non-pregnant patients with COVID-19 and described maternal at-risk conditions and the severity of COVID-19 in the Rapid COVID-19 Sentinel Distributed Database (SDD).

Sentinel Routine Querying Model: Cohort Identification and Descriptive Analysis (CIDA) tool with ad hoc programming, version 10.3.2

Data Source: We distributed this request to six Sentinel Data Partners (DP) on September 17, 2021, including data from January 1, 2020 to May 31, 2021. These six Data Partners are a subset of the SDD that rapidly refresh to provide the freshest feasible data and do not include patients with Medicare coverage. Query period end dates were selected based on inpatient (IP) data availability per DP. See Appendix A for a list of dates of available data.

Study Design: We identified cohorts of pregnant patients with COVID-19 in each pregnancy-related time period, including the following: A) 183 days pre-pregnancy; B) first trimester; C) second trimester; D) third trimester; and E) 183-days pre-pregnancy or during pregnancy. For each cohort of interest, we also identified matched non-pregnant patients with COVID-19. Lastly, we identified a cohort of pregnant patients who had no evidence of COVID-19 in the pre-pregnancy period or during pregnancy. We described COVID-19 severity measures, maternal at-risk conditions, and maternal obstetric conditions among these cohorts. We also characterized utilization of various obstetric-related medications, potential COVID-19 medications, and various vaccinations throughout pregnancy. This is a Type 4 descriptive analysis in the Query Request Package (QRP) documentation.

Cohort Eligibility Criteria: We restricted eligible females to those with a live birth delivery. We included patients aged 12-55 years and used the following age groups: 12-24, 25-39, and 40-55 years. We required eligible patients to be continuously enrolled in health plans with medical and drug coverage for at least 484 days prior to live birth delivery, during which gaps in coverage of up to 45 days were allowed. We excluded patients with evidence of a live birth delivery, stillbirth delivery, or spontaneous abortion in the 301 days prior to live birth delivery of interest. Patients could contribute only the first valid pregnancy during the query period.

Pregnancy Episode Creation: We identified pregnancies ending in a live birth delivery in the IP care setting. We used a validated algorithm from Sentinel's Medication Exposure in Pregnancy Risk Evaluation Program (MEPREP)¹ to estimate the length of pregnancy episodes via gestational age codes, including pre-/postterm delivery codes that occurred within +/-7 days of a delivery date in the inpatient care setting. In the absence of pre-/postterm codes, pregnancy duration was set to 273 days.

See Appendix B for a list of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), and Current Procedural Terminology, Fourth Edition (CPT-4) codes used to define live birth delivery. See Appendix C for a list of ICD-9-CM, ICD-10-CM, ICD-10-PCS, and CPT-4 codes used to define pregnancy incidence criteria. See Appendix D for a list of ICD-9-CM and ICD-10-CM codes and algorithm information used to define gestational age.

Overview for Request: cder_mpl1p_wp058

COVID-19 Inclusion/Exclusion Criteria: We defined unique cohorts of COVID-19 in pregnancy-related time periods of interest defined relative to the estimated pregnancy start date: A) pre-pregnancy [-183 days to -1 day before estimated pregnancy start date]; B) first trimester [date of estimated pregnancy start date until +90 days after]; C) second trimester [+91 days to +180 days after estimated pregnancy start date]; D) third trimester [+181 days after estimated pregnancy start date until admission date for live birth delivery]; and E) pre-pregnancy or during pregnancy [-183 days prior to estimated pregnancy until admission date for live birth delivery]. We also defined exclusion criteria for a cohort of patients who had no evidence of COVID-19 in the -183 days prior to estimated pregnancy start date until admission date for live birth delivery.

COVID-19 identification was defined as the first occurrence of any of the following: A) a COVID-19 specific diagnosis (U07.1) in any care setting; B) a broadly defined COVID-19 diagnosis (B97.21, B97.29, B34.2, or J12.81) in the IP or institutional stay (IS) care setting; C) specimen collection for a positive SARS-CoV-2 nucleic acid amplification test (NAAT) in any care setting. The index date of positive SARS-CoV-2 NAAT test followed the following sequence for processing multiple calendar dates: A) date lab was performed > B) date lab was ordered > C) date lab result was available. See Appendix E for a list of ICD-10-CM diagnosis codes and Appendix F for a list of Logical Observation Identifiers Names and Codes (LOINC) used to identify the tests for SARS-CoV-2.

Non-Pregnant Comparator Cohort: For each live birth pregnancy identified in the cohorts among patients with COVID-19, a comparator episode was selected in order to compare medical product use and baseline characteristics during a defined period for which a woman did not have a live birth delivery. Pregnancy episodes were matched within Data Partner to females with first enrollment episodes without live birth delivery, stillbirth delivery, or spontaneous abortion that met all inclusion criteria, were the same age (integer), and where pregnancy duration overlapped the eligible enrollment spans. Non-pregnant patients and comparator episodes were allowed to be used multiple times as controls.

Hierarchical COVID-19 Severity: We characterized mutually exclusive descriptors of COVID-19 severity in the same obstetric-related period of interest as COVID-19 identification, as well as the subsequent obstetric-related period (e.g., a pregnant patient who was included in the cohort assessing COVID-19 during the first trimester was characterized for severity in the first trimester and also the second trimester, if a diagnosis was available in the latter). The numerically highest endpoint takes precedent in establishing the hierarchy per patient. Levels 2-5 are considered severe endpoints; level 1 is considered non-severe. We were only able to categorize COVID-19 severity for pregnancies that had a diagnosis code during the obstetric time period of interest; patients who entered the cohort only via positive NAATs were not categorized in the hierarchy.

- Level 5: Death during hospitalization for COVID-19 diagnosis;
- Level 4: Hospitalization for COVID-19 diagnosis with acute respiratory distress syndrome (ARDS) or requiring ventilation;
- Level 3: Hospitalization for COVID-19 diagnosis with an intensive care unit (ICU) admission;
- Level 2: Hospitalization for COVID-19 diagnosis;
- Level 1: Any recorded diagnosis (non-severe)

See Appendix G for a list of ICD-10-CM, ICD-10-PCS, CPT-4, Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), Current Procedural Terminology, Category III (CPT Category III), and Revenue codes used to define COVID-19 severity.

Oxygenation: We identified evidence of oxygenation in the same obstetric-related period of interest as COVID-19 identification, as well as the subsequent obstetric-related period. Supplemental oxygen was recorded in any care setting. High-flow oxygen or non-invasive mechanical ventilation and invasive mechanical ventilation or extracorporeal membrane oxygenation (ECMO) were recorded in the IP or IS care setting. See Appendix G for a list of ICD-10-CM, ICD-10-PCS, HCPCS, CPT Category II, CPT-4, and Revenue codes used to define oxygenation.

Overview for Request: cder_mpl1p_wp058

Baseline Characteristics: We described various maternal pre-existing or at-risk medical conditions that were recorded in the pre-pregnancy period or in the first trimester (-183 days to +90 days relative to estimated pregnancy start date). We also described maternal obstetric conditions that were recorded in the pre-pregnancy period (-183 days to -1 day before estimated pregnancy start date), after the first 20 weeks of pregnancy (+140 days after estimated pregnancy start date until live birth delivery), and in the +/-7 days relative to live birth delivery. We characterized the Bateman obstetric comorbidity index,² health care utilization, and drug utilization in the pre-pregnancy and the pregnancy periods (-183 days before estimated pregnancy start date until live birth delivery).

See Appendix H for a list of ICD-10-CM, ICD-10-PCS, HCPCS, CPT Category II, and CPT-4 codes used to define maternal pre-existing or at-risk medical conditions. See Appendix I for a list of ICD-10-CM, HCPCS, and CPT-4 codes used to define maternal obstetric conditions. See Appendix J for a list of ICD-10-CM codes used to define the Bateman obstetric comorbidity index.²

Medical Product Utilization: We identified evidence of dispensing or administration dates in the pre-pregnancy period (-183 days to -1 day before estimated pregnancy start date), in the first trimester, in the second trimester, in the third trimester, and during the overall pregnancy period. We did not create treatment episodes. We characterized utilization of obstetric-related medications, potential COVID-19 medications, and various vaccinations. See Appendices K, M, and O for a list of generic and brand names used to define medical products. See Appendices L, N, and P for a list of ICD-10-PCS, HCPCS, CPT Category II, and CPT-4 codes used to define medical products.

Limitations: Algorithms used to define live birth delivery and gestational age are imperfect. Therefore, data should be interpreted with this limitation in mind.

Notes: Please contact the Sentinel Operations Center (info@sentinelssystem.org) for questions and to provide comments/suggestions for future enhancements to this document.

¹Li Q, Andrade SE, Cooper WO, et al. Validation of an algorithm to estimate gestational age in electronic health plan databases. *Pharmacoepidemiol Drug Saf.* **2013**;22:524-32.

²Bateman BT, Mhyre JM, Hernandez-Diaz S, et al. Development of a comorbidity index for use in obstetric patients. *Obstet Gynecol.* **2013**;122(5):957-965.

Table of Contents

| | |
|-------------------------|--|
| <u>Glossary</u> | List of Terms Found in this Report and their Definitions |
| <u>Table 1a</u> | Aggregated Baseline Table for Pregnant and Non-pregnant Patients with COVID-19 in the Pre-pregnancy Period in the Rapid COVID-19 Sentinel Distributed Database between January 1, 2020 and May 31, 2021 |
| <u>Table 1b</u> | Aggregated Baseline table for Pregnant and Non-pregnant Patients with COVID-19 in the First Trimester in the Rapid COVID-19 Sentinel Distributed Database between January 1, 2020 and May 31, 2021 |
| <u>Table 1c</u> | Aggregated Baseline Table for Pregnant and Non-pregnant Patients with COVID-19 in the Second Trimester in the Rapid COVID-19 Sentinel Distributed Database between January 1, 2020 and May 31, 2021 |
| <u>Table 1d</u> | Aggregated Baseline Table for Pregnant and Non-pregnant Patients with COVID-19 in the Third Trimester in the Rapid COVID-19 Sentinel Distributed Database between January 1, 2020 and May 31, 2021 |
| <u>Table 1e</u> | Aggregated Baseline Table for Pregnant and Non-pregnant Patients with and without COVID-19 in the Pre-pregnancy Period or During Pregnancy in the Rapid COVID-19 Sentinel Distributed Database between January 1, 2020 and May 31, 2021 |
| <u>Table 2a</u> | Use of Various Medications and Vaccinations Among Pregnant and Non-pregnant Patients with COVID-19 in the Pre-pregnancy Period in the Rapid COVID-19 Sentinel Distributed Database between January 1, 2020 and May 31, 2021 |
| <u>Table 2b</u> | Use of Various Medications and Vaccinations Among Pregnant and Non-pregnant Patients with COVID-19 in the First Trimester in the Rapid COVID-19 Sentinel Distributed Database between January 1, 2020 and May 31, 2021 |
| <u>Table 2c</u> | Use of Various Medications and Vaccinations Among Pregnant and Non-pregnant Patients with COVID-19 in the Second Trimester in the Rapid COVID-19 Sentinel Distributed Database between January 1, 2020 and May 31, 2021 |
| <u>Table 2d</u> | Use of Various Medications and Vaccinations Among Pregnant and Non-pregnant Patients with COVID-19 in the Third Trimester in the Rapid COVID-19 Sentinel Distributed Database between January 1, 2020 and May 31, 2021 |
| <u>Table 2e</u> | Use of Various Medications and Vaccinations Among Pregnant and Non-pregnant Patients with and without COVID-19 in the Pre-pregnancy Period or During Pregnancy in the Rapid COVID-19 Sentinel Distributed Database between January 1, 2020 and May 31, 2021 |
| <u>Figure 1a</u> | Use of Obstetric-related Medications during Pregnancy Among Pregnant and Non-pregnant Patients with and without COVID-19 in the Pre-pregnancy period or during pregnancy in the Rapid COVID-19 Sentinel Distributed Database between January 1, 2020 and May 31, 2021 |
| <u>Figure 1b</u> | Use of Potential COVID-19 Medications During Pregnancy Among Pregnant and Non-pregnant Patients with and without COVID-19 in the Pre-pregnancy Period or During Pregnancy in the Rapid COVID-19 Sentinel Distributed Database between January 1, 2020 and May 31, 2021 |

Table of Contents

| | |
|--------------------------|---|
| <u>Figure 1c</u> | Use of Vaccinations During Pregnancy Among Pregnant and Non-pregnant Patients with and without COVID-19 in the Pre-pregnancy Period or During Pregnancy in the Rapid COVID-19 Sentinel Distributed Database between January 1, 2020 and May 31, 2021 |
| <u>Figure 2a</u> | Use of Obstetric-related Medications in the Pre-pregnancy Period or During Pregnancy Among Pregnant Patients with COVID-19 in the Pre-pregnancy Period or During Pregnancy in the Rapid COVID-19 Sentinel Distributed Database between January 1, 2020 and May 31, 2021 |
| <u>Figure 2b</u> | Use of Potential COVID-19 Medications in the Pre-pregnancy Period or During Pregnancy Among Pregnant Patients with COVID-19 in the Pre-pregnancy Period or During Pregnancy in the Rapid COVID-19 Sentinel Distributed Database between January 1, 2020 and May 31, 2021 |
| <u>Figure 2c</u> | Use of Vaccinations in the Pre-pregnancy Period or During Pregnancy Among Pregnant Patients with COVID-19 in the Pre-pregnancy Period or During Pregnancy in the Rapid COVID-19 Sentinel Distributed Database between January 1, 2020 and May 31, 2021 |
| <u>Appendix A</u> | Dates of Available Data for Each Data Partner (DP) as of Request Distribution Date (September 17, 2021) |
| <u>Appendix B</u> | List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Live Birth Delivery |
| <u>Appendix C</u> | List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Pregnancy Incidence Criteria |
| <u>Appendix D</u> | List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Gestational Age |
| <u>Appendix E</u> | List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define COVID-19 |
| <u>Appendix F</u> | List of Logical Observation Identifiers Names and Codes (LOINC) Mapped to Nucleic Acid Amplification Tests (NAAT) for SARS-CoV-2 in the Rapid COVID-19 Sentinel Distributed Database |
| <u>Appendix G</u> | List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), Current Procedural Terminology, Category III (CPT Category III), Current Procedural Terminology, Fourth Edition (CPT-4), and Revenue Codes Used to Define Hierarchical COVID-19 Severity and Oxygenation Endpoints |
| <u>Appendix H</u> | List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions |

Table of Contents

| | |
|--------------------------|---|
| <u>Appendix I</u> | List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), Healthcare Common Procedure Coding System (HCPCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Obstetric Conditions |
| <u>Appendix J</u> | List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Bateman Obstetric Comorbidity Index |
| <u>Appendix K</u> | List of Generic and Brand Names of Medical Products Used to Define Obstetric-related Medications |
| <u>Appendix L</u> | List of International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Obstetric-related Medications |
| <u>Appendix M</u> | List of Generic Names of Medical Products Used to Define Potential COVID-19 Medications |
| <u>Appendix N</u> | List of International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS) and Healthcare Common Procedure Coding System (HCPCS) Codes Used to Define Potential COVID-19 Medications |
| <u>Appendix O</u> | List of Generic and Brand Names of Medical Products Used to Define Vaccinations |
| <u>Appendix P</u> | List of Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Vaccinations |
| <u>Appendix Q</u> | Specifications of Parameters Used to Define Cohort Entry |
| <u>Appendix R</u> | Specifications of Parameters Used to Define Baseline Characteristics |
| <u>Appendix S</u> | Specifications of Parameters Used to Define Medical Product Utilization |
| <u>Appendix T</u> | Pictorial Diagram to Detail the Design of the Analysis |

**Glossary of Terms for Analyses Using
Cohort Identification and Descriptive Analysis (CIDA) Module***

Amount Supplied - number of units (pills, tablets, vials) dispensed. Net amount per NDC per dispensing.

Blackout Period - number of days at the beginning of a treatment episode that events are to be ignored. If an event occurs during the blackout period, the episode is excluded.

Care Setting - type of medical encounter or facility where the exposure, event, or condition code was recorded. Possible care settings include: Inpatient Hospital Stay (IP), Non-Acute Institutional Stay (IS), Emergency Department (ED), Ambulatory Visit (AV), and Other Ambulatory Visit (OA). For laboratory results, possible care settings include: Emergency Department (E), Home (H), Inpatient (I), Outpatient (O), or Unknown or Missing (U). The Care Setting, along with the Principal Diagnosis Indicator (PDX), forms the Care Setting/PDX parameter.

Ambulatory Visit (AV) - includes visits at outpatient clinics, same-day surgeries, urgent care visits, and other same-day ambulatory hospital encounters, but excludes emergency department encounters.

Emergency Department (ED) - includes ED encounters that become inpatient stays (in which case inpatient stays would be a separate encounter). Excludes urgent care visits.

Inpatient Hospital Stay (IP) - includes all inpatient stays, same-day hospital discharges, hospital transfers, and acute hospital care where the discharge is after the admission date.

Non-Acute Institutional Stay (IS) - includes hospice, skilled nursing facility (SNF), rehab center, nursing home, residential, overnight non-hospital dialysis and other non-hospital stays.

Other Ambulatory Visit (OA) - includes other non overnight AV encounters such as hospice visits, home health visits, skilled nursing facility visits, other non-hospital visits, as well as telemedicine, telephone and email consultations.

Charlson/Elixhauser Combined Comorbidity Score - calculated based on comorbidities observed during a requester-defined window around the exposure episode start date (e.g., in the 183 days prior to index).

Code Days - the minimum number of times the diagnosis must be found during the evaluation period in order to fulfill the algorithm to identify the corresponding patient characteristic.

Cohort Definition (drug/exposure) - indicates how the cohort will be defined: 01: Cohort includes only the first valid treatment episode during the query period; 02: Cohort includes all valid treatment episodes during the query period; 03: Cohort includes all valid treatment episodes during the query period until an event occurs.

Computed Start Marketing Date - represents the first observed dispensing date among all valid users within a GROUP (scenario) within each Data Partner site.

Days Supplied - number of days supplied for all dispensings in qualifying treatment episodes.

Eligible Members - number of members eligible for an incident treatment episode (defined by the drug/exposure and event washout periods) with drug and medical coverage during the query period.

Enrollment Gap - number of days allowed between two consecutive enrollment periods without breaking a "continuously enrolled" sequence.

Episodes - treatment episodes; length of episode is determined by days supplied in one dispensing or consecutive dispensings bridged by the episode gap.

Episode Gap - number of days allowed between two (or more) consecutive exposures (dispensings/procedures) to be considered the same treatment episode.

Event Deduplication - specifies how events are counted by the Modular Program (MP) algorithm: 0: Counts all occurrences of a health outcome of interest (HOI) during an exposure episode; 1: de-duplicates occurrences of the same HOI code and code type on the same day; 2: de-duplicates occurrences of the same HOI group on the same day (e.g., de-duplicates at the group level).

Exposure Episode Length - number of days after exposure initiation that is considered "exposed time."

Exposure Extension Period - number of days post treatment period in which the outcomes/events are counted for a treatment episode. Extensions are added after any episode gaps have been bridged.

Lookback Period - number of days wherein a member is required to have evidence of pre-existing condition (diagnosis/procedure/drug dispensing).

Glossary of Terms for Analyses Using

Cohort Identification and Descriptive Analysis (CIDA) Module*

Maximum Episode Duration - truncates exposure episodes after a requester-specified number of exposed days. Applied after any gaps are bridged and extension days added to the length of the exposure episode.

Member-Years - sum of all days of enrollment with medical and drug coverage in the query period preceded by an exposure washout period all divided by 365.25.

Minimum Days Supplied - specifies a minimum number of days in length of the days supplied for the episode to be considered.

Minimum Episode Duration - specifies a minimum number of days in length of the episode for it to be considered. Applied after any gaps are bridged and extension days added to the length of the exposure episode.

Monitoring Period - used to define time periods of interest for both sequential analysis and simple cohort characterization requests.

Principal Diagnosis (PDX) - diagnosis or condition established to be chiefly responsible for admission of the patient to the hospital. 'P' = principal diagnosis, 'S' = secondary diagnosis, 'X' = unspecified diagnosis, '.' = blank. Along with the Care Setting values, forms the CareSetting/PDX parameter.

Query Period - period in which the modular program looks for exposures and outcomes of interest.

Switch Evaluation Step Value - value used to differentiate evaluation step. Each switch pattern can support up to 2 evaluation steps (0 = switch pattern evaluation start; 1 = first evaluation; 2 = second evaluation).

Switch Gap Inclusion Indicator - indicator for whether gaps in treatment episodes that are included in a switch episode will be counted as part of the switch episode duration.

Switch Pattern Cohort Inclusion Date - indicates which date to use for inclusion into the switch pattern cohort of interest as well as optionally as the index date of the treatment episode initiating the switch pattern. Valid options are the product approval date, product marketing date, other requester defined date, or computed start marketing date.

Switch Pattern Cohort Inclusion Strategy - indicates how the switch pattern cohort inclusion date will be used: 01: used only as a switch cohort entry date. First treatment episode dispensing date is used as index for computing time to first switch; 02: used as switch cohort entry date and as initial switch step index date for computing time to first switch.

Treatment Episode Truncation Indicator - indicates whether the exposure episode will be truncated at the occurrence of a requester-specified code.

Washout Period (drug/exposure) - number of days a user is required to have no evidence of prior exposure (drug dispensing/procedure) and continuous drug and medical coverage prior to an incident treatment episode.

Washout Period (event/outcome) - number of days a user is required to have no evidence of a prior event (procedure/diagnosis) and continuous drug and medical coverage prior to an incident treatment episode.

Years at Risk - number of days supplied plus any episode gaps and exposure extension periods all divided by 365.25.

*all terms may not be used in this report

Table 1a. Aggregated Baseline Table for Pregnant and Non-pregnant Patients with COVID-19 in the Pre-pregnancy Period in the Rapid COVID-19 Sentinel Distributed Database between January 1, 2020 and May 31, 2021

| | Pregnant patients with live birth delivery and COVID-19 in the pre-pregnancy period | | Non-pregnant ¹ patients with COVID-19 in the matched equivalent pre-pregnancy period | |
|--|---|---------------------------|---|---------------------------|
| | Number | Percent | Number | Percent |
| Number of live birth delivery pregnancies | 143 | 100.0% | 143 | 100.0% |
| Number of unique patients | 143 | -- | 140 | -- |
| Demographic characteristics² | Mean | Standard Deviation | Mean | Standard Deviation |
| Mean maternal age at live birth delivery | 32.2 | 5.4 | 32.2 | 5.4 |
| Maternal age categories at live birth delivery (Years) | Number | Percent | Number | Percent |
| 12-24 | 16 | 11.2% | 16 | 11.2% |
| 25-39 | 117 | 81.8% | 117 | 81.8% |
| 40-55 | 10 | 7.0% | 10 | 7.0% |
| Maternal race categories | | | | |
| American Indian or Alaska Native | 1 | 0.7% | 1 | 0.7% |
| Asian | 3 | 2.1% | 5 | 3.6% |
| Black or African American | 15 | 10.5% | 17 | 12.1% |
| Native Hawaiian or Other Pacific Islander | 1 | 0.7% | 0 | 0.0% |
| White | 42 | 29.4% | 31 | 22.1% |
| Unknown | 81 | 56.6% | 86 | 61.4% |
| Maternal ethnicity: Hispanic | 17 | 11.9% | 25 | 17.9% |
| Calendar month of live birth delivery | | | | |
| January 2020 | 0 | 0.0% | 0 | 0.0% |
| February 2020 | 0 | 0.0% | 0 | 0.0% |
| March 2020 | 0 | 0.0% | 0 | 0.0% |
| April 2020 | 0 | 0.0% | 0 | 0.0% |
| May 2020 | 0 | 0.0% | 0 | 0.0% |
| June 2020 | 0 | 0.0% | 0 | 0.0% |
| July 2020 | 0 | 0.0% | 0 | 0.0% |
| August 2020 | 0 | 0.0% | 0 | 0.0% |
| September 2020 | 0 | 0.0% | 0 | 0.0% |
| October 2020 | 0 | 0.0% | 0 | 0.0% |
| November 2020 | 0 | 0.0% | 0 | 0.0% |
| December 2020 | 1 | 0.7% | 1 | 0.7% |
| January 2021 | 7 | 4.9% | 7 | 4.9% |
| February 2021 | 19 | 13.3% | 19 | 13.3% |
| March 2021 | 28 | 19.6% | 28 | 19.6% |
| April 2021 | 28 | 19.6% | 28 | 19.6% |
| May 2021 | 60 | 42.0% | 60 | 42.0% |
| Pregnancy characteristics | Mean | Standard Deviation | Mean | Standard Deviation |
| Mean gestational age ³ at delivery, weeks | 39.1 | 2.9 | N/A | -- |
| Live birth delivery term categories | Number | Percent | Number | Percent |
| Preterm | 16 | 11.2% | N/A | -- |
| Term | 96 | 67.1% | N/A | -- |
| Postterm | 31 | 21.7% | N/A | -- |
| Unknown term | 0 | 0.0% | N/A | -- |

Table 1a. Aggregated Baseline Table for Pregnant and Non-pregnant Patients with COVID-19 in the Pre-pregnancy Period in the Rapid COVID-19 Sentinel Distributed Database between January 1, 2020 and May 31, 2021

| | Pregnant patients with live birth delivery and COVID-19 in the pre-pregnancy period | | Non-pregnant ¹ patients with COVID-19 in the matched equivalent pre-pregnancy period | |
|--|---|---------|---|---------|
| | Number | Percent | Number | Percent |
| Hierarchical COVID-19 severity in the pre-pregnancy period⁴ | | | | |
| 5) Death during hospitalization for COVID-19 diagnosis | 0 | 0.0% | 0 | 0.0% |
| 4) Hospitalization for COVID-19 diagnosis with ARDS or requiring ventilation | 1 | 0.7% | 3 | 2.1% |
| 3) Hospitalization for COVID-19 diagnosis with an ICU admission | 1 | 0.7% | 0 | 0.0% |
| 2) Hospitalization for COVID-19 diagnosis | 1 | 0.7% | 1 | 0.7% |
| 1) Any recorded diagnosis (non-severe) | 140 | 97.9% | 139 | 97.2% |
| Hierarchical COVID-19 severity in the pre-pregnancy period⁴ by age group (Years) | | | | |
| Severe COVID-19 diagnosis (levels 2-5) | 3 | 2.1% | 4 | 2.8% |
| 12-24 | 0 | 0.0% | 0 | 0.0% |
| 25-39 | 3 | 2.1% | 4 | 2.8% |
| 40-55 | 0 | 0.0% | 0 | 0.0% |
| Non-severe COVID-19 diagnosis (level 1) | 140 | 97.9% | 139 | 97.2% |
| 12-24 | 16 | 11.2% | 16 | 11.2% |
| 25-39 | 114 | 79.7% | 113 | 79.0% |
| 40-55 | 10 | 7.0% | 10 | 7.0% |
| Hierarchical COVID-19 severity in the first trimester (subsequent period) | | | | |
| 5) Death during hospitalization for COVID-19 diagnosis | 0 | 0.0% | 0 | 0.0% |
| 4) Hospitalization for COVID-19 diagnosis with ARDS or requiring ventilation | 0 | 0.0% | 0 | 0.0% |
| 3) Hospitalization for COVID-19 diagnosis with an ICU admission | 0 | 0.0% | 0 | 0.0% |
| 2) Hospitalization for COVID-19 diagnosis | 0 | 0.0% | 0 | 0.0% |
| 1) Any recorded diagnosis (non-severe) | 18 | 12.6% | 9 | 6.3% |
| COVID-19 hospitalization and obstetric visits in the pre-pregnancy period⁴ | | | | |
| A) Hospitalization for COVID-19 as the primary diagnosis | 1 | 0.7% | 2 | 1.4% |
| B) Hospitalization for COVID-19 diagnosis with no obstetric reason | 3 | 2.1% | 4 | 2.8% |
| C) Hospitalization for COVID-19 diagnosis and obstetric reason | 0 | 0.0% | 0 | 0.0% |
| D) Hospitalization for obstetric reason without COVID-19 diagnosis | 0 | 0.0% | 0 | 0.0% |
| COVID-19 hospitalization and obstetric visits in the first trimester (subsequent period) | | | | |
| A) Hospitalization for COVID-19 as the primary diagnosis | 0 | 0.0% | 0 | 0.0% |
| B) Hospitalization for COVID-19 diagnosis with no obstetric reason | 0 | 0.0% | 0 | 0.0% |
| C) Hospitalization for COVID-19 diagnosis and obstetric reason | 0 | 0.0% | 0 | 0.0% |
| D) Hospitalization for obstetric reason without COVID-19 diagnosis | 0 | 0.0% | 0 | 0.0% |
| Oxygenation in the pre-pregnancy period⁴ | | | | |
| Supplemental oxygen | 2 | 1.4% | 2 | 1.4% |
| High-flow oxygen or non-invasive mechanical ventilation | 0 | 0.0% | 1 | 0.7% |
| Invasive mechanical ventilation or ECMO | 0 | 0.0% | 1 | 0.7% |
| Oxygenation in the first trimester (subsequent period) | | | | |
| Supplemental oxygen | 1 | 0.7% | 2 | 1.4% |
| High-flow oxygen or non-invasive mechanical ventilation | 0 | 0.0% | 0 | 0.0% |
| Invasive mechanical ventilation or ECMO | 0 | 0.0% | 0 | 0.0% |
| Maternal pre-existing or at-risk medical conditions in the pre-pregnancy period⁴ or in the first trimester | | | | |
| | Number | Percent | Number | Percent |
| Cancer | 2 | 1.4% | 1 | 0.7% |
| Cardiovascular and other vascular disease | 0 | 0.0% | 2 | 1.4% |

Table 1a. Aggregated Baseline Table for Pregnant and Non-pregnant Patients with COVID-19 in the Pre-pregnancy Period in the Rapid COVID-19 Sentinel Distributed Database between January 1, 2020 and May 31, 2021

| | Pregnant patients with live birth delivery and COVID-19 in the pre-pregnancy period | | Non-pregnant ¹ patients with COVID-19 in the matched equivalent pre-pregnancy period | |
|--|---|---------------------------|---|---------------------------|
| Congenital heart disease | 0 | 0.0% | 1 | 0.7% |
| Cardiovascular disease | 0 | 0.0% | 2 | 1.4% |
| Other vascular disease | 0 | 0.0% | 1 | 0.7% |
| Endocrine disorder | 22 | 15.4% | 34 | 23.8% |
| Diabetes mellitus | 7 | 4.9% | 10 | 7.0% |
| Obesity | 16 | 11.2% | 29 | 20.3% |
| Hypertension | 7 | 4.9% | 12 | 8.4% |
| Immunological disease | 0 | 0.0% | 1 | 0.7% |
| Human immunodeficiency virus | 0 | 0.0% | 1 | 0.7% |
| Immunosuppression | 0 | 0.0% | 0 | 0.0% |
| Mental disorder | 20 | 14.0% | 25 | 17.5% |
| Renal disease: Chronic kidney disease | 6 | 4.2% | 1 | 0.7% |
| Respiratory disease | 22 | 15.4% | 22 | 15.4% |
| Asthma | 20 | 14.0% | 18 | 12.6% |
| Chronic obstructive pulmonary disease | 1 | 0.7% | 3 | 2.1% |
| Other chronic respiratory disease | 2 | 1.4% | 6 | 4.2% |
| Rheumatic disease | 9 | 6.3% | 14 | 9.8% |
| Sickle cell disease | 0 | 0.0% | 0 | 0.0% |
| Smoking | 7 | 4.9% | 9 | 6.3% |
| Maternal/infant obstetric conditions after 20 weeks gestation | | | | |
| Spontaneous abortion (up to 20 weeks gestation) | 1 | 0.7% | 0 | 0.0% |
| Stillbirth delivery | 1 | 0.7% | 0 | 0.0% |
| Congenital anomaly | 6 | 4.2% | 2 | 1.4% |
| Eclampsia or preeclampsia | 16 | 11.2% | 0 | 0.0% |
| Gestational diabetes | 14 | 9.8% | 1 | 0.7% |
| Gestational hypertension | 19 | 13.3% | 0 | 0.0% |
| Intrauterine growth restriction | 20 | 14.0% | 0 | 0.0% |
| Maternal obstetric conditions in the pre-pregnancy period⁴ | | | | |
| Assisted reproductive technology | 6 | 4.2% | 0 | 0.0% |
| Maternal/infant obstetric conditions in the +/-7 days of delivery | | | | |
| Caesarean section | 26 | 18.2% | 0 | 0.0% |
| Low birth weight | 0 | 0.0% | 0 | 0.0% |
| Preterm birth | 27 | 18.9% | 0 | 0.0% |
| Small for gestational age | 0 | 0.0% | 0 | 0.0% |
| Maternal obstetric conditions in enrollment history prior to the estimated pregnancy start date | | | | |
| Prior pregnancy with congenital anomaly, small for gestational age, or stillbirth | 14 | 9.8% | 7 | 4.9% |
| Prior pregnancy with congenital anomaly | 14 | 9.8% | 7 | 4.9% |
| Prior pregnancy delivered small for gestational age | 0 | 0.0% | 0 | 0.0% |
| | Number | Percent | Number | Percent |
| Prior pregnancy with stillbirth delivery | 0 | 0.0% | 0 | 0.0% |
| Obstetric comorbidity index in the pre-pregnancy period⁴ or during pregnancy | | | | |
| | Mean | Standard Deviation | Mean | Standard Deviation |
| Mean Bateman comorbidity index ⁵ | 2.1 | 2.3 | N/A | -- |
| Bateman comorbidity index categories | Number | Percent | Number | Percent |
| 0 | 39 | 27.3% | N/A | -- |

Table 1a. Aggregated Baseline Table for Pregnant and Non-pregnant Patients with COVID-19 in the Pre-pregnancy Period in the Rapid COVID-19 Sentinel Distributed Database between January 1, 2020 and May 31, 2021

| | Pregnant patients with live birth delivery and COVID-19 in the pre-pregnancy period | | Non-pregnant ¹ patients with COVID-19 in the matched equivalent pre-pregnancy period | |
|---|---|---------------------------|---|---------------------------|
| | Mean | Standard Deviation | Mean | Standard Deviation |
| 1-2 | 65 | 45.5% | N/A | -- |
| 3-4 | 16 | 11.2% | N/A | -- |
| 5-6 | 12 | 8.4% | N/A | -- |
| 7-8 | 8 | 5.6% | N/A | -- |
| 9-10 | 3 | 2.1% | N/A | -- |
| >10 | 0 | 0.0% | N/A | -- |
| Health service utilization intensity in the pre-pregnancy period⁴ or during pregnancy | | | | |
| | Mean | Standard Deviation | Mean | Standard Deviation |
| Mean number of ambulatory encounters | 28.2 | 17.9 | 21.8 | 43.4 |
| Mean number of emergency room encounters | 1.1 | 1.9 | 0.7 | 1.5 |
| Mean number of inpatient hospital encounters | 1.1 | 0.4 | 0.1 | 0.3 |
| Mean number of non-acute institutional encounters | 0.0 | 0.0 | 0.0 | 0.1 |
| Mean number of other ambulatory encounters | 5.5 | 8.4 | 2.9 | 8.2 |
| Mean number of unique drug classes dispensed | 5.3 | 3.8 | 5.4 | 4.7 |
| Mean number of unique generics dispensed | 5.6 | 4.3 | 5.8 | 5.3 |
| Mean number of unique dispensings | 11.9 | 11.8 | 15.1 | 22.9 |

¹For each identified pregnancy, a comparator episode was selected in order to compare medical product use and baseline characteristics during a defined period for which a woman did not have a live birth delivery. Pregnancy episodes were matched within Data Partner to patients with first enrollment episodes without live birth delivery that met all inclusion criteria, were the same age (integer), and where pregnancy duration overlapped the eligible enrollment spans. patients an comparator episodes were allowed to be used multiple times as controls, and patients with a pregnancy episode were allowed to contribute a separate comparator episode.

²Age and calendar month were based on the total number of pregnancies or comparator episodes per cohort; race and ethnicity were based on the total number of unique patients per cohort.

³Gestational age estimated using a claims-based algorithm, previously validated in the Medication Exposure in Pregnancy Risk Evaluation Program (MEPREP), to identify pregnancies ending in a live birth delivery. ICD-10-CM diagnosis codes indicative of weeks of gestation and ICD-9-CM and ICD-10-CM diagnosis codes for preterm and postterm deliveries were used to calculate the length of the pregnancy episode. Codes had to occur within +/- 7 days of a delivery date in the inpatient setting. In the absence of pre/postterm codes, pregnancy duration was set to 273 days.

⁴Pre-pregnancy period defined as the 183 days prior to estimated pregnancy start date.

⁵Bateman BT, Mhyre JM, Hernandez-Diaz S, et al. Development of a comorbidity index for use in obstetric patients. *Obstet Gynecol.* 2013;122(5):957-965. doi:10.1097/AOG.0b013e3182a603bb

Table 1b. Aggregated Baseline Table for Pregnant and Non-pregnant Patients with COVID-19 in the First Trimester in the Rapid COVID-19 Sentinel Distributed Database between January 1, 2020 and May 31, 2021

| | Pregnant patients with live birth delivery and COVID-19 in the first trimester | | Non-pregnant ¹ patients with COVID-19 in the matched equivalent first trimester | |
|--|--|---------------------------|--|---------------------------|
| | Number | Percent | Number | Percent |
| Number of live birth delivery pregnancies | 270 | 100.0% | 270 | 100.0% |
| Number of unique patients | 270 | -- | 266 | -- |
| Demographic characteristics² | Mean | Standard Deviation | Mean | Standard Deviation |
| Mean maternal age at live birth delivery | 31.5 | 5.0 | 31.5 | 5.0 |
| Maternal age categories at live birth delivery (Years) | Number | Percent | Number | Percent |
| 12-24 | 32 | 11.9% | 32 | 11.9% |
| 25-39 | 228 | 84.4% | 228 | 84.4% |
| 40-55 | 10 | 3.7% | 10 | 3.7% |
| Maternal race categories | | | | |
| American Indian or Alaska Native | 1 | 0.4% | 2 | 0.8% |
| Asian | 5 | 1.9% | 5 | 1.9% |
| Black or African American | 19 | 7.0% | 32 | 12.0% |
| Native Hawaiian or Other Pacific Islander | 2 | 0.7% | 1 | 0.4% |
| White | 78 | 28.9% | 77 | 28.9% |
| Unknown | 165 | 61.1% | 149 | 56.0% |
| Maternal ethnicity: Hispanic | 30 | 11.1% | 35 | 13.2% |
| Calendar month of live birth delivery | | | | |
| January 2020 | 0 | 0.0% | 0 | 0.0% |
| February 2020 | 0 | 0.0% | 0 | 0.0% |
| March 2020 | 0 | 0.0% | 0 | 0.0% |
| April 2020 | 0 | 0.0% | 0 | 0.0% |
| May 2020 | 0 | 0.0% | 0 | 0.0% |
| June 2020 | 0 | 0.0% | 0 | 0.0% |
| July 2020 | 0 | 0.0% | 0 | 0.0% |
| August 2020 | 0 | 0.0% | 0 | 0.0% |
| September 2020 | 2 | 0.7% | 2 | 0.7% |
| October 2020 | 3 | 1.1% | 3 | 1.1% |
| November 2020 | 16 | 5.9% | 16 | 5.9% |
| December 2020 | 22 | 8.1% | 22 | 8.1% |
| January 2021 | 36 | 13.3% | 36 | 13.3% |
| February 2021 | 39 | 14.4% | 39 | 14.4% |
| March 2021 | 49 | 18.1% | 49 | 18.1% |
| April 2021 | 45 | 16.7% | 45 | 16.7% |
| May 2021 | 58 | 21.5% | 58 | 21.5% |
| Pregnancy characteristics | Mean | Standard Deviation | Mean | Standard Deviation |
| Mean gestational age ³ at delivery, weeks | 39.1 | 2.8 | N/A | -- |
| Live birth delivery term categories | Number | Percent | Number | Percent |
| Preterm | 33 | 12.2% | N/A | -- |
| Term | 173 | 64.1% | N/A | -- |
| Postterm | 59 | 21.9% | N/A | -- |
| Unknown term | 5 | 1.9% | N/A | -- |
| Hierarchical COVID-19 severity in the first trimester | Number | Percent | Number | Percent |
| 5) Death during hospitalization for COVID-19 diagnosis | 0 | 0.0% | 0 | 0.0% |
| 4) Hospitalization for COVID-19 diagnosis with ARDS or requiring ver | 0 | 0.0% | 4 | 1.5% |
| 3) Hospitalization for COVID-19 diagnosis with an ICU admission | 0 | 0.0% | 4 | 1.5% |

Table 1b. Aggregated Baseline Table for Pregnant and Non-pregnant Patients with COVID-19 in the First Trimester in the Rapid COVID-19 Sentinel Distributed Database between January 1, 2020 and May 31, 2021

| | Pregnant patients with live birth delivery and COVID-19 in the first trimester | | Non-pregnant ¹ patients with COVID-19 in the matched equivalent first trimester | |
|--|--|----------------|--|----------------|
| 2) Hospitalization for COVID-19 diagnosis | 1 | 0.4% | 2 | 0.7% |
| 1) Any recorded diagnosis (non-severe) | 269 | 99.6% | 260 | 96.3% |
| Hierarchical COVID-19 severity in the first trimester by age group (Years) | | | | |
| Severe COVID-19 diagnosis (levels 2-5) | 1 | 0.4% | 10 | 3.7% |
| 12-24 | 0 | 0.0% | 2 | 0.7% |
| 25-39 | 1 | 0.4% | 6 | 2.2% |
| 40-55 | 0 | 0.0% | 2 | 0.7% |
| Non-severe COVID-19 diagnosis (level 1) | 269 | 99.6% | 260 | 96.3% |
| 12-24 | 32 | 11.9% | 30 | 11.1% |
| 25-39 | 227 | 84.1% | 222 | 82.2% |
| 40-55 | 10 | 3.7% | 8 | 3.0% |
| Hierarchical COVID-19 severity in the second trimester (subsequent period) | | | | |
| 5) Death during hospitalization for COVID-19 diagnosis | 0 | 0.0% | 0 | 0.0% |
| 4) Hospitalization for COVID-19 diagnosis with ARDS or requiring ventilation | 0 | 0.0% | 1 | 0.4% |
| 3) Hospitalization for COVID-19 diagnosis with an ICU admission | 0 | 0.0% | 1 | 0.4% |
| 2) Hospitalization for COVID-19 diagnosis | 0 | 0.0% | 0 | 0.0% |
| 1) Any recorded diagnosis (non-severe) | 37 | 13.7% | 31 | 11.5% |
| COVID-19 hospitalization and obstetric visits in the first trimester | | | | |
| A) Hospitalization for COVID-19 as the primary diagnosis | 0 | 0.0% | 6 | 2.2% |
| B) Hospitalization for COVID-19 diagnosis with no obstetric reason | 1 | 0.4% | 11 | 4.1% |
| C) Hospitalization for COVID-19 diagnosis and obstetric reason | 0 | 0.0% | 0 | 0.0% |
| D) Hospitalization for obstetric reason without COVID-19 diagnosis | 0 | 0.0% | 0 | 0.0% |
| COVID-19 hospitalization and obstetric visits in the second trimester (subsequent period) | | | | |
| A) Hospitalization for COVID-19 as the primary diagnosis | 0 | 0.0% | 2 | 0.7% |
| B) Hospitalization for COVID-19 diagnosis with no obstetric reason | 0 | 0.0% | 3 | 1.1% |
| C) Hospitalization for COVID-19 diagnosis and obstetric reason | 0 | 0.0% | 0 | 0.0% |
| D) Hospitalization for obstetric reason without COVID-19 diagnosis | 6 | 2.2% | 0 | 0.0% |
| Oxygenation in the first trimester | | | | |
| Supplemental oxygen | 2 | 0.7% | 1 | 0.4% |
| High-flow oxygen or non-invasive mechanical ventilation | 0 | 0.0% | 0 | 0.0% |
| Invasive mechanical ventilation or ECMO | 0 | 0.0% | 1 | 0.4% |
| Oxygenation in the second trimester (subsequent period) | | | | |
| Supplemental oxygen | 1 | 0.4% | 3 | 1.1% |
| High-flow oxygen or non-invasive mechanical ventilation | 0 | 0.0% | 0 | 0.0% |
| Invasive mechanical ventilation or ECMO | 0 | 0.0% | 1 | 0.4% |
| Maternal pre-existing or at-risk medical conditions in the pre-pregnancy period⁴ or in the first trimester | | | | |
| Cancer | 4 | 1.5% | 2 | 0.7% |
| Cardiovascular and other vascular disease | 1 | 0.4% | 7 | 2.6% |
| | Number | Percent | Number | Percent |
| Congenital heart disease | 0 | 0.0% | 1 | 0.4% |
| Cardiovascular disease | 1 | 0.4% | 4 | 1.5% |
| Other vascular disease | 0 | 0.0% | 3 | 1.1% |
| Endocrine disorder | 49 | 18.1% | 49 | 18.1% |
| Diabetes mellitus | 8 | 3.0% | 12 | 4.4% |
| Obesity | 44 | 16.3% | 40 | 14.8% |
| Hypertension | 11 | 4.1% | 22 | 8.1% |

Table 1b. Aggregated Baseline Table for Pregnant and Non-pregnant Patients with COVID-19 in the First Trimester in the Rapid COVID-19 Sentinel Distributed Database between January 1, 2020 and May 31, 2021

| | Pregnant patients with live birth delivery and COVID-19 in the first trimester | | Non-pregnant ¹ patients with COVID-19 in the matched equivalent first trimester | |
|--|--|--------------------|--|--------------------|
| Immunological disease | 2 | 0.7% | 2 | 0.7% |
| Human immunodeficiency virus | 1 | 0.4% | 1 | 0.4% |
| Immunosuppression | 1 | 0.4% | 1 | 0.4% |
| Mental disorder | 15 | 5.6% | 38 | 14.1% |
| Renal disease: Chronic kidney disease | 3 | 1.1% | 6 | 2.2% |
| Respiratory disease | 20 | 7.4% | 41 | 15.2% |
| Asthma | 17 | 6.3% | 35 | 13.0% |
| Chronic obstructive pulmonary disease | 2 | 0.7% | 8 | 3.0% |
| Other chronic respiratory disease | 3 | 1.1% | 7 | 2.6% |
| Rheumatic disease | 6 | 2.2% | 16 | 5.9% |
| Sickle cell disease | 1 | 0.4% | 2 | 0.7% |
| Smoking | 12 | 4.4% | 14 | 5.2% |
| Maternal/infant obstetric conditions after 20 weeks gestation | | | | |
| Spontaneous abortion (up to 20 weeks gestation) | 1 | 0.4% | 1 | 0.4% |
| Stillbirth delivery | 4 | 1.5% | 0 | 0.0% |
| Congenital anomaly | 12 | 4.4% | 0 | 0.0% |
| Eclampsia or preeclampsia | 33 | 12.2% | 0 | 0.0% |
| Gestational diabetes | 33 | 12.2% | 0 | 0.0% |
| Gestational hypertension | 39 | 14.4% | 0 | 0.0% |
| Intrauterine growth restriction | 39 | 14.4% | 0 | 0.0% |
| Maternal obstetric conditions in the pre-pregnancy period⁴ | | | | |
| Assisted reproductive technology | 2 | 0.7% | 0 | 0.0% |
| Maternal/infant obstetric conditions in the +/-7 days of delivery | | | | |
| Caesarean section | 64 | 23.7% | 0 | 0.0% |
| Low birth weight | 1 | 0.4% | 0 | 0.0% |
| Preterm birth | 54 | 20.0% | 3 | 1.1% |
| Small for gestational age | 0 | 0.0% | 0 | 0.0% |
| Maternal obstetric conditions in enrollment history prior to the estimated pregnancy start date | | | | |
| Prior pregnancy with congenital anomaly, small for gestational age, or stillbirth | 10 | 3.7% | 4 | 1.5% |
| Prior pregnancy with congenital anomaly | 10 | 3.7% | 4 | 1.5% |
| Prior pregnancy delivered small for gestational age | 0 | 0.0% | 0 | 0.0% |
| Prior pregnancy with stillbirth delivery | 0 | 0.0% | 0 | 0.0% |
| Obstetric comorbidity index in the pre-pregnancy period⁴ or during pregnancy | | | | |
| | Mean | Standard Deviation | Mean | Standard Deviation |
| Mean Bateman comorbidity index ⁵ | 1.8 | 2.5 | N/A | -- |
| Bateman comorbidity index categories | Number | Percent | Number | Percent |
| 0 | 99 | 36.7% | N/A | -- |
| 1-2 | 110 | 40.7% | N/A | -- |
| 3-4 | 31 | 11.5% | N/A | -- |
| 5-6 | 11 | 4.1% | N/A | -- |
| 7-8 | 11 | 4.1% | N/A | -- |
| 9-10 | 5 | 1.9% | N/A | -- |
| >10 | 3 | 1.1% | N/A | -- |

Table 1b. Aggregated Baseline Table for Pregnant and Non-pregnant Patients with COVID-19 in the First Trimester in the Rapid COVID-19 Sentinel Distributed Database between January 1, 2020 and May 31, 2021

| Health service utilization intensity in the pre-pregnancy period ⁴ or during pregnancy | Pregnant patients with live birth delivery and COVID-19 in the first trimester | | Non-pregnant ¹ patients with COVID-19 in the matched equivalent first trimester | |
|---|--|--------------------|--|--------------------|
| | Mean | Standard Deviation | Mean | Standard Deviation |
| Mean number of ambulatory encounters | 25.4 | 15.8 | 17.9 | 25.2 |
| Mean number of emergency room encounters | 0.8 | 1.5 | 0.7 | 1.5 |
| Mean number of inpatient hospital encounters | 1.1 | 0.3 | 0.1 | 0.3 |
| Mean number of non-acute institutional encounters | 0.1 | 0.2 | 0.0 | 0.3 |
| Mean number of other ambulatory encounters | 3.7 | 4.8 | 2.7 | 6.6 |
| Mean number of unique drug classes dispensed | 4.2 | 3.7 | 5.0 | 4.5 |
| Mean number of unique generics dispensed | 4.5 | 4.1 | 5.3 | 5.0 |
| Mean number of unique dispensings | 8.9 | 10.1 | 13.5 | 20.2 |

¹For each identified pregnancy, a comparator episode was selected in order to compare medical product use and baseline characteristics during a defined period for which a woman did not have a live birth delivery. Pregnancy episodes were matched within Data Partner to patients with first enrollment episodes without live birth delivery that met all inclusion criteria, were the same age (integer), and where pregnancy duration overlapped the eligible enrollment spans. patients an comparator episodes were allowed to be used multiple times as controls, and patients with a pregnancy episode were allowed to contribute a separate comparator episode.

²Age and calendar month were based on the total number of pregnancies or comparator episodes per cohort; race and ethnicity were based on the total number of unique patients per cohort.

³Gestational age estimated using a claims-based algorithm, previously validated in the Medication Exposure in Pregnancy Risk Evaluation Program (MEPREP), to identify pregnancies ending in a live birth delivery. ICD-10-CM diagnosis codes indicative of weeks of gestation and ICD-9-CM and ICD-10-CM diagnosis codes for preterm and postterm deliveries were used to calculate the length of the pregnancy episode. Codes had to occur within +/- 7 days of a delivery date in the inpatient setting. In the absence of pre/postterm codes, pregnancy duration was set to 273 days.

⁴Pre-pregnancy period defined as the 183 days prior to estimated pregnancy start date.

⁵Bateman BT, Mhyre JM, Hernandez-Diaz S, et al. Development of a comorbidity index for use in obstetric patients. *Obstet Gynecol.* 2013;122(5):957-965. doi:10.1097/AOG.0b013e3182a603bb

Table 1c. Aggregated Baseline Table for Pregnant and Non-pregnant Patients with COVID-19 in the Second Trimester in the Rapid COVID-19 Sentinel Distributed Database between January 1, 2020 and May 31, 2021

| | Pregnant patients with live birth delivery and COVID-19 in the second trimester | | Non-pregnant ¹ patients with COVID-19 in the matched equivalent second trimester | |
|---|---|---------------------------|---|---------------------------|
| | Number | Percent | Number | Percent |
| Number of live birth delivery pregnancies | 664 | 100.0% | 663 | 100.0% |
| Number of unique patients | 664 | -- | 657 | -- |
| Demographic characteristics² | Mean | Standard Deviation | Mean | Standard Deviation |
| Mean maternal age at live birth delivery | 31.5 | 5.2 | 31.5 | 5.2 |
| Maternal age categories at live birth delivery (Years) | Number | Percent | Number | Percent |
| 12-24 | 79 | 11.9% | 79 | 11.9% |
| 25-39 | 557 | 83.9% | 556 | 83.9% |
| 40-55 | 28 | 4.2% | 28 | 4.2% |
| Maternal race categories | | 0.0% | | 0.0% |
| American Indian or Alaska Native | 3 | 0.5% | 1 | 0.2% |
| Asian | 24 | 3.6% | 27 | 4.1% |
| Black or African American | 34 | 5.1% | 45 | 6.8% |
| Native Hawaiian or Other Pacific Islander | 3 | 0.5% | 0 | 0.0% |
| White | 231 | 34.8% | 208 | 31.7% |
| Unknown | 369 | 55.6% | 376 | 57.2% |
| Maternal ethnicity: Hispanic | 93 | 14.0% | 89 | 13.5% |
| Calendar month of live birth delivery | | | | |
| January 2020 | 0 | 0.0% | 0 | 0.0% |
| February 2020 | 0 | 0.0% | 0 | 0.0% |
| March 2020 | 0 | 0.0% | 0 | 0.0% |
| April 2020 | 1 | 0.2% | 1 | 0.2% |
| May 2020 | 0 | 0.0% | 0 | 0.0% |
| June 2020 | 3 | 0.5% | 2 | 0.3% |
| July 2020 | 6 | 0.9% | 6 | 0.9% |
| August 2020 | 17 | 2.6% | 17 | 2.6% |
| September 2020 | 26 | 3.9% | 26 | 3.9% |
| October 2020 | 39 | 5.9% | 39 | 5.9% |
| November 2020 | 53 | 8.0% | 53 | 8.0% |
| December 2020 | 47 | 7.1% | 47 | 7.1% |
| January 2021 | 43 | 6.5% | 43 | 6.5% |
| February 2021 | 65 | 9.8% | 65 | 9.8% |
| March 2021 | 106 | 16.0% | 106 | 16.0% |
| April 2021 | 132 | 19.9% | 132 | 19.9% |
| May 2021 | 126 | 19.0% | 126 | 19.0% |
| Pregnancy characteristics | Mean | Standard Deviation | Mean | Standard Deviation |
| Mean gestational age ³ at delivery, weeks | 39.1 | 2.8 | N/A | -- |
| Live birth delivery term categories | Number | Percent | Number | Percent |
| Preterm | 82 | 12.3% | N/A | -- |
| Term | 438 | 66.0% | N/A | -- |
| Postterm | 131 | 19.7% | N/A | -- |
| Unknown term | 13 | 2.0% | N/A | -- |
| Hierarchical COVID-19 severity in the second trimester | Number | Percent | Number | Percent |
| 5) Death during hospitalization for COVID-19 diagnosis | 0 | 0.0% | 0 | 0.0% |

Table 1c. Aggregated Baseline Table for Pregnant and Non-pregnant Patients with COVID-19 in the Second Trimester in the Rapid COVID-19 Sentinel Distributed Database between January 1, 2020 and May 31, 2021

| | Pregnant patients with live birth delivery and COVID-19 in the second trimester | | Non-pregnant ¹ patients with COVID-19 in the matched equivalent second trimester | |
|--|---|----------------|---|----------------|
| 4) Hospitalization for COVID-19 diagnosis with ARDS or requiring ventilation | 7 | 1.1% | 9 | 1.4% |
| 3) Hospitalization for COVID-19 diagnosis with an ICU admission | 3 | 0.5% | 2 | 0.3% |
| 2) Hospitalization for COVID-19 diagnosis | 18 | 2.7% | 11 | 1.7% |
| 1) Any recorded diagnosis (non-severe) | 636 | 95.8% | 641 | 96.7% |
| Hierarchical COVID-19 severity in the second trimester by age group (Years) | | | | |
| Severe COVID-19 diagnosis (levels 2-5) | 28 | 4.2% | 22 | 3.3% |
| 12-24 | 4 | 0.6% | 0 | 0.0% |
| 25-39 | 23 | 3.5% | 21 | 3.2% |
| 40-55 | 1 | 0.2% | 1 | 0.2% |
| Non-severe COVID-19 diagnosis (level 1) | 636 | 95.8% | 641 | 96.7% |
| 12-24 | 75 | 11.3% | 79 | 11.9% |
| 25-39 | 534 | 80.4% | 535 | 80.7% |
| 40-55 | 27 | 4.1% | 27 | 4.1% |
| Hierarchical COVID-19 severity in the third trimester (subsequent period) | | | | |
| 5) Death during hospitalization for COVID-19 diagnosis | 0 | 0.0% | 0 | 0.0% |
| 4) Hospitalization for COVID-19 diagnosis with ARDS or requiring ventilation | 1 | 0.2% | 0 | 0.0% |
| 3) Hospitalization for COVID-19 diagnosis with an ICU admission | 1 | 0.2% | 2 | 0.3% |
| 2) Hospitalization for COVID-19 diagnosis | 32 | 4.8% | 0 | 0.0% |
| 1) Any recorded diagnosis (non-severe) | 147 | 22.1% | 45 | 6.8% |
| COVID-19 hospitalization and obstetric visits in the second trimester | | | | |
| A) Hospitalization for COVID-19 as the primary diagnosis | 2 | 0.3% | 3 | 0.5% |
| B) Hospitalization for COVID-19 diagnosis with no obstetric reason | 3 | 0.5% | 22 | 3.3% |
| C) Hospitalization for COVID-19 diagnosis and obstetric reason | 25 | 3.8% | 0 | 0.0% |
| D) Hospitalization for obstetric reason without COVID-19 diagnosis | 7 | 1.1% | 0 | 0.0% |
| COVID-19 hospitalization and obstetric visits in the third trimester (subsequent period) | | | | |
| A) Hospitalization for COVID-19 as the primary diagnosis | 1 | 0.2% | 0 | 0.0% |
| B) Hospitalization for COVID-19 diagnosis with no obstetric reason | 17 | 2.6% | 2 | 0.3% |
| C) Hospitalization for COVID-19 diagnosis and obstetric reason | 20 | 3.0% | 0 | 0.0% |
| D) Hospitalization for obstetric reason without COVID-19 diagnosis | 130 | 19.6% | 0 | 0.0% |
| Oxygenation in the second trimester | | | | |
| Supplemental oxygen | 3 | 0.5% | 3 | 0.5% |
| High-flow oxygen or non-invasive mechanical ventilation | 0 | 0.0% | 0 | 0.0% |
| Invasive mechanical ventilation or ECMO | 2 | 0.3% | 1 | 0.2% |
| Oxygenation in the third trimester (subsequent period) | | | | |
| Supplemental oxygen | 1 | 0.2% | 2 | 0.3% |
| High-flow oxygen or non-invasive mechanical ventilation | 0 | 0.0% | 0 | 0.0% |
| Invasive mechanical ventilation or ECMO | 1 | 0.2% | 0 | 0.0% |
| Maternal pre-existing or at-risk medical conditions in the pre-pregnancy period⁴ or in the first trimester | | | | |
| Cancer | 5 | 0.8% | 7 | 1.1% |
| Cardiovascular and other vascular disease | 7 | 1.1% | 15 | 2.3% |
| | Number | Percent | Number | Percent |
| Congenital heart disease | 2 | 0.3% | 3 | 0.5% |
| Cardiovascular disease | 4 | 0.6% | 9 | 1.4% |
| Other vascular disease | 1 | 0.2% | 8 | 1.2% |
| Endocrine disorder | 128 | 19.3% | 110 | 16.6% |

Table 1c. Aggregated Baseline Table for Pregnant and Non-pregnant Patients with COVID-19 in the Second Trimester in the Rapid COVID-19 Sentinel Distributed Database between January 1, 2020 and May 31, 2021

| | Pregnant patients with live birth delivery and COVID-19 in the second trimester | | Non-pregnant ¹ patients with COVID-19 in the matched equivalent second trimester | |
|--|---|---------------------------|---|---------------------------|
| Diabetes mellitus | 22 | 3.3% | 16 | 2.4% |
| Obesity | 115 | 17.3% | 104 | 15.7% |
| Hypertension | 24 | 3.6% | 35 | 5.3% |
| Immunological disease | 0 | 0.0% | 4 | 0.6% |
| Human immunodeficiency virus | 0 | 0.0% | 2 | 0.3% |
| Immunosuppression | 0 | 0.0% | 2 | 0.3% |
| Mental disorder | 70 | 10.5% | 85 | 12.8% |
| Renal disease: Chronic kidney disease | 3 | 0.5% | 13 | 2.0% |
| Respiratory disease | 46 | 6.9% | 51 | 7.7% |
| Asthma | 43 | 6.5% | 39 | 5.9% |
| Chronic obstructive pulmonary disease | 2 | 0.3% | 13 | 2.0% |
| Other chronic respiratory disease | 4 | 0.6% | 12 | 1.8% |
| Rheumatic disease | 26 | 3.9% | 28 | 4.2% |
| Sickle cell disease | 3 | 0.5% | 2 | 0.3% |
| Smoking | 44 | 6.6% | 28 | 4.2% |
| Maternal/infant obstetric conditions after 20 weeks gestation | | | | |
| Spontaneous abortion (up to 20 weeks gestation) | 7 | 1.1% | 4 | 0.6% |
| Stillbirth delivery | 9 | 1.4% | 0 | 0.0% |
| Congenital anomaly | 22 | 3.3% | 6 | 0.9% |
| Eclampsia or preeclampsia | 69 | 10.4% | 1 | 0.2% |
| Gestational diabetes | 96 | 14.5% | 1 | 0.2% |
| Gestational hypertension | 102 | 15.4% | 0 | 0.0% |
| Intrauterine growth restriction | 107 | 16.1% | 1 | 0.2% |
| Maternal obstetric conditions in the pre-pregnancy period⁴ | | | | |
| Assisted reproductive technology | 7 | 1.1% | 1 | 0.2% |
| Maternal/infant obstetric conditions in the +/-7 days of delivery | | | | |
| Caesarean section | 137 | 20.6% | 0 | 0.0% |
| Low birth weight | 2 | 0.3% | 0 | 0.0% |
| Preterm birth | 134 | 20.2% | 5 | 0.8% |
| Small for gestational age | 1 | 0.2% | 0 | 0.0% |
| Maternal obstetric conditions in enrollment history prior to the estimated pregnancy start date | | | | |
| Prior pregnancy with congenital anomaly, small for gestational age, or stillbirth | 30 | 4.5% | 30 | 4.5% |
| Prior pregnancy with congenital anomaly | 27 | 4.1% | 29 | 4.4% |
| Prior pregnancy delivered small for gestational age | 0 | 0.0% | 0 | 0.0% |
| Prior pregnancy with stillbirth delivery | 4 | 0.6% | 1 | 0.2% |
| Obstetric comorbidity index in the pre-pregnancy period⁴ or during pregnancy | | | | |
| | Mean | Standard Deviation | Mean | Standard Deviation |
| Mean Bateman comorbidity index ⁵ | 1.8 | 2.2 | N/A | -- |
| Bateman comorbidity index categories | Number | Percent | Number | Percent |
| 0 | 233 | 35.1% | N/A | -- |
| 1-2 | 270 | 40.7% | N/A | -- |
| 3-4 | 87 | 13.1% | N/A | -- |
| 5-6 | 43 | 6.5% | N/A | -- |
| 7-8 | 21 | 3.2% | N/A | -- |
| 9-10 | 4 | 0.6% | N/A | -- |
| >10 | 6 | 0.9% | N/A | -- |

Table 1c. Aggregated Baseline Table for Pregnant and Non-pregnant Patients with COVID-19 in the Second Trimester in the Rapid COVID-19 Sentinel Distributed Database between January 1, 2020 and May 31, 2021

| Health service utilization intensity in the pre-pregnancy period ⁴ or during pregnancy | Pregnant patients with live birth delivery and COVID-19 in the second trimester | | Non-pregnant ¹ patients with COVID-19 in the matched equivalent second trimester | |
|---|---|--------------------|---|--------------------|
| | Mean | Standard Deviation | Mean | Standard Deviation |
| Mean number of ambulatory encounters | 23.4 | 13.8 | 14.9 | 15.9 |
| Mean number of emergency room encounters | 0.9 | 1.7 | 0.8 | 3.0 |
| Mean number of inpatient hospital encounters | 1.1 | 0.4 | 0.1 | 0.4 |
| Mean number of non-acute institutional encounters | 0.1 | 0.3 | 0.1 | 0.7 |
| Mean number of other ambulatory encounters | 6.6 | 7.0 | 4.2 | 8.2 |
| Mean number of unique drug classes dispensed | 4.2 | 3.6 | 5.2 | 4.8 |
| Mean number of unique generics dispensed | 4.5 | 4.0 | 5.5 | 5.6 |
| Mean number of unique dispensings | 9.0 | 10.0 | 13.5 | 21.6 |

¹For each identified pregnancy, a comparator episode was selected in order to compare medical product use and baseline characteristics during a defined period for which a woman did not have a live birth delivery. Pregnancy episodes were matched within Data Partner to patients with first enrollment episodes without live birth delivery that met all inclusion criteria, were the same age (integer), and where pregnancy duration overlapped the eligible enrollment spans. patients an comparator episodes were allowed to be used multiple times as controls, and patients with a pregnancy episode were allowed to contribute a separate comparator episode.

²Age and calendar month were based on the total number of pregnancies or comparator episodes per cohort; race and ethnicity were based on the total number of unique patients per cohort.

³Gestational age estimated using a claims-based algorithm, previously validated in the Medication Exposure in Pregnancy Risk Evaluation Program (MEPREP), to identify pregnancies ending in a live birth delivery. ICD-10-CM diagnosis codes indicative of weeks of gestation and ICD-9-CM and ICD-10-CM diagnosis codes for preterm and postterm deliveries were used to calculate the length of the pregnancy episode. Codes had to occur within +/- 7 days of a delivery date in the inpatient setting. In the absence of pre/postterm codes, pregnancy duration was set to 273 days.

⁴Pre-pregnancy period defined as the 183 days prior to estimated pregnancy start date.

⁵Bateman BT, Mhyre JM, Hernandez-Diaz S, et al. Development of a comorbidity index for use in obstetric patients. *Obstet Gynecol.* 2013;122(5):957-965. doi:10.1097/AOG.0b013e3182a603bb

Table 1d. Aggregated Baseline Table for Pregnant and Non-pregnant Patients with COVID-19 in the Third Trimester in the Rapid COVID-19 Sentinel Distributed Database between January 1, 2020 and May 31, 2021

| | Pregnant patients with live birth delivery and COVID-19 in the third trimester | | Non-pregnant ¹ patients with COVID-19 in the matched equivalent third trimester | |
|--|--|---------------------------|--|---------------------------|
| | Number | Percent | Number | Percent |
| Number of live birth delivery pregnancies | 1,942 | 100.0% | 1,936 | 100.0% |
| Number of unique patients | 1,942 | -- | 1,900 | -- |
| Demographic characteristics² | Mean | Standard Deviation | Mean | Standard Deviation |
| Mean maternal age at live birth delivery | 31.6 | 5.3 | 31.6 | 5.3 |
| Maternal age categories at live birth delivery (Years) | Number | Percent | Number | Percent |
| 12-24 | 240 | 12.4% | 240 | 12.4% |
| 25-39 | 1,604 | 82.6% | 1,598 | 82.5% |
| 40-55 | 98 | 5.0% | 98 | 5.1% |
| Maternal race categories | | | | |
| American Indian or Alaska Native | 10 | 0.5% | 13 | 0.7% |
| Asian | 81 | 4.2% | 71 | 3.7% |
| Black or African American | 126 | 6.5% | 114 | 6.0% |
| Native Hawaiian or Other Pacific Islander | 9 | 0.5% | 7 | 0.4% |
| White | 623 | 32.1% | 618 | 32.5% |
| Unknown | 1,093 | 56.3% | 1,077 | 56.7% |
| Maternal ethnicity: Hispanic | 211 | 10.9% | 241 | 12.7% |
| Calendar month of live birth delivery | | | | |
| January 2020 | 0 | 0.0% | 0 | 0.0% |
| February 2020 | 0 | 0.0% | 0 | 0.0% |
| March 2020 | 12 | 0.6% | 8 | 0.4% |
| April 2020 | 23 | 1.2% | 22 | 1.1% |
| May 2020 | 56 | 2.9% | 55 | 2.8% |
| June 2020 | 70 | 3.6% | 70 | 3.6% |
| July 2020 | 94 | 4.8% | 94 | 4.9% |
| August 2020 | 84 | 4.3% | 84 | 4.3% |
| September 2020 | 102 | 5.3% | 102 | 5.3% |
| October 2020 | 104 | 5.4% | 104 | 5.4% |
| November 2020 | 173 | 8.9% | 173 | 8.9% |
| December 2020 | 209 | 10.8% | 209 | 10.8% |
| January 2021 | 232 | 11.9% | 232 | 12.0% |
| February 2021 | 208 | 10.7% | 208 | 10.7% |
| March 2021 | 221 | 11.4% | 221 | 11.4% |
| April 2021 | 193 | 9.9% | 193 | 10.0% |
| May 2021 | 161 | 8.3% | 161 | 8.3% |
| Pregnancy characteristics | Mean | Standard Deviation | Mean | Standard Deviation |
| Mean gestational age ³ at delivery, weeks | 39.5 | 1.8 | N/A | -- |
| Live birth delivery term categories | Number | Percent | Number | Percent |
| Preterm | 183 | 9.4% | N/A | -- |
| Term | 1,275 | 65.7% | N/A | -- |
| Postterm | 455 | 23.4% | N/A | -- |
| Unknown term | 29 | 1.5% | N/A | -- |
| Hierarchical COVID-19 severity in the third trimester | | | | |
| 5) Death during hospitalization for COVID-19 diagnosis | 2 | 0.1% | 0 | 0.0% |
| | Number | Percent | Number | Percent |

Table 1d. Aggregated Baseline Table for Pregnant and Non-pregnant Patients with COVID-19 in the Third Trimester in the Rapid COVID-19 Sentinel Distributed Database between January 1, 2020 and May 31, 2021

| | Pregnant patients with live birth delivery and COVID-19 in the third trimester | | Non-pregnant ¹ patients with COVID-19 in the matched equivalent third trimester | |
|--|--|----------------|--|----------------|
| 4) Hospitalization for COVID-19 diagnosis with ARDS or requiring ventilation | 46 | 2.4% | 18 | 0.9% |
| 3) Hospitalization for COVID-19 diagnosis with an ICU admission | 36 | 1.9% | 9 | 0.5% |
| 2) Hospitalization for COVID-19 diagnosis | 747 | 38.5% | 19 | 1.0% |
| 1) Any recorded diagnosis (non-severe) | 1,111 | 57.2% | 1,791 | 92.5% |
| Hierarchical COVID-19 severity in the third trimester by age group (Years) | | | | |
| Severe COVID-19 diagnosis (levels 2-5) | 831 | 42.8% | 46 | 2.4% |
| 12-24 | 118 | 6.1% | 5 | 0.3% |
| 25-39 | 673 | 34.7% | 35 | 1.8% |
| 40-55 | 40 | 2.1% | 6 | 0.3% |
| Non-severe COVID-19 diagnosis (level 1) | 1,111 | 57.2% | 1,791 | 92.5% |
| 12-24 | 122 | 6.3% | 228 | 11.8% |
| 25-39 | 931 | 47.9% | 1,479 | 76.4% |
| 40-55 | 58 | 3.0% | 84 | 4.3% |
| COVID-19 hospitalization and obstetric visits in the third trimester | | | | |
| A) Hospitalization for COVID-19 as the primary diagnosis | 6 | 0.3% | 22 | 1.1% |
| B) Hospitalization for COVID-19 diagnosis with no obstetric reason | 615 | 31.7% | 47 | 2.4% |
| C) Hospitalization for COVID-19 diagnosis and obstetric reason | 231 | 11.9% | 0 | 0.0% |
| D) Hospitalization for obstetric reason without COVID-19 diagnosis | 241 | 12.4% | 1 | 0.1% |
| Oxygenation in the third trimester | | | | |
| Supplemental oxygen | 14 | 0.7% | 12 | 0.6% |
| High-flow oxygen or non-invasive mechanical ventilation | 5 | 0.3% | 0 | 0.0% |
| Invasive mechanical ventilation or ECMO | 6 | 0.3% | 2 | 0.1% |
| Maternal pre-existing or at-risk medical conditions in the pre-pregnancy period⁴ or in the first trimester | | | | |
| Cancer | 9 | 0.5% | 18 | 0.9% |
| Cardiovascular and other vascular disease | 12 | 0.6% | 37 | 1.9% |
| Congenital heart disease | 5 | 0.3% | 6 | 0.3% |
| Cardiovascular disease | 6 | 0.3% | 27 | 1.4% |
| Other vascular disease | 2 | 0.1% | 10 | 0.5% |
| Endocrine disorder | 324 | 16.7% | 303 | 15.7% |
| Diabetes mellitus | 61 | 3.1% | 72 | 3.7% |
| Obesity | 287 | 14.8% | 269 | 13.9% |
| Hypertension | 62 | 3.2% | 103 | 5.3% |
| Immunological disease | 5 | 0.3% | 4 | 0.2% |
| Human immunodeficiency virus | 3 | 0.2% | 0 | 0.0% |
| Immunosuppression | 2 | 0.1% | 4 | 0.2% |
| Mental disorder | 200 | 10.3% | 288 | 14.9% |
| Renal disease: Chronic kidney disease | 17 | 0.9% | 31 | 1.6% |
| Respiratory disease | 141 | 7.3% | 175 | 9.0% |
| Asthma | 120 | 6.2% | 145 | 7.5% |
| Chronic obstructive pulmonary disease | 22 | 1.1% | 38 | 2.0% |
| Other chronic respiratory disease | 29 | 1.5% | 39 | 2.0% |
| Rheumatic disease | 79 | 4.1% | 91 | 4.7% |
| | Number | Percent | Number | Percent |
| Sickle cell disease | 3 | 0.2% | 3 | 0.2% |
| Smoking | 91 | 4.7% | 92 | 4.8% |
| Maternal/infant obstetric conditions after 20 weeks gestation | | | | |

Table 1d. Aggregated Baseline Table for Pregnant and Non-pregnant Patients with COVID-19 in the Third Trimester in the Rapid COVID-19 Sentinel Distributed Database between January 1, 2020 and May 31, 2021

| | Pregnant patients with live birth delivery and COVID-19 in the third trimester | | Non-pregnant ¹ patients with COVID-19 in the matched equivalent third trimester | |
|--|--|---------------------------|--|---------------------------|
| Spontaneous abortion (up to 20 weeks gestation) | 10 | 0.5% | 16 | 0.8% |
| Stillbirth delivery | 14 | 0.7% | 0 | 0.0% |
| Congenital anomaly | 65 | 3.3% | 20 | 1.0% |
| Eclampsia or preeclampsia | 178 | 9.2% | 0 | 0.0% |
| Gestational diabetes | 266 | 13.7% | 2 | 0.1% |
| Gestational hypertension | 237 | 12.2% | 0 | 0.0% |
| Intrauterine growth restriction | 261 | 13.4% | 1 | 0.1% |
| Maternal obstetric conditions in the pre-pregnancy period⁴ | | | | |
| Assisted reproductive technology | 24 | 1.2% | 4 | 0.2% |
| Maternal/infant obstetric conditions in the +/-7 days of delivery | | | | |
| Caesarean section | 429 | 22.1% | 0 | 0.0% |
| Low birth weight | 3 | 0.2% | 0 | 0.0% |
| Preterm birth | 323 | 16.6% | 1 | 0.1% |
| Small for gestational age | 3 | 0.2% | 0 | 0.0% |
| Maternal obstetric conditions in enrollment history prior to the estimated pregnancy start date | | | | |
| Prior pregnancy with congenital anomaly, small for gestational age, or stillbirth | 110 | 5.7% | 92 | 4.8% |
| Prior pregnancy with congenital anomaly | 99 | 5.1% | 89 | 4.6% |
| Prior pregnancy delivered small for gestational age | 1 | 0.1% | 0 | 0.0% |
| Prior pregnancy with stillbirth delivery | 13 | 0.7% | 3 | 0.2% |
| Obstetric comorbidity index in the pre-pregnancy period⁴ or during pregnancy | | | | |
| | Mean | Standard Deviation | Mean | Standard Deviation |
| Mean Bateman comorbidity index ⁵ | 1.7 | 2.0 | N/A | -- |
| Bateman comorbidity index categories | Number | Percent | Number | Percent |
| 0 | 682 | 35.1% | N/A | -- |
| 1-2 | 803 | 41.3% | N/A | -- |
| 3-4 | 276 | 14.2% | N/A | -- |
| 5-6 | 118 | 6.1% | N/A | -- |
| 7-8 | 46 | 2.4% | N/A | -- |
| 9-10 | 10 | 0.5% | N/A | -- |
| >10 | 7 | 0.4% | N/A | -- |

Table 1d. Aggregated Baseline Table for Pregnant and Non-pregnant Patients with COVID-19 in the Third Trimester in the Rapid COVID-19 Sentinel Distributed Database between January 1, 2020 and May 31, 2021

| Health service utilization intensity in the pre-pregnancy period ⁴ or during pregnancy | Pregnant patients with live birth delivery and COVID-19 in the third trimester | | Non-pregnant ¹ patients with COVID-19 in the matched equivalent third trimester | |
|---|--|--------------------|--|--------------------|
| | Mean | Standard Deviation | Mean | Standard Deviation |
| Mean number of ambulatory encounters | 22.3 | 14.5 | 15.6 | 20.7 |
| Mean number of emergency room encounters | 0.8 | 1.6 | 0.7 | 2.6 |
| Mean number of inpatient hospital encounters | 1.1 | 0.3 | 0.1 | 0.6 |
| Mean number of non-acute institutional encounters | 0.1 | 0.3 | 0.0 | 0.2 |
| Mean number of other ambulatory encounters | 5.6 | 7.7 | 3.5 | 11.6 |
| Mean number of unique drug classes dispensed | 4.1 | 3.8 | 5.3 | 5.0 |
| Mean number of unique generics dispensed | 4.3 | 4.2 | 5.8 | 5.8 |
| Mean number of unique dispensings | 8.7 | 10.8 | 15.3 | 23.6 |

¹For each identified pregnancy, a comparator episode was selected in order to compare medical product use and baseline characteristics during a defined period for which a woman did not have a live birth delivery. Pregnancy episodes were matched within Data Partner to patients with first enrollment episodes without live birth delivery that met all inclusion criteria, were the same age (integer), and where pregnancy duration overlapped the eligible enrollment spans. patients an comparator episodes were allowed to be used multiple times as controls, and patients with a pregnancy episode were allowed to contribute a separate comparator episode.

²Age and calendar month were based on the total number of pregnancies or comparator episodes per cohort; race and ethnicity were based on the total number of unique patients per cohort.

³Gestational age estimated using a claims-based algorithm, previously validated in the Medication Exposure in Pregnancy Risk Evaluation Program (MEPREP), to identify pregnancies ending in a live birth delivery. ICD-10-CM diagnosis codes indicative of weeks of gestation and ICD-9-CM and ICD-10-CM diagnosis codes for preterm and postterm deliveries were used to calculate the length of the pregnancy episode. Codes had to occur within +/- 7 days of a delivery date in the inpatient setting. In the absence of pre/postterm codes, pregnancy duration was set to 273 days.

⁴Pre-pregnancy period defined as the 183 days prior to estimated pregnancy start date.

⁵Bateman BT, Mhyre JM, Hernandez-Diaz S, et al. Development of a comorbidity index for use in obstetric patients. *Obstet Gynecol.* 2013;122(5):957-965. doi:10.1097/AOG.0b013e3182a603bb

Table 1e. Aggregated Baseline Table for Pregnant and Non-pregnant Patients with and without COVID-19 in the Pre-pregnancy Period or During Pregnancy in the Rapid COVID-19 Sentinel Distributed Database between January 1, 2020 and May 31, 2021

| | Pregnant patients with live birth delivery and COVID-19 in the pre-pregnancy period or during pregnancy | | Non-pregnant ¹ patients with COVID-19 in the matched equivalent in the pre-pregnancy period or during pregnancy | | Pregnant patients without COVID-19 in the pre-pregnancy period or during pregnancy | |
|--|---|---------------------------|--|---------------------------|--|---------------------------|
| | Number | Percent | Number | Percent | Number | Percent |
| Number of live birth delivery pregnancies | 2,747 | 100.0% | 2,744 | 100.0% | 65,384 | 100.0% |
| Number of unique patients | 2,747 | -- | 2,645 | -- | 65,384 | -- |
| Demographic characteristics² | Mean | Standard Deviation | Mean | Standard Deviation | Mean | Standard Deviation |
| Mean maternal age at live birth delivery | 31.6 | 5.3 | 31.6 | 5.3 | 32.1 | 5.1 |
| Maternal age categories at live birth delivery | Number | Percent | Number | Percent | Number | Percent |
| 12-24 | 340 | 12.4% | 339 | 12.4% | 6,267 | 9.6% |
| 25-39 | 2,273 | 82.7% | 2,271 | 82.8% | 55,879 | 85.5% |
| 40-55 | 134 | 4.9% | 134 | 4.9% | 3,238 | 5.0% |
| Maternal race categories | | | | | | |
| American Indian or Alaska Native | 13 | 0.5% | 14 | 0.5% | 280 | 0.4% |
| Asian | 109 | 4.0% | 91 | 3.4% | 3,667 | 5.6% |
| Black or African American | 173 | 6.3% | 182 | 6.9% | 3,175 | 4.9% |
| Native Hawaiian or Other Pacific Islander | 14 | 0.5% | 9 | 0.3% | 270 | 0.4% |
| White | 888 | 32.3% | 799 | 30.2% | 24,960 | 38.2% |
| Unknown | 1,550 | 56.4% | 1550 | 58.6% | 33,032 | 50.5% |
| Maternal ethnicity: Hispanic | 309 | 11.2% | 342 | 12.9% | 4,706 | 7.2% |
| Calendar month of live birth delivery | | | | | | |
| January 2020 | 1 | 0.0% | 0 | 0.0% | 3,773 | 5.8% |
| February 2020 | 0 | 0.0% | 0 | 0.0% | 3,622 | 5.5% |
| March 2020 | 12 | 0.4% | 11 | 0.4% | 4,064 | 6.2% |
| April 2020 | 24 | 0.9% | 23 | 0.8% | 3,940 | 6.0% |
| May 2020 | 57 | 2.1% | 57 | 2.1% | 4,408 | 6.7% |
| June 2020 | 72 | 2.6% | 72 | 2.6% | 4,403 | 6.7% |
| July 2020 | 98 | 3.6% | 98 | 3.6% | 4,497 | 6.9% |
| August 2020 | 99 | 3.6% | 99 | 3.6% | 4,215 | 6.4% |
| September 2020 | 124 | 4.5% | 124 | 4.5% | 4,150 | 6.3% |
| October 2020 | 128 | 4.7% | 128 | 4.7% | 4,179 | 6.4% |
| November 2020 | 223 | 8.1% | 223 | 8.1% | 3,713 | 5.7% |
| December 2020 | 268 | 9.8% | 268 | 9.8% | 3,562 | 5.4% |
| January 2021 | 305 | 11.1% | 305 | 11.1% | 3,085 | 4.7% |
| February 2021 | 294 | 10.7% | 294 | 10.7% | 3,188 | 4.9% |
| March 2021 | 353 | 12.9% | 353 | 12.9% | 3,744 | 5.7% |
| April 2021 | 339 | 12.3% | 339 | 12.4% | 3,440 | 5.3% |
| May 2021 | 350 | 12.7% | 350 | 12.8% | 3,401 | 5.2% |
| Pregnancy characteristics | Mean | Standard Deviation | Mean | Standard Deviation | Mean | Standard Deviation |
| Mean gestational age ³ at delivery, weeks | 39.4 | 2.2 | N/A | -- | 39.5 | 2.0 |
| Live birth delivery term categories | Number | Percent | Number | Percent | Number | Percent |
| Preterm | 280 | 10.2% | N/A | -- | 5,274 | 8.1% |
| Term | 1,803 | 65.6% | N/A | -- | 42,306 | 64.7% |
| Postterm | 627 | 22.8% | N/A | -- | 16,927 | 25.9% |
| Unknown term | 37 | 1.3% | N/A | -- | 877 | 1.3% |

Table 1e. Aggregated Baseline Table for Pregnant and Non-pregnant Patients with and without COVID-19 in the Pre-pregnancy Period or During Pregnancy in the Rapid COVID-19 Sentinel Distributed Database between January 1, 2020 and May 31, 2021

| | Pregnant patients with live birth delivery and COVID-19 in the pre-pregnancy period or during pregnancy | | Non-pregnant [†] patients with COVID-19 in the matched equivalent in the pre-pregnancy period or during pregnancy | | Pregnant patients without COVID-19 in the pre-pregnancy period or during pregnancy | |
|--|---|----------------|--|----------------|--|----------------|
| Hierarchical COVID-19 severity in the pre-pregnancy period⁴ or during pregnancy | | | | | | |
| 5) Death during hospitalization for COVID-19 diagnosis | 2 | 0.1% | 0 | 0.0% | N/A | -- |
| 4) Hospitalization for COVID-19 diagnosis with ARDS or requiring ventilation | 54 | 2.0% | 33 | 1.2% | N/A | -- |
| 3) Hospitalization for COVID-19 diagnosis with an ICU admission | 40 | 1.5% | 11 | 0.4% | N/A | -- |
| 2) Hospitalization for COVID-19 diagnosis | 766 | 27.9% | 12 | 0.4% | N/A | -- |
| 1) Any recorded diagnosis (non-severe) | 1,880 | 68.4% | 2,586 | 94.2% | N/A | -- |
| Hierarchical COVID-19 severity in the pre-pregnancy period⁴ or during pregnancy by age group (Years) | | | | | | |
| Severe COVID-19 diagnosis (levels 2-5) | 862 | 31.4% | 56 | 2.0% | N/A | -- |
| 12-24 | 122 | 4.4% | 2 | 0.1% | N/A | -- |
| 25-39 | 699 | 25.4% | 49 | 1.8% | N/A | -- |
| 40-55 | 41 | 1.5% | 5 | 0.2% | N/A | -- |
| Non-severe COVID-19 diagnosis (level 1) | 1,880 | 68.4% | 2,586 | 94.2% | N/A | -- |
| 12-24 | 216 | 7.9% | 325 | 11.8% | N/A | -- |
| 25-39 | 1,572 | 57.2% | 2,140 | 78.0% | N/A | -- |
| 40-55 | 92 | 3.3% | 121 | 4.4% | N/A | -- |
| COVID-19 hospitalization and obstetric visits in the pre-pregnancy period⁴ or during pregnancy | | | | | | |
| A) Hospitalization for COVID-19 as the primary diagnosis | 6 | 0.2% | 24 | 0.9% | N/A | -- |
| B) Hospitalization for COVID-19 diagnosis with no obstetric reason | 615 | 22.4% | 59 | 2.2% | N/A | -- |
| C) Hospitalization for COVID-19 diagnosis and obstetric reason | 232 | 8.4% | 0 | 0.0% | N/A | -- |
| D) Hospitalization for obstetric reason without COVID-19 diagnosis | 406 | 14.8% | 0 | 0.0% | 12,855 | 19.7% |
| Oxygenation in the pre-pregnancy period⁴ or during pregnancy | | | | | | |
| Supplemental oxygen | 18 | 0.7% | 25 | 0.9% | 51 | 0.1% |
| High-flow oxygen or non-invasive mechanical ventilation | 7 | 0.3% | 4 | 0.1% | 15 | 0.0% |
| Invasive mechanical ventilation or ECMO | 9 | 0.3% | 9 | 0.3% | 48 | 0.1% |
| Maternal pre-existing or at-risk medical conditions in the pre-pregnancy period⁴ or in the first trimester | | | | | | |
| | Number | Percent | Number | Percent | Number | Percent |
| Cancer | 18 | 0.7% | 22 | 0.8% | 316 | 0.5% |
| Cardiovascular and other vascular disease | 20 | 0.7% | 40 | 1.5% | 551 | 0.8% |
| Congenital heart disease | 8 | 0.3% | 11 | 0.4% | 243 | 0.4% |

Table 1e. Aggregated Baseline Table for Pregnant and Non-pregnant Patients with and without COVID-19 in the Pre-pregnancy Period or During Pregnancy in the Rapid COVID-19 Sentinel Distributed Database between January 1, 2020 and May 31, 2021

| | Pregnant patients with live birth delivery and COVID-19 in the pre-pregnancy period or during pregnancy | | Non-pregnant ¹ patients with COVID-19 in the matched equivalent in the pre-pregnancy period or during pregnancy | | Pregnant patients without COVID-19 in the pre-pregnancy period or during pregnancy | |
|--|---|----------------|--|----------------|--|----------------|
| | Number | Percent | Number | Percent | Number | Percent |
| Cardiovascular disease | 10 | 0.4% | 25 | 0.9% | 251 | 0.4% |
| Other vascular disease | 3 | 0.1% | 7 | 0.3% | 108 | 0.2% |
| Endocrine disorder | 458 | 16.7% | 444 | 16.2% | 8,137 | 12.4% |
| Diabetes mellitus | 81 | 2.9% | 101 | 3.7% | 1,319 | 2.0% |
| Obesity | 406 | 14.8% | 397 | 14.5% | 7,356 | 11.3% |
| Hypertension | 88 | 3.2% | 151 | 5.5% | 1,689 | 2.6% |
| Immunological disease | 6 | 0.2% | 14 | 0.5% | 164 | 0.3% |
| Human immunodeficiency virus | 3 | 0.1% | 4 | 0.1% | 76 | 0.1% |
| Immunosuppression | 3 | 0.1% | 10 | 0.4% | 89 | 0.1% |
| Mental disorder | 272 | 9.9% | 429 | 15.6% | 6,312 | 9.7% |
| Renal disease: Chronic kidney disease | 24 | 0.9% | 38 | 1.4% | 486 | 0.7% |
| Respiratory disease | 198 | 7.2% | 246 | 9.0% | 3,842 | 5.9% |
| Asthma | 171 | 6.2% | 192 | 7.0% | 3,282 | 5.0% |
| Chronic obstructive pulmonary disease | 25 | 0.9% | 59 | 2.2% | 612 | 0.9% |
| Other chronic respiratory disease | 36 | 1.3% | 67 | 2.4% | 677 | 1.0% |
| Rheumatic disease | 110 | 4.0% | 132 | 4.8% | 2,318 | 3.5% |
| Sickle cell disease | 5 | 0.2% | 3 | 0.1% | 129 | 0.2% |
| Smoking | 135 | 4.9% | 121 | 4.4% | 2,676 | 4.1% |
| Maternal/infant obstetric conditions after 20 weeks gestation | | | | | | |
| Spontaneous abortion (up to 20 weeks gestation) | 17 | 0.6% | 8 | 0.3% | 515 | 0.8% |
| Stillbirth delivery | 27 | 1.0% | 0 | 0.0% | 555 | 0.8% |
| Congenital anomaly | 94 | 3.4% | 31 | 1.1% | 2,303 | 3.5% |
| Eclampsia or preeclampsia | 257 | 9.4% | 0 | 0.0% | 5,468 | 8.4% |
| Gestational diabetes | 359 | 13.1% | 1 | 0.0% | 7,899 | 12.1% |
| Gestational hypertension | 350 | 12.7% | 0 | 0.0% | 8,228 | 12.6% |
| Intrauterine growth restriction | 380 | 13.8% | 0 | 0.0% | 8,429 | 12.9% |
| Maternal obstetric conditions in the pre-pregnancy period⁵ | | | | | | |
| Assisted reproductive technology | 36 | 1.3% | 3 | 0.1% | 1,264 | 1.9% |
| Maternal/infant obstetric conditions in the +/-7 days of delivery | | | | | | |
| Caesarean section | 592 | 21.6% | 0 | 0.0% | 13,576 | 20.8% |
| Low birth weight | 4 | 0.1% | 0 | 0.0% | 64 | 0.1% |
| Preterm birth | 480 | 17.5% | 7 | 0.3% | 9,294 | 14.2% |
| Small for gestational age | 4 | 0.1% | 0 | 0.0% | 84 | 0.1% |
| Maternal obstetric conditions in enrollment history prior to the estimated pregnancy start date | | | | | | |
| | Number | Percent | Number | Percent | Number | Percent |
| Prior pregnancy with congenital anomaly, small for gestational age, or stillbirth | 152 | 5.5% | 131 | 4.8% | 2,984 | 4.6% |
| Prior pregnancy with congenital anomaly | 140 | 5.1% | 128 | 4.7% | 2,768 | 4.2% |
| Prior pregnancy delivered small for gestational age | 1 | 0.0% | 0 | 0.0% | 36 | 0.1% |
| Prior pregnancy with stillbirth delivery | 14 | 0.5% | 3 | 0.1% | 221 | 0.3% |

Table 1e. Aggregated Baseline Table for Pregnant and Non-pregnant Patients with and without COVID-19 in the Pre-pregnancy Period or During Pregnancy in the Rapid COVID-19 Sentinel Distributed Database between January 1, 2020 and May 31, 2021

| | Pregnant patients with live birth delivery and COVID-19 in the pre-pregnancy period or during pregnancy | | Non-pregnant ¹ patients with COVID-19 in the matched equivalent in the pre-pregnancy period or during pregnancy | | Pregnant patients without COVID-19 in the pre-pregnancy period or during pregnancy | |
|---|---|---------------------------|--|---------------------------|--|---------------------------|
| | Mean | Standard Deviation | Mean | Standard Deviation | Mean | Standard Deviation |
| Obstetric comorbidity index in the pre-pregnancy period⁴ or during pregnancy | | | | | | |
| Mean Bateman comorbidity index ⁵ | 1.7 | 2.0 | N/A | -- | 1.6 | 2.0 |
| Bateman comorbidity index categories | Number | Percent | Number | Percent | Number | Percent |
| 0 | 977 | 35.6% | N/A | -- | 24,132 | 36.9% |
| 1-2 | 1138 | 41.4% | N/A | -- | 27,335 | 41.8% |
| 3-4 | 365 | 13.3% | N/A | -- | 8,147 | 12.5% |
| 5-6 | 162 | 5.9% | N/A | -- | 3,654 | 5.6% |
| 7-8 | 75 | 2.7% | N/A | -- | 1,406 | 2.2% |
| 9-10 | 18 | 0.7% | N/A | -- | 460 | 0.7% |
| >10 | 12 | 0.4% | N/A | -- | 250 | 0.4% |
| Health service utilization intensity in the pre-pregnancy period⁴ or during pregnancy | Mean | Standard Deviation | Mean | Standard Deviation | Mean | Standard Deviation |
| Mean number of ambulatory encounters | 22.6 | 14.3 | 15.1 | 20.9 | 20.5 | 13.4 |
| Mean number of emergency room encounters | 0.8 | 1.6 | 0.7 | 2.0 | 0.5 | 1.3 |
| Mean number of inpatient hospital encounters | 1.1 | 0.3 | 0.1 | 0.5 | 1.0 | 0.2 |
| Mean number of non-acute institutional encounters | 0.1 | 0.3 | 0.1 | 1.1 | 0.1 | 0.3 |
| Mean number of other ambulatory encounters | 5.3 | 7.3 | 3.3 | 7.6 | 6.6 | 7.8 |
| Mean number of unique drug classes dispensed | 4.1 | 3.7 | 5.2 | 4.8 | 3.5 | 3.3 |
| Mean number of unique generics dispensed | 4.4 | 4.1 | 5.6 | 5.3 | 3.7 | 3.7 |
| Mean number of unique dispensings | 8.8 | 10.6 | 14.6 | 19.9 | 7.8 | 10.4 |

¹For each identified pregnancy, a comparator episode was selected in order to compare medical product use and baseline characteristics during a defined period for which a woman did not have a live birth delivery. Pregnancy episodes were matched within Data Partner to patients with first enrollment episodes without live birth delivery that met all inclusion criteria, were the same age (integer), and where pregnancy duration overlapped the eligible enrollment spans. patients an comparator episodes were allowed to be used multiple times as controls, and patients with a pregnancy episode were allowed to contribute a separate comparator episode.

²Age and calendar month were based on the total number of pregnancies or comparator episodes per cohort; race and ethnicity were based on the total number of unique patients per cohort.

³Gestational age estimated using a claims-based algorithm, previously validated in the Medication Exposure in Pregnancy Risk Evaluation Program (MEPREP), to identify pregnancies ending in a live birth delivery. ICD-10-CM diagnosis codes indicative of weeks of gestation and ICD-9-CM and ICD-10-CM diagnosis codes for preterm and postterm deliveries were used to calculate the length of the pregnancy episode. Codes had to occur within +/- 7 days of a delivery date in the inpatient setting. In the absence of pre/postterm codes, pregnancy duration was set to 273 days.

⁴Pre-pregnancy period defined as the 183 days prior to estimated pregnancy start date.

⁵Bateman BT, Mhyre JM, Hernandez-Diaz S, et al. Development of a comorbidity index for use in obstetric patients. *Obstet Gynecol.* 2013;122(5):957-965. doi:10.1097/AOG.0b013e3182a603bb

Table 2a. Use of Various Medications and Vaccinations Among Pregnant and Non-pregnant Patients with COVID-19 in the Pre-pregnancy Period in the Rapid COVID-19 Sentinel Distributed Database between January 1, 2020 and May 31, 2021

| Medical products of interest ¹ | Any use in the pre-pregnancy period ² | | Any use in the first trimester | | Any use in the second trimester | | Any use in the third trimester | | Any use during pregnancy (first, second, or third trimesters) | |
|--|--|---------|--------------------------------|---------|---------------------------------|---------|--------------------------------|---------|---|---------|
| | Number | Percent | Number | Percent | Number | Percent | Number | Percent | Number | Percent |
| Pregnancies with COVID-19 in the pre-pregnancy period² (N=143) | | | | | | | | | | |
| <i>Obstetric-related medications</i> | | | | | | | | | | |
| Analgesics | 22 | 15.4% | 10 | 7.0% | 11 | 7.7% | 11 | 7.7% | 22 | 15.4% |
| Antibacterials | 66 | 46.2% | 30 | 21.0% | 22 | 15.4% | 20 | 14.0% | 59 | 41.3% |
| Anticoagulants/platelet inhibitors | 2 | 1.4% | 8 | 5.6% | 9 | 6.3% | 8 | 5.6% | 11 | 7.7% |
| Antihypertensives | 6 | 4.2% | 5 | 3.5% | 2 | 1.4% | 3 | 2.1% | 6 | 4.2% |
| Anti-inflammatories | 20 | 14.0% | 3 | 2.1% | 1 | 0.7% | 2 | 1.4% | 6 | 4.2% |
| Antimycobacterials | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Antimycotics | 8 | 5.6% | 2 | 1.4% | 2 | 1.4% | 3 | 2.1% | 6 | 4.2% |
| Antivirals | 11 | 7.7% | 3 | 2.1% | 3 | 2.1% | 6 | 4.2% | 9 | 6.3% |
| Corticosteroids | 28 | 19.6% | 6 | 4.2% | 6 | 4.2% | 4 | 2.8% | 13 | 9.1% |
| Diabetes medications | 2 | 1.4% | 3 | 2.1% | 3 | 2.1% | 6 | 4.2% | 6 | 4.2% |
| Immune serum globulins | 0 | 0.0% | 1 | 0.7% | 0 | 0.0% | 8 | 5.6% | 8 | 5.6% |
| Immunostimulants | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Immunosuppressants | 1 | 0.7% | 1 | 0.7% | 1 | 0.7% | 1 | 0.7% | 1 | 0.7% |
| Medicines for obstructive airway disease | 26 | 18.2% | 5 | 3.5% | 7 | 4.9% | 8 | 5.6% | 14 | 9.8% |
| Nasal preparations | 13 | 9.1% | 6 | 4.2% | 6 | 4.2% | 3 | 2.1% | 10 | 7.0% |
| Psychoanaleptics | 25 | 17.5% | 15 | 10.5% | 13 | 9.1% | 12 | 8.4% | 18 | 12.6% |
| Psycholeptics | 14 | 9.8% | 12 | 8.4% | 2 | 1.4% | 5 | 3.5% | 14 | 9.8% |
| <i>Potential COVID-19 medications</i> | | | | | | | | | | |
| ACEI ³ or ARBs ⁴ | 2 | 1.4% | 1 | 0.7% | 0 | 0.0% | 0 | 0.0% | 1 | 0.7% |
| Azithromycin | 24 | 16.8% | 4 | 2.8% | 1 | 0.7% | 5 | 3.5% | 9 | 6.3% |
| Baricitinib | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Chloroquine | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Corticosteroids (inhaled) | 8 | 5.6% | 3 | 2.1% | 4 | 2.8% | 1 | 0.7% | 5 | 3.5% |
| Corticosteroids (other) | 25 | 17.5% | 3 | 2.1% | 2 | 1.4% | 7 | 4.9% | 11 | 7.7% |
| Hydroxychloroquine | 3 | 2.1% | 1 | 0.7% | 1 | 0.7% | 0 | 0.0% | 1 | 0.7% |
| Interferon-beta | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Interleukin 6 inhibitors | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Lopinavir / Ritonavir | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Methylprednisolone | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Monoclonal antibody | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| NSAIDs (other) | 17 | 11.9% | 4 | 2.8% | 0 | 0.0% | 1 | 0.7% | 4 | 2.8% |
| Prednisolone | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Remdesivir | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| <i>Vaccinations</i> | | | | | | | | | | |
| Influenza A vaccination | 9 | 6.3% | 34 | 23.8% | 30 | 21.0% | 8 | 5.6% | 70 | 49.0% |
| Pertussis vaccination | 4 | 2.8% | 0 | 0.0% | 1 | 0.7% | 90 | 62.9% | 91 | 63.6% |
| Pneumococcal vaccination | 2 | 1.4% | 0 | 0.0% | 1 | 0.7% | 1 | 0.7% | 1 | 0.7% |
| Non-pregnant comparator episodes⁵ with COVID-19 in the matched equivalent pre-pregnancy period² (N=143) | | | | | | | | | | |
| <i>Obstetric-related medications</i> | | | | | | | | | | |
| Analgesics | 18 | 12.6% | 18 | 12.6% | 11 | 7.7% | 13 | 9.1% | 23 | 16.1% |
| Antibacterials | 53 | 37.1% | 25 | 17.5% | 21 | 14.7% | 31 | 21.7% | 55 | 38.5% |
| Anticoagulants/platelet inhibitors | 2 | 1.4% | 0 | 0.0% | 1 | 0.7% | 2 | 1.4% | 2 | 1.4% |
| Antihypertensives | 14 | 9.8% | 11 | 7.7% | 8 | 5.6% | 9 | 6.3% | 14 | 9.8% |
| Anti-inflammatories | 20 | 14.0% | 3 | 2.1% | 4 | 2.8% | 9 | 6.3% | 13 | 9.1% |
| Antimycobacterials | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |

Table 2a. Use of Various Medications and Vaccinations Among Pregnant and Non-pregnant Patients with COVID-19 in the Pre-pregnancy Period in the Rapid COVID-19 Sentinel Distributed Database between January 1, 2020 and May 31, 2021

| Medical products of interest ¹ | Any use in the pre-pregnancy period ² | | Any use in the first trimester | | Any use in the second trimester | | Any use in the third trimester | | Any use during pregnancy (first, second, or third trimesters) | |
|---|--|---------|--------------------------------|---------|---------------------------------|---------|--------------------------------|---------|---|---------|
| | Number | Percent | Number | Percent | Number | Percent | Number | Percent | Number | Percent |
| Antimycotics | 13 | 9.1% | 6 | 4.2% | 5 | 3.5% | 12 | 8.4% | 17 | 11.9% |
| Antivirals | 18 | 12.6% | 8 | 5.6% | 10 | 7.0% | 7 | 4.9% | 12 | 8.4% |
| Corticosteroids | 22 | 15.4% | 9 | 6.3% | 8 | 5.6% | 15 | 10.5% | 25 | 17.5% |
| Diabetes medications | 8 | 5.6% | 4 | 2.8% | 4 | 2.8% | 4 | 2.8% | 6 | 4.2% |
| Immune serum globulins | 1 | 0.7% | 1 | 0.7% | 2 | 1.4% | 0 | 0.0% | 2 | 1.4% |
| Immunostimulants | 0 | 0.0% | 1 | 0.7% | 1 | 0.7% | 1 | 0.7% | 1 | 0.7% |
| Immunosuppressants | 5 | 3.5% | 2 | 1.4% | 2 | 1.4% | 5 | 3.5% | 5 | 3.5% |
| Medicines for obstructive airway disease | 16 | 11.2% | 8 | 5.6% | 7 | 4.9% | 10 | 7.0% | 19 | 13.3% |
| Nasal preparations | 12 | 8.4% | 8 | 5.6% | 7 | 4.9% | 12 | 8.4% | 21 | 14.7% |
| Psychoanaleptics | 29 | 20.3% | 22 | 15.4% | 22 | 15.4% | 23 | 16.1% | 30 | 21.0% |
| Psycholeptics | 18 | 12.6% | 14 | 9.8% | 11 | 7.7% | 12 | 8.4% | 22 | 15.4% |
| <i>Potential COVID-19 medications</i> | | | | | | | | | | |
| ACEI ³ or ARBs ⁴ | 4 | 2.8% | 3 | 2.1% | 2 | 1.4% | 2 | 1.4% | 3 | 2.1% |
| Azithromycin | 25 | 17.5% | 3 | 2.1% | 6 | 4.2% | 7 | 4.9% | 13 | 9.1% |
| Baricitinib | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Chloroquine | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Corticosteroids (inhaled) | 2 | 1.4% | 1 | 0.7% | 2 | 1.4% | 4 | 2.8% | 7 | 4.9% |
| Corticosteroids (other) | 21 | 14.7% | 8 | 5.6% | 6 | 4.2% | 12 | 8.4% | 19 | 13.3% |
| Hydroxychloroquine | 1 | 0.7% | 1 | 0.7% | 1 | 0.7% | 1 | 0.7% | 1 | 0.7% |
| Interferon-beta | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Interleukin 6 inhibitors | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Lopinavir / Ritonavir | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Methylprednisolone | 3 | 2.1% | 3 | 2.1% | 1 | 0.7% | 2 | 1.4% | 4 | 2.8% |
| Monoclonal antibody | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| NSAIDs (other) | 16 | 11.2% | 3 | 2.1% | 3 | 2.1% | 5 | 3.5% | 8 | 5.6% |
| Prednisolone | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Remdesivir | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| <i>Vaccinations</i> | | | | | | | | | | |
| Influenza A vaccination | 6 | 4.2% | 20 | 14.0% | 23 | 16.1% | 3 | 2.1% | 46 | 32.2% |
| Pertussis vaccination | 4 | 2.8% | 2 | 1.4% | 1 | 0.7% | 0 | 0.0% | 3 | 2.1% |
| Pneumococcal vaccination | 1 | 0.7% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |

¹Medical product utilization was defined by the date of dispensing or administration. Treatment episodes were not created.

²Pre-pregnancy period defined as the 183 days prior to estimated pregnancy start date.

³Angiotensin-converting Enzyme Inhibitors

⁴Angiotensin Receptor Blockers

⁵For each identified pregnancy, a comparator episode was selected in order to compare medical product use and baseline characteristics during a defined period for which a woman did not have a live birth delivery. Pregnancy episodes were matched within Data Partner to patients with first enrollment episodes without live birth delivery that met all inclusion criteria, were the same age (integer), and where pregnancy duration overlapped the eligible enrollment spans. patients an comparator episodes were allowed to be used multiple times as controls, and patients with a pregnancy episode were allowed to contribute a separate comparator episode.

Table 2b. Use of Various Medications and Vaccinations Among Pregnant and Non-pregnant Patients with COVID-19 in the First Trimester in the Rapid COVID-19 Sentinel Distributed Database between January 1, 2020 and May 31, 2021

| Medical products of interest ¹ | Any use in the pre- | | | | | | Any use during pregnancy (first, second, or third trimesters) | | | |
|---|-------------------------------|---------|--------------------------------|---------|---------------------------------|---------|---|---------|--------|---------|
| | pregnancy period ² | | Any use in the first trimester | | Any use in the second trimester | | Any use in the third trimester | | | |
| | Number | Percent | Number | Percent | Number | Percent | Number | Percent | Number | Percent |
| Pregnancies with COVID-19 in the first trimester (N=270) | | | | | | | | | | |
| <i>Obstetric-related medications</i> | | | | | | | | | | |
| Analgesics | 23 | 8.5% | 17 | 6.3% | 14 | 5.2% | 11 | 4.1% | 32 | 11.9% |
| Antibacterials | 100 | 37.0% | 62 | 23.0% | 33 | 12.2% | 37 | 13.7% | 97 | 35.9% |
| Anticoagulants/platelet inhibitors | 2 | 0.7% | 10 | 3.7% | 11 | 4.1% | 8 | 3.0% | 18 | 6.7% |
| Antihypertensives | 12 | 4.4% | 8 | 3.0% | 9 | 3.3% | 13 | 4.8% | 15 | 5.6% |
| Anti-inflammatories | 35 | 13.0% | 8 | 3.0% | 1 | 0.4% | 3 | 1.1% | 12 | 4.4% |
| Antimycobacterials | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Antimycotics | 24 | 8.9% | 8 | 3.0% | 7 | 2.6% | 11 | 4.1% | 19 | 7.0% |
| Antivirals | 29 | 10.7% | 10 | 3.7% | 7 | 2.6% | 21 | 7.8% | 25 | 9.3% |
| Corticosteroids | 38 | 14.1% | 10 | 3.7% | 4 | 1.5% | 5 | 1.9% | 17 | 6.3% |
| Diabetes medications | 8 | 3.0% | 8 | 3.0% | 10 | 3.7% | 14 | 5.2% | 17 | 6.3% |
| Immune serum globulins | 0 | 0.0% | 2 | 0.7% | 3 | 1.1% | 23 | 8.5% | 25 | 9.3% |
| Immunostimulants | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Immunosuppressants | 2 | 0.7% | 2 | 0.7% | 2 | 0.7% | 2 | 0.7% | 2 | 0.7% |
| Medicines for obstructive airway disease | 12 | 4.4% | 8 | 3.0% | 3 | 1.1% | 8 | 3.0% | 17 | 6.3% |
| Nasal preparations | 14 | 5.2% | 7 | 2.6% | 4 | 1.5% | 5 | 1.9% | 13 | 4.8% |
| Psychoanaleptics | 39 | 14.4% | 27 | 10.0% | 19 | 7.0% | 18 | 6.7% | 29 | 10.7% |
| Psycholeptics | 19 | 7.0% | 6 | 2.2% | 6 | 2.2% | 3 | 1.1% | 12 | 4.4% |
| <i>Potential COVID-19 medications</i> | | | | | | | | | | |
| ACEI ³ or ARBs ⁴ | 2 | 0.7% | 2 | 0.7% | 0 | 0.0% | 0 | 0.0% | 2 | 0.7% |
| Azithromycin | 32 | 11.9% | 15 | 5.6% | 1 | 0.4% | 6 | 2.2% | 20 | 7.4% |
| Baricitinib | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Chloroquine | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Corticosteroids (inhaled) | 3 | 1.1% | 1 | 0.4% | 2 | 0.7% | 0 | 0.0% | 3 | 1.1% |
| Corticosteroids (other) | 39 | 14.4% | 9 | 3.3% | 4 | 1.5% | 12 | 4.4% | 22 | 8.1% |
| Hydroxychloroquine | 0 | 0.0% | 1 | 0.4% | 0 | 0.0% | 0 | 0.0% | 1 | 0.4% |
| Interferon-beta | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Interleukin 6 inhibitors | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Lopinavir / Ritonavir | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Methylprednisolone | 1 | 0.4% | 0 | 0.0% | 0 | 0.0% | 1 | 0.4% | 1 | 0.4% |
| Monoclonal antibody | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| NSAIDs (other) | 29 | 10.7% | 6 | 2.2% | 1 | 0.4% | 2 | 0.7% | 9 | 3.3% |
| Prednisolone | 1 | 0.4% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Remdesivir | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| <i>Vaccinations</i> | | | | | | | | | | |
| Influenza A vaccination | 26 | 9.6% | 42 | 15.6% | 66 | 24.4% | 34 | 12.6% | 139 | 51.5% |
| Pertussis vaccination | 5 | 1.9% | 2 | 0.7% | 1 | 0.4% | 177 | 65.6% | 180 | 66.7% |
| Pneumococcal vaccination | 0 | 0.0% | 0 | 0.0% | 1 | 0.4% | 1 | 0.4% | 1 | 0.4% |
| Non-pregnant comparator episodes⁵ with COVID-19 in the matched equivalent first trimester (N=270) | | | | | | | | | | |
| <i>Obstetric-related medications</i> | | | | | | | | | | |
| Analgesics | 24 | 8.9% | 21 | 7.8% | 16 | 5.9% | 17 | 6.3% | 41 | 15.2% |
| Antibacterials | 87 | 32.2% | 66 | 24.4% | 44 | 16.3% | 47 | 17.4% | 109 | 40.4% |
| Anticoagulants/platelet inhibitors | 2 | 0.7% | 4 | 1.5% | 2 | 0.7% | 3 | 1.1% | 6 | 2.2% |
| Antihypertensives | 26 | 9.6% | 21 | 7.8% | 19 | 7.0% | 19 | 7.0% | 31 | 11.5% |
| Anti-inflammatories | 29 | 10.7% | 17 | 6.3% | 18 | 6.7% | 16 | 5.9% | 42 | 15.6% |
| Antimycobacterials | 1 | 0.4% | 1 | 0.4% | 1 | 0.4% | 1 | 0.4% | 1 | 0.4% |

Table 2b. Use of Various Medications and Vaccinations Among Pregnant and Non-pregnant Patients with COVID-19 in the First Trimester in the Rapid COVID-19 Sentinel Distributed Database between January 1, 2020 and May 31, 2021

| Medical products of interest ¹ | Any use in the pre-pregnancy period ² | | Any use in the first trimester | | Any use in the second trimester | | Any use in the third trimester | | Any use during pregnancy (first, second, or third trimesters) | |
|---|--|---------|--------------------------------|---------|---------------------------------|---------|--------------------------------|---------|---|---------|
| | Number | Percent | Number | Percent | Number | Percent | Number | Percent | Number | Percent |
| Antimycotics | 22 | 8.1% | 9 | 3.3% | 20 | 7.4% | 13 | 4.8% | 28 | 10.4% |
| Antivirals | 17 | 6.3% | 9 | 3.3% | 7 | 2.6% | 9 | 3.3% | 15 | 5.6% |
| Corticosteroids | 48 | 17.8% | 34 | 12.6% | 28 | 10.4% | 23 | 8.5% | 62 | 23.0% |
| Diabetes medications | 8 | 3.0% | 12 | 4.4% | 13 | 4.8% | 9 | 3.3% | 16 | 5.9% |
| Immune serum globulins | 1 | 0.4% | 1 | 0.4% | 1 | 0.4% | 1 | 0.4% | 1 | 0.4% |
| Immunostimulants | 1 | 0.4% | 1 | 0.4% | 1 | 0.4% | 2 | 0.7% | 2 | 0.7% |
| Immunosuppressants | 3 | 1.1% | 3 | 1.1% | 6 | 2.2% | 6 | 2.2% | 6 | 2.2% |
| Medicines for obstructive airway disease | 25 | 9.3% | 43 | 15.9% | 19 | 7.0% | 17 | 6.3% | 48 | 17.8% |
| Nasal preparations | 34 | 12.6% | 29 | 10.7% | 17 | 6.3% | 12 | 4.4% | 38 | 14.1% |
| Psychoanaleptics | 48 | 17.8% | 44 | 16.3% | 43 | 15.9% | 46 | 17.0% | 61 | 22.6% |
| Psycholeptics | 27 | 10.0% | 22 | 8.1% | 12 | 4.4% | 14 | 5.2% | 29 | 10.7% |
| <i>Potential COVID-19 medications</i> | | | | | | | | | | |
| ACEI ³ or ARBs ⁴ | 9 | 3.3% | 5 | 1.9% | 6 | 2.2% | 7 | 2.6% | 9 | 3.3% |
| Azithromycin | 23 | 8.5% | 28 | 10.4% | 10 | 3.7% | 7 | 2.6% | 39 | 14.4% |
| Baricitinib | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Chloroquine | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Corticosteroids (inhaled) | 15 | 5.6% | 12 | 4.4% | 9 | 3.3% | 8 | 3.0% | 18 | 6.7% |
| Corticosteroids (other) | 43 | 15.9% | 29 | 10.7% | 22 | 8.1% | 19 | 7.0% | 57 | 21.1% |
| Hydroxychloroquine | 1 | 0.4% | 2 | 0.7% | 2 | 0.7% | 2 | 0.7% | 3 | 1.1% |
| Interferon-beta | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Interleukin 6 inhibitors | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Lopinavir / Ritonavir | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Methylprednisolone | 10 | 3.7% | 4 | 1.5% | 3 | 1.1% | 3 | 1.1% | 7 | 2.6% |
| Monoclonal antibody | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| NSAIDs (other) | 20 | 7.4% | 13 | 4.8% | 15 | 5.6% | 12 | 4.4% | 32 | 11.9% |
| Prednisolone | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Remdesivir | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| <i>Vaccinations</i> | | | | | | | | | | |
| Influenza A vaccination | 27 | 10.0% | 25 | 9.3% | 39 | 14.4% | 19 | 7.0% | 82 | 30.4% |
| Pertussis vaccination | 3 | 1.1% | 3 | 1.1% | 2 | 0.7% | 4 | 1.5% | 9 | 3.3% |
| Pneumococcal vaccination | 1 | 0.4% | 2 | 0.7% | 1 | 0.4% | 0 | 0.0% | 3 | 1.1% |

¹Medical product utilization was defined by the date of dispensing or administration. Treatment episodes were not created.

²Pre-pregnancy period defined as the 183 days prior to estimated pregnancy start date.

³Angiotensin-converting Enzyme Inhibitors

⁴Angiotensin Receptor Blockers

⁵For each identified pregnancy, a comparator episode was selected in order to compare medical product use and baseline characteristics during a defined period for which a woman did not have a live birth delivery. Pregnancy episodes were matched within Data Partner to patients with first enrollment episodes without live birth delivery that met all inclusion criteria, were the same age (integer), and where pregnancy duration overlapped the eligible enrollment spans. patients an comparator episodes were allowed to be used multiple times as controls, and patients with a pregnancy episode were allowed to contribute a separate comparator episode.

Table 2c. Use of Various Medications and Vaccinations Among Pregnant and Non-pregnant Patients with COVID-19 in the Second Trimester in the Rapid COVID-19 Sentinel Distributed Database between January 1, 2020 and May 31, 2021

| Medical products of interest ¹ | Any use in the pre-pregnancy period ² | | Any use in the first trimester | | Any use in the second trimester | | Any use in the third trimester | | Any use during pregnancy (first, second, or third trimesters) | |
|--|---|---------|--------------------------------|---------|---------------------------------|---------|--------------------------------|---------|---|---------|
| | Number | Percent | Number | Percent | Number | Percent | Number | Percent | Number | Percent |
| | Pregnancies with COVID-19 in the second trimester (N=664) | | | | | | | | | |
| <i>Obstetric-related medications</i> | | | | | | | | | | |
| Analgesics | 58 | 8.7% | 35 | 5.3% | 50 | 7.5% | 53 | 8.0% | 99 | 14.9% |
| Antibacterials | 197 | 29.7% | 117 | 17.6% | 124 | 18.7% | 100 | 15.1% | 252 | 38.0% |
| Anticoagulants/platelet inhibitors | 6 | 0.9% | 16 | 2.4% | 31 | 4.7% | 26 | 3.9% | 45 | 6.8% |
| Antihypertensives | 31 | 4.7% | 17 | 2.6% | 23 | 3.5% | 36 | 5.4% | 45 | 6.8% |
| Anti-inflammatories | 67 | 10.1% | 17 | 2.6% | 10 | 1.5% | 18 | 2.7% | 45 | 6.8% |
| Antimycobacterials | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Antimycotics | 44 | 6.6% | 13 | 2.0% | 14 | 2.1% | 18 | 2.7% | 37 | 5.6% |
| Antivirals | 60 | 9.0% | 20 | 3.0% | 15 | 2.3% | 42 | 6.3% | 57 | 8.6% |
| Corticosteroids | 92 | 13.9% | 16 | 2.4% | 32 | 4.8% | 26 | 3.9% | 58 | 8.7% |
| Diabetes medications | 27 | 4.1% | 17 | 2.6% | 24 | 3.6% | 41 | 6.2% | 46 | 6.9% |
| Immune serum globulins | 0 | 0.0% | 6 | 0.9% | 10 | 1.5% | 50 | 7.5% | 53 | 8.0% |
| Immunostimulants | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Immunosuppressants | 7 | 1.1% | 4 | 0.6% | 5 | 0.8% | 4 | 0.6% | 5 | 0.8% |
| Medicines for obstructive airway disease | 42 | 6.3% | 19 | 2.9% | 46 | 6.9% | 32 | 4.8% | 75 | 11.3% |
| Nasal preparations | 38 | 5.7% | 19 | 2.9% | 23 | 3.5% | 21 | 3.2% | 48 | 7.2% |
| Psychoanaleptics | 107 | 16.1% | 72 | 10.8% | 56 | 8.4% | 60 | 9.0% | 93 | 14.0% |
| Psycholeptics | 44 | 6.6% | 19 | 2.9% | 18 | 2.7% | 27 | 4.1% | 50 | 7.5% |
| <i>Potential COVID-19 medications</i> | | | | | | | | | | |
| ACEI ³ or ARBs ⁴ | 8 | 1.2% | 3 | 0.5% | 1 | 0.2% | 2 | 0.3% | 3 | 0.5% |
| Azithromycin | 54 | 8.1% | 12 | 1.8% | 34 | 5.1% | 11 | 1.7% | 52 | 7.8% |
| Baricitinib | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Chloroquine | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Corticosteroids (inhaled) | 11 | 1.7% | 6 | 0.9% | 9 | 1.4% | 13 | 2.0% | 20 | 3.0% |
| Corticosteroids (other) | 85 | 12.8% | 11 | 1.7% | 27 | 4.1% | 36 | 5.4% | 65 | 9.8% |
| Hydroxychloroquine | 3 | 0.5% | 4 | 0.6% | 3 | 0.5% | 2 | 0.3% | 6 | 0.9% |
| Interferon-beta | 1 | 0.2% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Interleukin 6 inhibitors | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Lopinavir / Ritonavir | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Methylprednisolone | 8 | 1.2% | 0 | 0.0% | 2 | 0.3% | 0 | 0.0% | 2 | 0.3% |
| Monoclonal antibody | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| NSAIDs (other) | 48 | 7.2% | 9 | 1.4% | 10 | 1.5% | 12 | 1.8% | 31 | 4.7% |
| Prednisolone | 1 | 0.2% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Remdesivir | 0 | 0.0% | 0 | 0.0% | 3 | 0.5% | 0 | 0.0% | 3 | 0.5% |
| <i>Vaccinations</i> | | | | | | | | | | |
| Influenza A vaccination | 76 | 11.4% | 113 | 17.0% | 145 | 21.8% | 93 | 14.0% | 347 | 52.3% |
| Pertussis vaccination | 11 | 1.7% | 2 | 0.3% | 5 | 0.8% | 464 | 69.9% | 470 | 70.8% |
| Pneumococcal vaccination | 3 | 0.5% | 0 | 0.0% | 1 | 0.2% | 0 | 0.0% | 1 | 0.2% |
| Non-pregnant comparator episodes⁵ with COVID-19 in the matched equivalent second trimester (N=663) | | | | | | | | | | |
| <i>Obstetric-related medications</i> | | | | | | | | | | |
| Analgesics | 72 | 10.9% | 55 | 8.3% | 56 | 8.4% | 57 | 8.6% | 120 | 18.1% |
| Antibacterials | 202 | 30.5% | 113 | 17.0% | 164 | 24.7% | 106 | 16.0% | 273 | 41.2% |
| Anticoagulants/platelet inhibitors | 6 | 0.9% | 6 | 0.9% | 10 | 1.5% | 2 | 0.3% | 11 | 1.7% |
| Antihypertensives | 45 | 6.8% | 35 | 5.3% | 39 | 5.9% | 40 | 6.0% | 59 | 8.9% |
| Anti-inflammatories | 77 | 11.6% | 42 | 6.3% | 48 | 7.2% | 32 | 4.8% | 105 | 15.8% |
| Antimycobacterials | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |

Table 2c. Use of Various Medications and Vaccinations Among Pregnant and Non-pregnant Patients with COVID-19 in the Second Trimester in the Rapid COVID-19 Sentinel Distributed Database between January 1, 2020 and May 31, 2021

| Medical products of interest ¹ | Any use in the pre- | | | | | | Any use during pregnancy (first, second, or third trimesters) | | | |
|---|-------------------------------|---------|--------------------------------|---------|---------------------------------|---------|---|---------|--------|---------|
| | pregnancy period ² | | Any use in the first trimester | | Any use in the second trimester | | Any use in the third trimester | | | |
| | Number | Percent | Number | Percent | Number | Percent | Number | Percent | Number | Percent |
| Antimycotics | 50 | 7.5% | 25 | 3.8% | 25 | 3.8% | 29 | 4.4% | 66 | 10.0% |
| Antivirals | 48 | 7.2% | 19 | 2.9% | 20 | 3.0% | 20 | 3.0% | 41 | 6.2% |
| Corticosteroids | 87 | 13.1% | 59 | 8.9% | 97 | 14.6% | 52 | 7.8% | 156 | 23.5% |
| Diabetes medications | 19 | 2.9% | 22 | 3.3% | 20 | 3.0% | 22 | 3.3% | 32 | 4.8% |
| Immune serum globulins | 0 | 0.0% | 0 | 0.0% | 1 | 0.2% | 0 | 0.0% | 1 | 0.2% |
| Immunostimulants | 1 | 0.2% | 1 | 0.2% | 2 | 0.3% | 2 | 0.3% | 2 | 0.3% |
| Immunosuppressants | 8 | 1.2% | 9 | 1.4% | 8 | 1.2% | 8 | 1.2% | 10 | 1.5% |
| Medicines for obstructive airway disease | 60 | 9.0% | 30 | 4.5% | 93 | 14.0% | 36 | 5.4% | 121 | 18.3% |
| Nasal preparations | 52 | 7.8% | 41 | 6.2% | 59 | 8.9% | 35 | 5.3% | 101 | 15.2% |
| Psychoanaleptics | 130 | 19.6% | 117 | 17.6% | 126 | 19.0% | 132 | 19.9% | 164 | 24.7% |
| Psycholeptics | 67 | 10.1% | 57 | 8.6% | 58 | 8.7% | 57 | 8.6% | 112 | 16.9% |
| <i>Potential COVID-19 medications</i> | | | | | | | | | | |
| ACEI ³ or ARBs ⁴ | 8 | 1.2% | 8 | 1.2% | 10 | 1.5% | 10 | 1.5% | 15 | 2.3% |
| Azithromycin | 53 | 8.0% | 23 | 3.5% | 57 | 8.6% | 15 | 2.3% | 85 | 12.8% |
| Baricitinib | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Chloroquine | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Corticosteroids (inhaled) | 13 | 2.0% | 13 | 2.0% | 31 | 4.7% | 13 | 2.0% | 40 | 6.0% |
| Corticosteroids (other) | 79 | 11.9% | 49 | 7.4% | 75 | 11.3% | 40 | 6.0% | 130 | 19.6% |
| Hydroxychloroquine | 6 | 0.9% | 4 | 0.6% | 3 | 0.5% | 4 | 0.6% | 8 | 1.2% |
| Interferon-beta | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Interleukin 6 inhibitors | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Lopinavir / Ritonavir | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Methylprednisolone | 9 | 1.4% | 4 | 0.6% | 3 | 0.5% | 2 | 0.3% | 8 | 1.2% |
| Monoclonal antibody | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| NSAIDs (other) | 60 | 9.0% | 28 | 4.2% | 28 | 4.2% | 24 | 3.6% | 67 | 10.1% |
| Prednisolone | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Remdesivir | 0 | 0.0% | 1 | 0.2% | 3 | 0.5% | 0 | 0.0% | 4 | 0.6% |
| <i>Vaccinations</i> | | | | | | | | | | |
| Influenza A vaccination | 60 | 9.0% | 47 | 7.1% | 83 | 12.5% | 55 | 8.3% | 184 | 27.8% |
| Pertussis vaccination | 14 | 2.1% | 12 | 1.8% | 7 | 1.1% | 11 | 1.7% | 30 | 4.5% |
| Pneumococcal vaccination | 4 | 0.6% | 2 | 0.3% | 2 | 0.3% | 2 | 0.3% | 6 | 0.9% |

¹Medical product utilization was defined by the date of dispensing or administration. Treatment episodes were not created.

²Pre-pregnancy period defined as the 183 days prior to estimated pregnancy start date.

³Angiotensin-converting Enzyme Inhibitors

⁴Angiotensin Receptor Blockers

⁵For each identified pregnancy, a comparator episode was selected in order to compare medical product use and baseline characteristics during a defined period for which a woman did not have a live birth delivery. Pregnancy episodes were matched within Data Partner to patients with first enrollment episodes without live birth delivery that met all inclusion criteria, were the same age (integer), and where pregnancy duration overlapped the eligible enrollment spans. patients an comparator episodes were allowed to be used multiple times as controls, and patients with a pregnancy episode were allowed to contribute a separate comparator episode.

Table 2d. Use of Various Medications and Vaccinations Among Pregnant and Non-pregnant Patients with COVID-19 in the Third Trimester in the Rapid COVID-19 Sentinel Distributed Database between January 1, 2020 and May 31, 2021

| Medical products of interest ¹ | Any use in the pre-pregnancy period ² | | Any use in the first trimester | | Any use in the second trimester | | Any use in the third trimester | | Any use during pregnancy (first, second, or third trimesters) | |
|---|--|---------|--------------------------------|---------|---------------------------------|---------|--------------------------------|---------|---|---------|
| | Number | Percent | Number | Percent | Number | Percent | Number | Percent | Number | Percent |
| Pregnancies with COVID-19 in the third trimester (N=1,942) | | | | | | | | | | |
| <i>Obstetric-related medications</i> | | | | | | | | | | |
| Analgesics | 183 | 9.4% | 72 | 3.7% | 92 | 4.7% | 138 | 7.1% | 228 | 11.7% |
| Antibacterials | 607 | 31.3% | 367 | 18.9% | 273 | 14.1% | 349 | 18.0% | 726 | 37.4% |
| Anticoagulants/platelet inhibitors | 11 | 0.6% | 38 | 2.0% | 62 | 3.2% | 106 | 5.5% | 141 | 7.3% |
| Antihypertensives | 79 | 4.1% | 51 | 2.6% | 44 | 2.3% | 70 | 3.6% | 94 | 4.8% |
| Anti-inflammatories | 157 | 8.1% | 31 | 1.6% | 13 | 0.7% | 32 | 1.6% | 75 | 3.9% |
| Antimycobacterials | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Antimycotics | 125 | 6.4% | 43 | 2.2% | 54 | 2.8% | 48 | 2.5% | 120 | 6.2% |
| Antivirals | 116 | 6.0% | 55 | 2.8% | 48 | 2.5% | 114 | 5.9% | 166 | 8.5% |
| Corticosteroids | 248 | 12.8% | 78 | 4.0% | 45 | 2.3% | 109 | 5.6% | 175 | 9.0% |
| Diabetes medications | 71 | 3.7% | 65 | 3.3% | 62 | 3.2% | 116 | 6.0% | 142 | 7.3% |
| Immune serum globulins | 2 | 0.1% | 16 | 0.8% | 17 | 0.9% | 171 | 8.8% | 178 | 9.2% |
| Immunostimulants | 1 | 0.1% | 1 | 0.1% | 1 | 0.1% | 2 | 0.1% | 2 | 0.1% |
| Immunosuppressants | 20 | 1.0% | 11 | 0.6% | 9 | 0.5% | 5 | 0.3% | 12 | 0.6% |
| Medicines for obstructive airway disease | 145 | 7.5% | 68 | 3.5% | 77 | 4.0% | 128 | 6.6% | 199 | 10.2% |
| Nasal preparations | 124 | 6.4% | 59 | 3.0% | 45 | 2.3% | 81 | 4.2% | 132 | 6.8% |
| Psychoanaleptics | 251 | 12.9% | 173 | 8.9% | 137 | 7.1% | 133 | 6.8% | 214 | 11.0% |
| Psycholeptics | 147 | 7.6% | 60 | 3.1% | 36 | 1.9% | 62 | 3.2% | 125 | 6.4% |
| <i>Potential COVID-19 medications</i> | | | | | | | | | | |
| ACEi ³ or ARBs ⁴ | 15 | 0.8% | 10 | 0.5% | 0 | 0.0% | 0 | 0.0% | 10 | 0.5% |
| Azithromycin | 147 | 7.6% | 53 | 2.7% | 47 | 2.4% | 100 | 5.1% | 184 | 9.5% |
| Baricitinib | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Chloroquine | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Corticosteroids (inhaled) | 42 | 2.2% | 23 | 1.2% | 23 | 1.2% | 43 | 2.2% | 56 | 2.9% |
| Corticosteroids (other) | 227 | 11.7% | 58 | 3.0% | 31 | 1.6% | 117 | 6.0% | 185 | 9.5% |
| Hydroxychloroquine | 10 | 0.5% | 5 | 0.3% | 4 | 0.2% | 8 | 0.4% | 10 | 0.5% |
| Interferon-beta | 2 | 0.1% | 0 | 0.0% | 0 | 0.0% | 1 | 0.1% | 1 | 0.1% |
| Interleukin 6 inhibitors | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Lopinavir / Ritonavir | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Methylprednisolone | 23 | 1.2% | 8 | 0.4% | 2 | 0.1% | 7 | 0.4% | 14 | 0.7% |
| Monoclonal antibody | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 1 | 0.1% | 1 | 0.1% |
| NSAIDs (other) | 119 | 6.1% | 20 | 1.0% | 11 | 0.6% | 21 | 1.1% | 51 | 2.6% |
| Prednisolone | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 1 | 0.1% | 1 | 0.1% |
| Remdesivir | 0 | 0.0% | 0 | 0.0% | 2 | 0.1% | 23 | 1.2% | 25 | 1.3% |
| <i>Vaccinations</i> | | | | | | | | | | |
| Influenza A vaccination | 240 | 12.4% | 262 | 13.5% | 372 | 19.2% | 352 | 18.1% | 969 | 49.9% |
| Pertussis vaccination | 25 | 1.3% | 9 | 0.5% | 9 | 0.5% | 1325 | 68.2% | 1,341 | 69.1% |
| Pneumococcal vaccination | 8 | 0.4% | 2 | 0.1% | 1 | 0.1% | 2 | 0.1% | 4 | 0.2% |
| Non-pregnant comparator episodes⁵ with COVID-19 in the matched equivalent third trimester (N=1,936) | | | | | | | | | | |
| <i>Obstetric-related medications</i> | | | | | | | | | | |
| Analgesics | 250 | 12.9% | 186 | 9.6% | 171 | 8.8% | 195 | 10.1% | 364 | 18.8% |
| Antibacterials | 647 | 33.4% | 337 | 17.4% | 376 | 19.4% | 507 | 26.2% | 871 | 45.0% |
| Anticoagulants/platelet inhibitors | 25 | 1.3% | 17 | 0.9% | 16 | 0.8% | 20 | 1.0% | 37 | 1.9% |
| Antihypertensives | 198 | 10.2% | 157 | 8.1% | 162 | 8.4% | 167 | 8.6% | 227 | 11.7% |
| Anti-inflammatories | 194 | 10.0% | 116 | 6.0% | 129 | 6.7% | 144 | 7.4% | 308 | 15.9% |

Table 2d. Use of Various Medications and Vaccinations Among Pregnant and Non-pregnant Patients with COVID-19 in the Third Trimester in the Rapid COVID-19 Sentinel Distributed Database between January 1, 2020 and May 31, 2021

| Medical products of interest ¹ | Any use in the pre-pregnancy period ² | | Any use in the first trimester | | Any use in the second trimester | | Any use in the third trimester | | Any use during pregnancy (first, second, or third trimesters) | |
|---|--|---------|--------------------------------|---------|---------------------------------|---------|--------------------------------|---------|---|---------|
| | Number | Percent | Number | Percent | Number | Percent | Number | Percent | Number | Percent |
| Antimycobacterials | 3 | 0.2% | 2 | 0.1% | 2 | 0.1% | 3 | 0.2% | 4 | 0.2% |
| Antimycotics | 156 | 8.1% | 79 | 4.1% | 93 | 4.8% | 86 | 4.4% | 204 | 10.5% |
| Antivirals | 150 | 7.7% | 79 | 4.1% | 71 | 3.7% | 76 | 3.9% | 150 | 7.7% |
| Corticosteroids | 297 | 15.3% | 168 | 8.7% | 172 | 8.9% | 323 | 16.7% | 494 | 25.5% |
| Diabetes medications | 78 | 4.0% | 66 | 3.4% | 65 | 3.4% | 77 | 4.0% | 100 | 5.2% |
| Immune serum globulins | 3 | 0.2% | 1 | 0.1% | 1 | 0.1% | 1 | 0.1% | 3 | 0.2% |
| Immunostimulants | 6 | 0.3% | 5 | 0.3% | 6 | 0.3% | 7 | 0.4% | 9 | 0.5% |
| Immunosuppressants | 23 | 1.2% | 20 | 1.0% | 21 | 1.1% | 25 | 1.3% | 29 | 1.5% |
| Medicines for obstructive airway | 176 | 9.1% | 116 | 6.0% | 119 | 6.1% | 288 | 14.9% | 382 | 19.7% |
| Nasal preparations | 161 | 8.3% | 90 | 4.6% | 92 | 4.8% | 160 | 8.3% | 255 | 13.2% |
| Psychoanaleptics | 417 | 21.5% | 370 | 19.1% | 388 | 20.0% | 402 | 20.8% | 499 | 25.8% |
| Psycholeptics | 198 | 10.2% | 170 | 8.8% | 179 | 9.2% | 196 | 10.1% | 318 | 16.4% |
| <i>Potential COVID-19 medications</i> | | | | | | | | | | |
| ACEI ³ or ARBs ⁴ | 57 | 2.9% | 52 | 2.7% | 51 | 2.6% | 56 | 2.9% | 66 | 3.4% |
| Azithromycin | 151 | 7.8% | 69 | 3.6% | 77 | 4.0% | 183 | 9.5% | 294 | 15.2% |
| Baricitinib | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Chloroquine | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Corticosteroids (inhaled) | 57 | 2.9% | 40 | 2.1% | 40 | 2.1% | 74 | 3.8% | 108 | 5.6% |
| Corticosteroids (other) | 269 | 13.9% | 141 | 7.3% | 146 | 7.5% | 282 | 14.6% | 449 | 23.2% |
| Hydroxychloroquine | 10 | 0.5% | 11 | 0.6% | 18 | 0.9% | 12 | 0.6% | 27 | 1.4% |
| Interferon-beta | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 1 | 0.1% | 1 | 0.1% |
| Interleukin 6 inhibitors | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Lopinavir / Ritonavir | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Methylprednisolone | 36 | 1.9% | 14 | 0.7% | 13 | 0.7% | 21 | 1.1% | 40 | 2.1% |
| Monoclonal antibody | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 10 | 0.5% | 10 | 0.5% |
| NSAIDs (other) | 149 | 7.7% | 93 | 4.8% | 93 | 4.8% | 79 | 4.1% | 208 | 10.7% |
| Prednisolone | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 2 | 0.1% | 2 | 0.1% |
| Remdesivir | 0 | 0.0% | 0 | 0.0% | 2 | 0.1% | 9 | 0.5% | 11 | 0.6% |
| <i>Vaccinations</i> | | | | | | | | | | |
| Influenza A vaccination | 265 | 13.7% | 112 | 5.8% | 196 | 10.1% | 155 | 8.0% | 459 | 23.7% |
| Pertussis vaccination | 52 | 2.7% | 15 | 0.8% | 18 | 0.9% | 14 | 0.7% | 47 | 2.4% |
| Pneumococcal vaccination | 11 | 0.6% | 4 | 0.2% | 6 | 0.3% | 4 | 0.2% | 14 | 0.7% |

¹Medical product utilization was defined by the date of dispensing or administration. Treatment episodes were not created.

²Pre-pregnancy period defined as the 183 days prior to estimated pregnancy start date.

³ Angiotensin-converting Enzyme Inhibitors

⁴ Angiotensin Receptor Blockers

⁵For each identified pregnancy, a comparator episode was selected in order to compare medical product use and baseline characteristics during a defined period for which a woman did not have a live birth delivery. Pregnancy episodes were matched within Data Partner to patients with first enrollment episodes without live birth delivery that met all inclusion criteria, were the same age (integer), and where pregnancy duration overlapped the eligible enrollment spans. patients an comparator episodes were allowed to be used multiple times as controls, and patients with a pregnancy episode were allowed to contribute a separate comparator episode.

Table 2e. Use of Various Medications and Vaccinations Among Pregnant and Non-pregnant Patients with and without COVID-19 in the Pre-pregnancy Period or During Pregnancy in the Rapid COVID-19 Sentinel Distributed Database between January 1, 2020 and May 31, 2021

| Medical products of interest ¹ | Any use in the pre-pregnancy period ² | | Any use in the first trimester | | Any use in the second trimester | | Any use in the third trimester | | Any use during pregnancy (first, second, or third trimesters) | |
|---|--|---------|--------------------------------|---------|---------------------------------|---------|--------------------------------|---------|---|---------|
| | Number | Percent | Number | Percent | Number | Percent | Number | Percent | Number | Percent |
| Pregnancies with COVID-19 in the pre-pregnancy period² or during pregnancy (N=2,747) | | | | | | | | | | |
| <i>Obstetric-related medications</i> | | | | | | | | | | |
| Analgesics | 260 | 9.5% | 118 | 4.3% | 138 | 5.0% | 192 | 7.0% | 337 | 12.3% |
| Antibacterials | 873 | 31.8% | 520 | 18.9% | 401 | 14.6% | 454 | 16.5% | 1,018 | 37.1% |
| Anticoagulants/platelet inhibitors | 19 | 0.7% | 61 | 2.2% | 95 | 3.5% | 133 | 4.8% | 185 | 6.7% |
| Antihypertensives | 115 | 4.2% | 73 | 2.7% | 68 | 2.5% | 104 | 3.8% | 140 | 5.1% |
| Anti-inflammatories | 258 | 9.4% | 55 | 2.0% | 22 | 0.8% | 52 | 1.9% | 128 | 4.7% |
| Antimycobacterials | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Antimycotics | 180 | 6.6% | 56 | 2.0% | 66 | 2.4% | 68 | 2.5% | 160 | 5.8% |
| Antivirals | 195 | 7.1% | 79 | 2.9% | 65 | 2.4% | 163 | 5.9% | 230 | 8.4% |
| Corticosteroids | 366 | 13.3% | 99 | 3.6% | 77 | 2.8% | 131 | 4.8% | 237 | 8.6% |
| Diabetes medications | 97 | 3.5% | 86 | 3.1% | 86 | 3.1% | 157 | 5.7% | 190 | 6.9% |
| Immune serum globulins | 2 | 0.1% | 24 | 0.9% | 26 | 0.9% | 236 | 8.6% | 247 | 9.0% |
| Immunostimulants | 1 | 0.0% | 1 | 0.0% | 1 | 0.0% | 2 | 0.1% | 2 | 0.1% |
| Immunosuppressants | 29 | 1.1% | 18 | 0.7% | 16 | 0.6% | 11 | 0.4% | 20 | 0.7% |
| Medicines for obstructive airway disease | 199 | 7.2% | 93 | 3.4% | 118 | 4.3% | 159 | 5.8% | 277 | 10.1% |
| Nasal preparations | 171 | 6.2% | 80 | 2.9% | 68 | 2.5% | 99 | 3.6% | 183 | 6.7% |
| Psychoanaleptics | 379 | 13.8% | 259 | 9.4% | 202 | 7.4% | 201 | 7.3% | 322 | 11.7% |
| Psycholeptics | 213 | 7.8% | 89 | 3.2% | 56 | 2.0% | 88 | 3.2% | 185 | 6.7% |
| <i>Potential COVID-19 medications</i> | | | | | | | | | | |
| ACEI ³ or ARBs ⁴ | 23 | 0.8% | 14 | 0.5% | 1 | 0.0% | 2 | 0.1% | 14 | 0.5% |
| Azithromycin | 229 | 8.3% | 77 | 2.8% | 74 | 2.7% | 113 | 4.1% | 241 | 8.8% |
| Baricitinib | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Chloroquine | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Corticosteroids (inhaled) | 56 | 2.0% | 29 | 1.1% | 33 | 1.2% | 50 | 1.8% | 73 | 2.7% |
| Corticosteroids (other) | 338 | 12.3% | 74 | 2.7% | 56 | 2.0% | 161 | 5.9% | 261 | 9.5% |
| Hydroxychloroquine | 13 | 0.5% | 10 | 0.4% | 8 | 0.3% | 10 | 0.4% | 17 | 0.6% |
| Interferon-beta | 3 | 0.1% | 0 | 0.0% | 0 | 0.0% | 1 | 0.0% | 1 | 0.0% |
| Interleukin 6 inhibitors | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Lopinavir / Ritonavir | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Methylprednisolone | 32 | 1.2% | 8 | 0.3% | 4 | 0.1% | 8 | 0.3% | 17 | 0.6% |
| Monoclonal antibody | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 1 | 0.0% | 1 | 0.0% |
| NSAIDs (other) | 195 | 7.1% | 38 | 1.4% | 19 | 0.7% | 34 | 1.2% | 89 | 3.2% |
| Prednisolone | 1 | 0.0% | 0 | 0.0% | 0 | 0.0% | 1 | 0.0% | 1 | 0.0% |
| Remdesivir | 0 | 0.0% | 0 | 0.0% | 3 | 0.1% | 23 | 0.8% | 26 | 0.9% |
| <i>Vaccinations</i> | | | | | | | | | | |
| Influenza A vaccination | 324 | 11.8% | 387 | 14.1% | 552 | 20.1% | 449 | 16.3% | 1,369 | 49.8% |
| Pertussis vaccination | 39 | 1.4% | 11 | 0.4% | 13 | 0.5% | 1,869 | 68.0% | 1,890 | 68.8% |
| Pneumococcal vaccination | 10 | 0.4% | 2 | 0.1% | 2 | 0.1% | 2 | 0.1% | 5 | 0.2% |
| on-pregnant comparator episodes⁵ with COVID-19 in the matched equivalent pre-pregnancy period² or during pregnancy (N=2,747) | | | | | | | | | | |
| <i>Obstetric-related medications</i> | | | | | | | | | | |
| Analgesics | 344 | 12.5% | 217 | 7.9% | 222 | 8.1% | 248 | 9.0% | 476 | 17.3% |
| Antibacterials | 899 | 32.8% | 510 | 18.6% | 545 | 19.9% | 627 | 22.8% | 1,209 | 44.1% |
| Anticoagulants/platelet inhibitors | 25 | 0.9% | 23 | 0.8% | 25 | 0.9% | 26 | 0.9% | 52 | 1.9% |
| Antihypertensives | 252 | 9.2% | 209 | 7.6% | 214 | 7.8% | 214 | 7.8% | 297 | 10.8% |

Table 2e. Use of Various Medications and Vaccinations Among Pregnant and Non-pregnant Patients with and without COVID-19 in the Pre-pregnancy Period or During Pregnancy in the Rapid COVID-19 Sentinel Distributed Database between January 1, 2020 and May 31, 2021

| Medical products of interest ¹ | Any use in the pre-pregnancy period ² | | Any use in the first trimester | | Any use in the second trimester | | Any use in the third trimester | | Any use during pregnancy (first, second, or third trimesters) | |
|--|--|---------|--------------------------------|---------|---------------------------------|---------|--------------------------------|---------|---|---------|
| | Number | Percent | Number | Percent | Number | Percent | Number | Percent | Number | Percent |
| | Anti-inflammatories | 299 | 10.9% | 182 | 6.6% | 157 | 5.7% | 198 | 7.2% | 436 |
| Antimycobacterials | 2 | 0.1% | 3 | 0.1% | 2 | 0.1% | 2 | 0.1% | 4 | 0.1% |
| Antimycotics | 240 | 8.7% | 130 | 4.7% | 138 | 5.0% | 149 | 5.4% | 314 | 11.4% |
| Antivirals | 197 | 7.2% | 104 | 3.8% | 99 | 3.6% | 98 | 3.6% | 199 | 7.3% |
| Corticosteroids | 357 | 13.0% | 222 | 8.1% | 255 | 9.3% | 325 | 11.8% | 605 | 22.0% |
| Diabetes medications | 110 | 4.0% | 89 | 3.2% | 97 | 3.5% | 91 | 3.3% | 138 | 5.0% |
| Immune serum globulins | 2 | 0.1% | 4 | 0.1% | 1 | 0.0% | 3 | 0.1% | 7 | 0.3% |
| Immunostimulants | 3 | 0.1% | 3 | 0.1% | 4 | 0.1% | 5 | 0.2% | 6 | 0.2% |
| Immunosuppressants | 36 | 1.3% | 37 | 1.3% | 32 | 1.2% | 30 | 1.1% | 40 | 1.5% |
| Medicines for obstructive airway disease | 244 | 8.9% | 159 | 5.8% | 223 | 8.1% | 253 | 9.2% | 452 | 16.5% |
| Nasal preparations | 207 | 7.5% | 128 | 4.7% | 146 | 5.3% | 179 | 6.5% | 330 | 12.0% |
| Psychoanaleptics | 577 | 21.0% | 523 | 19.1% | 560 | 20.4% | 542 | 19.8% | 687 | 25.0% |
| Psycholeptics | 310 | 11.3% | 240 | 8.7% | 249 | 9.1% | 292 | 10.6% | 475 | 17.3% |
| <i>Potential COVID-19 medications</i> | | | | | | | | | | |
| ACEI or ARBs | 65 | 2.4% | 57 | 2.1% | 57 | 2.1% | 55 | 2.0% | 75 | 2.7% |
| Azithromycin | 217 | 7.9% | 113 | 4.1% | 139 | 5.1% | 201 | 7.3% | 408 | 14.9% |
| Baricitinib | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Chloroquine | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Corticosteroids (inhaled) | 51 | 1.9% | 53 | 1.9% | 65 | 2.4% | 79 | 2.9% | 135 | 4.9% |
| Corticosteroids (other) | 337 | 12.3% | 196 | 7.1% | 217 | 7.9% | 278 | 10.1% | 551 | 20.1% |
| Hydroxychloroquine | 16 | 0.6% | 16 | 0.6% | 17 | 0.6% | 21 | 0.8% | 31 | 1.1% |
| Interferon-beta | 1 | 0.0% | 0 | 0.0% | 1 | 0.0% | 1 | 0.0% | 2 | 0.1% |
| Interleukin 6 inhibitors | 1 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Lopinavir / Ritonavir | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Methylprednisolone | 39 | 1.4% | 20 | 0.7% | 20 | 0.7% | 20 | 0.7% | 53 | 1.9% |
| Monoclonal antibody | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 6 | 0.2% | 6 | 0.2% |
| NSAIDs (other) | 242 | 8.8% | 134 | 4.9% | 128 | 4.7% | 135 | 4.9% | 317 | 11.6% |
| Prednisolone | 0 | 0.0% | 0 | 0.0% | 1 | 0.0% | 1 | 0.0% | 2 | 0.1% |
| Remdesivir | 0 | 0.0% | 1 | 0.0% | 4 | 0.1% | 6 | 0.2% | 11 | 0.4% |
| <i>Vaccinations</i> | | | | | | | | | | |
| Influenza A vaccination | 315 | 11.5% | 216 | 7.9% | 295 | 10.8% | 229 | 8.3% | 733 | 26.7% |
| Pertussis vaccination | 62 | 2.3% | 22 | 0.8% | 42 | 1.5% | 36 | 1.3% | 100 | 3.6% |
| Pneumococcal vaccination | 10 | 0.4% | 6 | 0.2% | 8 | 0.3% | 6 | 0.2% | 20 | 0.7% |
| Pregnancies without COVID-19 in the pre-pregnancy period² or during pregnancy (N=65,384) | | | | | | | | | | |
| <i>Obstetric-related medications</i> | | | | | | | | | | |
| Analgesics | 5,890 | 9.0% | 2,412 | 3.7% | 2,577 | 3.9% | 3,480 | 5.3% | 6,361 | 9.7% |
| Antibacterials | 17,993 | 27.5% | 10,240 | 15.7% | 7,899 | 12.1% | 7,297 | 11.2% | 19,985 | 30.6% |
| Anticoagulants/platelet inhibitors | 415 | 0.6% | 1,118 | 1.7% | 1,358 | 2.1% | 1,284 | 2.0% | 1,999 | 3.1% |
| Antihypertensives | 2,296 | 3.5% | 1,456 | 2.2% | 1,380 | 2.1% | 2,086 | 3.2% | 2,771 | 4.2% |
| Anti-inflammatories | 4,560 | 7.0% | 865 | 1.3% | 380 | 0.6% | 1,329 | 2.0% | 2,474 | 3.8% |
| Antimycobacterials | 15 | 0.0% | 4 | 0.0% | 2 | 0.0% | 0 | 0.0% | 5 | 0.0% |
| Antimycotics | 3,190 | 4.9% | 911 | 1.4% | 827 | 1.3% | 1,166 | 1.8% | 2,578 | 3.9% |
| Antivirals | 3,186 | 4.9% | 1,749 | 2.7% | 1,997 | 3.1% | 3,987 | 6.1% | 6,193 | 9.5% |
| Corticosteroids | 7,308 | 11.2% | 2,263 | 3.5% | 1,346 | 2.1% | 1,507 | 2.3% | 3,866 | 5.9% |
| Diabetes medications | 1,756 | 2.7% | 1,462 | 2.2% | 1,442 | 2.2% | 3,256 | 5.0% | 3,985 | 6.1% |
| Immune serum globulins | 128 | 0.2% | 765 | 1.2% | 712 | 1.1% | 6,852 | 10.5% | 7,150 | 10.9% |
| Immunostimulants | 34 | 0.1% | 30 | 0.0% | 14 | 0.0% | 14 | 0.0% | 34 | 0.1% |

Table 2e. Use of Various Medications and Vaccinations Among Pregnant and Non-pregnant Patients with and without COVID-19 in the Pre-pregnancy Period or During Pregnancy in the Rapid COVID-19 Sentinel Distributed Database between January 1, 2020 and May 31, 2021

| Medical products of interest ¹ | Any use in the pre-pregnancy period ² | | Any use in the first trimester | | Any use in the second trimester | | Any use in the third trimester | | Any use during pregnancy (first, second, or third trimesters) | |
|---|--|---------|--------------------------------|---------|---------------------------------|---------|--------------------------------|---------|---|---------|
| | Number | Percent | Number | Percent | Number | Percent | Number | Percent | Number | Percent |
| Immunosuppressants | 413 | 0.6% | 313 | 0.5% | 238 | 0.4% | 219 | 0.3% | 333 | 0.5% |
| Medicines for obstructive airway disease | 3,514 | 5.4% | 1,910 | 2.9% | 1,914 | 2.9% | 2,499 | 3.8% | 4,481 | 6.9% |
| Nasal preparations | 3,215 | 4.9% | 1,603 | 2.5% | 1,394 | 2.1% | 1,353 | 2.1% | 3,180 | 4.9% |
| Psychoanaleptics | 8,881 | 13.6% | 6,206 | 9.5% | 4,786 | 7.3% | 5,010 | 7.7% | 7,726 | 11.8% |
| Psycholeptics | 4,990 | 7.6% | 2,382 | 3.6% | 1,634 | 2.5% | 1,890 | 2.9% | 4,391 | 6.7% |
| <i>Potential COVID-19 medications</i> | | | | | | | | | | |
| ACEI ³ or ARBs ⁴ | 332 | 0.5% | 155 | 0.2% | 22 | 0.0% | 13 | 0.0% | 158 | 0.2% |
| Azithromycin | 3,964 | 6.1% | 1,494 | 2.3% | 1,212 | 1.9% | 994 | 1.5% | 3,442 | 5.3% |
| Baricitinib | 1 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Chloroquine | 2 | 0.0% | 1 | 0.0% | 0 | 0.0% | 0 | 0.0% | 1 | 0.0% |
| Corticosteroids (inhaled) | 997 | 1.5% | 657 | 1.0% | 692 | 1.1% | 683 | 1.0% | 1,187 | 1.8% |
| Corticosteroids (other) | 6,777 | 10.4% | 1,720 | 2.6% | 820 | 1.3% | 2,634 | 4.0% | 4,676 | 7.2% |
| Hydroxychloroquine | 183 | 0.3% | 157 | 0.2% | 144 | 0.2% | 132 | 0.2% | 199 | 0.3% |
| Interferon-beta | 18 | 0.0% | 11 | 0.0% | 7 | 0.0% | 8 | 0.0% | 14 | 0.0% |
| Interleukin 6 inhibitors | 7 | 0.0% | 5 | 0.0% | 0 | 0.0% | 0 | 0.0% | 5 | 0.0% |
| Lopinavir / Ritonavir | 0 | 0.0% | 1 | 0.0% | 0 | 0.0% | 0 | 0.0% | 1 | 0.0% |
| Methylprednisolone | 613 | 0.9% | 135 | 0.2% | 71 | 0.1% | 69 | 0.1% | 251 | 0.4% |
| Monoclonal antibody | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 1 | 0.0% | 1 | 0.0% |
| NSAIDs (other) | 3,350 | 5.1% | 650 | 1.0% | 307 | 0.5% | 979 | 1.5% | 1,860 | 2.8% |
| Prednisolone | 11 | 0.0% | 7 | 0.0% | 1 | 0.0% | 0 | 0.0% | 8 | 0.0% |
| Remdesivir | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| <i>Vaccinations</i> | | | | | | | | | | |
| Influenza A vaccination | 8,027 | 12.3% | 11,363 | 17.4% | 14,139 | 21.6% | 10,688 | 16.3% | 35,511 | 54.3% |
| Pertussis vaccination | 1,137 | 1.7% | 249 | 0.4% | 396 | 0.6% | 48,418 | 74.1% | 48,879 | 74.8% |
| Pneumococcal vaccination | 190 | 0.3% | 36 | 0.1% | 10 | 0.0% | 18 | 0.0% | 64 | 0.1% |

¹Medical product utilization was defined by the date of dispensing or administration. Treatment episodes were not created.

²Pre-pregnancy period defined as the 183 days prior to estimated pregnancy start date.

³Angiotensin-converting Enzyme Inhibitors

⁴Angiotensin Receptor Blockers

⁵For each identified pregnancy, a comparator episode was selected in order to compare medical product use and baseline characteristics during a defined period for which a woman did not have a live birth delivery. Pregnancy episodes were matched within Data Partner to patients with first enrollment episodes without live birth delivery that met all inclusion criteria, were the same age (integer), and where pregnancy duration overlapped the eligible enrollment spans. patients an comparator episodes were allowed to be used multiple times as controls, and patients with a pregnancy episode were allowed to contribute a separate comparator episode.

Figure 1a. Use of Obstetric-related Medications During Pregnancy Among Pregnant and Non-pregnant Patients with and without COVID-19 in the Pre-pregnancy Period or During Pregnancy in the Rapid COVID-19 Sentinel Distributed Database between January 1, 2020 and May 31, 2021





Figure 1b. Use of Potential COVID-19 Medications During Pregnancy Among Pregnant and Non-pregnant Patients with and without COVID-19 in the Pre-pregnancy Period or During Pregnancy in the Rapid COVID-19 Sentinel Distributed Database between January 1, 2020 and May 31, 2021



¹ Angiotensin-converting Enzyme Inhibitors (ACEI)

² Angiotensin Receptor Blockers (ARB)

Figure 1c. Use of Vaccinations During Pregnancy Among Pregnant and Non-pregnant Patients with and without COVID-19 in the Pre-pregnancy Period or During Pregnancy in the Rapid COVID-19 Sentinel Distributed Database between January 1, 2020 and May 31, 2021




Figure 2a. Use of Obstetric-related Medications in the Pre-pregnancy Period or During Pregnancy Among Pregnant Patients with COVID-19 in the Pre-pregnancy Period or During Pregnancy in the Rapid COVID-19 Sentinel Distributed Database between January 1, 2020 and May 31, 2021






Figure 2b. Use of Potential COVID-19 Medications in the Pre-pregnancy Period or During Pregnancy Among Pregnant Patients with COVID-19 in the Pre-pregnancy Period or During Pregnancy in the Rapid COVID-19 Sentinel Distributed Database between January 1, 2020 and May 31, 2021



¹ Angiotensin-converting Enzyme Inhibitors (ACEI)

² Angiotensin Receptor Blockers (ARB)

Figure 2c. Use of Vaccinations in the Pre-pregnancy Period or During Pregnancy Among Pregnant Patients with COVID-19 in the Pre-pregnancy Period or During Pregnancy in the Rapid COVID-19 Sentinel Distributed Database between January 1, 2020 and May 31, 2021



Appendix A. Dates of Available Data for Each Data Partner (DP) as of Request Distribution Date (September 17, 2021)

| Masked ID | DP Start Date | Query End Date* |
|------------------|----------------------|------------------------|
| DP01 | 01/01/2017 | 03/31/2021 |
| DP02 | 01/01/2017 | 04/30/2021 |
| DP03 | 01/01/2017 | 05/31/2021 |
| DP04 | 01/01/2017 | 05/31/2021 |
| DP05 | 01/01/2017 | 05/31/2021 |
| DP06 | 01/01/2017 | 05/31/2021 |

*Query period end dates were selected for each Data Partner (DP) based on maximum date data completeness within each DP. The month with the maximum date must have at least 80% of the number of records in the previous month, particularly for inpatient records. Data completeness varies by data source and claims type (i.e. care setting); we expect a lag in inpatient claims of ≥ 60 days for the two participating national health plans and of ≥ 30 days for the four participating integrated delivery systems.

Appendix B. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Live Birth Delivery

| Code | Description | Code | |
|----------------------------|---|-----------|------------|
| | | Category | Code Type |
| Live birth delivery | | | |
| 0W8NXZZ | Division of Female Perineum, External Approach | Procedure | ICD-10-PCS |
| 10900ZC | Drainage of Amniotic Fluid, Therapeutic from Products of Conception, Open Approach | Procedure | ICD-10-PCS |
| 10903ZC | Drainage of Amniotic Fluid, Therapeutic from Products of Conception, Percutaneous Approach | Procedure | ICD-10-PCS |
| 10904ZC | Drainage of Amniotic Fluid, Therapeutic from Products of Conception, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 10907ZC | Drainage of Amniotic Fluid, Therapeutic from Products of Conception, Via Natural or Artificial Opening | Procedure | ICD-10-PCS |
| 10908ZC | Drainage of Amniotic Fluid, Therapeutic from Products of Conception, Via Natural or Artificial Opening Endoscopic | Procedure | ICD-10-PCS |
| 10D00Z0 | Extraction of Products of Conception, Classical, Open Approach | Procedure | ICD-10-PCS |
| 10D00Z1 | Extraction of Products of Conception, Low Cervical, Open Approach | Procedure | ICD-10-PCS |
| 10D00Z2 | Extraction of Products of Conception, Extraperitoneal, Open Approach | Procedure | ICD-10-PCS |
| 10D07Z3 | Extraction of Products of Conception, Low Forceps, Via Natural or Artificial Opening | Procedure | ICD-10-PCS |
| 10D07Z4 | Extraction of Products of Conception, Mid Forceps, Via Natural or Artificial Opening | Procedure | ICD-10-PCS |
| 10D07Z5 | Extraction of Products of Conception, High Forceps, Via Natural or Artificial Opening | Procedure | ICD-10-PCS |
| 10D07Z6 | Extraction of Products of Conception, Vacuum, Via Natural or Artificial Opening | Procedure | ICD-10-PCS |
| 10D07Z7 | Extraction of Products of Conception, Internal Version, Via Natural or Artificial Opening | Procedure | ICD-10-PCS |
| 10D07Z8 | Extraction of Products of Conception, Other, Via Natural or Artificial Opening | Procedure | ICD-10-PCS |
| 10E0XZZ | Delivery of Products of Conception, External Approach | Procedure | ICD-10-PCS |
| 10S07ZZ | Reposition Products of Conception, Via Natural or Artificial Opening | Procedure | ICD-10-PCS |
| O1002 | Pre-existing essential hypertension complicating childbirth | Diagnosis | ICD-10-CM |
| O1012 | Pre-existing hypertensive heart disease complicating childbirth | Diagnosis | ICD-10-CM |
| O1022 | Pre-existing hypertensive chronic kidney disease complicating childbirth | Diagnosis | ICD-10-CM |
| O1032 | Pre-existing hypertensive heart and chronic kidney disease complicating childbirth | Diagnosis | ICD-10-CM |
| O1042 | Pre-existing secondary hypertension complicating childbirth | Diagnosis | ICD-10-CM |
| O1092 | Unspecified pre-existing hypertension complicating childbirth | Diagnosis | ICD-10-CM |
| O114 | Pre-existing hypertension with pre-eclampsia, complicating childbirth | Diagnosis | ICD-10-CM |
| O1204 | Gestational edema, complicating childbirth | Diagnosis | ICD-10-CM |
| O1214 | Gestational proteinuria, complicating childbirth | Diagnosis | ICD-10-CM |
| O1224 | Gestational edema with proteinuria, complicating childbirth | Diagnosis | ICD-10-CM |
| O134 | Gestational [pregnancy-induced] hypertension without significant proteinuria, complicating childbirth | Diagnosis | ICD-10-CM |
| O1404 | Mild to moderate pre-eclampsia, complicating childbirth | Diagnosis | ICD-10-CM |
| O1414 | Severe pre-eclampsia complicating childbirth | Diagnosis | ICD-10-CM |
| O1424 | HELLP syndrome, complicating childbirth | Diagnosis | ICD-10-CM |
| O1494 | Unspecified pre-eclampsia, complicating childbirth | Diagnosis | ICD-10-CM |
| O164 | Unspecified maternal hypertension, complicating childbirth | Diagnosis | ICD-10-CM |

Appendix B. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Live Birth Delivery

| Code | Description | Code | |
|---------|--|-----------|-----------|
| | | Category | Code Type |
| O2402 | Pre-existing type 1 diabetes mellitus, in childbirth | Diagnosis | ICD-10-CM |
| O2412 | Pre-existing type 2 diabetes mellitus, in childbirth | Diagnosis | ICD-10-CM |
| O2432 | Unspecified pre-existing diabetes mellitus in childbirth | Diagnosis | ICD-10-CM |
| O24420 | Gestational diabetes mellitus in childbirth, diet controlled | Diagnosis | ICD-10-CM |
| O24424 | Gestational diabetes mellitus in childbirth, insulin controlled | Diagnosis | ICD-10-CM |
| O24425 | Gestational diabetes mellitus in childbirth, controlled by oral hypoglycemic drugs | Diagnosis | ICD-10-CM |
| O24429 | Gestational diabetes mellitus in childbirth, unspecified control | Diagnosis | ICD-10-CM |
| O2482 | Other pre-existing diabetes mellitus in childbirth | Diagnosis | ICD-10-CM |
| O2492 | Unspecified diabetes mellitus in childbirth | Diagnosis | ICD-10-CM |
| O252 | Malnutrition in childbirth | Diagnosis | ICD-10-CM |
| O2662 | Liver and biliary tract disorders in childbirth | Diagnosis | ICD-10-CM |
| O2672 | Subluxation of symphysis (pubis) in childbirth | Diagnosis | ICD-10-CM |
| O6012X0 | Preterm labor second trimester with preterm delivery second trimester, not applicable or unspecified | Diagnosis | ICD-10-CM |
| O6012X1 | Preterm labor second trimester with preterm delivery second trimester, fetus 1 | Diagnosis | ICD-10-CM |
| O6012X2 | Preterm labor second trimester with preterm delivery second trimester, fetus 2 | Diagnosis | ICD-10-CM |
| O6012X3 | Preterm labor second trimester with preterm delivery second trimester, fetus 3 | Diagnosis | ICD-10-CM |
| O6012X4 | Preterm labor second trimester with preterm delivery second trimester, fetus 4 | Diagnosis | ICD-10-CM |
| O6012X5 | Preterm labor second trimester with preterm delivery second trimester, fetus 5 | Diagnosis | ICD-10-CM |
| O6012X9 | Preterm labor second trimester with preterm delivery second trimester, other fetus | Diagnosis | ICD-10-CM |
| O6013X0 | Preterm labor second trimester with preterm delivery third trimester, not applicable or unspecified | Diagnosis | ICD-10-CM |
| O6013X1 | Preterm labor second trimester with preterm delivery third trimester, fetus 1 | Diagnosis | ICD-10-CM |
| O6013X2 | Preterm labor second trimester with preterm delivery third trimester, fetus 2 | Diagnosis | ICD-10-CM |
| O6013X3 | Preterm labor second trimester with preterm delivery third trimester, fetus 3 | Diagnosis | ICD-10-CM |
| O6013X4 | Preterm labor second trimester with preterm delivery third trimester, fetus 4 | Diagnosis | ICD-10-CM |
| O6013X5 | Preterm labor second trimester with preterm delivery third trimester, fetus 5 | Diagnosis | ICD-10-CM |
| O6013X9 | Preterm labor second trimester with preterm delivery third trimester, other fetus | Diagnosis | ICD-10-CM |
| O6014X0 | Preterm labor third trimester with preterm delivery third trimester, not applicable or unspecified | Diagnosis | ICD-10-CM |
| O6014X1 | Preterm labor third trimester with preterm delivery third trimester, fetus 1 | Diagnosis | ICD-10-CM |
| O6014X2 | Preterm labor third trimester with preterm delivery third trimester, fetus 2 | Diagnosis | ICD-10-CM |
| O6014X3 | Preterm labor third trimester with preterm delivery third trimester, fetus 3 | Diagnosis | ICD-10-CM |
| O6014X4 | Preterm labor third trimester with preterm delivery third trimester, fetus 4 | Diagnosis | ICD-10-CM |
| O6014X5 | Preterm labor third trimester with preterm delivery third trimester, fetus 5 | Diagnosis | ICD-10-CM |
| O6014X9 | Preterm labor third trimester with preterm delivery third trimester, other fetus | Diagnosis | ICD-10-CM |
| O6022X0 | Term delivery with preterm labor, second trimester, not applicable or unspecified | Diagnosis | ICD-10-CM |

Appendix B. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Live Birth Delivery

| Code | Description | Code | |
|---------|--|-----------|-----------|
| | | Category | Code Type |
| O6022X1 | Term delivery with preterm labor, second trimester, fetus 1 | Diagnosis | ICD-10-CM |
| O6022X2 | Term delivery with preterm labor, second trimester, fetus 2 | Diagnosis | ICD-10-CM |
| O6022X3 | Term delivery with preterm labor, second trimester, fetus 3 | Diagnosis | ICD-10-CM |
| O6022X4 | Term delivery with preterm labor, second trimester, fetus 4 | Diagnosis | ICD-10-CM |
| O6022X5 | Term delivery with preterm labor, second trimester, fetus 5 | Diagnosis | ICD-10-CM |
| O6022X9 | Term delivery with preterm labor, second trimester, other fetus | Diagnosis | ICD-10-CM |
| O6023X0 | Term delivery with preterm labor, third trimester, not applicable or unspecified | Diagnosis | ICD-10-CM |
| O6023X1 | Term delivery with preterm labor, third trimester, fetus 1 | Diagnosis | ICD-10-CM |
| O6023X2 | Term delivery with preterm labor, third trimester, fetus 2 | Diagnosis | ICD-10-CM |
| O6023X3 | Term delivery with preterm labor, third trimester, fetus 3 | Diagnosis | ICD-10-CM |
| O6023X4 | Term delivery with preterm labor, third trimester, fetus 4 | Diagnosis | ICD-10-CM |
| O6023X5 | Term delivery with preterm labor, third trimester, fetus 5 | Diagnosis | ICD-10-CM |
| O6023X9 | Term delivery with preterm labor, third trimester, other fetus | Diagnosis | ICD-10-CM |
| O632 | Delayed delivery of second twin, triplet, etc | Diagnosis | ICD-10-CM |
| O670 | Intrapartum hemorrhage with coagulation defect | Diagnosis | ICD-10-CM |
| O678 | Other intrapartum hemorrhage | Diagnosis | ICD-10-CM |
| O679 | Intrapartum hemorrhage, unspecified | Diagnosis | ICD-10-CM |
| O68 | Labor and delivery complicated by abnormality of fetal acid-base balance | Diagnosis | ICD-10-CM |
| O690XX0 | Labor and delivery complicated by prolapse of cord, not applicable or unspecified | Diagnosis | ICD-10-CM |
| O690XX1 | Labor and delivery complicated by prolapse of cord, fetus 1 | Diagnosis | ICD-10-CM |
| O690XX2 | Labor and delivery complicated by prolapse of cord, fetus 2 | Diagnosis | ICD-10-CM |
| O690XX3 | Labor and delivery complicated by prolapse of cord, fetus 3 | Diagnosis | ICD-10-CM |
| O690XX4 | Labor and delivery complicated by prolapse of cord, fetus 4 | Diagnosis | ICD-10-CM |
| O690XX5 | Labor and delivery complicated by prolapse of cord, fetus 5 | Diagnosis | ICD-10-CM |
| O690XX9 | Labor and delivery complicated by prolapse of cord, other fetus | Diagnosis | ICD-10-CM |
| O691XX0 | Labor and delivery complicated by cord around neck, with compression, not applicable or unspecified | Diagnosis | ICD-10-CM |
| O691XX1 | Labor and delivery complicated by cord around neck, with compression, fetus 1 | Diagnosis | ICD-10-CM |
| O691XX2 | Labor and delivery complicated by cord around neck, with compression, fetus 2 | Diagnosis | ICD-10-CM |
| O691XX3 | Labor and delivery complicated by cord around neck, with compression, fetus 3 | Diagnosis | ICD-10-CM |
| O691XX4 | Labor and delivery complicated by cord around neck, with compression, fetus 4 | Diagnosis | ICD-10-CM |
| O691XX5 | Labor and delivery complicated by cord around neck, with compression, fetus 5 | Diagnosis | ICD-10-CM |
| O691XX9 | Labor and delivery complicated by cord around neck, with compression, other fetus | Diagnosis | ICD-10-CM |
| O692XX0 | Labor and delivery complicated by other cord entanglement, with compression, not applicable or unspecified | Diagnosis | ICD-10-CM |
| O692XX1 | Labor and delivery complicated by other cord entanglement, with compression, fetus 1 | Diagnosis | ICD-10-CM |

Appendix B. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Live Birth Delivery

| Code | Description | Code | |
|---------|---|-----------|-----------|
| | | Category | Code Type |
| O692XX2 | Labor and delivery complicated by other cord entanglement, with compression, fetus 2 | Diagnosis | ICD-10-CM |
| O692XX3 | Labor and delivery complicated by other cord entanglement, with compression, fetus 3 | Diagnosis | ICD-10-CM |
| O692XX4 | Labor and delivery complicated by other cord entanglement, with compression, fetus 4 | Diagnosis | ICD-10-CM |
| O692XX5 | Labor and delivery complicated by other cord entanglement, with compression, fetus 5 | Diagnosis | ICD-10-CM |
| O692XX9 | Labor and delivery complicated by other cord entanglement, with compression, other fetus | Diagnosis | ICD-10-CM |
| O693XX0 | Labor and delivery complicated by short cord, not applicable or unspecified | Diagnosis | ICD-10-CM |
| O693XX1 | Labor and delivery complicated by short cord, fetus 1 | Diagnosis | ICD-10-CM |
| O693XX2 | Labor and delivery complicated by short cord, fetus 2 | Diagnosis | ICD-10-CM |
| O693XX3 | Labor and delivery complicated by short cord, fetus 3 | Diagnosis | ICD-10-CM |
| O693XX4 | Labor and delivery complicated by short cord, fetus 4 | Diagnosis | ICD-10-CM |
| O693XX5 | Labor and delivery complicated by short cord, fetus 5 | Diagnosis | ICD-10-CM |
| O693XX9 | Labor and delivery complicated by short cord, other fetus | Diagnosis | ICD-10-CM |
| O694XX0 | Labor and delivery complicated by vasa previa, not applicable or unspecified | Diagnosis | ICD-10-CM |
| O694XX1 | Labor and delivery complicated by vasa previa, fetus 1 | Diagnosis | ICD-10-CM |
| O694XX2 | Labor and delivery complicated by vasa previa, fetus 2 | Diagnosis | ICD-10-CM |
| O694XX3 | Labor and delivery complicated by vasa previa, fetus 3 | Diagnosis | ICD-10-CM |
| O694XX4 | Labor and delivery complicated by vasa previa, fetus 4 | Diagnosis | ICD-10-CM |
| O694XX5 | Labor and delivery complicated by vasa previa, fetus 5 | Diagnosis | ICD-10-CM |
| O694XX9 | Labor and delivery complicated by vasa previa, other fetus | Diagnosis | ICD-10-CM |
| O695XX0 | Labor and delivery complicated by vascular lesion of cord, not applicable or unspecified | Diagnosis | ICD-10-CM |
| O695XX1 | Labor and delivery complicated by vascular lesion of cord, fetus 1 | Diagnosis | ICD-10-CM |
| O695XX2 | Labor and delivery complicated by vascular lesion of cord, fetus 2 | Diagnosis | ICD-10-CM |
| O695XX3 | Labor and delivery complicated by vascular lesion of cord, fetus 3 | Diagnosis | ICD-10-CM |
| O695XX4 | Labor and delivery complicated by vascular lesion of cord, fetus 4 | Diagnosis | ICD-10-CM |
| O695XX5 | Labor and delivery complicated by vascular lesion of cord, fetus 5 | Diagnosis | ICD-10-CM |
| O695XX9 | Labor and delivery complicated by vascular lesion of cord, other fetus | Diagnosis | ICD-10-CM |
| O6981X0 | Labor and delivery complicated by cord around neck, without compression, not applicable or unspecified | Diagnosis | ICD-10-CM |
| O6981X1 | Labor and delivery complicated by cord around neck, without compression, fetus 1 | Diagnosis | ICD-10-CM |
| O6981X2 | Labor and delivery complicated by cord around neck, without compression, fetus 2 | Diagnosis | ICD-10-CM |
| O6981X3 | Labor and delivery complicated by cord around neck, without compression, fetus 3 | Diagnosis | ICD-10-CM |
| O6981X4 | Labor and delivery complicated by cord around neck, without compression, fetus 4 | Diagnosis | ICD-10-CM |
| O6981X5 | Labor and delivery complicated by cord around neck, without compression, fetus 5 | Diagnosis | ICD-10-CM |
| O6981X9 | Labor and delivery complicated by cord around neck, without compression, other fetus | Diagnosis | ICD-10-CM |
| O6982X0 | Labor and delivery complicated by other cord entanglement, without compression, not applicable or unspecified | Diagnosis | ICD-10-CM |

Appendix B. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Live Birth Delivery

| Code | Description | Code | |
|---------|---|-----------|-----------|
| | | Category | Code Type |
| O6982X1 | Labor and delivery complicated by other cord entanglement, without compression, fetus 1 | Diagnosis | ICD-10-CM |
| O6982X2 | Labor and delivery complicated by other cord entanglement, without compression, fetus 2 | Diagnosis | ICD-10-CM |
| O6982X3 | Labor and delivery complicated by other cord entanglement, without compression, fetus 3 | Diagnosis | ICD-10-CM |
| O6982X4 | Labor and delivery complicated by other cord entanglement, without compression, fetus 4 | Diagnosis | ICD-10-CM |
| O6982X5 | Labor and delivery complicated by other cord entanglement, without compression, fetus 5 | Diagnosis | ICD-10-CM |
| O6982X9 | Labor and delivery complicated by other cord entanglement, without compression, other fetus | Diagnosis | ICD-10-CM |
| O6989X0 | Labor and delivery complicated by other cord complications, not applicable or unspecified | Diagnosis | ICD-10-CM |
| O6989X1 | Labor and delivery complicated by other cord complications, fetus 1 | Diagnosis | ICD-10-CM |
| O6989X2 | Labor and delivery complicated by other cord complications, fetus 2 | Diagnosis | ICD-10-CM |
| O6989X3 | Labor and delivery complicated by other cord complications, fetus 3 | Diagnosis | ICD-10-CM |
| O6989X4 | Labor and delivery complicated by other cord complications, fetus 4 | Diagnosis | ICD-10-CM |
| O6989X5 | Labor and delivery complicated by other cord complications, fetus 5 | Diagnosis | ICD-10-CM |
| O6989X9 | Labor and delivery complicated by other cord complications, other fetus | Diagnosis | ICD-10-CM |
| O699XX0 | Labor and delivery complicated by cord complication, unspecified, not applicable or unspecified | Diagnosis | ICD-10-CM |
| O699XX1 | Labor and delivery complicated by cord complication, unspecified, fetus 1 | Diagnosis | ICD-10-CM |
| O699XX2 | Labor and delivery complicated by cord complication, unspecified, fetus 2 | Diagnosis | ICD-10-CM |
| O699XX3 | Labor and delivery complicated by cord complication, unspecified, fetus 3 | Diagnosis | ICD-10-CM |
| O699XX4 | Labor and delivery complicated by cord complication, unspecified, fetus 4 | Diagnosis | ICD-10-CM |
| O699XX5 | Labor and delivery complicated by cord complication, unspecified, fetus 5 | Diagnosis | ICD-10-CM |
| O699XX9 | Labor and delivery complicated by cord complication, unspecified, other fetus | Diagnosis | ICD-10-CM |
| O700 | First degree perineal laceration during delivery | Diagnosis | ICD-10-CM |
| O701 | Second degree perineal laceration during delivery | Diagnosis | ICD-10-CM |
| O7020 | Third degree perineal laceration during delivery, unspecified | Diagnosis | ICD-10-CM |
| O7021 | Third degree perineal laceration during delivery, IIIa | Diagnosis | ICD-10-CM |
| O7022 | Third degree perineal laceration during delivery, IIIb | Diagnosis | ICD-10-CM |
| O7023 | Third degree perineal laceration during delivery, IIIc | Diagnosis | ICD-10-CM |
| O703 | Fourth degree perineal laceration during delivery | Diagnosis | ICD-10-CM |
| O704 | Anal sphincter tear complicating delivery, not associated with third degree laceration | Diagnosis | ICD-10-CM |
| O709 | Perineal laceration during delivery, unspecified | Diagnosis | ICD-10-CM |
| O740 | Aspiration pneumonitis due to anesthesia during labor and delivery | Diagnosis | ICD-10-CM |
| O741 | Other pulmonary complications of anesthesia during labor and delivery | Diagnosis | ICD-10-CM |
| O742 | Cardiac complications of anesthesia during labor and delivery | Diagnosis | ICD-10-CM |
| O743 | Central nervous system complications of anesthesia during labor and delivery | Diagnosis | ICD-10-CM |
| O744 | Toxic reaction to local anesthesia during labor and delivery | Diagnosis | ICD-10-CM |

Appendix B. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Live Birth Delivery

| Code | Description | Code | |
|-------|---|-----------|-----------|
| | | Category | Code Type |
| O745 | Spinal and epidural anesthesia-induced headache during labor and delivery | Diagnosis | ICD-10-CM |
| O746 | Other complications of spinal and epidural anesthesia during labor and delivery | Diagnosis | ICD-10-CM |
| O747 | Failed or difficult intubation for anesthesia during labor and delivery | Diagnosis | ICD-10-CM |
| O748 | Other complications of anesthesia during labor and delivery | Diagnosis | ICD-10-CM |
| O749 | Complication of anesthesia during labor and delivery, unspecified | Diagnosis | ICD-10-CM |
| O750 | Maternal distress during labor and delivery | Diagnosis | ICD-10-CM |
| O751 | Shock during or following labor and delivery | Diagnosis | ICD-10-CM |
| O755 | Delayed delivery after artificial rupture of membranes | Diagnosis | ICD-10-CM |
| O7581 | Maternal exhaustion complicating labor and delivery | Diagnosis | ICD-10-CM |
| O7582 | Onset (spontaneous) of labor after 37 completed weeks of gestation but before 39 completed weeks gestation, with delivery by (planned) cesarean section | Diagnosis | ICD-10-CM |
| O7589 | Other specified complications of labor and delivery | Diagnosis | ICD-10-CM |
| O759 | Complication of labor and delivery, unspecified | Diagnosis | ICD-10-CM |
| O76 | Abnormality in fetal heart rate and rhythm complicating labor and delivery | Diagnosis | ICD-10-CM |
| O770 | Labor and delivery complicated by meconium in amniotic fluid | Diagnosis | ICD-10-CM |
| O778 | Labor and delivery complicated by other evidence of fetal stress | Diagnosis | ICD-10-CM |
| O779 | Labor and delivery complicated by fetal stress, unspecified | Diagnosis | ICD-10-CM |
| O80 | Encounter for full-term uncomplicated delivery | Diagnosis | ICD-10-CM |
| O82 | Encounter for cesarean delivery without indication | Diagnosis | ICD-10-CM |
| O8802 | Air embolism in childbirth | Diagnosis | ICD-10-CM |
| O8812 | Amniotic fluid embolism in childbirth | Diagnosis | ICD-10-CM |
| O8822 | Thromboembolism in childbirth | Diagnosis | ICD-10-CM |
| O8832 | Pyemic and septic embolism in childbirth | Diagnosis | ICD-10-CM |
| O8882 | Other embolism in childbirth | Diagnosis | ICD-10-CM |
| O9802 | Tuberculosis complicating childbirth | Diagnosis | ICD-10-CM |
| O9812 | Syphilis complicating childbirth | Diagnosis | ICD-10-CM |
| O9822 | Gonorrhea complicating childbirth | Diagnosis | ICD-10-CM |
| O9832 | Other infections with a predominantly sexual mode of transmission complicating childbirth | Diagnosis | ICD-10-CM |
| O9842 | Viral hepatitis complicating childbirth | Diagnosis | ICD-10-CM |
| O9852 | Other viral diseases complicating childbirth | Diagnosis | ICD-10-CM |
| O9862 | Protozoal diseases complicating childbirth | Diagnosis | ICD-10-CM |
| O9872 | Human immunodeficiency virus [HIV] disease complicating childbirth | Diagnosis | ICD-10-CM |
| O9882 | Other maternal infectious and parasitic diseases complicating childbirth | Diagnosis | ICD-10-CM |
| O9892 | Unspecified maternal infectious and parasitic disease complicating childbirth | Diagnosis | ICD-10-CM |

Appendix B. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Live Birth Delivery

| Code | Description | Code | |
|--------|---|-----------|-----------|
| | | Category | Code Type |
| O9902 | Anemia complicating childbirth | Diagnosis | ICD-10-CM |
| O9912 | Other diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism complicating childbirth | Diagnosis | ICD-10-CM |
| O99214 | Obesity complicating childbirth | Diagnosis | ICD-10-CM |
| O99284 | Endocrine, nutritional and metabolic diseases complicating childbirth | Diagnosis | ICD-10-CM |
| O99314 | Alcohol use complicating childbirth | Diagnosis | ICD-10-CM |
| O99324 | Drug use complicating childbirth | Diagnosis | ICD-10-CM |
| O99334 | Smoking (tobacco) complicating childbirth | Diagnosis | ICD-10-CM |
| O99344 | Other mental disorders complicating childbirth | Diagnosis | ICD-10-CM |
| O99354 | Diseases of the nervous system complicating childbirth | Diagnosis | ICD-10-CM |
| O9942 | Diseases of the circulatory system complicating childbirth | Diagnosis | ICD-10-CM |
| O9952 | Diseases of the respiratory system complicating childbirth | Diagnosis | ICD-10-CM |
| O9962 | Diseases of the digestive system complicating childbirth | Diagnosis | ICD-10-CM |
| O9972 | Diseases of the skin and subcutaneous tissue complicating childbirth | Diagnosis | ICD-10-CM |
| O99814 | Abnormal glucose complicating childbirth | Diagnosis | ICD-10-CM |
| O99824 | Streptococcus B carrier state complicating childbirth | Diagnosis | ICD-10-CM |
| O99834 | Other infection carrier state complicating childbirth | Diagnosis | ICD-10-CM |
| O99844 | Bariatric surgery status complicating childbirth | Diagnosis | ICD-10-CM |
| O9A12 | Malignant neoplasm complicating childbirth | Diagnosis | ICD-10-CM |
| O9A22 | Injury, poisoning and certain other consequences of external causes complicating childbirth | Diagnosis | ICD-10-CM |
| O9A32 | Physical abuse complicating childbirth | Diagnosis | ICD-10-CM |
| O9A42 | Sexual abuse complicating childbirth | Diagnosis | ICD-10-CM |
| O9A52 | Psychological abuse complicating childbirth | Diagnosis | ICD-10-CM |
| P030 | Newborn affected by breech delivery and extraction | Diagnosis | ICD-10-CM |
| P032 | Newborn affected by forceps delivery | Diagnosis | ICD-10-CM |
| P033 | Newborn affected by delivery by vacuum extractor [ventouse] | Diagnosis | ICD-10-CM |
| P034 | Newborn affected by Cesarean delivery | Diagnosis | ICD-10-CM |
| P035 | Newborn affected by precipitate delivery | Diagnosis | ICD-10-CM |
| P0700 | Extremely low birth weight newborn, unspecified weight | Diagnosis | ICD-10-CM |
| P0701 | Extremely low birth weight newborn, less than 500 grams | Diagnosis | ICD-10-CM |
| P0702 | Extremely low birth weight newborn, 500-749 grams | Diagnosis | ICD-10-CM |
| P0703 | Extremely low birth weight newborn, 750-999 grams | Diagnosis | ICD-10-CM |
| P0710 | Other low birth weight newborn, unspecified weight | Diagnosis | ICD-10-CM |
| P0714 | Other low birth weight newborn, 1000-1249 grams | Diagnosis | ICD-10-CM |
| P0715 | Other low birth weight newborn, 1250-1499 grams | Diagnosis | ICD-10-CM |

Appendix B. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Live Birth Delivery

| Code | Description | Code | |
|-------|---|-----------|-----------|
| | | Category | Code Type |
| P0716 | Other low birth weight newborn, 1500-1749 grams | Diagnosis | ICD-10-CM |
| P0717 | Other low birth weight newborn, 1750-1999 grams | Diagnosis | ICD-10-CM |
| P0718 | Other low birth weight newborn, 2000-2499 grams | Diagnosis | ICD-10-CM |
| P0720 | Extreme immaturity of newborn, unspecified weeks of gestation | Diagnosis | ICD-10-CM |
| P0721 | Extreme immaturity of newborn, gestational age less than 23 completed weeks | Diagnosis | ICD-10-CM |
| P0722 | Extreme immaturity of newborn, gestational age 23 completed weeks | Diagnosis | ICD-10-CM |
| P0723 | Extreme immaturity of newborn, gestational age 24 completed weeks | Diagnosis | ICD-10-CM |
| P0724 | Extreme immaturity of newborn, gestational age 25 completed weeks | Diagnosis | ICD-10-CM |
| P0725 | Extreme immaturity of newborn, gestational age 26 completed weeks | Diagnosis | ICD-10-CM |
| P0726 | Extreme immaturity of newborn, gestational age 27 completed weeks | Diagnosis | ICD-10-CM |
| P0730 | Preterm newborn, unspecified weeks of gestation | Diagnosis | ICD-10-CM |
| P0731 | Preterm newborn, gestational age 28 completed weeks | Diagnosis | ICD-10-CM |
| P0732 | Preterm newborn, gestational age 29 completed weeks | Diagnosis | ICD-10-CM |
| P0733 | Preterm newborn, gestational age 30 completed weeks | Diagnosis | ICD-10-CM |
| P0734 | Preterm newborn, gestational age 31 completed weeks | Diagnosis | ICD-10-CM |
| P0735 | Preterm newborn, gestational age 32 completed weeks | Diagnosis | ICD-10-CM |
| P0736 | Preterm newborn, gestational age 33 completed weeks | Diagnosis | ICD-10-CM |
| P0737 | Preterm newborn, gestational age 34 completed weeks | Diagnosis | ICD-10-CM |
| P0738 | Preterm newborn, gestational age 35 completed weeks | Diagnosis | ICD-10-CM |
| P0739 | Preterm newborn, gestational age 36 completed weeks | Diagnosis | ICD-10-CM |
| P0821 | Post-term newborn | Diagnosis | ICD-10-CM |
| P0822 | Prolonged gestation of newborn | Diagnosis | ICD-10-CM |
| Z370 | Single live birth | Diagnosis | ICD-10-CM |
| Z372 | Twins, both liveborn | Diagnosis | ICD-10-CM |
| Z373 | Twins, one liveborn and one stillborn | Diagnosis | ICD-10-CM |
| Z3750 | Multiple births, unspecified, all liveborn | Diagnosis | ICD-10-CM |
| Z3751 | Triplets, all liveborn | Diagnosis | ICD-10-CM |
| Z3752 | Quadruplets, all liveborn | Diagnosis | ICD-10-CM |
| Z3753 | Quintuplets, all liveborn | Diagnosis | ICD-10-CM |
| Z3754 | Sextuplets, all liveborn | Diagnosis | ICD-10-CM |
| Z3759 | Other multiple births, all liveborn | Diagnosis | ICD-10-CM |
| Z3760 | Multiple births, unspecified, some liveborn | Diagnosis | ICD-10-CM |
| Z3761 | Triplets, some liveborn | Diagnosis | ICD-10-CM |
| Z3762 | Quadruplets, some liveborn | Diagnosis | ICD-10-CM |

Appendix B. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Live Birth Delivery

| Code | Description | Code | |
|-------|---|-----------|-----------|
| | | Category | Code Type |
| Z3763 | Quintuplets, some liveborn | Diagnosis | ICD-10-CM |
| Z3764 | Sextuplets, some liveborn | Diagnosis | ICD-10-CM |
| Z3769 | Other multiple births, some liveborn | Diagnosis | ICD-10-CM |
| Z379 | Outcome of delivery, unspecified | Diagnosis | ICD-10-CM |
| Z3800 | Single liveborn infant, delivered vaginally | Diagnosis | ICD-10-CM |
| Z3801 | Single liveborn infant, delivered by cesarean | Diagnosis | ICD-10-CM |
| Z381 | Single liveborn infant, born outside hospital | Diagnosis | ICD-10-CM |
| Z382 | Single liveborn infant, unspecified as to place of birth | Diagnosis | ICD-10-CM |
| Z3830 | Twin liveborn infant, delivered vaginally | Diagnosis | ICD-10-CM |
| Z3831 | Twin liveborn infant, delivered by cesarean | Diagnosis | ICD-10-CM |
| Z384 | Twin liveborn infant, born outside hospital | Diagnosis | ICD-10-CM |
| Z385 | Twin liveborn infant, unspecified as to place of birth | Diagnosis | ICD-10-CM |
| Z3861 | Triplet liveborn infant, delivered vaginally | Diagnosis | ICD-10-CM |
| Z3862 | Triplet liveborn infant, delivered by cesarean | Diagnosis | ICD-10-CM |
| Z3863 | Quadruplet liveborn infant, delivered vaginally | Diagnosis | ICD-10-CM |
| Z3864 | Quadruplet liveborn infant, delivered by cesarean | Diagnosis | ICD-10-CM |
| Z3865 | Quintuplet liveborn infant, delivered vaginally | Diagnosis | ICD-10-CM |
| Z3866 | Quintuplet liveborn infant, delivered by cesarean | Diagnosis | ICD-10-CM |
| Z3868 | Other multiple liveborn infant, delivered vaginally | Diagnosis | ICD-10-CM |
| Z3869 | Other multiple liveborn infant, delivered by cesarean | Diagnosis | ICD-10-CM |
| Z387 | Other multiple liveborn infant, born outside hospital | Diagnosis | ICD-10-CM |
| Z388 | Other multiple liveborn infant, unspecified as to place of birth | Diagnosis | ICD-10-CM |
| 59400 | Routine obstetric care including antepartum care, vaginal delivery (with or without episiotomy, and/or forceps) and postpartum care | Procedure | CPT-4 |
| 59409 | Vaginal delivery only (with or without episiotomy and/or forceps); | Procedure | CPT-4 |
| 59410 | Vaginal delivery only (with or without episiotomy and/or forceps); including postpartum care | Procedure | CPT-4 |
| 59510 | Routine obstetric care including antepartum care, cesarean delivery, and postpartum care | Procedure | CPT-4 |
| 59514 | Cesarean delivery only; | Procedure | CPT-4 |
| 59515 | Cesarean delivery only; including postpartum care | Procedure | CPT-4 |
| 59610 | Routine obstetric care including antepartum care, vaginal delivery (with or without episiotomy, and/or forceps) and postpartum care, after previous cesarean delivery | Procedure | CPT-4 |
| 59612 | Vaginal delivery only, after previous cesarean delivery (with or without episiotomy and/or forceps); | Procedure | CPT-4 |
| 59614 | Vaginal delivery only, after previous cesarean delivery (with or without episiotomy and/or forceps); including postpartum care | Procedure | CPT-4 |
| 59618 | Routine obstetric care including antepartum care, cesarean delivery, and postpartum care, following attempted vaginal delivery after previous cesarean delivery | Procedure | CPT-4 |

Appendix B. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Live Birth Delivery

| Code | Description | Code | |
|-------|---|-----------|-----------|
| | | Category | Code Type |
| 59620 | Cesarean delivery only, following attempted vaginal delivery after previous cesarean delivery; | Procedure | CPT-4 |
| 59622 | Cesarean delivery only, following attempted vaginal delivery after previous cesarean delivery; including postpartum care | Procedure | CPT-4 |
| 650 | Normal delivery | Diagnosis | ICD-9-CM |
| 7630 | Fetus or newborn affected by breech delivery and extraction | Diagnosis | ICD-9-CM |
| 7632 | Fetus or newborn affected by forceps delivery | Diagnosis | ICD-9-CM |
| 7633 | Fetus or newborn affected by delivery by vacuum extractor | Diagnosis | ICD-9-CM |
| 7634 | Fetus or newborn affected by cesarean delivery | Diagnosis | ICD-9-CM |
| 7636 | Fetus or newborn affected by precipitate delivery | Diagnosis | ICD-9-CM |
| 7680 | Fetal death from asphyxia or anoxia before onset of labor or at unspecified time | Diagnosis | ICD-9-CM |
| 7681 | Fetal death from asphyxia or anoxia during labor | Diagnosis | ICD-9-CM |
| 64101 | Placenta previa without hemorrhage, with delivery | Diagnosis | ICD-9-CM |
| 64111 | Hemorrhage from placenta previa, with delivery | Diagnosis | ICD-9-CM |
| 64121 | Premature separation of placenta, with delivery | Diagnosis | ICD-9-CM |
| 64131 | Antepartum hemorrhage associated with coagulation defects, with delivery | Diagnosis | ICD-9-CM |
| 64181 | Other antepartum hemorrhage, with delivery | Diagnosis | ICD-9-CM |
| 64191 | Unspecified antepartum hemorrhage, with delivery | Diagnosis | ICD-9-CM |
| 64201 | Benign essential hypertension with delivery | Diagnosis | ICD-9-CM |
| 64202 | Benign essential hypertension, with delivery, with current postpartum complication | Diagnosis | ICD-9-CM |
| 64211 | Hypertension secondary to renal disease, with delivery | Diagnosis | ICD-9-CM |
| 64212 | Hypertension secondary to renal disease, with delivery, with current postpartum complication | Diagnosis | ICD-9-CM |
| 64221 | Other pre-existing hypertension, with delivery | Diagnosis | ICD-9-CM |
| 64222 | Other pre-existing hypertension, with delivery, with current postpartum complication | Diagnosis | ICD-9-CM |
| 64231 | Transient hypertension of pregnancy, with delivery | Diagnosis | ICD-9-CM |
| 64232 | Transient hypertension of pregnancy, with delivery, with current postpartum complication | Diagnosis | ICD-9-CM |
| 64241 | Mild or unspecified pre-eclampsia, with delivery | Diagnosis | ICD-9-CM |
| 64242 | Mild or unspecified pre-eclampsia, with delivery, with current postpartum complication | Diagnosis | ICD-9-CM |
| 64251 | Severe pre-eclampsia, with delivery | Diagnosis | ICD-9-CM |
| 64252 | Severe pre-eclampsia, with delivery, with current postpartum complication | Diagnosis | ICD-9-CM |
| 64261 | Eclampsia, with delivery | Diagnosis | ICD-9-CM |
| 64262 | Eclampsia, with delivery, with current postpartum complication | Diagnosis | ICD-9-CM |
| 64271 | Pre-eclampsia or eclampsia superimposed on pre-existing hypertension, with delivery | Diagnosis | ICD-9-CM |
| 64272 | Pre-eclampsia or eclampsia superimposed on pre-existing hypertension, with delivery, with current postpartum complication | Diagnosis | ICD-9-CM |
| 64291 | Unspecified hypertension, with delivery | Diagnosis | ICD-9-CM |
| 64292 | Unspecified hypertension, with delivery, with current postpartum complication | Diagnosis | ICD-9-CM |

Appendix B. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Live Birth Delivery

| Code | Description | Code | |
|-------|--|-----------|-----------|
| | | Category | Code Type |
| 64301 | Mild hyperemesis gravidarum, delivered | Diagnosis | ICD-9-CM |
| 64311 | Hyperemesis gravidarum with metabolic disturbance, delivered | Diagnosis | ICD-9-CM |
| 64321 | Late vomiting of pregnancy, delivered | Diagnosis | ICD-9-CM |
| 64381 | Other vomiting complicating pregnancy, delivered | Diagnosis | ICD-9-CM |
| 64391 | Unspecified vomiting of pregnancy, delivered | Diagnosis | ICD-9-CM |
| 64421 | Early onset of delivery, delivered, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 64501 | Prolonged pregnancy, with delivery | Diagnosis | ICD-9-CM |
| 64511 | Post term pregnancy, delivered, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 64521 | Prolonged pregnancy, delivered, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 64523 | Prolonged pregnancy, antepartum condition or complication | Diagnosis | ICD-9-CM |
| 64601 | Papyraceous fetus, delivered, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 64611 | Edema or excessive weight gain in pregnancy, with delivery, with or without mention of antepartum complication | Diagnosis | ICD-9-CM |
| 64612 | Edema or excessive weight gain in pregnancy, with delivery, with current postpartum complication | Diagnosis | ICD-9-CM |
| 64621 | Unspecified renal disease in pregnancy, with delivery | Diagnosis | ICD-9-CM |
| 64622 | Unspecified renal disease in pregnancy, with delivery, with current postpartum complication | Diagnosis | ICD-9-CM |
| 64631 | Pregnancy complication, recurrent pregnancy loss, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 64641 | Peripheral neuritis in pregnancy, with delivery | Diagnosis | ICD-9-CM |
| 64642 | Peripheral neuritis in pregnancy, with delivery, with current postpartum complication | Diagnosis | ICD-9-CM |
| 64651 | Asymptomatic bacteriuria in pregnancy, with delivery | Diagnosis | ICD-9-CM |
| 64652 | Asymptomatic bacteriuria in pregnancy, with delivery, with current postpartum complication | Diagnosis | ICD-9-CM |
| 64661 | Infections of genitourinary tract in pregnancy, with delivery | Diagnosis | ICD-9-CM |
| 64662 | Infections of genitourinary tract in pregnancy, with delivery, with current postpartum complication | Diagnosis | ICD-9-CM |
| 64671 | Liver and biliary tract disorders in pregnancy, delivered, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 64681 | Other specified complication of pregnancy, with delivery | Diagnosis | ICD-9-CM |
| 64682 | Other specified complications of pregnancy, with delivery, with current postpartum complication | Diagnosis | ICD-9-CM |
| 64691 | Unspecified complication of pregnancy, with delivery | Diagnosis | ICD-9-CM |
| 64701 | Maternal syphilis, complicating pregnancy, with delivery | Diagnosis | ICD-9-CM |
| 64702 | Maternal syphilis, complicating pregnancy, with delivery, with current postpartum complication | Diagnosis | ICD-9-CM |
| 64711 | Maternal gonorrhea with delivery | Diagnosis | ICD-9-CM |
| 64712 | Maternal gonorrhea, with delivery, with current postpartum complication | Diagnosis | ICD-9-CM |
| 64721 | Other maternal venereal diseases with delivery | Diagnosis | ICD-9-CM |
| 64722 | Other maternal venereal diseases with delivery, with current postpartum complication | Diagnosis | ICD-9-CM |
| 64731 | Maternal tuberculosis with delivery | Diagnosis | ICD-9-CM |
| 64732 | Maternal tuberculosis with delivery, with current postpartum complication | Diagnosis | ICD-9-CM |

Appendix B. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Live Birth Delivery

| Code | Description | Code | |
|-------|--|-----------|-----------|
| | | Category | Code Type |
| 64741 | Maternal malaria with delivery | Diagnosis | ICD-9-CM |
| 64742 | Maternal malaria with delivery, with current postpartum complication | Diagnosis | ICD-9-CM |
| 64751 | Maternal rubella with delivery | Diagnosis | ICD-9-CM |
| 64752 | Maternal rubella with delivery, with current postpartum complication | Diagnosis | ICD-9-CM |
| 64761 | Other maternal viral disease with delivery | Diagnosis | ICD-9-CM |
| 64762 | Other maternal viral disease with delivery, with current postpartum complication | Diagnosis | ICD-9-CM |
| 64781 | Other specified maternal infectious and parasitic disease with delivery | Diagnosis | ICD-9-CM |
| 64782 | Other specified maternal infectious and parasitic disease with delivery, with current postpartum complication | Diagnosis | ICD-9-CM |
| 64791 | Unspecified maternal infection or infestation with delivery | Diagnosis | ICD-9-CM |
| 64792 | Unspecified maternal infection or infestation with delivery, with current postpartum complication | Diagnosis | ICD-9-CM |
| 64801 | Maternal diabetes mellitus with delivery | Diagnosis | ICD-9-CM |
| 64802 | Maternal diabetes mellitus with delivery, with current postpartum complication | Diagnosis | ICD-9-CM |
| 64811 | Maternal thyroid dysfunction with delivery, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 64812 | Maternal thyroid dysfunction with delivery, with current postpartum complication | Diagnosis | ICD-9-CM |
| 64821 | Maternal anemia, with delivery | Diagnosis | ICD-9-CM |
| 64822 | Maternal anemia with delivery, with current postpartum complication | Diagnosis | ICD-9-CM |
| 64831 | Maternal drug dependence, with delivery | Diagnosis | ICD-9-CM |
| 64832 | Maternal drug dependence, with delivery, with current postpartum complication | Diagnosis | ICD-9-CM |
| 64841 | Maternal mental disorders, with delivery | Diagnosis | ICD-9-CM |
| 64842 | Maternal mental disorders, with delivery, with current postpartum complication | Diagnosis | ICD-9-CM |
| 64851 | Maternal congenital cardiovascular disorders, with delivery | Diagnosis | ICD-9-CM |
| 64852 | Maternal congenital cardiovascular disorders, with delivery, with current postpartum complication | Diagnosis | ICD-9-CM |
| 64861 | Other maternal cardiovascular diseases, with delivery | Diagnosis | ICD-9-CM |
| 64862 | Other maternal cardiovascular diseases, with delivery, with current postpartum complication | Diagnosis | ICD-9-CM |
| 64871 | Bone and joint disorders of maternal back, pelvis, and lower limbs, with delivery | Diagnosis | ICD-9-CM |
| 64872 | Bone and joint disorders of maternal back, pelvis, and lower limbs, with delivery, with current postpartum complication | Diagnosis | ICD-9-CM |
| 64881 | Abnormal maternal glucose tolerance, with delivery | Diagnosis | ICD-9-CM |
| 64882 | Abnormal maternal glucose tolerance, with delivery, with current postpartum complication | Diagnosis | ICD-9-CM |
| 64891 | Other current maternal conditions classifiable elsewhere, with delivery | Diagnosis | ICD-9-CM |
| 64892 | Other current maternal conditions classifiable elsewhere, with delivery, with current postpartum complication | Diagnosis | ICD-9-CM |
| 64901 | Tobacco use disorder complicating pregnancy, childbirth, or the puerperium, delivered, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 64902 | Tobacco use disorder complicating pregnancy, childbirth, or the puerperium, delivered, with mention of postpartum complication | Diagnosis | ICD-9-CM |

Appendix B. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Live Birth Delivery

| Code | Description | Code | |
|-------|---|-----------|-----------|
| | | Category | Code Type |
| 64911 | Obesity complicating pregnancy, childbirth, or the puerperium, delivered, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 64912 | Obesity complicating pregnancy, childbirth, or the puerperium, delivered, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 64921 | Bariatric surgery status complicating pregnancy, childbirth, or the puerperium, delivered, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 64922 | Bariatric surgery status complicating pregnancy, childbirth, or the puerperium, delivered, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 64931 | Coagulation defects complicating pregnancy, childbirth, or the puerperium, delivered, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 64932 | Coagulation defects complicating pregnancy, childbirth, or the puerperium, delivered, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 64941 | Epilepsy complicating pregnancy, childbirth, or the puerperium, delivered, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 64942 | Epilepsy complicating pregnancy, childbirth, or the puerperium, delivered, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 64951 | Spotting complicating pregnancy, delivered, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 64961 | Uterine size date discrepancy, delivered, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 64962 | Uterine size date discrepancy, delivered, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 64971 | Cervical shortening, delivered, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 64981 | Onset (spontaneous) of labor after 37 completed weeks of gestation but before 39 completed weeks gestation, with delivery by (planned) cesarean section, delivered, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 64982 | Onset (spontaneous) of labor after 37 completed weeks of gestation but before 39 completed weeks gestation, with delivery by (planned) cesarean section, delivered, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 65101 | Twin pregnancy, delivered | Diagnosis | ICD-9-CM |
| 65111 | Triplet pregnancy, delivered | Diagnosis | ICD-9-CM |
| 65121 | Quadruplet pregnancy, delivered | Diagnosis | ICD-9-CM |
| 65131 | Twin pregnancy with fetal loss and retention of one fetus, delivered | Diagnosis | ICD-9-CM |
| 65141 | Triplet pregnancy with fetal loss and retention of one or more, delivered | Diagnosis | ICD-9-CM |
| 65151 | Quadruplet pregnancy with fetal loss and retention of one or more, delivered | Diagnosis | ICD-9-CM |
| 65161 | Other multiple pregnancy with fetal loss and retention of one or more fetus(es), delivered | Diagnosis | ICD-9-CM |
| 65171 | Multiple gestation following (elective) fetal reduction, delivered, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 65181 | Other specified multiple gestation, delivered | Diagnosis | ICD-9-CM |
| 65191 | Unspecified multiple gestation, delivered | Diagnosis | ICD-9-CM |
| 65201 | Unstable lie of fetus, delivered | Diagnosis | ICD-9-CM |
| 65211 | Breech or other malpresentation successfully converted to cephalic presentation, delivered | Diagnosis | ICD-9-CM |
| 65221 | Breech presentation without mention of version, delivered | Diagnosis | ICD-9-CM |
| 65231 | Transverse or oblique fetal presentation, delivered | Diagnosis | ICD-9-CM |
| 65241 | Fetal face or brow presentation, delivered | Diagnosis | ICD-9-CM |
| 65251 | High fetal head at term, delivered | Diagnosis | ICD-9-CM |

Appendix B. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Live Birth Delivery

| Code | Description | Code | |
|-------|---|-----------|-----------|
| | | Category | Code Type |
| 65261 | Multiple gestation with malpresentation of one fetus or more, delivered | Diagnosis | ICD-9-CM |
| 65271 | Prolapsed arm of fetus, delivered | Diagnosis | ICD-9-CM |
| 65281 | Other specified malposition or malpresentation of fetus, delivered | Diagnosis | ICD-9-CM |
| 65291 | Unspecified malposition or malpresentation of fetus, delivered | Diagnosis | ICD-9-CM |
| 65301 | Major abnormality of bony pelvis, not further specified, delivered | Diagnosis | ICD-9-CM |
| 65311 | Generally contracted pelvis in pregnancy, delivered | Diagnosis | ICD-9-CM |
| 65321 | Inlet contraction of pelvis in pregnancy, delivered | Diagnosis | ICD-9-CM |
| 65331 | Outlet contraction of pelvis in pregnancy, delivered | Diagnosis | ICD-9-CM |
| 65341 | Fetopelvic disproportion, delivered | Diagnosis | ICD-9-CM |
| 65351 | Unusually large fetus causing disproportion, delivered | Diagnosis | ICD-9-CM |
| 65361 | Hydrocephalic fetus causing disproportion, delivered | Diagnosis | ICD-9-CM |
| 65371 | Other fetal abnormality causing disproportion, delivered | Diagnosis | ICD-9-CM |
| 65381 | Fetal disproportion of other origin, delivered | Diagnosis | ICD-9-CM |
| 65391 | Unspecified fetal disproportion, delivered | Diagnosis | ICD-9-CM |
| 65401 | Congenital abnormalities of pregnant uterus, delivered | Diagnosis | ICD-9-CM |
| 65402 | Congenital abnormalities of pregnant uterus, delivered, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 65411 | Tumors of body of uterus, delivered | Diagnosis | ICD-9-CM |
| 65412 | Tumors of body of uterus, delivered, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 65421 | Previous cesarean delivery, delivered, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 65431 | Retroverted and incarcerated gravid uterus, delivered | Diagnosis | ICD-9-CM |
| 65432 | Retroverted and incarcerated gravid uterus, delivered, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 65441 | Other abnormalities in shape or position of gravid uterus and of neighboring structures, delivered | Diagnosis | ICD-9-CM |
| 65442 | Other abnormalities in shape or position of gravid uterus and of neighboring structures, delivered, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 65451 | Cervical incompetence, delivered | Diagnosis | ICD-9-CM |
| 65452 | Cervical incompetence, delivered, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 65461 | Other congenital or acquired abnormality of cervix, with delivery | Diagnosis | ICD-9-CM |
| 65462 | Other congenital or acquired abnormality of cervix, delivered, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 65471 | Congenital or acquired abnormality of vagina, with delivery | Diagnosis | ICD-9-CM |
| 65472 | Congenital or acquired abnormality of vagina, delivered, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 65481 | Congenital or acquired abnormality of vulva, with delivery | Diagnosis | ICD-9-CM |
| 65482 | Congenital or acquired abnormality of vulva, delivered, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 65491 | Other and unspecified abnormality of organs and soft tissues of pelvis, with delivery | Diagnosis | ICD-9-CM |
| 65492 | Other and unspecified abnormality of organs and soft tissues of pelvis, delivered, with mention of postpartum complication | Diagnosis | ICD-9-CM |

Appendix B. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Live Birth Delivery

| Code | Description | Code | |
|-------|---|-----------|-----------|
| | | Category | Code Type |
| 65501 | Central nervous system malformation in fetus, with delivery | Diagnosis | ICD-9-CM |
| 65511 | Chromosomal abnormality in fetus, affecting management of mother, with delivery | Diagnosis | ICD-9-CM |
| 65521 | Hereditary disease in family possibly affecting fetus, affecting management of mother, with delivery | Diagnosis | ICD-9-CM |
| 65531 | Suspected damage to fetus from viral disease in mother, affecting management of mother, with delivery | Diagnosis | ICD-9-CM |
| 65541 | Suspected damage to fetus from other disease in mother, affecting management of mother, with delivery | Diagnosis | ICD-9-CM |
| 65551 | Suspected damage to fetus from drugs, affecting management of mother, delivered | Diagnosis | ICD-9-CM |
| 65561 | Suspected damage to fetus from radiation, affecting management of mother, delivered | Diagnosis | ICD-9-CM |
| 65571 | Decreased fetal movements, affecting management of mother, delivered | Diagnosis | ICD-9-CM |
| 65581 | Other known or suspected fetal abnormality, not elsewhere classified, affecting management of mother, delivery | Diagnosis | ICD-9-CM |
| 65591 | Unspecified fetal abnormality affecting management of mother, delivery | Diagnosis | ICD-9-CM |
| 65601 | Fetal-maternal hemorrhage, with delivery | Diagnosis | ICD-9-CM |
| 65611 | Rhesus isoimmunization affecting management of mother, delivered | Diagnosis | ICD-9-CM |
| 65621 | Isoimmunization from other and unspecified blood-group incompatibility, affecting management of mother, delivered | Diagnosis | ICD-9-CM |
| 65631 | Fetal distress affecting management of mother, delivered | Diagnosis | ICD-9-CM |
| 65641 | Intrauterine death affecting management of mother, delivered | Diagnosis | ICD-9-CM |
| 65651 | Poor fetal growth, affecting management of mother, delivered | Diagnosis | ICD-9-CM |
| 65661 | Excessive fetal growth affecting management of mother, delivered | Diagnosis | ICD-9-CM |
| 65671 | Other placental conditions affecting management of mother, delivered | Diagnosis | ICD-9-CM |
| 65681 | Other specified fetal and placental problems affecting management of mother, delivered | Diagnosis | ICD-9-CM |
| 65691 | Unspecified fetal and placental problem affecting management of mother, delivered | Diagnosis | ICD-9-CM |
| 65701 | Polyhydramnios, with delivery | Diagnosis | ICD-9-CM |
| 65801 | Oligohydramnios, delivered | Diagnosis | ICD-9-CM |
| 65811 | Premature rupture of membranes in pregnancy, delivered | Diagnosis | ICD-9-CM |
| 65821 | Delayed delivery after spontaneous or unspecified rupture of membranes, delivered | Diagnosis | ICD-9-CM |
| 65831 | Delayed delivery after artificial rupture of membranes, delivered | Diagnosis | ICD-9-CM |
| 65841 | Infection of amniotic cavity, delivered | Diagnosis | ICD-9-CM |
| 65881 | Other problem associated with amniotic cavity and membranes, delivered | Diagnosis | ICD-9-CM |
| 65891 | Unspecified problem associated with amniotic cavity and membranes, delivered | Diagnosis | ICD-9-CM |
| 65901 | Failed mechanical induction of labor, delivered | Diagnosis | ICD-9-CM |
| 65911 | Failed medical or unspecified induction of labor, delivered | Diagnosis | ICD-9-CM |
| 65921 | Unspecified maternal pyrexia during labor, delivered | Diagnosis | ICD-9-CM |
| 65931 | Generalized infection during labor, delivered | Diagnosis | ICD-9-CM |
| 65941 | Grand multiparity, delivered, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 65951 | Elderly primigravida, delivered | Diagnosis | ICD-9-CM |

Appendix B. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Live Birth Delivery

| Code | Description | Code | |
|-------|---|-----------|-----------|
| | | Category | Code Type |
| 65961 | Elderly multigravida, delivered, with mention of antepartum condition | Diagnosis | ICD-9-CM |
| 65971 | Abnormality in fetal heart rate or rhythm, delivered, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 65981 | Other specified indication for care or intervention related to labor and delivery, delivered | Diagnosis | ICD-9-CM |
| 65991 | Unspecified indication for care or intervention related to labor and delivery, delivered | Diagnosis | ICD-9-CM |
| 66001 | Obstruction caused by malposition of fetus at onset of labor, delivered | Diagnosis | ICD-9-CM |
| 66011 | Obstruction by bony pelvis during labor and delivery, delivered | Diagnosis | ICD-9-CM |
| 66021 | Obstruction by abnormal pelvic soft tissues during labor and delivery, delivered | Diagnosis | ICD-9-CM |
| 66031 | Deep transverse arrest and persistent occipitoposterior position during labor and delivery, delivered | Diagnosis | ICD-9-CM |
| 66041 | Shoulder (girdle) dystocia during labor and delivery, delivered | Diagnosis | ICD-9-CM |
| 66051 | Locked twins, delivered | Diagnosis | ICD-9-CM |
| 66061 | Unspecified failed trial of labor, delivered | Diagnosis | ICD-9-CM |
| 66071 | Unspecified failed forceps or vacuum extractor, delivered | Diagnosis | ICD-9-CM |
| 66081 | Other causes of obstructed labor, delivered | Diagnosis | ICD-9-CM |
| 66091 | Unspecified obstructed labor, with delivery | Diagnosis | ICD-9-CM |
| 66101 | Primary uterine inertia, with delivery | Diagnosis | ICD-9-CM |
| 66111 | Secondary uterine inertia, with delivery | Diagnosis | ICD-9-CM |
| 66121 | Other and unspecified uterine inertia, with delivery | Diagnosis | ICD-9-CM |
| 66131 | Precipitate labor, with delivery | Diagnosis | ICD-9-CM |
| 66141 | Hypertonic, incoordinate, or prolonged uterine contractions, with delivery | Diagnosis | ICD-9-CM |
| 66191 | Unspecified abnormality of labor, with delivery | Diagnosis | ICD-9-CM |
| 66201 | Prolonged first stage of labor, delivered | Diagnosis | ICD-9-CM |
| 66211 | Unspecified prolonged labor, delivered | Diagnosis | ICD-9-CM |
| 66221 | Prolonged second stage of labor, delivered | Diagnosis | ICD-9-CM |
| 66231 | Delayed delivery of second twin, triplet, etc., delivered | Diagnosis | ICD-9-CM |
| 66301 | Prolapse of cord, complicating labor and delivery, delivered | Diagnosis | ICD-9-CM |
| 66311 | Cord around neck, with compression, complicating labor and delivery, delivered | Diagnosis | ICD-9-CM |
| 66321 | Other and unspecified cord entanglement, with compression, complicating labor and delivery, delivered | Diagnosis | ICD-9-CM |
| 66331 | Other and unspecified cord entanglement, without mention of compression, complicating labor and delivery, delivered | Diagnosis | ICD-9-CM |
| 66341 | Short cord complicating labor and delivery, delivered | Diagnosis | ICD-9-CM |
| 66351 | Vasa previa complicating labor and delivery, delivered | Diagnosis | ICD-9-CM |
| 66361 | Vascular lesions of cord complicating labor and delivery, delivered | Diagnosis | ICD-9-CM |
| 66381 | Other umbilical cord complications during labor and delivery, delivered | Diagnosis | ICD-9-CM |
| 66391 | Unspecified umbilical cord complication during labor and delivery, delivered | Diagnosis | ICD-9-CM |
| 66401 | First-degree perineal laceration, with delivery | Diagnosis | ICD-9-CM |

Appendix B. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Live Birth Delivery

| Code | Description | Code | |
|-------|---|-----------|-----------|
| | | Category | Code Type |
| 66411 | Second-degree perineal laceration, with delivery | Diagnosis | ICD-9-CM |
| 66421 | Third-degree perineal laceration, with delivery | Diagnosis | ICD-9-CM |
| 66431 | Fourth-degree perineal laceration, with delivery | Diagnosis | ICD-9-CM |
| 66441 | Unspecified perineal laceration, with delivery | Diagnosis | ICD-9-CM |
| 66451 | Vulvar and perineal hematoma, with delivery | Diagnosis | ICD-9-CM |
| 66461 | Anal sphincter tear complicating delivery, not associated with third-degree perineal laceration, delivered, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 66481 | Other specified trauma to perineum and vulva, with delivery | Diagnosis | ICD-9-CM |
| 66491 | Unspecified trauma to perineum and vulva, with delivery | Diagnosis | ICD-9-CM |
| 66501 | Rupture of uterus before onset of labor, with delivery | Diagnosis | ICD-9-CM |
| 66511 | Rupture of uterus during labor, with delivery | Diagnosis | ICD-9-CM |
| 66522 | Inversion of uterus, delivered with postpartum complication | Diagnosis | ICD-9-CM |
| 66531 | Laceration of cervix, with delivery | Diagnosis | ICD-9-CM |
| 66541 | High vaginal laceration, with delivery | Diagnosis | ICD-9-CM |
| 66551 | Other injury to pelvic organs, with delivery | Diagnosis | ICD-9-CM |
| 66561 | Damage to pelvic joints and ligaments, with delivery | Diagnosis | ICD-9-CM |
| 66571 | Pelvic hematoma, with delivery | Diagnosis | ICD-9-CM |
| 66572 | Pelvic hematoma, delivered with postpartum complication | Diagnosis | ICD-9-CM |
| 66581 | Other specified obstetrical trauma, with delivery | Diagnosis | ICD-9-CM |
| 66582 | Other specified obstetrical trauma, delivered, with postpartum | Diagnosis | ICD-9-CM |
| 66591 | Unspecified obstetrical trauma, with delivery | Diagnosis | ICD-9-CM |
| 66592 | Unspecified obstetrical trauma, delivered, with postpartum complication | Diagnosis | ICD-9-CM |
| 66602 | Third-stage postpartum hemorrhage, with delivery | Diagnosis | ICD-9-CM |
| 66612 | Other immediate postpartum hemorrhage, with delivery | Diagnosis | ICD-9-CM |
| 66622 | Delayed and secondary postpartum hemorrhage, with delivery | Diagnosis | ICD-9-CM |
| 66632 | Postpartum coagulation defects, with delivery | Diagnosis | ICD-9-CM |
| 66702 | Retained placenta without hemorrhage, with delivery, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 66712 | Retained portions of placenta or membranes, without hemorrhage, delivered, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 66801 | Pulmonary complications of the administration of anesthesia or other sedation in labor and delivery, delivered | Diagnosis | ICD-9-CM |
| 66802 | Pulmonary complications of the administration of anesthesia or other sedation in labor and delivery, delivered, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 66811 | Cardiac complications of the administration of anesthesia or other sedation in labor and delivery, delivered | Diagnosis | ICD-9-CM |
| 66812 | Cardiac complications of the administration of anesthesia or other sedation in labor and delivery, delivered, with mention of postpartum complication | Diagnosis | ICD-9-CM |

Appendix B. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Live Birth Delivery

| Code | Description | Code | |
|-------|--|-----------|-----------|
| | | Category | Code Type |
| 66821 | Central nervous system complications of the administration of anesthesia or other sedation in labor and delivery, delivered | Diagnosis | ICD-9-CM |
| 66822 | Central nervous system complications of the administration of anesthesia or other sedation in labor and delivery, delivered, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 66881 | Other complications of the administration of anesthesia or other sedation in labor and delivery, delivered | Diagnosis | ICD-9-CM |
| 66882 | Other complications of the administration of anesthesia or other sedation in labor and delivery, delivered, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 66891 | Unspecified complication of the administration of anesthesia or other sedation in labor and delivery, delivered | Diagnosis | ICD-9-CM |
| 66892 | Unspecified complication of the administration of anesthesia or other sedation in labor and delivery, delivered, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 66901 | Maternal distress, with delivery, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 66902 | Maternal distress, with delivery, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 66911 | Shock during or following labor and delivery, with delivery, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 66912 | Shock during or following labor and delivery, with delivery, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 66921 | Maternal hypotension syndrome, with delivery, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 66922 | Maternal hypotension syndrome, with delivery, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 66932 | Acute kidney failure following labor and delivery, delivered, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 66941 | Other complications of obstetrical surgery and procedures, with delivery, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 66942 | Other complications of obstetrical surgery and procedures, with delivery, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 66951 | Forceps or vacuum extractor delivery without mention of indication, delivered, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 66961 | Breech extraction, without mention of indication, delivered, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 66971 | Cesarean delivery, without mention of indication, delivered, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 66981 | Other complication of labor and delivery, delivered, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 66982 | Other complication of labor and delivery, delivered, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 66991 | Unspecified complication of labor and delivery, with delivery, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 66992 | Unspecified complication of labor and delivery, with delivery, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 67002 | Major puerperal infection, unspecified, delivered, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 67012 | Puerperal endometritis, delivered, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 67022 | Puerperal sepsis, delivered, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 67032 | Puerperal septic thrombophlebitis, delivered, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 67082 | Other major puerperal infection, delivered, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 67101 | Varicose veins of legs, with delivery, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 67102 | Varicose veins of legs, with delivery, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 67111 | Varicose veins of vulva and perineum, with delivery, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |

Appendix B. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Live Birth Delivery

| Code | Description | Code | |
|-------|--|-----------|-----------|
| | | Category | Code Type |
| 67112 | Varicose veins of vulva and perineum, with delivery, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 67121 | Superficial thrombophlebitis with delivery, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 67122 | Superficial thrombophlebitis with delivery, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 67131 | Deep phlebothrombosis, antepartum, with delivery | Diagnosis | ICD-9-CM |
| 67142 | Deep phlebothrombosis, postpartum, with delivery | Diagnosis | ICD-9-CM |
| 67151 | Other phlebitis and thrombosis with delivery, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 67152 | Other phlebitis and thrombosis with delivery, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 67181 | Other venous complication, with delivery, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 67182 | Other venous complication, with delivery, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 67191 | Unspecified venous complication, with delivery, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 67192 | Unspecified venous complication, with delivery, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 67202 | Puerperal pyrexia of unknown origin, delivered, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 67301 | Obstetrical air embolism, with delivery, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 67302 | Obstetrical air embolism, with delivery, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 67311 | Amniotic fluid embolism, with delivery, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 67312 | Amniotic fluid embolism, with delivery, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 67321 | Obstetrical blood-clot embolism, with delivery, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 67322 | Obstetrical blood-clot embolism, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 67331 | Obstetrical pyemic and septic embolism, with delivery, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 67332 | Obstetrical pyemic and septic embolism, with delivery, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 67381 | Other obstetrical pulmonary embolism, with delivery, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 67382 | Other obstetrical pulmonary embolism, with delivery, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 67401 | Cerebrovascular disorder, with delivery, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 67402 | Cerebrovascular disorder, with delivery, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 67412 | Disruption of cesarean wound, with delivery, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 67422 | Disruption of perineal wound, with delivery, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 67432 | Other complication of obstetrical surgical wounds, with delivery, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 67442 | Placental polyp, with delivery, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 67451 | Peripartum cardiomyopathy, delivered, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 67452 | Peripartum cardiomyopathy, delivered, with mention of postpartum condition | Diagnosis | ICD-9-CM |
| 67482 | Other complication of puerperium, with delivery, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 67492 | Unspecified complications of puerperium, with delivery, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 67501 | Infection of nipple associated with childbirth, delivered, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 67502 | Infection of nipple associated with childbirth, delivered with mention of postpartum complication | Diagnosis | ICD-9-CM |

Appendix B. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Live Birth Delivery

| Code | Description | Code | |
|-------|---|-----------|-----------|
| | | Category | Code Type |
| 67511 | Abscess of breast associated with childbirth, delivered, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 67512 | Abscess of breast associated with childbirth, delivered, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 67521 | Nonpurulent mastitis, delivered, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 67522 | Nonpurulent mastitis, delivered, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 67581 | Other specified infection of the breast and nipple associated with childbirth, delivered, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 67582 | Other specified infection of the breast and nipple associated with childbirth, delivered, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 67591 | Unspecified infection of the breast and nipple, delivered, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 67592 | Unspecified infection of the breast and nipple, delivered, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 67601 | Retracted nipple, delivered, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 67602 | Retracted nipple, delivered, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 67611 | Cracked nipple, delivered, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 67612 | Cracked nipple, delivered, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 67621 | Engorgement of breasts, delivered, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 67622 | Engorgement of breasts, delivered, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 67631 | Other and unspecified disorder of breast associated with childbirth, delivered, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 67632 | Other and unspecified disorder of breast associated with childbirth, delivered, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 67641 | Failure of lactation, with delivery, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 67642 | Failure of lactation, with delivery, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 67651 | Suppressed lactation, with delivery, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 67652 | Suppressed lactation, with delivery, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 67661 | Galactorrhea, with delivery, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 67662 | Galactorrhea, with delivery, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 67681 | Other disorder of lactation, with delivery, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 67682 | Other disorder of lactation, with delivery, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 67691 | Unspecified disorder of lactation, with delivery, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 72 | Forceps, vacuum, and breech delivery | Procedure | ICD-9-CM |
| 73 | Other procedures inducing or assisting delivery | Procedure | ICD-9-CM |
| 720 | Low forceps operation | Procedure | ICD-9-CM |
| 721 | Low forceps operation with episiotomy | Procedure | ICD-9-CM |
| 722 | Mid forceps operation | Procedure | ICD-9-CM |
| 723 | High forceps operation | Procedure | ICD-9-CM |

Appendix B. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Live Birth Delivery

| Code | Description | Code | |
|------|--|-----------|-----------|
| | | Category | Code Type |
| 724 | Forceps rotation of fetal head | Procedure | ICD-9-CM |
| 725 | Breech extraction | Procedure | ICD-9-CM |
| 726 | Forceps application to aftercoming head | Procedure | ICD-9-CM |
| 727 | Vacuum extraction | Procedure | ICD-9-CM |
| 728 | Other specified instrumental delivery | Procedure | ICD-9-CM |
| 729 | Unspecified instrumental delivery | Procedure | ICD-9-CM |
| 730 | Artificial rupture of membranes | Procedure | ICD-9-CM |
| 731 | Other surgical induction of labor | Procedure | ICD-9-CM |
| 732 | Internal and combined version and extraction | Procedure | ICD-9-CM |
| 733 | Failed forceps | Procedure | ICD-9-CM |
| 734 | Medical induction of labor | Procedure | ICD-9-CM |
| 735 | Manually assisted delivery | Procedure | ICD-9-CM |
| 736 | Episiotomy | Procedure | ICD-9-CM |
| 738 | Operations on fetus to facilitate delivery | Procedure | ICD-9-CM |
| 739 | Other operations assisting delivery | Procedure | ICD-9-CM |
| 740 | Classical cesarean section | Procedure | ICD-9-CM |
| 741 | Low cervical cesarean section | Procedure | ICD-9-CM |
| 742 | Extraperitoneal cesarean section | Procedure | ICD-9-CM |
| 744 | Cesarean section of other specified type | Procedure | ICD-9-CM |
| 749 | Cesarean section of unspecified type | Procedure | ICD-9-CM |
| 7221 | Mid forceps operation with episiotomy | Procedure | ICD-9-CM |
| 7229 | Other mid forceps operation | Procedure | ICD-9-CM |
| 7231 | High forceps operation with episiotomy | Procedure | ICD-9-CM |
| 7239 | Other high forceps operation | Procedure | ICD-9-CM |
| 7251 | Partial breech extraction with forceps to aftercoming head | Procedure | ICD-9-CM |
| 7252 | Other partial breech extraction | Procedure | ICD-9-CM |
| 7253 | Total breech extraction with forceps to aftercoming head | Procedure | ICD-9-CM |
| 7254 | Other total breech extraction | Procedure | ICD-9-CM |
| 7271 | Vacuum extraction with episiotomy | Procedure | ICD-9-CM |
| 7279 | Other vacuum extraction | Procedure | ICD-9-CM |
| 7301 | Induction of labor by artificial rupture of membranes | Procedure | ICD-9-CM |
| 7309 | Other artificial rupture of membranes | Procedure | ICD-9-CM |
| 7321 | Internal and combined version without extraction | Procedure | ICD-9-CM |
| 7322 | Internal and combined version with extraction | Procedure | ICD-9-CM |

Appendix B. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Live Birth Delivery

| Code | Description | Code | |
|-------|--|-----------|-----------|
| | | Category | Code Type |
| 7351 | Manual rotation of fetal head | Procedure | ICD-9-CM |
| 7359 | Other manually assisted delivery | Procedure | ICD-9-CM |
| 7391 | External version to assist delivery | Procedure | ICD-9-CM |
| 7392 | Replacement of prolapsed umbilical cord | Procedure | ICD-9-CM |
| 7393 | Incision of cervix to assist delivery | Procedure | ICD-9-CM |
| 7394 | Pubiotomy to assist delivery | Procedure | ICD-9-CM |
| 7399 | Other operations to assist delivery | Procedure | ICD-9-CM |
| 7499 | Other cesarean section of unspecified type | Procedure | ICD-9-CM |
| 67692 | Unspecified disorder of lactation, with delivery, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 67801 | Fetal hematologic conditions, delivered, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 67811 | Fetal conjoined twins, delivered, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 67901 | Maternal complications from in utero procedure, delivered, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 67902 | Maternal complications from in utero procedure, delivered, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 67911 | Fetal complications from in utero procedure, delivered, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 67912 | Fetal complications from in utero procedure, delivered, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| V27 | Outcome of delivery | Diagnosis | ICD-9-CM |
| V270 | Outcome of delivery, single liveborn | Diagnosis | ICD-9-CM |
| V271 | Outcome of delivery, single stillborn | Diagnosis | ICD-9-CM |
| V272 | Outcome of delivery, twins, both liveborn | Diagnosis | ICD-9-CM |
| V273 | Outcome of delivery, twins, one liveborn and one stillborn | Diagnosis | ICD-9-CM |
| V274 | Outcome of delivery, twins, both stillborn | Diagnosis | ICD-9-CM |
| V275 | Outcome of delivery, other multiple birth, all liveborn | Diagnosis | ICD-9-CM |
| V276 | Outcome of delivery, other multiple birth, some liveborn | Diagnosis | ICD-9-CM |
| V277 | Outcome of delivery, other multiple birth, all stillborn | Diagnosis | ICD-9-CM |
| V279 | Outcome of delivery, unspecified | Diagnosis | ICD-9-CM |
| V30 | Single liveborn | Diagnosis | ICD-9-CM |
| V300 | Single liveborn, born in hospital | Diagnosis | ICD-9-CM |
| V3000 | Single liveborn, born in hospital, delivered without mention of cesarean delivery | Diagnosis | ICD-9-CM |
| V3001 | Single liveborn, born in hospital, delivered by cesarean delivery | Diagnosis | ICD-9-CM |
| V301 | Single liveborn, born before admission to hospital | Diagnosis | ICD-9-CM |
| V302 | Single liveborn, born outside hospital and not hospitalized | Diagnosis | ICD-9-CM |
| V31 | Twin birth, mate liveborn | Diagnosis | ICD-9-CM |
| V310 | Twin, mate liveborn, born in hospital | Diagnosis | ICD-9-CM |
| V3100 | Twin, mate liveborn, born in hospital, delivered without mention of cesarean delivery | Diagnosis | ICD-9-CM |

Appendix B. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Live Birth Delivery

| Code | Description | Code | |
|-------|--|-----------|-----------|
| | | Category | Code Type |
| V3101 | Twin, mate liveborn, born in hospital, delivered by cesarean delivery | Diagnosis | ICD-9-CM |
| V311 | Twin birth, mate liveborn, born before admission to hospital | Diagnosis | ICD-9-CM |
| V312 | Twin birth, mate liveborn, born outside hospital and not hospitalized | Diagnosis | ICD-9-CM |
| V32 | Twin birth, mate stillborn | Diagnosis | ICD-9-CM |
| V320 | Twin, mate stillborn, born in hospital | Diagnosis | ICD-9-CM |
| V3200 | Twin, mate stillborn, born in hospital, delivered without mention of cesarean delivery | Diagnosis | ICD-9-CM |
| V3201 | Twin, mate stillborn, born in hospital, delivered by cesarean delivery | Diagnosis | ICD-9-CM |
| V321 | Twin birth, mate stillborn, born before admission to hospital | Diagnosis | ICD-9-CM |
| V322 | Twin birth, mate stillborn, born outside hospital and not hospitalized | Diagnosis | ICD-9-CM |
| V33 | Twin birth, unspecified whether mate liveborn or stillborn | Diagnosis | ICD-9-CM |
| V330 | Twin, unspecified, born in hospital | Diagnosis | ICD-9-CM |
| V3300 | Twin, unspecified whether mate stillborn or liveborn, born in hospital, delivered without mention of cesarean delivery | Diagnosis | ICD-9-CM |
| V3301 | Twin, unspecified whether mate stillborn or liveborn, born in hospital, delivered by cesarean delivery | Diagnosis | ICD-9-CM |
| V331 | Twin birth, unspecified whether mate liveborn or stillborn, born before admission to hospital | Diagnosis | ICD-9-CM |
| V332 | Twin birth, unspecified whether mate liveborn or stillborn, born outside hospital and not hospitalized | Diagnosis | ICD-9-CM |
| V34 | Other multiple birth (three or more), mates all liveborn | Diagnosis | ICD-9-CM |
| V340 | Other multiple, mates all liveborn, born in hospital | Diagnosis | ICD-9-CM |
| V3400 | Other multiple, mates all liveborn, born in hospital, delivered without mention of cesarean delivery | Diagnosis | ICD-9-CM |
| V3401 | Other multiple, mates all liveborn, born in hospital, delivered by cesarean delivery | Diagnosis | ICD-9-CM |
| V341 | Other multiple birth (three or more), mates all liveborn, born before admission to hospital | Diagnosis | ICD-9-CM |
| V342 | Other multiple birth (three or more), mates all liveborn, born outside hospital and not hospitalized | Diagnosis | ICD-9-CM |
| V35 | Other multiple birth (three or more), mates all stillborn | Diagnosis | ICD-9-CM |
| V350 | Other multiple, mates all stillborn, born in hospital | Diagnosis | ICD-9-CM |
| V3500 | Other multiple, mates all stillborn, born in hospital, delivered without mention of cesarean delivery | Diagnosis | ICD-9-CM |
| V3501 | Other multiple, mates all stillborn, born in hospital, delivered by cesarean delivery | Diagnosis | ICD-9-CM |
| V351 | Other multiple birth (three or more), mates all stillborn, born before admission to hospital | Diagnosis | ICD-9-CM |
| V352 | Other multiple birth (three or more), mates all stillborn, born outside of hospital and not hospitalized | Diagnosis | ICD-9-CM |
| V36 | Other multiple birth (three or more), mates liveborn and stillborn | Diagnosis | ICD-9-CM |
| V360 | Other multiple, mates liveborn and stillborn, born in hospital | Diagnosis | ICD-9-CM |
| V3600 | Other multiple, mates liveborn and stillborn, born in hospital, delivered without mention of cesarean delivery | Diagnosis | ICD-9-CM |
| V3601 | Other multiple, mates liveborn and stillborn, born in hospital, delivered by cesarean delivery | Diagnosis | ICD-9-CM |
| V361 | Other multiple birth (three or more), mates liveborn and stillborn, born before admission to hospital | Diagnosis | ICD-9-CM |
| V362 | Other multiple birth (three or more), mates liveborn and stillborn, born outside hospital and not hospitalized | Diagnosis | ICD-9-CM |
| V37 | Other multiple birth (three or more), unspecified whether mates liveborn or stillborn | Diagnosis | ICD-9-CM |

Appendix B. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Live Birth Delivery

| Code | Description | Code | |
|-------|---|-----------|-----------|
| | | Category | Code Type |
| V370 | Other multiple, unspecified whether mates stillborn or liveborn, born in hospital | Diagnosis | ICD-9-CM |
| V3700 | Other multiple, unspecified whether mates stillborn or liveborn, born in hospital, delivered without mention of cesarean delivery | Diagnosis | ICD-9-CM |
| V3701 | Other multiple, unspecified whether mates stillborn or liveborn, born in hospital, delivered by cesarean delivery | Diagnosis | ICD-9-CM |
| V371 | Other multiple birth (three or more), unspecified whether mates liveborn or stillborn, born before admission to hospital | Diagnosis | ICD-9-CM |
| V372 | Other multiple birth (three or more), unspecified whether mates liveborn or stillborn, born outside of hospital | Diagnosis | ICD-9-CM |
| V39 | Liveborn, unspecified whether single, twin, or multiple | Diagnosis | ICD-9-CM |
| V390 | Other liveborn, unspecified whether single, twin, or multiple, born in hospital | Diagnosis | ICD-9-CM |
| V3900 | Liveborn infant, unspecified whether single, twin, or multiple, born in hospital, delivered without mention of cesarean delivery | Diagnosis | ICD-9-CM |
| V3901 | Liveborn infant, unspecified whether single, twin, or multiple, born in hospital, delivered by cesarean | Diagnosis | ICD-9-CM |
| V391 | Liveborn, unspecified whether single, twin or multiple, born before admission to hospital | Diagnosis | ICD-9-CM |
| V392 | Liveborn, unspecified whether single, twin or multiple, born outside hospital and not hospitalized | Diagnosis | ICD-9-CM |

Appendix C. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Pregnancy Incidence Criteria

| Code | Description | Code | |
|----------------------------|---|-----------|------------|
| | | Category | Code Type |
| Live birth delivery | | | |
| 0W8NXZZ | Division of Female Perineum, External Approach | Procedure | ICD-10-PCS |
| 10900ZC | Drainage of Amniotic Fluid, Therapeutic from Products of Conception, Open Approach | Procedure | ICD-10-PCS |
| 10903ZC | Drainage of Amniotic Fluid, Therapeutic from Products of Conception, Percutaneous Approach | Procedure | ICD-10-PCS |
| 10904ZC | Drainage of Amniotic Fluid, Therapeutic from Products of Conception, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 10907ZC | Drainage of Amniotic Fluid, Therapeutic from Products of Conception, Via Natural or Artificial Opening | Procedure | ICD-10-PCS |
| 10908ZC | Drainage of Amniotic Fluid, Therapeutic from Products of Conception, Via Natural or Artificial Opening Endoscopic | Procedure | ICD-10-PCS |
| 10D00Z0 | Extraction of Products of Conception, Classical, Open Approach | Procedure | ICD-10-PCS |
| 10D00Z1 | Extraction of Products of Conception, Low Cervical, Open Approach | Procedure | ICD-10-PCS |
| 10D00Z2 | Extraction of Products of Conception, Extraperitoneal, Open Approach | Procedure | ICD-10-PCS |
| 10D07Z3 | Extraction of Products of Conception, Low Forceps, Via Natural or Artificial Opening | Procedure | ICD-10-PCS |
| 10D07Z4 | Extraction of Products of Conception, Mid Forceps, Via Natural or Artificial Opening | Procedure | ICD-10-PCS |
| 10D07Z5 | Extraction of Products of Conception, High Forceps, Via Natural or Artificial Opening | Procedure | ICD-10-PCS |
| 10D07Z6 | Extraction of Products of Conception, Vacuum, Via Natural or Artificial Opening | Procedure | ICD-10-PCS |
| 10D07Z7 | Extraction of Products of Conception, Internal Version, Via Natural or Artificial Opening | Procedure | ICD-10-PCS |
| 10D07Z8 | Extraction of Products of Conception, Other, Via Natural or Artificial Opening | Procedure | ICD-10-PCS |
| 10E0XZZ | Delivery of Products of Conception, External Approach | Procedure | ICD-10-PCS |
| 10S07ZZ | Reposition Products of Conception, Via Natural or Artificial Opening | Procedure | ICD-10-PCS |
| O1002 | Pre-existing essential hypertension complicating childbirth | Diagnosis | ICD-10-CM |
| O1012 | Pre-existing hypertensive heart disease complicating childbirth | Diagnosis | ICD-10-CM |
| O1022 | Pre-existing hypertensive chronic kidney disease complicating childbirth | Diagnosis | ICD-10-CM |
| O1032 | Pre-existing hypertensive heart and chronic kidney disease complicating childbirth | Diagnosis | ICD-10-CM |
| O1042 | Pre-existing secondary hypertension complicating childbirth | Diagnosis | ICD-10-CM |
| O1092 | Unspecified pre-existing hypertension complicating childbirth | Diagnosis | ICD-10-CM |
| O114 | Pre-existing hypertension with pre-eclampsia, complicating childbirth | Diagnosis | ICD-10-CM |
| O1204 | Gestational edema, complicating childbirth | Diagnosis | ICD-10-CM |
| O1214 | Gestational proteinuria, complicating childbirth | Diagnosis | ICD-10-CM |
| O1224 | Gestational edema with proteinuria, complicating childbirth | Diagnosis | ICD-10-CM |
| O134 | Gestational [pregnancy-induced] hypertension without significant proteinuria, complicating childbirth | Diagnosis | ICD-10-CM |
| O1404 | Mild to moderate pre-eclampsia, complicating childbirth | Diagnosis | ICD-10-CM |
| O1414 | Severe pre-eclampsia complicating childbirth | Diagnosis | ICD-10-CM |
| O1424 | HELLP syndrome, complicating childbirth | Diagnosis | ICD-10-CM |
| O1494 | Unspecified pre-eclampsia, complicating childbirth | Diagnosis | ICD-10-CM |
| O164 | Unspecified maternal hypertension, complicating childbirth | Diagnosis | ICD-10-CM |

Appendix C. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Pregnancy Incidence Criteria

| Code | Description | Code | |
|---------|--|-----------|-----------|
| | | Category | Code Type |
| O2402 | Pre-existing type 1 diabetes mellitus, in childbirth | Diagnosis | ICD-10-CM |
| O2412 | Pre-existing type 2 diabetes mellitus, in childbirth | Diagnosis | ICD-10-CM |
| O2432 | Unspecified pre-existing diabetes mellitus in childbirth | Diagnosis | ICD-10-CM |
| O24420 | Gestational diabetes mellitus in childbirth, diet controlled | Diagnosis | ICD-10-CM |
| O24424 | Gestational diabetes mellitus in childbirth, insulin controlled | Diagnosis | ICD-10-CM |
| O24425 | Gestational diabetes mellitus in childbirth, controlled by oral hypoglycemic drugs | Diagnosis | ICD-10-CM |
| O24429 | Gestational diabetes mellitus in childbirth, unspecified control | Diagnosis | ICD-10-CM |
| O2482 | Other pre-existing diabetes mellitus in childbirth | Diagnosis | ICD-10-CM |
| O2492 | Unspecified diabetes mellitus in childbirth | Diagnosis | ICD-10-CM |
| O252 | Malnutrition in childbirth | Diagnosis | ICD-10-CM |
| O2662 | Liver and biliary tract disorders in childbirth | Diagnosis | ICD-10-CM |
| O2672 | Subluxation of symphysis (pubis) in childbirth | Diagnosis | ICD-10-CM |
| O6012X0 | Preterm labor second trimester with preterm delivery second trimester, not applicable or unspecified | Diagnosis | ICD-10-CM |
| O6012X1 | Preterm labor second trimester with preterm delivery second trimester, fetus 1 | Diagnosis | ICD-10-CM |
| O6012X2 | Preterm labor second trimester with preterm delivery second trimester, fetus 2 | Diagnosis | ICD-10-CM |
| O6012X3 | Preterm labor second trimester with preterm delivery second trimester, fetus 3 | Diagnosis | ICD-10-CM |
| O6012X4 | Preterm labor second trimester with preterm delivery second trimester, fetus 4 | Diagnosis | ICD-10-CM |
| O6012X5 | Preterm labor second trimester with preterm delivery second trimester, fetus 5 | Diagnosis | ICD-10-CM |
| O6012X9 | Preterm labor second trimester with preterm delivery second trimester, other fetus | Diagnosis | ICD-10-CM |
| O6013X0 | Preterm labor second trimester with preterm delivery third trimester, not applicable or unspecified | Diagnosis | ICD-10-CM |
| O6013X1 | Preterm labor second trimester with preterm delivery third trimester, fetus 1 | Diagnosis | ICD-10-CM |
| O6013X2 | Preterm labor second trimester with preterm delivery third trimester, fetus 2 | Diagnosis | ICD-10-CM |
| O6013X3 | Preterm labor second trimester with preterm delivery third trimester, fetus 3 | Diagnosis | ICD-10-CM |
| O6013X4 | Preterm labor second trimester with preterm delivery third trimester, fetus 4 | Diagnosis | ICD-10-CM |
| O6013X5 | Preterm labor second trimester with preterm delivery third trimester, fetus 5 | Diagnosis | ICD-10-CM |
| O6013X9 | Preterm labor second trimester with preterm delivery third trimester, other fetus | Diagnosis | ICD-10-CM |
| O6014X0 | Preterm labor third trimester with preterm delivery third trimester, not applicable or unspecified | Diagnosis | ICD-10-CM |
| O6014X1 | Preterm labor third trimester with preterm delivery third trimester, fetus 1 | Diagnosis | ICD-10-CM |
| O6014X2 | Preterm labor third trimester with preterm delivery third trimester, fetus 2 | Diagnosis | ICD-10-CM |
| O6014X3 | Preterm labor third trimester with preterm delivery third trimester, fetus 3 | Diagnosis | ICD-10-CM |
| O6014X4 | Preterm labor third trimester with preterm delivery third trimester, fetus 4 | Diagnosis | ICD-10-CM |
| O6014X5 | Preterm labor third trimester with preterm delivery third trimester, fetus 5 | Diagnosis | ICD-10-CM |
| O6014X9 | Preterm labor third trimester with preterm delivery third trimester, other fetus | Diagnosis | ICD-10-CM |
| O6022X0 | Term delivery with preterm labor, second trimester, not applicable or unspecified | Diagnosis | ICD-10-CM |

Appendix C. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Pregnancy Incidence Criteria

| Code | Description | Code | |
|---------|--|-----------|-----------|
| | | Category | Code Type |
| O6022X1 | Term delivery with preterm labor, second trimester, fetus 1 | Diagnosis | ICD-10-CM |
| O6022X2 | Term delivery with preterm labor, second trimester, fetus 2 | Diagnosis | ICD-10-CM |
| O6022X3 | Term delivery with preterm labor, second trimester, fetus 3 | Diagnosis | ICD-10-CM |
| O6022X4 | Term delivery with preterm labor, second trimester, fetus 4 | Diagnosis | ICD-10-CM |
| O6022X5 | Term delivery with preterm labor, second trimester, fetus 5 | Diagnosis | ICD-10-CM |
| O6022X9 | Term delivery with preterm labor, second trimester, other fetus | Diagnosis | ICD-10-CM |
| O6023X0 | Term delivery with preterm labor, third trimester, not applicable or unspecified | Diagnosis | ICD-10-CM |
| O6023X1 | Term delivery with preterm labor, third trimester, fetus 1 | Diagnosis | ICD-10-CM |
| O6023X2 | Term delivery with preterm labor, third trimester, fetus 2 | Diagnosis | ICD-10-CM |
| O6023X3 | Term delivery with preterm labor, third trimester, fetus 3 | Diagnosis | ICD-10-CM |
| O6023X4 | Term delivery with preterm labor, third trimester, fetus 4 | Diagnosis | ICD-10-CM |
| O6023X5 | Term delivery with preterm labor, third trimester, fetus 5 | Diagnosis | ICD-10-CM |
| O6023X9 | Term delivery with preterm labor, third trimester, other fetus | Diagnosis | ICD-10-CM |
| O632 | Delayed delivery of second twin, triplet, etc | Diagnosis | ICD-10-CM |
| O670 | Intrapartum hemorrhage with coagulation defect | Diagnosis | ICD-10-CM |
| O678 | Other intrapartum hemorrhage | Diagnosis | ICD-10-CM |
| O679 | Intrapartum hemorrhage, unspecified | Diagnosis | ICD-10-CM |
| O68 | Labor and delivery complicated by abnormality of fetal acid-base balance | Diagnosis | ICD-10-CM |
| O690XX0 | Labor and delivery complicated by prolapse of cord, not applicable or unspecified | Diagnosis | ICD-10-CM |
| O690XX1 | Labor and delivery complicated by prolapse of cord, fetus 1 | Diagnosis | ICD-10-CM |
| O690XX2 | Labor and delivery complicated by prolapse of cord, fetus 2 | Diagnosis | ICD-10-CM |
| O690XX3 | Labor and delivery complicated by prolapse of cord, fetus 3 | Diagnosis | ICD-10-CM |
| O690XX4 | Labor and delivery complicated by prolapse of cord, fetus 4 | Diagnosis | ICD-10-CM |
| O690XX5 | Labor and delivery complicated by prolapse of cord, fetus 5 | Diagnosis | ICD-10-CM |
| O690XX9 | Labor and delivery complicated by prolapse of cord, other fetus | Diagnosis | ICD-10-CM |
| O691XX0 | Labor and delivery complicated by cord around neck, with compression, not applicable or unspecified | Diagnosis | ICD-10-CM |
| O691XX1 | Labor and delivery complicated by cord around neck, with compression, fetus 1 | Diagnosis | ICD-10-CM |
| O691XX2 | Labor and delivery complicated by cord around neck, with compression, fetus 2 | Diagnosis | ICD-10-CM |
| O691XX3 | Labor and delivery complicated by cord around neck, with compression, fetus 3 | Diagnosis | ICD-10-CM |
| O691XX4 | Labor and delivery complicated by cord around neck, with compression, fetus 4 | Diagnosis | ICD-10-CM |
| O691XX5 | Labor and delivery complicated by cord around neck, with compression, fetus 5 | Diagnosis | ICD-10-CM |
| O691XX9 | Labor and delivery complicated by cord around neck, with compression, other fetus | Diagnosis | ICD-10-CM |
| O692XX0 | Labor and delivery complicated by other cord entanglement, with compression, not applicable or unspecified | Diagnosis | ICD-10-CM |
| O692XX1 | Labor and delivery complicated by other cord entanglement, with compression, fetus 1 | Diagnosis | ICD-10-CM |

Appendix C. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Pregnancy Incidence Criteria

| Code | Description | Code | |
|---------|---|-----------|-----------|
| | | Category | Code Type |
| O692XX2 | Labor and delivery complicated by other cord entanglement, with compression, fetus 2 | Diagnosis | ICD-10-CM |
| O692XX3 | Labor and delivery complicated by other cord entanglement, with compression, fetus 3 | Diagnosis | ICD-10-CM |
| O692XX4 | Labor and delivery complicated by other cord entanglement, with compression, fetus 4 | Diagnosis | ICD-10-CM |
| O692XX5 | Labor and delivery complicated by other cord entanglement, with compression, fetus 5 | Diagnosis | ICD-10-CM |
| O692XX9 | Labor and delivery complicated by other cord entanglement, with compression, other fetus | Diagnosis | ICD-10-CM |
| O693XX0 | Labor and delivery complicated by short cord, not applicable or unspecified | Diagnosis | ICD-10-CM |
| O693XX1 | Labor and delivery complicated by short cord, fetus 1 | Diagnosis | ICD-10-CM |
| O693XX2 | Labor and delivery complicated by short cord, fetus 2 | Diagnosis | ICD-10-CM |
| O693XX3 | Labor and delivery complicated by short cord, fetus 3 | Diagnosis | ICD-10-CM |
| O693XX4 | Labor and delivery complicated by short cord, fetus 4 | Diagnosis | ICD-10-CM |
| O693XX5 | Labor and delivery complicated by short cord, fetus 5 | Diagnosis | ICD-10-CM |
| O693XX9 | Labor and delivery complicated by short cord, other fetus | Diagnosis | ICD-10-CM |
| O694XX0 | Labor and delivery complicated by vasa previa, not applicable or unspecified | Diagnosis | ICD-10-CM |
| O694XX1 | Labor and delivery complicated by vasa previa, fetus 1 | Diagnosis | ICD-10-CM |
| O694XX2 | Labor and delivery complicated by vasa previa, fetus 2 | Diagnosis | ICD-10-CM |
| O694XX3 | Labor and delivery complicated by vasa previa, fetus 3 | Diagnosis | ICD-10-CM |
| O694XX4 | Labor and delivery complicated by vasa previa, fetus 4 | Diagnosis | ICD-10-CM |
| O694XX5 | Labor and delivery complicated by vasa previa, fetus 5 | Diagnosis | ICD-10-CM |
| O694XX9 | Labor and delivery complicated by vasa previa, other fetus | Diagnosis | ICD-10-CM |
| O695XX0 | Labor and delivery complicated by vascular lesion of cord, not applicable or unspecified | Diagnosis | ICD-10-CM |
| O695XX1 | Labor and delivery complicated by vascular lesion of cord, fetus 1 | Diagnosis | ICD-10-CM |
| O695XX2 | Labor and delivery complicated by vascular lesion of cord, fetus 2 | Diagnosis | ICD-10-CM |
| O695XX3 | Labor and delivery complicated by vascular lesion of cord, fetus 3 | Diagnosis | ICD-10-CM |
| O695XX4 | Labor and delivery complicated by vascular lesion of cord, fetus 4 | Diagnosis | ICD-10-CM |
| O695XX5 | Labor and delivery complicated by vascular lesion of cord, fetus 5 | Diagnosis | ICD-10-CM |
| O695XX9 | Labor and delivery complicated by vascular lesion of cord, other fetus | Diagnosis | ICD-10-CM |
| O6981X0 | Labor and delivery complicated by cord around neck, without compression, not applicable or unspecified | Diagnosis | ICD-10-CM |
| O6981X1 | Labor and delivery complicated by cord around neck, without compression, fetus 1 | Diagnosis | ICD-10-CM |
| O6981X2 | Labor and delivery complicated by cord around neck, without compression, fetus 2 | Diagnosis | ICD-10-CM |
| O6981X3 | Labor and delivery complicated by cord around neck, without compression, fetus 3 | Diagnosis | ICD-10-CM |
| O6981X4 | Labor and delivery complicated by cord around neck, without compression, fetus 4 | Diagnosis | ICD-10-CM |
| O6981X5 | Labor and delivery complicated by cord around neck, without compression, fetus 5 | Diagnosis | ICD-10-CM |
| O6981X9 | Labor and delivery complicated by cord around neck, without compression, other fetus | Diagnosis | ICD-10-CM |
| O6982X0 | Labor and delivery complicated by other cord entanglement, without compression, not applicable or unspecified | Diagnosis | ICD-10-CM |

Appendix C. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Pregnancy Incidence Criteria

| Code | Description | Code | |
|---------|---|-----------|-----------|
| | | Category | Code Type |
| O6982X1 | Labor and delivery complicated by other cord entanglement, without compression, fetus 1 | Diagnosis | ICD-10-CM |
| O6982X2 | Labor and delivery complicated by other cord entanglement, without compression, fetus 2 | Diagnosis | ICD-10-CM |
| O6982X3 | Labor and delivery complicated by other cord entanglement, without compression, fetus 3 | Diagnosis | ICD-10-CM |
| O6982X4 | Labor and delivery complicated by other cord entanglement, without compression, fetus 4 | Diagnosis | ICD-10-CM |
| O6982X5 | Labor and delivery complicated by other cord entanglement, without compression, fetus 5 | Diagnosis | ICD-10-CM |
| O6982X9 | Labor and delivery complicated by other cord entanglement, without compression, other fetus | Diagnosis | ICD-10-CM |
| O6989X0 | Labor and delivery complicated by other cord complications, not applicable or unspecified | Diagnosis | ICD-10-CM |
| O6989X1 | Labor and delivery complicated by other cord complications, fetus 1 | Diagnosis | ICD-10-CM |
| O6989X2 | Labor and delivery complicated by other cord complications, fetus 2 | Diagnosis | ICD-10-CM |
| O6989X3 | Labor and delivery complicated by other cord complications, fetus 3 | Diagnosis | ICD-10-CM |
| O6989X4 | Labor and delivery complicated by other cord complications, fetus 4 | Diagnosis | ICD-10-CM |
| O6989X5 | Labor and delivery complicated by other cord complications, fetus 5 | Diagnosis | ICD-10-CM |
| O6989X9 | Labor and delivery complicated by other cord complications, other fetus | Diagnosis | ICD-10-CM |
| O699XX0 | Labor and delivery complicated by cord complication, unspecified, not applicable or unspecified | Diagnosis | ICD-10-CM |
| O699XX1 | Labor and delivery complicated by cord complication, unspecified, fetus 1 | Diagnosis | ICD-10-CM |
| O699XX2 | Labor and delivery complicated by cord complication, unspecified, fetus 2 | Diagnosis | ICD-10-CM |
| O699XX3 | Labor and delivery complicated by cord complication, unspecified, fetus 3 | Diagnosis | ICD-10-CM |
| O699XX4 | Labor and delivery complicated by cord complication, unspecified, fetus 4 | Diagnosis | ICD-10-CM |
| O699XX5 | Labor and delivery complicated by cord complication, unspecified, fetus 5 | Diagnosis | ICD-10-CM |
| O699XX9 | Labor and delivery complicated by cord complication, unspecified, other fetus | Diagnosis | ICD-10-CM |
| O700 | First degree perineal laceration during delivery | Diagnosis | ICD-10-CM |
| O701 | Second degree perineal laceration during delivery | Diagnosis | ICD-10-CM |
| O7020 | Third degree perineal laceration during delivery, unspecified | Diagnosis | ICD-10-CM |
| O7021 | Third degree perineal laceration during delivery, IIIa | Diagnosis | ICD-10-CM |
| O7022 | Third degree perineal laceration during delivery, IIIb | Diagnosis | ICD-10-CM |
| O7023 | Third degree perineal laceration during delivery, IIIc | Diagnosis | ICD-10-CM |
| O703 | Fourth degree perineal laceration during delivery | Diagnosis | ICD-10-CM |
| O704 | Anal sphincter tear complicating delivery, not associated with third degree laceration | Diagnosis | ICD-10-CM |
| O709 | Perineal laceration during delivery, unspecified | Diagnosis | ICD-10-CM |
| O740 | Aspiration pneumonitis due to anesthesia during labor and delivery | Diagnosis | ICD-10-CM |
| O741 | Other pulmonary complications of anesthesia during labor and delivery | Diagnosis | ICD-10-CM |
| O742 | Cardiac complications of anesthesia during labor and delivery | Diagnosis | ICD-10-CM |
| O743 | Central nervous system complications of anesthesia during labor and delivery | Diagnosis | ICD-10-CM |
| O744 | Toxic reaction to local anesthesia during labor and delivery | Diagnosis | ICD-10-CM |

Appendix C. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Pregnancy Incidence Criteria

| Code | Description | Code | |
|-------|---|-----------|-----------|
| | | Category | Code Type |
| O745 | Spinal and epidural anesthesia-induced headache during labor and delivery | Diagnosis | ICD-10-CM |
| O746 | Other complications of spinal and epidural anesthesia during labor and delivery | Diagnosis | ICD-10-CM |
| O747 | Failed or difficult intubation for anesthesia during labor and delivery | Diagnosis | ICD-10-CM |
| O748 | Other complications of anesthesia during labor and delivery | Diagnosis | ICD-10-CM |
| O749 | Complication of anesthesia during labor and delivery, unspecified | Diagnosis | ICD-10-CM |
| O750 | Maternal distress during labor and delivery | Diagnosis | ICD-10-CM |
| O751 | Shock during or following labor and delivery | Diagnosis | ICD-10-CM |
| O755 | Delayed delivery after artificial rupture of membranes | Diagnosis | ICD-10-CM |
| O7581 | Maternal exhaustion complicating labor and delivery | Diagnosis | ICD-10-CM |
| O7582 | Onset (spontaneous) of labor after 37 completed weeks of gestation but before 39 completed weeks gestation, with delivery by (planned) cesarean section | Diagnosis | ICD-10-CM |
| O7589 | Other specified complications of labor and delivery | Diagnosis | ICD-10-CM |
| O759 | Complication of labor and delivery, unspecified | Diagnosis | ICD-10-CM |
| O76 | Abnormality in fetal heart rate and rhythm complicating labor and delivery | Diagnosis | ICD-10-CM |
| O770 | Labor and delivery complicated by meconium in amniotic fluid | Diagnosis | ICD-10-CM |
| O778 | Labor and delivery complicated by other evidence of fetal stress | Diagnosis | ICD-10-CM |
| O779 | Labor and delivery complicated by fetal stress, unspecified | Diagnosis | ICD-10-CM |
| O80 | Encounter for full-term uncomplicated delivery | Diagnosis | ICD-10-CM |
| O82 | Encounter for cesarean delivery without indication | Diagnosis | ICD-10-CM |
| O8802 | Air embolism in childbirth | Diagnosis | ICD-10-CM |
| O8812 | Amniotic fluid embolism in childbirth | Diagnosis | ICD-10-CM |
| O8822 | Thromboembolism in childbirth | Diagnosis | ICD-10-CM |
| O8832 | Pyemic and septic embolism in childbirth | Diagnosis | ICD-10-CM |
| O8882 | Other embolism in childbirth | Diagnosis | ICD-10-CM |
| O9802 | Tuberculosis complicating childbirth | Diagnosis | ICD-10-CM |
| O9812 | Syphilis complicating childbirth | Diagnosis | ICD-10-CM |
| O9822 | Gonorrhea complicating childbirth | Diagnosis | ICD-10-CM |
| O9832 | Other infections with a predominantly sexual mode of transmission complicating childbirth | Diagnosis | ICD-10-CM |
| O9842 | Viral hepatitis complicating childbirth | Diagnosis | ICD-10-CM |
| O9852 | Other viral diseases complicating childbirth | Diagnosis | ICD-10-CM |
| O9862 | Protozoal diseases complicating childbirth | Diagnosis | ICD-10-CM |
| O9872 | Human immunodeficiency virus [HIV] disease complicating childbirth | Diagnosis | ICD-10-CM |
| O9882 | Other maternal infectious and parasitic diseases complicating childbirth | Diagnosis | ICD-10-CM |
| O9892 | Unspecified maternal infectious and parasitic disease complicating childbirth | Diagnosis | ICD-10-CM |

Appendix C. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Pregnancy Incidence Criteria

| Code | Description | Code | |
|--------|---|-----------|-----------|
| | | Category | Code Type |
| O9902 | Anemia complicating childbirth | Diagnosis | ICD-10-CM |
| O9912 | Other diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism complicating childbirth | Diagnosis | ICD-10-CM |
| O99214 | Obesity complicating childbirth | Diagnosis | ICD-10-CM |
| O99284 | Endocrine, nutritional and metabolic diseases complicating childbirth | Diagnosis | ICD-10-CM |
| O99314 | Alcohol use complicating childbirth | Diagnosis | ICD-10-CM |
| O99324 | Drug use complicating childbirth | Diagnosis | ICD-10-CM |
| O99334 | Smoking (tobacco) complicating childbirth | Diagnosis | ICD-10-CM |
| O99344 | Other mental disorders complicating childbirth | Diagnosis | ICD-10-CM |
| O99354 | Diseases of the nervous system complicating childbirth | Diagnosis | ICD-10-CM |
| O9942 | Diseases of the circulatory system complicating childbirth | Diagnosis | ICD-10-CM |
| O9952 | Diseases of the respiratory system complicating childbirth | Diagnosis | ICD-10-CM |
| O9962 | Diseases of the digestive system complicating childbirth | Diagnosis | ICD-10-CM |
| O9972 | Diseases of the skin and subcutaneous tissue complicating childbirth | Diagnosis | ICD-10-CM |
| O99814 | Abnormal glucose complicating childbirth | Diagnosis | ICD-10-CM |
| O99824 | Streptococcus B carrier state complicating childbirth | Diagnosis | ICD-10-CM |
| O99834 | Other infection carrier state complicating childbirth | Diagnosis | ICD-10-CM |
| O99844 | Bariatric surgery status complicating childbirth | Diagnosis | ICD-10-CM |
| O9A12 | Malignant neoplasm complicating childbirth | Diagnosis | ICD-10-CM |
| O9A22 | Injury, poisoning and certain other consequences of external causes complicating childbirth | Diagnosis | ICD-10-CM |
| O9A32 | Physical abuse complicating childbirth | Diagnosis | ICD-10-CM |
| O9A42 | Sexual abuse complicating childbirth | Diagnosis | ICD-10-CM |
| O9A52 | Psychological abuse complicating childbirth | Diagnosis | ICD-10-CM |
| P030 | Newborn affected by breech delivery and extraction | Diagnosis | ICD-10-CM |
| P032 | Newborn affected by forceps delivery | Diagnosis | ICD-10-CM |
| P033 | Newborn affected by delivery by vacuum extractor [ventouse] | Diagnosis | ICD-10-CM |
| P034 | Newborn affected by Cesarean delivery | Diagnosis | ICD-10-CM |
| P035 | Newborn affected by precipitate delivery | Diagnosis | ICD-10-CM |
| P0700 | Extremely low birth weight newborn, unspecified weight | Diagnosis | ICD-10-CM |
| P0701 | Extremely low birth weight newborn, less than 500 grams | Diagnosis | ICD-10-CM |
| P0702 | Extremely low birth weight newborn, 500-749 grams | Diagnosis | ICD-10-CM |
| P0703 | Extremely low birth weight newborn, 750-999 grams | Diagnosis | ICD-10-CM |
| P0710 | Other low birth weight newborn, unspecified weight | Diagnosis | ICD-10-CM |
| P0714 | Other low birth weight newborn, 1000-1249 grams | Diagnosis | ICD-10-CM |

Appendix C. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Pregnancy Incidence Criteria

| Code | Description | Code | |
|-------|---|-----------|-----------|
| | | Category | Code Type |
| P0715 | Other low birth weight newborn, 1250-1499 grams | Diagnosis | ICD-10-CM |
| P0716 | Other low birth weight newborn, 1500-1749 grams | Diagnosis | ICD-10-CM |
| P0717 | Other low birth weight newborn, 1750-1999 grams | Diagnosis | ICD-10-CM |
| P0718 | Other low birth weight newborn, 2000-2499 grams | Diagnosis | ICD-10-CM |
| P0720 | Extreme immaturity of newborn, unspecified weeks of gestation | Diagnosis | ICD-10-CM |
| P0721 | Extreme immaturity of newborn, gestational age less than 23 completed weeks | Diagnosis | ICD-10-CM |
| P0722 | Extreme immaturity of newborn, gestational age 23 completed weeks | Diagnosis | ICD-10-CM |
| P0723 | Extreme immaturity of newborn, gestational age 24 completed weeks | Diagnosis | ICD-10-CM |
| P0724 | Extreme immaturity of newborn, gestational age 25 completed weeks | Diagnosis | ICD-10-CM |
| P0725 | Extreme immaturity of newborn, gestational age 26 completed weeks | Diagnosis | ICD-10-CM |
| P0726 | Extreme immaturity of newborn, gestational age 27 completed weeks | Diagnosis | ICD-10-CM |
| P0730 | Preterm newborn, unspecified weeks of gestation | Diagnosis | ICD-10-CM |
| P0731 | Preterm newborn, gestational age 28 completed weeks | Diagnosis | ICD-10-CM |
| P0732 | Preterm newborn, gestational age 29 completed weeks | Diagnosis | ICD-10-CM |
| P0733 | Preterm newborn, gestational age 30 completed weeks | Diagnosis | ICD-10-CM |
| P0734 | Preterm newborn, gestational age 31 completed weeks | Diagnosis | ICD-10-CM |
| P0735 | Preterm newborn, gestational age 32 completed weeks | Diagnosis | ICD-10-CM |
| P0736 | Preterm newborn, gestational age 33 completed weeks | Diagnosis | ICD-10-CM |
| P0737 | Preterm newborn, gestational age 34 completed weeks | Diagnosis | ICD-10-CM |
| P0738 | Preterm newborn, gestational age 35 completed weeks | Diagnosis | ICD-10-CM |
| P0739 | Preterm newborn, gestational age 36 completed weeks | Diagnosis | ICD-10-CM |
| P0821 | Post-term newborn | Diagnosis | ICD-10-CM |
| P0822 | Prolonged gestation of newborn | Diagnosis | ICD-10-CM |
| Z370 | Single live birth | Diagnosis | ICD-10-CM |
| Z372 | Twins, both liveborn | Diagnosis | ICD-10-CM |
| Z373 | Twins, one liveborn and one stillborn | Diagnosis | ICD-10-CM |
| Z3750 | Multiple births, unspecified, all liveborn | Diagnosis | ICD-10-CM |
| Z3751 | Triplets, all liveborn | Diagnosis | ICD-10-CM |
| Z3752 | Quadruplets, all liveborn | Diagnosis | ICD-10-CM |
| Z3753 | Quintuplets, all liveborn | Diagnosis | ICD-10-CM |
| Z3754 | Sextuplets, all liveborn | Diagnosis | ICD-10-CM |
| Z3759 | Other multiple births, all liveborn | Diagnosis | ICD-10-CM |
| Z3760 | Multiple births, unspecified, some liveborn | Diagnosis | ICD-10-CM |
| Z3761 | Triplets, some liveborn | Diagnosis | ICD-10-CM |

Appendix C. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Pregnancy Incidence Criteria

| Code | Description | Code | |
|-------|---|-----------|-----------|
| | | Category | Code Type |
| Z3762 | Quadruplets, some liveborn | Diagnosis | ICD-10-CM |
| Z3763 | Quintuplets, some liveborn | Diagnosis | ICD-10-CM |
| Z3764 | Sextuplets, some liveborn | Diagnosis | ICD-10-CM |
| Z3769 | Other multiple births, some liveborn | Diagnosis | ICD-10-CM |
| Z379 | Outcome of delivery, unspecified | Diagnosis | ICD-10-CM |
| Z3800 | Single liveborn infant, delivered vaginally | Diagnosis | ICD-10-CM |
| Z3801 | Single liveborn infant, delivered by cesarean | Diagnosis | ICD-10-CM |
| Z381 | Single liveborn infant, born outside hospital | Diagnosis | ICD-10-CM |
| Z382 | Single liveborn infant, unspecified as to place of birth | Diagnosis | ICD-10-CM |
| Z3830 | Twin liveborn infant, delivered vaginally | Diagnosis | ICD-10-CM |
| Z3831 | Twin liveborn infant, delivered by cesarean | Diagnosis | ICD-10-CM |
| Z384 | Twin liveborn infant, born outside hospital | Diagnosis | ICD-10-CM |
| Z385 | Twin liveborn infant, unspecified as to place of birth | Diagnosis | ICD-10-CM |
| Z3861 | Triplet liveborn infant, delivered vaginally | Diagnosis | ICD-10-CM |
| Z3862 | Triplet liveborn infant, delivered by cesarean | Diagnosis | ICD-10-CM |
| Z3863 | Quadruplet liveborn infant, delivered vaginally | Diagnosis | ICD-10-CM |
| Z3864 | Quadruplet liveborn infant, delivered by cesarean | Diagnosis | ICD-10-CM |
| Z3865 | Quintuplet liveborn infant, delivered vaginally | Diagnosis | ICD-10-CM |
| Z3866 | Quintuplet liveborn infant, delivered by cesarean | Diagnosis | ICD-10-CM |
| Z3868 | Other multiple liveborn infant, delivered vaginally | Diagnosis | ICD-10-CM |
| Z3869 | Other multiple liveborn infant, delivered by cesarean | Diagnosis | ICD-10-CM |
| Z387 | Other multiple liveborn infant, born outside hospital | Diagnosis | ICD-10-CM |
| Z388 | Other multiple liveborn infant, unspecified as to place of birth | Diagnosis | ICD-10-CM |
| 59400 | Routine obstetric care including antepartum care, vaginal delivery (with or without episiotomy, and/or forceps) and postpartum care | Procedure | CPT-4 |
| 59409 | Vaginal delivery only (with or without episiotomy and/or forceps); | Procedure | CPT-4 |
| 59410 | Vaginal delivery only (with or without episiotomy and/or forceps); including postpartum care | Procedure | CPT-4 |
| 59510 | Routine obstetric care including antepartum care, cesarean delivery, and postpartum care | Procedure | CPT-4 |
| 59514 | Cesarean delivery only; | Procedure | CPT-4 |
| 59515 | Cesarean delivery only; including postpartum care | Procedure | CPT-4 |
| 59610 | Routine obstetric care including antepartum care, vaginal delivery (with or without episiotomy, and/or forceps) and postpartum care, after previous cesarean delivery | Procedure | CPT-4 |
| 59612 | Vaginal delivery only, after previous cesarean delivery (with or without episiotomy and/or forceps); | Procedure | CPT-4 |
| 59614 | Vaginal delivery only, after previous cesarean delivery (with or without episiotomy and/or forceps); including postpartum care | Procedure | CPT-4 |

Appendix C. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Pregnancy Incidence Criteria

| Code | Description | Code | |
|-------|---|-----------|-----------|
| | | Category | Code Type |
| 59618 | Routine obstetric care including antepartum care, cesarean delivery, and postpartum care, following attempted vaginal delivery after previous cesarean delivery | Procedure | CPT-4 |
| 59620 | Cesarean delivery only, following attempted vaginal delivery after previous cesarean delivery; | Procedure | CPT-4 |
| 59622 | Cesarean delivery only, following attempted vaginal delivery after previous cesarean delivery; including postpartum care | Procedure | CPT-4 |
| 650 | Normal delivery | Diagnosis | ICD-9-CM |
| 7630 | Fetus or newborn affected by breech delivery and extraction | Diagnosis | ICD-9-CM |
| 7632 | Fetus or newborn affected by forceps delivery | Diagnosis | ICD-9-CM |
| 7633 | Fetus or newborn affected by delivery by vacuum extractor | Diagnosis | ICD-9-CM |
| 7634 | Fetus or newborn affected by cesarean delivery | Diagnosis | ICD-9-CM |
| 7636 | Fetus or newborn affected by precipitate delivery | Diagnosis | ICD-9-CM |
| 7680 | Fetal death from asphyxia or anoxia before onset of labor or at unspecified time | Diagnosis | ICD-9-CM |
| 7681 | Fetal death from asphyxia or anoxia during labor | Diagnosis | ICD-9-CM |
| 64101 | Placenta previa without hemorrhage, with delivery | Diagnosis | ICD-9-CM |
| 64111 | Hemorrhage from placenta previa, with delivery | Diagnosis | ICD-9-CM |
| 64121 | Premature separation of placenta, with delivery | Diagnosis | ICD-9-CM |
| 64131 | Antepartum hemorrhage associated with coagulation defects, with delivery | Diagnosis | ICD-9-CM |
| 64181 | Other antepartum hemorrhage, with delivery | Diagnosis | ICD-9-CM |
| 64191 | Unspecified antepartum hemorrhage, with delivery | Diagnosis | ICD-9-CM |
| 64201 | Benign essential hypertension with delivery | Diagnosis | ICD-9-CM |
| 64202 | Benign essential hypertension, with delivery, with current postpartum complication | Diagnosis | ICD-9-CM |
| 64211 | Hypertension secondary to renal disease, with delivery | Diagnosis | ICD-9-CM |
| 64212 | Hypertension secondary to renal disease, with delivery, with current postpartum complication | Diagnosis | ICD-9-CM |
| 64221 | Other pre-existing hypertension, with delivery | Diagnosis | ICD-9-CM |
| 64222 | Other pre-existing hypertension, with delivery, with current postpartum complication | Diagnosis | ICD-9-CM |
| 64231 | Transient hypertension of pregnancy, with delivery | Diagnosis | ICD-9-CM |
| 64232 | Transient hypertension of pregnancy, with delivery, with current postpartum complication | Diagnosis | ICD-9-CM |
| 64241 | Mild or unspecified pre-eclampsia, with delivery | Diagnosis | ICD-9-CM |
| 64242 | Mild or unspecified pre-eclampsia, with delivery, with current postpartum complication | Diagnosis | ICD-9-CM |
| 64251 | Severe pre-eclampsia, with delivery | Diagnosis | ICD-9-CM |
| 64252 | Severe pre-eclampsia, with delivery, with current postpartum complication | Diagnosis | ICD-9-CM |
| 64261 | Eclampsia, with delivery | Diagnosis | ICD-9-CM |
| 64262 | Eclampsia, with delivery, with current postpartum complication | Diagnosis | ICD-9-CM |
| 64271 | Pre-eclampsia or eclampsia superimposed on pre-existing hypertension, with delivery | Diagnosis | ICD-9-CM |
| 64272 | Pre-eclampsia or eclampsia superimposed on pre-existing hypertension, with delivery, with current postpartum complication | Diagnosis | ICD-9-CM |

Appendix C. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Pregnancy Incidence Criteria

| Code | Description | Code | |
|-------|--|-----------|-----------|
| | | Category | Code Type |
| 64291 | Unspecified hypertension, with delivery | Diagnosis | ICD-9-CM |
| 64292 | Unspecified hypertension, with delivery, with current postpartum complication | Diagnosis | ICD-9-CM |
| 64301 | Mild hyperemesis gravidarum, delivered | Diagnosis | ICD-9-CM |
| 64311 | Hyperemesis gravidarum with metabolic disturbance, delivered | Diagnosis | ICD-9-CM |
| 64321 | Late vomiting of pregnancy, delivered | Diagnosis | ICD-9-CM |
| 64381 | Other vomiting complicating pregnancy, delivered | Diagnosis | ICD-9-CM |
| 64391 | Unspecified vomiting of pregnancy, delivered | Diagnosis | ICD-9-CM |
| 64421 | Early onset of delivery, delivered, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 64501 | Prolonged pregnancy, with delivery | Diagnosis | ICD-9-CM |
| 64511 | Post term pregnancy, delivered, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 64521 | Prolonged pregnancy, delivered, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 64523 | Prolonged pregnancy, antepartum condition or complication | Diagnosis | ICD-9-CM |
| 64601 | Papyraceous fetus, delivered, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 64611 | Edema or excessive weight gain in pregnancy, with delivery, with or without mention of antepartum complication | Diagnosis | ICD-9-CM |
| 64612 | Edema or excessive weight gain in pregnancy, with delivery, with current postpartum complication | Diagnosis | ICD-9-CM |
| 64621 | Unspecified renal disease in pregnancy, with delivery | Diagnosis | ICD-9-CM |
| 64622 | Unspecified renal disease in pregnancy, with delivery, with current postpartum complication | Diagnosis | ICD-9-CM |
| 64631 | Pregnancy complication, recurrent pregnancy loss, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 64641 | Peripheral neuritis in pregnancy, with delivery | Diagnosis | ICD-9-CM |
| 64642 | Peripheral neuritis in pregnancy, with delivery, with current postpartum complication | Diagnosis | ICD-9-CM |
| 64651 | Asymptomatic bacteriuria in pregnancy, with delivery | Diagnosis | ICD-9-CM |
| 64652 | Asymptomatic bacteriuria in pregnancy, with delivery, with current postpartum complication | Diagnosis | ICD-9-CM |
| 64661 | Infections of genitourinary tract in pregnancy, with delivery | Diagnosis | ICD-9-CM |
| 64662 | Infections of genitourinary tract in pregnancy, with delivery, with current postpartum complication | Diagnosis | ICD-9-CM |
| 64671 | Liver and biliary tract disorders in pregnancy, delivered, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 64681 | Other specified complication of pregnancy, with delivery | Diagnosis | ICD-9-CM |
| 64682 | Other specified complications of pregnancy, with delivery, with current postpartum complication | Diagnosis | ICD-9-CM |
| 64691 | Unspecified complication of pregnancy, with delivery | Diagnosis | ICD-9-CM |
| 64701 | Maternal syphilis, complicating pregnancy, with delivery | Diagnosis | ICD-9-CM |
| 64702 | Maternal syphilis, complicating pregnancy, with delivery, with current postpartum complication | Diagnosis | ICD-9-CM |
| 64711 | Maternal gonorrhea with delivery | Diagnosis | ICD-9-CM |
| 64712 | Maternal gonorrhea, with delivery, with current postpartum complication | Diagnosis | ICD-9-CM |
| 64721 | Other maternal venereal diseases with delivery | Diagnosis | ICD-9-CM |
| 64722 | Other maternal venereal diseases with delivery, with current postpartum complication | Diagnosis | ICD-9-CM |

Appendix C. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Pregnancy Incidence Criteria

| Code | Description | Code | |
|-------|--|-----------|-----------|
| | | Category | Code Type |
| 64731 | Maternal tuberculosis with delivery | Diagnosis | ICD-9-CM |
| 64732 | Maternal tuberculosis with delivery, with current postpartum complication | Diagnosis | ICD-9-CM |
| 64741 | Maternal malaria with delivery | Diagnosis | ICD-9-CM |
| 64742 | Maternal malaria with delivery, with current postpartum complication | Diagnosis | ICD-9-CM |
| 64751 | Maternal rubella with delivery | Diagnosis | ICD-9-CM |
| 64752 | Maternal rubella with delivery, with current postpartum complication | Diagnosis | ICD-9-CM |
| 64761 | Other maternal viral disease with delivery | Diagnosis | ICD-9-CM |
| 64762 | Other maternal viral disease with delivery, with current postpartum complication | Diagnosis | ICD-9-CM |
| 64781 | Other specified maternal infectious and parasitic disease with delivery | Diagnosis | ICD-9-CM |
| 64782 | Other specified maternal infectious and parasitic disease with delivery, with current postpartum complication | Diagnosis | ICD-9-CM |
| 64791 | Unspecified maternal infection or infestation with delivery | Diagnosis | ICD-9-CM |
| 64792 | Unspecified maternal infection or infestation with delivery, with current postpartum complication | Diagnosis | ICD-9-CM |
| 64801 | Maternal diabetes mellitus with delivery | Diagnosis | ICD-9-CM |
| 64802 | Maternal diabetes mellitus with delivery, with current postpartum complication | Diagnosis | ICD-9-CM |
| 64811 | Maternal thyroid dysfunction with delivery, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 64812 | Maternal thyroid dysfunction with delivery, with current postpartum complication | Diagnosis | ICD-9-CM |
| 64821 | Maternal anemia, with delivery | Diagnosis | ICD-9-CM |
| 64822 | Maternal anemia with delivery, with current postpartum complication | Diagnosis | ICD-9-CM |
| 64831 | Maternal drug dependence, with delivery | Diagnosis | ICD-9-CM |
| 64832 | Maternal drug dependence, with delivery, with current postpartum complication | Diagnosis | ICD-9-CM |
| 64841 | Maternal mental disorders, with delivery | Diagnosis | ICD-9-CM |
| 64842 | Maternal mental disorders, with delivery, with current postpartum complication | Diagnosis | ICD-9-CM |
| 64851 | Maternal congenital cardiovascular disorders, with delivery | Diagnosis | ICD-9-CM |
| 64852 | Maternal congenital cardiovascular disorders, with delivery, with current postpartum complication | Diagnosis | ICD-9-CM |
| 64861 | Other maternal cardiovascular diseases, with delivery | Diagnosis | ICD-9-CM |
| 64862 | Other maternal cardiovascular diseases, with delivery, with current postpartum complication | Diagnosis | ICD-9-CM |
| 64871 | Bone and joint disorders of maternal back, pelvis, and lower limbs, with delivery | Diagnosis | ICD-9-CM |
| 64872 | Bone and joint disorders of maternal back, pelvis, and lower limbs, with delivery, with current postpartum complication | Diagnosis | ICD-9-CM |
| 64881 | Abnormal maternal glucose tolerance, with delivery | Diagnosis | ICD-9-CM |
| 64882 | Abnormal maternal glucose tolerance, with delivery, with current postpartum complication | Diagnosis | ICD-9-CM |
| 64891 | Other current maternal conditions classifiable elsewhere, with delivery | Diagnosis | ICD-9-CM |
| 64892 | Other current maternal conditions classifiable elsewhere, with delivery, with current postpartum complication | Diagnosis | ICD-9-CM |
| 64901 | Tobacco use disorder complicating pregnancy, childbirth, or the puerperium, delivered, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |

Appendix C. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Pregnancy Incidence Criteria

| Code | Description | Code | |
|-------|---|-----------|-----------|
| | | Category | Code Type |
| 64902 | Tobacco use disorder complicating pregnancy, childbirth, or the puerperium, delivered, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 64911 | Obesity complicating pregnancy, childbirth, or the puerperium, delivered, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 64912 | Obesity complicating pregnancy, childbirth, or the puerperium, delivered, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 64921 | Bariatric surgery status complicating pregnancy, childbirth, or the puerperium, delivered, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 64922 | Bariatric surgery status complicating pregnancy, childbirth, or the puerperium, delivered, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 64931 | Coagulation defects complicating pregnancy, childbirth, or the puerperium, delivered, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 64932 | Coagulation defects complicating pregnancy, childbirth, or the puerperium, delivered, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 64941 | Epilepsy complicating pregnancy, childbirth, or the puerperium, delivered, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 64942 | Epilepsy complicating pregnancy, childbirth, or the puerperium, delivered, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 64951 | Spotting complicating pregnancy, delivered, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 64961 | Uterine size date discrepancy, delivered, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 64962 | Uterine size date discrepancy, delivered, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 64971 | Cervical shortening, delivered, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 64981 | Onset (spontaneous) of labor after 37 completed weeks of gestation but before 39 completed weeks gestation, with delivery by (planned) cesarean section, delivered, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 64982 | Onset (spontaneous) of labor after 37 completed weeks of gestation but before 39 completed weeks gestation, with delivery by (planned) cesarean section, delivered, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 65101 | Twin pregnancy, delivered | Diagnosis | ICD-9-CM |
| 65111 | Triplet pregnancy, delivered | Diagnosis | ICD-9-CM |
| 65121 | Quadruplet pregnancy, delivered | Diagnosis | ICD-9-CM |
| 65131 | Twin pregnancy with fetal loss and retention of one fetus, delivered | Diagnosis | ICD-9-CM |
| 65141 | Triplet pregnancy with fetal loss and retention of one or more, delivered | Diagnosis | ICD-9-CM |
| 65151 | Quadruplet pregnancy with fetal loss and retention of one or more, delivered | Diagnosis | ICD-9-CM |
| 65161 | Other multiple pregnancy with fetal loss and retention of one or more fetus(es), delivered | Diagnosis | ICD-9-CM |
| 65171 | Multiple gestation following (elective) fetal reduction, delivered, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 65181 | Other specified multiple gestation, delivered | Diagnosis | ICD-9-CM |
| 65191 | Unspecified multiple gestation, delivered | Diagnosis | ICD-9-CM |
| 65201 | Unstable lie of fetus, delivered | Diagnosis | ICD-9-CM |
| 65211 | Breech or other malpresentation successfully converted to cephalic presentation, delivered | Diagnosis | ICD-9-CM |
| 65221 | Breech presentation without mention of version, delivered | Diagnosis | ICD-9-CM |
| 65231 | Transverse or oblique fetal presentation, delivered | Diagnosis | ICD-9-CM |
| 65241 | Fetal face or brow presentation, delivered | Diagnosis | ICD-9-CM |

Appendix C. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Pregnancy Incidence Criteria

| Code | Description | Code | |
|-------|---|-----------|-----------|
| | | Category | Code Type |
| 65251 | High fetal head at term, delivered | Diagnosis | ICD-9-CM |
| 65261 | Multiple gestation with malpresentation of one fetus or more, delivered | Diagnosis | ICD-9-CM |
| 65271 | Prolapsed arm of fetus, delivered | Diagnosis | ICD-9-CM |
| 65281 | Other specified malposition or malpresentation of fetus, delivered | Diagnosis | ICD-9-CM |
| 65291 | Unspecified malposition or malpresentation of fetus, delivered | Diagnosis | ICD-9-CM |
| 65301 | Major abnormality of bony pelvis, not further specified, delivered | Diagnosis | ICD-9-CM |
| 65311 | Generally contracted pelvis in pregnancy, delivered | Diagnosis | ICD-9-CM |
| 65321 | Inlet contraction of pelvis in pregnancy, delivered | Diagnosis | ICD-9-CM |
| 65331 | Outlet contraction of pelvis in pregnancy, delivered | Diagnosis | ICD-9-CM |
| 65341 | Fetopelvic disproportion, delivered | Diagnosis | ICD-9-CM |
| 65351 | Unusually large fetus causing disproportion, delivered | Diagnosis | ICD-9-CM |
| 65361 | Hydrocephalic fetus causing disproportion, delivered | Diagnosis | ICD-9-CM |
| 65371 | Other fetal abnormality causing disproportion, delivered | Diagnosis | ICD-9-CM |
| 65381 | Fetal disproportion of other origin, delivered | Diagnosis | ICD-9-CM |
| 65391 | Unspecified fetal disproportion, delivered | Diagnosis | ICD-9-CM |
| 65401 | Congenital abnormalities of pregnant uterus, delivered | Diagnosis | ICD-9-CM |
| 65402 | Congenital abnormalities of pregnant uterus, delivered, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 65411 | Tumors of body of uterus, delivered | Diagnosis | ICD-9-CM |
| 65412 | Tumors of body of uterus, delivered, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 65421 | Previous cesarean delivery, delivered, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 65431 | Retroverted and incarcerated gravid uterus, delivered | Diagnosis | ICD-9-CM |
| 65432 | Retroverted and incarcerated gravid uterus, delivered, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 65441 | Other abnormalities in shape or position of gravid uterus and of neighboring structures, delivered | Diagnosis | ICD-9-CM |
| 65442 | Other abnormalities in shape or position of gravid uterus and of neighboring structures, delivered, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 65451 | Cervical incompetence, delivered | Diagnosis | ICD-9-CM |
| 65452 | Cervical incompetence, delivered, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 65461 | Other congenital or acquired abnormality of cervix, with delivery | Diagnosis | ICD-9-CM |
| 65462 | Other congenital or acquired abnormality of cervix, delivered, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 65471 | Congenital or acquired abnormality of vagina, with delivery | Diagnosis | ICD-9-CM |
| 65472 | Congenital or acquired abnormality of vagina, delivered, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 65481 | Congenital or acquired abnormality of vulva, with delivery | Diagnosis | ICD-9-CM |
| 65482 | Congenital or acquired abnormality of vulva, delivered, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 65491 | Other and unspecified abnormality of organs and soft tissues of pelvis, with delivery | Diagnosis | ICD-9-CM |

Appendix C. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Pregnancy Incidence Criteria

| Code | Description | Code | |
|-------|--|-----------|-----------|
| | | Category | Code Type |
| 65492 | Other and unspecified abnormality of organs and soft tissues of pelvis, delivered, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 65501 | Central nervous system malformation in fetus, with delivery | Diagnosis | ICD-9-CM |
| 65511 | Chromosomal abnormality in fetus, affecting management of mother, with delivery | Diagnosis | ICD-9-CM |
| 65521 | Hereditary disease in family possibly affecting fetus, affecting management of mother, with delivery | Diagnosis | ICD-9-CM |
| 65531 | Suspected damage to fetus from viral disease in mother, affecting management of mother, with delivery | Diagnosis | ICD-9-CM |
| 65541 | Suspected damage to fetus from other disease in mother, affecting management of mother, with delivery | Diagnosis | ICD-9-CM |
| 65551 | Suspected damage to fetus from drugs, affecting management of mother, delivered | Diagnosis | ICD-9-CM |
| 65561 | Suspected damage to fetus from radiation, affecting management of mother, delivered | Diagnosis | ICD-9-CM |
| 65571 | Decreased fetal movements, affecting management of mother, delivered | Diagnosis | ICD-9-CM |
| 65581 | Other known or suspected fetal abnormality, not elsewhere classified, affecting management of mother, delivery | Diagnosis | ICD-9-CM |
| 65591 | Unspecified fetal abnormality affecting management of mother, delivery | Diagnosis | ICD-9-CM |
| 65601 | Fetal-maternal hemorrhage, with delivery | Diagnosis | ICD-9-CM |
| 65611 | Rhesus isoimmunization affecting management of mother, delivered | Diagnosis | ICD-9-CM |
| 65621 | Isoimmunization from other and unspecified blood-group incompatibility, affecting management of mother, delivered | Diagnosis | ICD-9-CM |
| 65631 | Fetal distress affecting management of mother, delivered | Diagnosis | ICD-9-CM |
| 65641 | Intrauterine death affecting management of mother, delivered | Diagnosis | ICD-9-CM |
| 65651 | Poor fetal growth, affecting management of mother, delivered | Diagnosis | ICD-9-CM |
| 65661 | Excessive fetal growth affecting management of mother, delivered | Diagnosis | ICD-9-CM |
| 65671 | Other placental conditions affecting management of mother, delivered | Diagnosis | ICD-9-CM |
| 65681 | Other specified fetal and placental problems affecting management of mother, delivered | Diagnosis | ICD-9-CM |
| 65691 | Unspecified fetal and placental problem affecting management of mother, delivered | Diagnosis | ICD-9-CM |
| 65701 | Polyhydramnios, with delivery | Diagnosis | ICD-9-CM |
| 65801 | Oligohydramnios, delivered | Diagnosis | ICD-9-CM |
| 65811 | Premature rupture of membranes in pregnancy, delivered | Diagnosis | ICD-9-CM |
| 65821 | Delayed delivery after spontaneous or unspecified rupture of membranes, delivered | Diagnosis | ICD-9-CM |
| 65831 | Delayed delivery after artificial rupture of membranes, delivered | Diagnosis | ICD-9-CM |
| 65841 | Infection of amniotic cavity, delivered | Diagnosis | ICD-9-CM |
| 65881 | Other problem associated with amniotic cavity and membranes, delivered | Diagnosis | ICD-9-CM |
| 65891 | Unspecified problem associated with amniotic cavity and membranes, delivered | Diagnosis | ICD-9-CM |
| 65901 | Failed mechanical induction of labor, delivered | Diagnosis | ICD-9-CM |
| 65911 | Failed medical or unspecified induction of labor, delivered | Diagnosis | ICD-9-CM |
| 65921 | Unspecified maternal pyrexia during labor, delivered | Diagnosis | ICD-9-CM |
| 65931 | Generalized infection during labor, delivered | Diagnosis | ICD-9-CM |
| 65941 | Grand multiparity, delivered, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |

Appendix C. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Pregnancy Incidence Criteria

| Code | Description | Code | |
|-------|---|-----------|-----------|
| | | Category | Code Type |
| 65951 | Elderly primigravida, delivered | Diagnosis | ICD-9-CM |
| 65961 | Elderly multigravida, delivered, with mention of antepartum condition | Diagnosis | ICD-9-CM |
| 65971 | Abnormality in fetal heart rate or rhythm, delivered, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 65981 | Other specified indication for care or intervention related to labor and delivery, delivered | Diagnosis | ICD-9-CM |
| 65991 | Unspecified indication for care or intervention related to labor and delivery, delivered | Diagnosis | ICD-9-CM |
| 66001 | Obstruction caused by malposition of fetus at onset of labor, delivered | Diagnosis | ICD-9-CM |
| 66011 | Obstruction by bony pelvis during labor and delivery, delivered | Diagnosis | ICD-9-CM |
| 66021 | Obstruction by abnormal pelvic soft tissues during labor and delivery, delivered | Diagnosis | ICD-9-CM |
| 66031 | Deep transverse arrest and persistent occipitoposterior position during labor and deliver, delivered | Diagnosis | ICD-9-CM |
| 66041 | Shoulder (girdle) dystocia during labor and deliver, delivered | Diagnosis | ICD-9-CM |
| 66051 | Locked twins, delivered | Diagnosis | ICD-9-CM |
| 66061 | Unspecified failed trial of labor, delivered | Diagnosis | ICD-9-CM |
| 66071 | Unspecified failed forceps or vacuum extractor, delivered | Diagnosis | ICD-9-CM |
| 66081 | Other causes of obstructed labor, delivered | Diagnosis | ICD-9-CM |
| 66091 | Unspecified obstructed labor, with delivery | Diagnosis | ICD-9-CM |
| 66101 | Primary uterine inertia, with delivery | Diagnosis | ICD-9-CM |
| 66111 | Secondary uterine inertia, with delivery | Diagnosis | ICD-9-CM |
| 66121 | Other and unspecified uterine inertia, with delivery | Diagnosis | ICD-9-CM |
| 66131 | Precipitate labor, with delivery | Diagnosis | ICD-9-CM |
| 66141 | Hypertonic, incoordinate, or prolonged uterine contractions, with delivery | Diagnosis | ICD-9-CM |
| 66191 | Unspecified abnormality of labor, with delivery | Diagnosis | ICD-9-CM |
| 66201 | Prolonged first stage of labor, delivered | Diagnosis | ICD-9-CM |
| 66211 | Unspecified prolonged labor, delivered | Diagnosis | ICD-9-CM |
| 66221 | Prolonged second stage of labor, delivered | Diagnosis | ICD-9-CM |
| 66231 | Delayed delivery of second twin, triplet, etc., delivered | Diagnosis | ICD-9-CM |
| 66301 | Prolapse of cord, complicating labor and delivery, delivered | Diagnosis | ICD-9-CM |
| 66311 | Cord around neck, with compression, complicating labor and delivery, delivered | Diagnosis | ICD-9-CM |
| 66321 | Other and unspecified cord entanglement, with compression, complicating labor and delivery, delivered | Diagnosis | ICD-9-CM |
| 66331 | Other and unspecified cord entanglement, without mention of compression, complicating labor and delivery, delivered | Diagnosis | ICD-9-CM |
| 66341 | Short cord complicating labor and delivery, delivered | Diagnosis | ICD-9-CM |
| 66351 | Vasa previa complicating labor and delivery, delivered | Diagnosis | ICD-9-CM |
| 66361 | Vascular lesions of cord complicating labor and delivery, delivered | Diagnosis | ICD-9-CM |
| 66381 | Other umbilical cord complications during labor and delivery, delivered | Diagnosis | ICD-9-CM |
| 66391 | Unspecified umbilical cord complication during labor and delivery, delivered | Diagnosis | ICD-9-CM |

Appendix C. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Pregnancy Incidence Criteria

| Code | Description | Code | |
|-------|---|-----------|-----------|
| | | Category | Code Type |
| 66401 | First-degree perineal laceration, with delivery | Diagnosis | ICD-9-CM |
| 66411 | Second-degree perineal laceration, with delivery | Diagnosis | ICD-9-CM |
| 66421 | Third-degree perineal laceration, with delivery | Diagnosis | ICD-9-CM |
| 66431 | Fourth-degree perineal laceration, with delivery | Diagnosis | ICD-9-CM |
| 66441 | Unspecified perineal laceration, with delivery | Diagnosis | ICD-9-CM |
| 66451 | Vulvar and perineal hematoma, with delivery | Diagnosis | ICD-9-CM |
| 66461 | Anal sphincter tear complicating delivery, not associated with third-degree perineal laceration, delivered, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 66481 | Other specified trauma to perineum and vulva, with delivery | Diagnosis | ICD-9-CM |
| 66491 | Unspecified trauma to perineum and vulva, with delivery | Diagnosis | ICD-9-CM |
| 66501 | Rupture of uterus before onset of labor, with delivery | Diagnosis | ICD-9-CM |
| 66511 | Rupture of uterus during labor, with delivery | Diagnosis | ICD-9-CM |
| 66522 | Inversion of uterus, delivered with postpartum complication | Diagnosis | ICD-9-CM |
| 66531 | Laceration of cervix, with delivery | Diagnosis | ICD-9-CM |
| 66541 | High vaginal laceration, with delivery | Diagnosis | ICD-9-CM |
| 66551 | Other injury to pelvic organs, with delivery | Diagnosis | ICD-9-CM |
| 66561 | Damage to pelvic joints and ligaments, with delivery | Diagnosis | ICD-9-CM |
| 66571 | Pelvic hematoma, with delivery | Diagnosis | ICD-9-CM |
| 66572 | Pelvic hematoma, delivered with postpartum complication | Diagnosis | ICD-9-CM |
| 66581 | Other specified obstetrical trauma, with delivery | Diagnosis | ICD-9-CM |
| 66582 | Other specified obstetrical trauma, delivered, with postpartum | Diagnosis | ICD-9-CM |
| 66591 | Unspecified obstetrical trauma, with delivery | Diagnosis | ICD-9-CM |
| 66592 | Unspecified obstetrical trauma, delivered, with postpartum complication | Diagnosis | ICD-9-CM |
| 66602 | Third-stage postpartum hemorrhage, with delivery | Diagnosis | ICD-9-CM |
| 66612 | Other immediate postpartum hemorrhage, with delivery | Diagnosis | ICD-9-CM |
| 66622 | Delayed and secondary postpartum hemorrhage, with delivery | Diagnosis | ICD-9-CM |
| 66632 | Postpartum coagulation defects, with delivery | Diagnosis | ICD-9-CM |
| 66702 | Retained placenta without hemorrhage, with delivery, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 66712 | Retained portions of placenta or membranes, without hemorrhage, delivered, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 66801 | Pulmonary complications of the administration of anesthesia or other sedation in labor and delivery, delivered | Diagnosis | ICD-9-CM |
| 66802 | Pulmonary complications of the administration of anesthesia or other sedation in labor and delivery, delivered, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 66811 | Cardiac complications of the administration of anesthesia or other sedation in labor and delivery, delivered | Diagnosis | ICD-9-CM |

Appendix C. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Pregnancy Incidence Criteria

| Code | Description | Code | |
|-------|--|-----------|-----------|
| | | Category | Code Type |
| 66812 | Cardiac complications of the administration of anesthesia or other sedation in labor and delivery, delivered, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 66821 | Central nervous system complications of the administration of anesthesia or other sedation in labor and delivery, delivered | Diagnosis | ICD-9-CM |
| 66822 | Central nervous system complications of the administration of anesthesia or other sedation in labor and delivery, delivered, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 66881 | Other complications of the administration of anesthesia or other sedation in labor and delivery, delivered | Diagnosis | ICD-9-CM |
| 66882 | Other complications of the administration of anesthesia or other sedation in labor and delivery, delivered, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 66891 | Unspecified complication of the administration of anesthesia or other sedation in labor and delivery, delivered | Diagnosis | ICD-9-CM |
| 66892 | Unspecified complication of the administration of anesthesia or other sedation in labor and delivery, delivered, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 66901 | Maternal distress, with delivery, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 66902 | Maternal distress, with delivery, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 66911 | Shock during or following labor and delivery, with delivery, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 66912 | Shock during or following labor and delivery, with delivery, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 66921 | Maternal hypotension syndrome, with delivery, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 66922 | Maternal hypotension syndrome, with delivery, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 66932 | Acute kidney failure following labor and delivery, delivered, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 66941 | Other complications of obstetrical surgery and procedures, with delivery, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 66942 | Other complications of obstetrical surgery and procedures, with delivery, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 66951 | Forceps or vacuum extractor delivery without mention of indication, delivered, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 66961 | Breech extraction, without mention of indication, delivered, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 66971 | Cesarean delivery, without mention of indication, delivered, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 66981 | Other complication of labor and delivery, delivered, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 66982 | Other complication of labor and delivery, delivered, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 66991 | Unspecified complication of labor and delivery, with delivery, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 66992 | Unspecified complication of labor and delivery, with delivery, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 67002 | Major puerperal infection, unspecified, delivered, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 67012 | Puerperal endometritis, delivered, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 67022 | Puerperal sepsis, delivered, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 67032 | Puerperal septic thrombophlebitis, delivered, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 67082 | Other major puerperal infection, delivered, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 67101 | Varicose veins of legs, with delivery, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 67102 | Varicose veins of legs, with delivery, with mention of postpartum complication | Diagnosis | ICD-9-CM |

Appendix C. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Pregnancy Incidence Criteria

| Code | Description | Code | |
|-------|--|-----------|-----------|
| | | Category | Code Type |
| 67111 | Varicose veins of vulva and perineum, with delivery, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 67112 | Varicose veins of vulva and perineum, with delivery, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 67121 | Superficial thrombophlebitis with delivery, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 67122 | Superficial thrombophlebitis with delivery, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 67131 | Deep phlebothrombosis, antepartum, with delivery | Diagnosis | ICD-9-CM |
| 67142 | Deep phlebothrombosis, postpartum, with delivery | Diagnosis | ICD-9-CM |
| 67151 | Other phlebitis and thrombosis with delivery, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 67152 | Other phlebitis and thrombosis with delivery, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 67181 | Other venous complication, with delivery, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 67182 | Other venous complication, with delivery, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 67191 | Unspecified venous complication, with delivery, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 67192 | Unspecified venous complication, with delivery, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 67202 | Puerperal pyrexia of unknown origin, delivered, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 67301 | Obstetrical air embolism, with delivery, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 67302 | Obstetrical air embolism, with delivery, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 67311 | Amniotic fluid embolism, with delivery, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 67312 | Amniotic fluid embolism, with delivery, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 67321 | Obstetrical blood-clot embolism, with delivery, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 67322 | Obstetrical blood-clot embolism, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 67331 | Obstetrical pyemic and septic embolism, with delivery, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 67332 | Obstetrical pyemic and septic embolism, with delivery, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 67381 | Other obstetrical pulmonary embolism, with delivery, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 67382 | Other obstetrical pulmonary embolism, with delivery, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 67401 | Cerebrovascular disorder, with delivery, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 67402 | Cerebrovascular disorder, with delivery, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 67412 | Disruption of cesarean wound, with delivery, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 67422 | Disruption of perineal wound, with delivery, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 67432 | Other complication of obstetrical surgical wounds, with delivery, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 67442 | Placental polyp, with delivery, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 67451 | Peripartum cardiomyopathy, delivered, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 67452 | Peripartum cardiomyopathy, delivered, with mention of postpartum condition | Diagnosis | ICD-9-CM |
| 67482 | Other complication of puerperium, with delivery, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 67492 | Unspecified complications of puerperium, with delivery, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 67501 | Infection of nipple associated with childbirth, delivered, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |

Appendix C. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Pregnancy Incidence Criteria

| Code | Description | Code | |
|-------|---|-----------|-----------|
| | | Category | Code Type |
| 67502 | Infection of nipple associated with childbirth, delivered with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 67511 | Abscess of breast associated with childbirth, delivered, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 67512 | Abscess of breast associated with childbirth, delivered, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 67521 | Nonpurulent mastitis, delivered, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 67522 | Nonpurulent mastitis, delivered, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 67581 | Other specified infection of the breast and nipple associated with childbirth, delivered, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 67582 | Other specified infection of the breast and nipple associated with childbirth, delivered, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 67591 | Unspecified infection of the breast and nipple, delivered, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 67592 | Unspecified infection of the breast and nipple, delivered, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 67601 | Retracted nipple, delivered, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 67602 | Retracted nipple, delivered, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 67611 | Cracked nipple, delivered, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 67612 | Cracked nipple, delivered, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 67621 | Engorgement of breasts, delivered, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 67622 | Engorgement of breasts, delivered, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 67631 | Other and unspecified disorder of breast associated with childbirth, delivered, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 67632 | Other and unspecified disorder of breast associated with childbirth, delivered, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 67641 | Failure of lactation, with delivery, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 67642 | Failure of lactation, with delivery, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 67651 | Suppressed lactation, with delivery, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 67652 | Suppressed lactation, with delivery, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 67661 | Galactorrhea, with delivery, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 67662 | Galactorrhea, with delivery, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 67681 | Other disorder of lactation, with delivery, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 67682 | Other disorder of lactation, with delivery, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 67691 | Unspecified disorder of lactation, with delivery, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 72 | Forceps, vacuum, and breech delivery | Procedure | ICD-9-CM |
| 73 | Other procedures inducing or assisting delivery | Procedure | ICD-9-CM |
| 720 | Low forceps operation | Procedure | ICD-9-CM |
| 721 | Low forceps operation with episiotomy | Procedure | ICD-9-CM |
| 722 | Mid forceps operation | Procedure | ICD-9-CM |
| 723 | High forceps operation | Procedure | ICD-9-CM |
| 724 | Forceps rotation of fetal head | Procedure | ICD-9-CM |

Appendix C. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Pregnancy Incidence Criteria

| Code | Description | Code | |
|------|--|-----------|-----------|
| | | Category | Code Type |
| 725 | Breech extraction | Procedure | ICD-9-CM |
| 726 | Forceps application to aftercoming head | Procedure | ICD-9-CM |
| 727 | Vacuum extraction | Procedure | ICD-9-CM |
| 728 | Other specified instrumental delivery | Procedure | ICD-9-CM |
| 729 | Unspecified instrumental delivery | Procedure | ICD-9-CM |
| 730 | Artificial rupture of membranes | Procedure | ICD-9-CM |
| 731 | Other surgical induction of labor | Procedure | ICD-9-CM |
| 732 | Internal and combined version and extraction | Procedure | ICD-9-CM |
| 733 | Failed forceps | Procedure | ICD-9-CM |
| 734 | Medical induction of labor | Procedure | ICD-9-CM |
| 735 | Manually assisted delivery | Procedure | ICD-9-CM |
| 736 | Episiotomy | Procedure | ICD-9-CM |
| 738 | Operations on fetus to facilitate delivery | Procedure | ICD-9-CM |
| 739 | Other operations assisting delivery | Procedure | ICD-9-CM |
| 740 | Classical cesarean section | Procedure | ICD-9-CM |
| 741 | Low cervical cesarean section | Procedure | ICD-9-CM |
| 742 | Extraperitoneal cesarean section | Procedure | ICD-9-CM |
| 744 | Cesarean section of other specified type | Procedure | ICD-9-CM |
| 749 | Cesarean section of unspecified type | Procedure | ICD-9-CM |
| 7221 | Mid forceps operation with episiotomy | Procedure | ICD-9-CM |
| 7229 | Other mid forceps operation | Procedure | ICD-9-CM |
| 7231 | High forceps operation with episiotomy | Procedure | ICD-9-CM |
| 7239 | Other high forceps operation | Procedure | ICD-9-CM |
| 7251 | Partial breech extraction with forceps to aftercoming head | Procedure | ICD-9-CM |
| 7252 | Other partial breech extraction | Procedure | ICD-9-CM |
| 7253 | Total breech extraction with forceps to aftercoming head | Procedure | ICD-9-CM |
| 7254 | Other total breech extraction | Procedure | ICD-9-CM |
| 7271 | Vacuum extraction with episiotomy | Procedure | ICD-9-CM |
| 7279 | Other vacuum extraction | Procedure | ICD-9-CM |
| 7301 | Induction of labor by artificial rupture of membranes | Procedure | ICD-9-CM |
| 7309 | Other artificial rupture of membranes | Procedure | ICD-9-CM |
| 7321 | Internal and combined version without extraction | Procedure | ICD-9-CM |
| 7322 | Internal and combined version with extraction | Procedure | ICD-9-CM |
| 7351 | Manual rotation of fetal head | Procedure | ICD-9-CM |

Appendix C. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Pregnancy Incidence Criteria

| Code | Description | Code | |
|-------|--|-----------|-----------|
| | | Category | Code Type |
| 7359 | Other manually assisted delivery | Procedure | ICD-9-CM |
| 7391 | External version to assist delivery | Procedure | ICD-9-CM |
| 7392 | Replacement of prolapsed umbilical cord | Procedure | ICD-9-CM |
| 7393 | Incision of cervix to assist delivery | Procedure | ICD-9-CM |
| 7394 | Pubiotomy to assist delivery | Procedure | ICD-9-CM |
| 7399 | Other operations to assist delivery | Procedure | ICD-9-CM |
| 7499 | Other cesarean section of unspecified type | Procedure | ICD-9-CM |
| 67692 | Unspecified disorder of lactation, with delivery, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 67801 | Fetal hematologic conditions, delivered, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 67811 | Fetal conjoined twins, delivered, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 67901 | Maternal complications from in utero procedure, delivered, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 67902 | Maternal complications from in utero procedure, delivered, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| 67911 | Fetal complications from in utero procedure, delivered, with or without mention of antepartum condition | Diagnosis | ICD-9-CM |
| 67912 | Fetal complications from in utero procedure, delivered, with mention of postpartum complication | Diagnosis | ICD-9-CM |
| V27 | Outcome of delivery | Diagnosis | ICD-9-CM |
| V270 | Outcome of delivery, single liveborn | Diagnosis | ICD-9-CM |
| V271 | Outcome of delivery, single stillborn | Diagnosis | ICD-9-CM |
| V272 | Outcome of delivery, twins, both liveborn | Diagnosis | ICD-9-CM |
| V273 | Outcome of delivery, twins, one liveborn and one stillborn | Diagnosis | ICD-9-CM |
| V274 | Outcome of delivery, twins, both stillborn | Diagnosis | ICD-9-CM |
| V275 | Outcome of delivery, other multiple birth, all liveborn | Diagnosis | ICD-9-CM |
| V276 | Outcome of delivery, other multiple birth, some liveborn | Diagnosis | ICD-9-CM |
| V277 | Outcome of delivery, other multiple birth, all stillborn | Diagnosis | ICD-9-CM |
| V279 | Outcome of delivery, unspecified | Diagnosis | ICD-9-CM |
| V30 | Single liveborn | Diagnosis | ICD-9-CM |
| V300 | Single liveborn, born in hospital | Diagnosis | ICD-9-CM |
| V3000 | Single liveborn, born in hospital, delivered without mention of cesarean delivery | Diagnosis | ICD-9-CM |
| V3001 | Single liveborn, born in hospital, delivered by cesarean delivery | Diagnosis | ICD-9-CM |
| V301 | Single liveborn, born before admission to hospital | Diagnosis | ICD-9-CM |
| V302 | Single liveborn, born outside hospital and not hospitalized | Diagnosis | ICD-9-CM |
| V31 | Twin birth, mate liveborn | Diagnosis | ICD-9-CM |
| V310 | Twin, mate liveborn, born in hospital | Diagnosis | ICD-9-CM |
| V3100 | Twin, mate liveborn, born in hospital, delivered without mention of cesarean delivery | Diagnosis | ICD-9-CM |
| V3101 | Twin, mate liveborn, born in hospital, delivered by cesarean delivery | Diagnosis | ICD-9-CM |

Appendix C. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Pregnancy Incidence Criteria

| Code | Description | Code | |
|-------|--|-----------|-----------|
| | | Category | Code Type |
| V311 | Twin birth, mate liveborn, born before admission to hospital | Diagnosis | ICD-9-CM |
| V312 | Twin birth, mate liveborn, born outside hospital and not hospitalized | Diagnosis | ICD-9-CM |
| V32 | Twin birth, mate stillborn | Diagnosis | ICD-9-CM |
| V320 | Twin, mate stillborn, born in hospital | Diagnosis | ICD-9-CM |
| V3200 | Twin, mate stillborn, born in hospital, delivered without mention of cesarean delivery | Diagnosis | ICD-9-CM |
| V3201 | Twin, mate stillborn, born in hospital, delivered by cesarean delivery | Diagnosis | ICD-9-CM |
| V321 | Twin birth, mate stillborn, born before admission to hospital | Diagnosis | ICD-9-CM |
| V322 | Twin birth, mate stillborn, born outside hospital and not hospitalized | Diagnosis | ICD-9-CM |
| V33 | Twin birth, unspecified whether mate liveborn or stillborn | Diagnosis | ICD-9-CM |
| V330 | Twin, unspecified, born in hospital | Diagnosis | ICD-9-CM |
| V3300 | Twin, unspecified whether mate stillborn or liveborn, born in hospital, delivered without mention of cesarean delivery | Diagnosis | ICD-9-CM |
| V3301 | Twin, unspecified whether mate stillborn or liveborn, born in hospital, delivered by cesarean delivery | Diagnosis | ICD-9-CM |
| V331 | Twin birth, unspecified whether mate liveborn or stillborn, born before admission to hospital | Diagnosis | ICD-9-CM |
| V332 | Twin birth, unspecified whether mate liveborn or stillborn, born outside hospital and not hospitalized | Diagnosis | ICD-9-CM |
| V34 | Other multiple birth (three or more), mates all liveborn | Diagnosis | ICD-9-CM |
| V340 | Other multiple, mates all liveborn, born in hospital | Diagnosis | ICD-9-CM |
| V3400 | Other multiple, mates all liveborn, born in hospital, delivered without mention of cesarean delivery | Diagnosis | ICD-9-CM |
| V3401 | Other multiple, mates all liveborn, born in hospital, delivered by cesarean delivery | Diagnosis | ICD-9-CM |
| V341 | Other multiple birth (three or more), mates all liveborn, born before admission to hospital | Diagnosis | ICD-9-CM |
| V342 | Other multiple birth (three or more), mates all liveborn, born outside hospital and not hospitalized | Diagnosis | ICD-9-CM |
| V35 | Other multiple birth (three or more), mates all stillborn | Diagnosis | ICD-9-CM |
| V350 | Other multiple, mates all stillborn, born in hospital | Diagnosis | ICD-9-CM |
| V3500 | Other multiple, mates all stillborn, born in hospital, delivered without mention of cesarean delivery | Diagnosis | ICD-9-CM |
| V3501 | Other multiple, mates all stillborn, born in hospital, delivered by cesarean delivery | Diagnosis | ICD-9-CM |
| V351 | Other multiple birth (three or more), mates all stillborn, born before admission to hospital | Diagnosis | ICD-9-CM |
| V352 | Other multiple birth (three or more), mates all stillborn, born outside of hospital and not hospitalized | Diagnosis | ICD-9-CM |
| V36 | Other multiple birth (three or more), mates liveborn and stillborn | Diagnosis | ICD-9-CM |
| V360 | Other multiple, mates liveborn and stillborn, born in hospital | Diagnosis | ICD-9-CM |
| V3600 | Other multiple, mates liveborn and stillborn, born in hospital, delivered without mention of cesarean delivery | Diagnosis | ICD-9-CM |
| V3601 | Other multiple, mates liveborn and stillborn, born in hospital, delivered by cesarean delivery | Diagnosis | ICD-9-CM |
| V361 | Other multiple birth (three or more), mates liveborn and stillborn, born before admission to hospital | Diagnosis | ICD-9-CM |
| V362 | Other multiple birth (three or more), mates liveborn and stillborn, born outside hospital and not hospitalized | Diagnosis | ICD-9-CM |
| V37 | Other multiple birth (three or more), unspecified whether mates liveborn or stillborn | Diagnosis | ICD-9-CM |
| V370 | Other multiple, unspecified whether mates stillborn or liveborn, born in hospital | Diagnosis | ICD-9-CM |

Appendix C. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Pregnancy Incidence Criteria

| Code | Description | Code | |
|----------------------------|---|-----------|-----------|
| | | Category | Code Type |
| V3700 | Other multiple, unspecified whether mates stillborn or liveborn, born in hospital, delivered without mention of cesarean delivery | Diagnosis | ICD-9-CM |
| V3701 | Other multiple, unspecified whether mates stillborn or liveborn, born in hospital, delivered by cesarean delivery | Diagnosis | ICD-9-CM |
| V371 | Other multiple birth (three or more), unspecified whether mates liveborn or stillborn, born before admission to hospital | Diagnosis | ICD-9-CM |
| V372 | Other multiple birth (three or more), unspecified whether mates liveborn or stillborn, born outside of hospital | Diagnosis | ICD-9-CM |
| V39 | Liveborn, unspecified whether single, twin, or multiple | Diagnosis | ICD-9-CM |
| V390 | Other liveborn, unspecified whether single, twin, or multiple, born in hospital | Diagnosis | ICD-9-CM |
| V3900 | Liveborn infant, unspecified whether single, twin, or multiple, born in hospital, delivered without mention of cesarean delivery | Diagnosis | ICD-9-CM |
| V3901 | Liveborn infant, unspecified whether single, twin, or multiple, born in hospital, delivered by cesarean | Diagnosis | ICD-9-CM |
| V391 | Liveborn, unspecified whether single, twin or multiple, born before admission to hospital | Diagnosis | ICD-9-CM |
| V392 | Liveborn, unspecified whether single, twin or multiple, born outside hospital and not hospitalized | Diagnosis | ICD-9-CM |
| Stillbirth delivery | | | |
| O3100X0 | Papyraceous fetus, unspecified trimester, not applicable or unspecified | Diagnosis | ICD-10-CM |
| O3100X1 | Papyraceous fetus, unspecified trimester, fetus 1 | Diagnosis | ICD-10-CM |
| O3100X2 | Papyraceous fetus, unspecified trimester, fetus 2 | Diagnosis | ICD-10-CM |
| O3100X3 | Papyraceous fetus, unspecified trimester, fetus 3 | Diagnosis | ICD-10-CM |
| O3100X4 | Papyraceous fetus, unspecified trimester, fetus 4 | Diagnosis | ICD-10-CM |
| O3100X5 | Papyraceous fetus, unspecified trimester, fetus 5 | Diagnosis | ICD-10-CM |
| O3100X9 | Papyraceous fetus, unspecified trimester, other fetus | Diagnosis | ICD-10-CM |
| O3102X0 | Papyraceous fetus, second trimester, not applicable or unspecified | Diagnosis | ICD-10-CM |
| O3102X1 | Papyraceous fetus, second trimester, fetus 1 | Diagnosis | ICD-10-CM |
| O3102X2 | Papyraceous fetus, second trimester, fetus 2 | Diagnosis | ICD-10-CM |
| O3102X3 | Papyraceous fetus, second trimester, fetus 3 | Diagnosis | ICD-10-CM |
| O3102X4 | Papyraceous fetus, second trimester, fetus 4 | Diagnosis | ICD-10-CM |
| O3102X5 | Papyraceous fetus, second trimester, fetus 5 | Diagnosis | ICD-10-CM |
| O3102X9 | Papyraceous fetus, second trimester, other fetus | Diagnosis | ICD-10-CM |
| O3103X0 | Papyraceous fetus, third trimester, not applicable or unspecified | Diagnosis | ICD-10-CM |
| O3103X1 | Papyraceous fetus, third trimester, fetus 1 | Diagnosis | ICD-10-CM |
| O3103X2 | Papyraceous fetus, third trimester, fetus 2 | Diagnosis | ICD-10-CM |
| O3103X3 | Papyraceous fetus, third trimester, fetus 3 | Diagnosis | ICD-10-CM |
| O3103X4 | Papyraceous fetus, third trimester, fetus 4 | Diagnosis | ICD-10-CM |
| O3103X5 | Papyraceous fetus, third trimester, fetus 5 | Diagnosis | ICD-10-CM |
| O3103X9 | Papyraceous fetus, third trimester, other fetus | Diagnosis | ICD-10-CM |
| O364 | Maternal care for intrauterine death | Diagnosis | ICD-10-CM |

Appendix C. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Pregnancy Incidence Criteria

| Code | Description | Code | |
|-----------------------------|---|-----------|-----------|
| | | Category | Code Type |
| O364XX0 | Maternal care for intrauterine death, not applicable or unspecified | Diagnosis | ICD-10-CM |
| O364XX1 | Maternal care for intrauterine death, fetus 1 | Diagnosis | ICD-10-CM |
| O364XX2 | Maternal care for intrauterine death, fetus 2 | Diagnosis | ICD-10-CM |
| O364XX3 | Maternal care for intrauterine death, fetus 3 | Diagnosis | ICD-10-CM |
| O364XX4 | Maternal care for intrauterine death, fetus 4 | Diagnosis | ICD-10-CM |
| O364XX5 | Maternal care for intrauterine death, fetus 5 | Diagnosis | ICD-10-CM |
| O364XX9 | Maternal care for intrauterine death, other fetus | Diagnosis | ICD-10-CM |
| P95 | Stillbirth (may be on newborn record, not mother's) | Diagnosis | ICD-10-CM |
| Z371 | Single stillbirth | Diagnosis | ICD-10-CM |
| Z373 | Twins, one liveborn and one stillborn, pregnancy resulting from both spontaneous ovulation and conception | Diagnosis | ICD-10-CM |
| Z374 | Twins, both stillborn | Diagnosis | ICD-10-CM |
| Z376 | Other multiple births, some liveborn | Diagnosis | ICD-10-CM |
| Z3760 | Multiple births, unspecified, some liveborn | Diagnosis | ICD-10-CM |
| Z3761 | Triplets, some liveborn | Diagnosis | ICD-10-CM |
| Z3762 | Quadruplets, some liveborn | Diagnosis | ICD-10-CM |
| Z3763 | Quintuplets, some liveborn | Diagnosis | ICD-10-CM |
| Z3764 | Sextuplets, some liveborn | Diagnosis | ICD-10-CM |
| Z377 | Other multiple births, all stillborn | Diagnosis | ICD-10-CM |
| Z3769 | Other multiple births, some liveborn | Diagnosis | ICD-10-CM |
| Spontaneous abortion | | | |
| 59821 | Treatment of missed abortion, completed surgically; second trimester | Procedure | CPT-4 |
| 59820 | Treatment of missed abortion, completed surgically; first trimester | Procedure | CPT-4 |
| 59812 | Treatment of incomplete abortion, any trimester, completed surgically | Procedure | CPT-4 |
| 01965 | Anesthesia for incomplete or missed abortion procedures | Procedure | CPT-4 |
| O021 | Missed abortion | Diagnosis | ICD-10-CM |
| O030 | Genital tract and pelvic infection following incomplete spontaneous abortion | Diagnosis | ICD-10-CM |
| O0337 | Sepsis following incomplete spontaneous abortion | Diagnosis | ICD-10-CM |
| O035 | Genital tract and pelvic infection following complete or unspecified spontaneous abortion | Diagnosis | ICD-10-CM |
| O0387 | Sepsis following complete or unspecified spontaneous abortion | Diagnosis | ICD-10-CM |
| O031 | Delayed or excessive hemorrhage following incomplete spontaneous abortion | Diagnosis | ICD-10-CM |
| O036 | Delayed or excessive hemorrhage following complete or unspecified spontaneous abortion | Diagnosis | ICD-10-CM |
| O0334 | Damage to pelvic organs following incomplete spontaneous abortion | Diagnosis | ICD-10-CM |
| O0384 | Damage to pelvic organs following complete or unspecified spontaneous abortion | Diagnosis | ICD-10-CM |

Appendix C. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Pregnancy Incidence Criteria

| Code | Description | Code | |
|---------|--|-----------|-----------|
| | | Category | Code Type |
| O0332 | Renal failure following incomplete spontaneous abortion | Diagnosis | ICD-10-CM |
| O0382 | Renal failure following complete or unspecified spontaneous abortion | Diagnosis | ICD-10-CM |
| O0333 | Metabolic disorder following incomplete spontaneous abortion | Diagnosis | ICD-10-CM |
| O0383 | Metabolic disorder following complete or unspecified spontaneous abortion | Diagnosis | ICD-10-CM |
| O0331 | Shock following incomplete spontaneous abortion | Diagnosis | ICD-10-CM |
| O0381 | Shock following complete or unspecified spontaneous abortion | Diagnosis | ICD-10-CM |
| O032 | Embolism following incomplete spontaneous abortion | Diagnosis | ICD-10-CM |
| O037 | Embolism following complete or unspecified spontaneous abortion | Diagnosis | ICD-10-CM |
| O0339 | Incomplete spontaneous abortion with other complications | Diagnosis | ICD-10-CM |
| O0385 | Other venous complications following complete or unspecified spontaneous abortion | Diagnosis | ICD-10-CM |
| O0386 | Cardiac arrest following complete or unspecified spontaneous abortion | Diagnosis | ICD-10-CM |
| O0388 | Urinary tract infection following complete or unspecified spontaneous abortion | Diagnosis | ICD-10-CM |
| O0389 | Complete or unspecified spontaneous abortion with other complications | Diagnosis | ICD-10-CM |
| O0335 | Other venous complications following incomplete spontaneous abortion | Diagnosis | ICD-10-CM |
| O0336 | Cardiac arrest following incomplete spontaneous abortion | Diagnosis | ICD-10-CM |
| O0338 | Urinary tract infection following incomplete spontaneous abortion | Diagnosis | ICD-10-CM |
| O039 | Complete or unspecified spontaneous abortion without complication | Diagnosis | ICD-10-CM |
| O3113X0 | Continuing pregnancy after spontaneous abortion of one fetus or more, third trimester, not applicable or unspecified | Diagnosis | ICD-10-CM |
| O3111X1 | Continuing pregnancy after spontaneous abortion of one fetus or more, first trimester, fetus 1 | Diagnosis | ICD-10-CM |
| O3111X2 | Continuing pregnancy after spontaneous abortion of one fetus or more, first trimester, fetus 2 | Diagnosis | ICD-10-CM |
| O3111X3 | Continuing pregnancy after spontaneous abortion of one fetus or more, first trimester, fetus 3 | Diagnosis | ICD-10-CM |
| O3111X4 | Continuing pregnancy after spontaneous abortion of one fetus or more, first trimester, fetus 4 | Diagnosis | ICD-10-CM |
| O3111X5 | Continuing pregnancy after spontaneous abortion of one fetus or more, first trimester, fetus 5 | Diagnosis | ICD-10-CM |
| O3112X1 | Continuing pregnancy after spontaneous abortion of one fetus or more, second trimester, fetus 1 | Diagnosis | ICD-10-CM |
| O3112X2 | Continuing pregnancy after spontaneous abortion of one fetus or more, second trimester, fetus 2 | Diagnosis | ICD-10-CM |
| O3112X3 | Continuing pregnancy after spontaneous abortion of one fetus or more, second trimester, fetus 3 | Diagnosis | ICD-10-CM |
| O3112X4 | Continuing pregnancy after spontaneous abortion of one fetus or more, second trimester, fetus 4 | Diagnosis | ICD-10-CM |
| O3112X5 | Continuing pregnancy after spontaneous abortion of one fetus or more, second trimester, fetus 5 | Diagnosis | ICD-10-CM |
| O3112 | Continuing pregnancy after spontaneous abortion of one fetus or more, second trimester | Diagnosis | ICD-10-CM |
| O3113X1 | Continuing pregnancy after spontaneous abortion of one fetus or more, third trimester, fetus 1 | Diagnosis | ICD-10-CM |
| O3113X2 | Continuing pregnancy after spontaneous abortion of one fetus or more, third trimester, fetus 2 | Diagnosis | ICD-10-CM |
| O3113X3 | Continuing pregnancy after spontaneous abortion of one fetus or more, third trimester, fetus 3 | Diagnosis | ICD-10-CM |
| O3113X4 | Continuing pregnancy after spontaneous abortion of one fetus or more, third trimester, fetus 4 | Diagnosis | ICD-10-CM |
| O3113X5 | Continuing pregnancy after spontaneous abortion of one fetus or more, third trimester, fetus 5 | Diagnosis | ICD-10-CM |

Appendix C. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Pregnancy Incidence Criteria

| Code | Description | Code | |
|---------|--|-----------|-----------|
| | | Category | Code Type |
| O3113 | Continuing pregnancy after spontaneous abortion of one fetus or more, third trimester | Diagnosis | ICD-10-CM |
| O3110X1 | Continuing pregnancy after spontaneous abortion of one fetus or more, unspecified trimester, fetus 1 | Diagnosis | ICD-10-CM |
| O3110X2 | Continuing pregnancy after spontaneous abortion of one fetus or more, unspecified trimester, fetus 2 | Diagnosis | ICD-10-CM |
| O3110X3 | Continuing pregnancy after spontaneous abortion of one fetus or more, unspecified trimester, fetus 3 | Diagnosis | ICD-10-CM |
| O3110X4 | Continuing pregnancy after spontaneous abortion of one fetus or more, unspecified trimester, fetus 4 | Diagnosis | ICD-10-CM |
| O3110X5 | Continuing pregnancy after spontaneous abortion of one fetus or more, unspecified trimester, fetus 5 | Diagnosis | ICD-10-CM |
| O3111 | Continuing pregnancy after spontaneous abortion of one fetus or more, first trimester | Diagnosis | ICD-10-CM |
| O3110 | Continuing pregnancy after spontaneous abortion of one fetus or more, unspecified trimester | Diagnosis | ICD-10-CM |
| O311 | Continuing pregnancy after spontaneous abortion of one fetus or more | Diagnosis | ICD-10-CM |
| O3111X9 | Continuing pregnancy after spontaneous abortion of one fetus or more, first trimester, other fetus | Diagnosis | ICD-10-CM |
| O3112X9 | Continuing pregnancy after spontaneous abortion of one fetus or more, second trimester, other fetus | Diagnosis | ICD-10-CM |
| O3113X9 | Continuing pregnancy after spontaneous abortion of one fetus or more, third trimester, other fetus | Diagnosis | ICD-10-CM |
| O3110X9 | Continuing pregnancy after spontaneous abortion of one fetus or more, unspecified trimester, other fetus | Diagnosis | ICD-10-CM |
| O3111X0 | Continuing pregnancy after spontaneous abortion of one fetus or more, first trimester, not applicable or unspecified | Diagnosis | ICD-10-CM |
| O3112X0 | Continuing pregnancy after spontaneous abortion of one fetus or more, second trimester, not applicable or unspecified | Diagnosis | ICD-10-CM |
| O3110X0 | Continuing pregnancy after spontaneous abortion of one fetus or more, unspecified trimester, not applicable or unspecified | Diagnosis | ICD-10-CM |
| O034 | Incomplete spontaneous abortion without complication | Diagnosis | ICD-10-CM |
| O038 | Other and unspecified complications following complete or unspecified spontaneous abortion | Diagnosis | ICD-10-CM |
| O033 | Other and unspecified complications following incomplete spontaneous abortion | Diagnosis | ICD-10-CM |
| O03 | Spontaneous abortion | Diagnosis | ICD-10-CM |
| O0380 | Unspecified complication following complete or unspecified spontaneous abortion | Diagnosis | ICD-10-CM |
| O0330 | Unspecified complication following incomplete spontaneous abortion | Diagnosis | ICD-10-CM |

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Gestational Age

| Code | Description | Code | | | Priority | Priority | Priority ¹ |
|-------------------------------|---|-----------|-----------|----------|----------|----------|-----------------------|
| | | Category | Code Type | Duration | Group 1 | Group 2 | |
| Gestational age lookup | | | | | | | |
| O481 | Prolonged pregnancy | Diagnosis | ICD-10-CM | 294 | 0 | 1 | 1 |
| P0822 | Prolonged gestation of newborn | Diagnosis | ICD-10-CM | 294 | 0 | 1 | 1 |
| Z3A49 | Greater than 42 weeks gestation of pregnancy | Diagnosis | ICD-10-CM | 301 | 1 | 0 | 1 |
| O480 | Post-term pregnancy | Diagnosis | ICD-10-CM | 287 | 0 | 1 | 2 |
| P0821 | Post-term newborn | Diagnosis | ICD-10-CM | 287 | 0 | 1 | 2 |
| Z3A42 | 42 weeks gestation of pregnancy | Diagnosis | ICD-10-CM | 298 | 1 | 0 | 2 |
| Z3A41 | 41 weeks gestation of pregnancy | Diagnosis | ICD-10-CM | 291 | 1 | 0 | 3 |
| Z3A40 | 40 weeks gestation of pregnancy | Diagnosis | ICD-10-CM | 284 | 1 | 0 | 4 |
| Z3A39 | 39 weeks gestation of pregnancy | Diagnosis | ICD-10-CM | 277 | 1 | 0 | 5 |
| Z3A38 | 38 weeks gestation of pregnancy | Diagnosis | ICD-10-CM | 270 | 1 | 0 | 6 |
| Z3A37 | 37 weeks gestation of pregnancy | Diagnosis | ICD-10-CM | 263 | 1 | 0 | 7 |
| P0739 | Preterm newborn, gestational age 36 completed weeks | Diagnosis | ICD-10-CM | 256 | 1 | 0 | 8 |
| Z3A36 | 36 weeks gestation of pregnancy | Diagnosis | ICD-10-CM | 256 | 1 | 0 | 8 |
| P0738 | Preterm newborn, gestational age 35 completed weeks | Diagnosis | ICD-10-CM | 249 | 1 | 0 | 9 |
| Z3A35 | 35 weeks gestation of pregnancy | Diagnosis | ICD-10-CM | 249 | 1 | 0 | 9 |
| P0737 | Preterm newborn, gestational age 34 completed weeks | Diagnosis | ICD-10-CM | 242 | 1 | 0 | 10 |
| Z3A34 | 34 weeks gestation of pregnancy | Diagnosis | ICD-10-CM | 242 | 1 | 0 | 10 |
| P0736 | Preterm newborn, gestational age 33 completed weeks | Diagnosis | ICD-10-CM | 235 | 1 | 0 | 11 |
| Z3A33 | 33 weeks gestation of pregnancy | Diagnosis | ICD-10-CM | 235 | 1 | 0 | 11 |
| P0735 | Preterm newborn, gestational age 32 completed weeks | Diagnosis | ICD-10-CM | 228 | 1 | 0 | 12 |
| Z3A32 | 32 weeks gestation of pregnancy | Diagnosis | ICD-10-CM | 228 | 1 | 0 | 12 |
| P0734 | Preterm newborn, gestational age 31 completed weeks | Diagnosis | ICD-10-CM | 221 | 1 | 0 | 13 |
| Z3A31 | 31 weeks gestation of pregnancy | Diagnosis | ICD-10-CM | 221 | 1 | 0 | 13 |
| P0733 | Preterm newborn, gestational age 30 completed weeks | Diagnosis | ICD-10-CM | 214 | 1 | 0 | 14 |
| Z3A30 | 30 weeks gestation of pregnancy | Diagnosis | ICD-10-CM | 214 | 1 | 0 | 14 |
| P0732 | Preterm newborn, gestational age 29 completed weeks | Diagnosis | ICD-10-CM | 207 | 1 | 0 | 15 |
| Z3A29 | 29 weeks gestation of pregnancy | Diagnosis | ICD-10-CM | 207 | 1 | 0 | 15 |
| P0731 | Preterm newborn, gestational age 28 completed weeks | Diagnosis | ICD-10-CM | 200 | 1 | 0 | 16 |
| Z3A28 | 28 weeks gestation of pregnancy | Diagnosis | ICD-10-CM | 200 | 1 | 0 | 16 |
| P0726 | Extreme immaturity of newborn, gestational age 27 completed weeks | Diagnosis | ICD-10-CM | 193 | 1 | 0 | 17 |
| Z3A27 | 27 weeks gestation of pregnancy | Diagnosis | ICD-10-CM | 193 | 1 | 0 | 17 |
| P0725 | Extreme immaturity of newborn, gestational age 26 completed weeks | Diagnosis | ICD-10-CM | 186 | 1 | 0 | 18 |

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Gestational Age

| Code | Description | Code | | | Priority | Priority | Priority ¹ |
|---------|---|-----------|-----------|----------|----------|----------|-----------------------|
| | | Category | Code Type | Duration | Group 1 | Group 2 | |
| Z3A26 | 26 weeks gestation of pregnancy | Diagnosis | ICD-10-CM | 186 | 1 | 0 | 18 |
| P0724 | Extreme immaturity of newborn, gestational age 25 completed weeks | Diagnosis | ICD-10-CM | 179 | 1 | 0 | 19 |
| Z3A25 | 25 weeks gestation of pregnancy | Diagnosis | ICD-10-CM | 179 | 1 | 0 | 19 |
| P0723 | Extreme immaturity of newborn, gestational age 24 completed weeks | Diagnosis | ICD-10-CM | 172 | 1 | 0 | 20 |
| Z3A24 | 24 weeks gestation of pregnancy | Diagnosis | ICD-10-CM | 172 | 1 | 0 | 20 |
| P0722 | Extreme immaturity of newborn, gestational age 23 completed weeks | Diagnosis | ICD-10-CM | 165 | 1 | 0 | 21 |
| Z3A23 | 23 weeks gestation of pregnancy | Diagnosis | ICD-10-CM | 165 | 1 | 0 | 21 |
| P0721 | Extreme immaturity of newborn, gestational age less than 23 completed weeks | Diagnosis | ICD-10-CM | 158 | 1 | 0 | 22 |
| Z3A22 | 22 weeks gestation of pregnancy | Diagnosis | ICD-10-CM | 158 | 1 | 0 | 22 |
| Z3A21 | 21 weeks gestation of pregnancy | Diagnosis | ICD-10-CM | 151 | 1 | 0 | 23 |
| Z3A20 | 20 weeks gestation of pregnancy | Diagnosis | ICD-10-CM | 144 | 1 | 0 | 24 |
| P0720 | Extreme immaturity of newborn, unspecified weeks of gestation | Diagnosis | ICD-10-CM | 196 | 1 | 0 | 25 |
| O6013X0 | Preterm labor second trimester with preterm delivery third trimester | Diagnosis | ICD-10-CM | 245 | 1 | 0 | 26 |
| O6013X1 | Preterm labor second trimester with preterm delivery third trimester | Diagnosis | ICD-10-CM | 245 | 1 | 0 | 26 |
| O6013X2 | Preterm labor second trimester with preterm delivery third trimester | Diagnosis | ICD-10-CM | 245 | 1 | 0 | 26 |
| O6013X3 | Preterm labor second trimester with preterm delivery third trimester | Diagnosis | ICD-10-CM | 245 | 1 | 0 | 26 |
| O6013X4 | Preterm labor second trimester with preterm delivery third trimester | Diagnosis | ICD-10-CM | 245 | 1 | 0 | 26 |
| O6013X5 | Preterm labor second trimester with preterm delivery third trimester | Diagnosis | ICD-10-CM | 245 | 1 | 0 | 26 |
| O6013X9 | Preterm labor second trimester with preterm delivery third trimester | Diagnosis | ICD-10-CM | 245 | 1 | 0 | 26 |
| O6014X0 | Preterm labor third trimester with preterm delivery third trimester | Diagnosis | ICD-10-CM | 245 | 1 | 0 | 26 |
| O6014X1 | Preterm labor third trimester with preterm delivery third trimester | Diagnosis | ICD-10-CM | 245 | 1 | 0 | 26 |
| O6014X2 | Preterm labor third trimester with preterm delivery third trimester | Diagnosis | ICD-10-CM | 245 | 1 | 0 | 26 |
| O6014X3 | Preterm labor third trimester with preterm delivery third trimester | Diagnosis | ICD-10-CM | 245 | 1 | 0 | 26 |
| O6014X4 | Preterm labor third trimester with preterm delivery third trimester | Diagnosis | ICD-10-CM | 245 | 1 | 0 | 26 |
| O6014X5 | Preterm labor third trimester with preterm delivery third trimester | Diagnosis | ICD-10-CM | 245 | 1 | 0 | 26 |
| O6014X9 | Preterm labor third trimester with preterm delivery third trimester | Diagnosis | ICD-10-CM | 245 | 1 | 0 | 26 |
| P0730 | Preterm newborn, unspecified weeks of gestation | Diagnosis | ICD-10-CM | 245 | 1 | 0 | 26 |
| O6012X0 | Preterm labor second trimester with preterm delivery second trimester | Diagnosis | ICD-10-CM | 168 | 1 | 0 | 27 |
| O6012X1 | Preterm labor second trimester with preterm delivery second trimester | Diagnosis | ICD-10-CM | 168 | 1 | 0 | 27 |
| O6012X2 | Preterm labor second trimester with preterm delivery second trimester | Diagnosis | ICD-10-CM | 168 | 1 | 0 | 27 |
| O6012X3 | Preterm labor second trimester with preterm delivery second trimester | Diagnosis | ICD-10-CM | 168 | 1 | 0 | 27 |
| O6012X4 | Preterm labor second trimester with preterm delivery second trimester | Diagnosis | ICD-10-CM | 168 | 1 | 0 | 27 |
| O6012X5 | Preterm labor second trimester with preterm delivery second trimester | Diagnosis | ICD-10-CM | 168 | 1 | 0 | 27 |

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Gestational Age

| Code | Description | Code | | | Priority | Priority | Priority ¹ |
|---------|---|-----------|-----------|----------|----------|----------|-----------------------|
| | | Category | Code Type | Duration | Group 1 | Group 2 | |
| O6012X9 | Preterm labor second trimester with preterm delivery second trimester | Diagnosis | ICD-10-CM | 168 | 1 | 0 | 27 |
| 64520 | Prolonged pregnancy | Diagnosis | ICD-9-CM | 294 | 0 | 1 | 28 |
| 64521 | Prolonged pregnancy | Diagnosis | ICD-9-CM | 294 | 0 | 1 | 28 |
| 64523 | Prolonged pregnancy | Diagnosis | ICD-9-CM | 294 | 0 | 1 | 28 |
| 76528 | 35-36 completed weeks of gestation | Diagnosis | ICD-9-CM | 252 | 1 | 0 | 28 |
| 76622 | Prolonged gestation of infant | Diagnosis | ICD-9-CM | 294 | 0 | 1 | 28 |
| 64510 | Post term pregnancy | Diagnosis | ICD-9-CM | 287 | 0 | 1 | 29 |
| 64511 | Post term pregnancy | Diagnosis | ICD-9-CM | 287 | 0 | 1 | 29 |
| 64513 | Post term pregnancy | Diagnosis | ICD-9-CM | 287 | 0 | 1 | 29 |
| 76527 | 33-34 completed weeks of gestation | Diagnosis | ICD-9-CM | 238 | 1 | 0 | 29 |
| 76621 | Post-term infant | Diagnosis | ICD-9-CM | 287 | 0 | 1 | 29 |
| 76526 | 31-32 completed weeks of gestation | Diagnosis | ICD-9-CM | 224 | 1 | 0 | 30 |
| 76525 | 29-30 completed weeks of gestation | Diagnosis | ICD-9-CM | 210 | 1 | 0 | 31 |
| 76524 | 27-28 completed weeks of gestation | Diagnosis | ICD-9-CM | 196 | 1 | 0 | 32 |
| 76523 | 25-26 completed weeks of gestation | Diagnosis | ICD-9-CM | 182 | 1 | 0 | 33 |
| 76521 | Less than 24 completed weeks of gestation | Diagnosis | ICD-9-CM | 168 | 1 | 0 | 34 |
| 76522 | 24 completed weeks of gestation | Diagnosis | ICD-9-CM | 168 | 1 | 0 | 34 |
| 76500 | Extreme immaturity, by weight | Diagnosis | ICD-9-CM | 196 | 1 | 0 | 35 |
| 76501 | Extreme immaturity, by weight | Diagnosis | ICD-9-CM | 196 | 1 | 0 | 35 |
| 76502 | Extreme immaturity, by weight | Diagnosis | ICD-9-CM | 196 | 1 | 0 | 35 |
| 76503 | Extreme immaturity, by weight | Diagnosis | ICD-9-CM | 196 | 1 | 0 | 35 |
| 76504 | Extreme immaturity, by weight | Diagnosis | ICD-9-CM | 196 | 1 | 0 | 35 |
| 76505 | Extreme immaturity, by weight | Diagnosis | ICD-9-CM | 196 | 1 | 0 | 35 |
| 76506 | Extreme immaturity, by weight | Diagnosis | ICD-9-CM | 196 | 1 | 0 | 35 |
| 76507 | Extreme immaturity, by weight | Diagnosis | ICD-9-CM | 196 | 1 | 0 | 35 |
| 76508 | Extreme immaturity, by weight | Diagnosis | ICD-9-CM | 196 | 1 | 0 | 35 |
| 76509 | Extreme immaturity, by weight | Diagnosis | ICD-9-CM | 196 | 1 | 0 | 35 |
| 64421 | Early onset of delivery, delivered, with or without mention of antepartum condition | Diagnosis | ICD-9-CM | 245 | 1 | 0 | 36 |
| 76510 | Other preterm infants, by weight | Diagnosis | ICD-9-CM | 245 | 1 | 0 | 36 |
| 76511 | Other preterm infants, by weight | Diagnosis | ICD-9-CM | 245 | 1 | 0 | 36 |
| 76512 | Other preterm infants, by weight | Diagnosis | ICD-9-CM | 245 | 1 | 0 | 36 |
| 76513 | Other preterm infants, by weight | Diagnosis | ICD-9-CM | 245 | 1 | 0 | 36 |
| 76514 | Other preterm infants, by weight | Diagnosis | ICD-9-CM | 245 | 1 | 0 | 36 |

Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Gestational Age

| Code | Description | Code | | | Priority | Priority | Priority ¹ |
|-------|----------------------------------|-----------|-----------|----------|----------|----------|-----------------------|
| | | Category | Code Type | Duration | Group 1 | Group 2 | |
| 76515 | Other preterm infants, by weight | Diagnosis | ICD-9-CM | 245 | 1 | 0 | 36 |
| 76516 | Other preterm infants, by weight | Diagnosis | ICD-9-CM | 245 | 1 | 0 | 36 |
| 76517 | Other preterm infants, by weight | Diagnosis | ICD-9-CM | 245 | 1 | 0 | 36 |
| 76518 | Other preterm infants, by weight | Diagnosis | ICD-9-CM | 245 | 1 | 0 | 36 |
| 76519 | Other preterm infants, by weight | Diagnosis | ICD-9-CM | 245 | 1 | 0 | 36 |
| 76520 | Unspecified weeks of gestation | Diagnosis | ICD-9-CM | 245 | 1 | 0 | 36 |

¹If multiple codes for specific weeks of gestation (Z codes), preterm delivery, and/or postterm delivery are available, the ICD-10 algorithm for gestational age prioritizes the following codes:

(1) **Codes that specify weeks of gestation, including all Z codes ranging from 20 weeks through ≥ 42 weeks of gestation in one week increments, and codes that indicate preterm delivery with weeks of gestation specified in one week increments (other than Z codes).** If multiple codes are observed, codes indicating longer gestational age are prioritized over those indicating shorter gestational age. We assumed the approximate mid-point of the specified gestational age [e.g., assumption of 263 days (37 weeks and 4 days) for 37 weeks gestation].

(2) **Codes that indicate preterm delivery without specifying weeks of gestation.** If multiple codes are observed, codes with more specificity (e.g., preterm delivery, 2nd trimester of pregnancy or ‘extreme immaturity’) are prioritized over those with less specificity (e.g., preterm newborn, unspecified weeks of gestation). Further, codes indicating longer gestational age are prioritized over those indicating shorter gestational age.

(3) **Codes that indicate postterm delivery without specifying weeks of gestation.** If multiple codes are observed, codes indicating longer gestational age are prioritized over those indicating shorter gestational age.

If no codes for preterm or postterm delivery are observed, then the default assumption for gestational age is 273 days. However, this assumption is user specified and can be modified.

Appendix E. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define COVID-19

| Code | Description | Care Setting | Code | |
|-----------------|---|---|-----------|-----------|
| | | | Category | Code Type |
| COVID-19 | | | | |
| U071 | COVID-19 | Any | Diagnosis | ICD-10-CM |
| B342 | Coronavirus infection, unspecified | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| B9721 | SARS-associated coronavirus as the cause of diseases classified elsewhere | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| B9729 | Other coronavirus as the cause of diseases classified elsewhere | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| J1281 | Pneumonia due to SARS-associated coronavirus | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |

Appendix F. List of Logical Observation Identifiers Names and Codes (LOINC) Mapped to Nucleic Acid Amplification Tests (NAAT) for SARS-CoV-2 in the Rapid COVID-19 Sentinel Distributed Database

| LOINC | Description | Test type | Amplification type ¹ |
|-------------------|---|-----------|---------------------------------|
| SARS-CoV-2 | | | |
| 94307-6 | SARS-CoV-2 (COVID-19) N gene [Presence] in Unspecified specimen by Nucleic acid amplification using CDC primer-probe set N1 | NAAT | PCR |
| 94308-4 | SARS-CoV-2 (COVID-19) N gene [Presence] in Unspecified specimen by Nucleic acid amplification using CDC primer-probe set N2 | NAAT | PCR |
| 94309-2 | SARS-CoV-2 (COVID-19) RNA [Presence] in Unspecified specimen by NAA with probe detection | NAAT | PCR |
| 94314-2 | SARS-CoV-2 (COVID-19) RdRp gene [Presence] in Unspecified specimen by NAA with probe detection | NAAT | PCR |
| 94316-7 | SARS-CoV-2 (COVID-19) N gene [Presence] in Unspecified specimen by NAA with probe detection | NAAT | PCR |
| 94500-6 | SARS-CoV-2 (COVID-19) RNA [Presence] in Respiratory specimen by NAA with probe detection | NAAT | PCR |
| 94533-7 | SARS-CoV-2 (COVID-19) N gene [Presence] in Respiratory specimen by NAA with probe detection | NAAT | PCR |
| 94534-5 | SARS-CoV-2 (COVID-19) RdRp gene [Presence] in Respiratory specimen by NAA with probe detection | NAAT | PCR |
| 94559-2 | SARS-CoV-2 (COVID-19) ORF1ab region [Presence] in Respiratory specimen by NAA with probe detection | NAAT | PCR |
| 94565-9 | SARS-CoV-2 (COVID-19) RNA [Presence] in Nasopharynx by NAA with non-probe detection | NAAT | PCR |
| 94639-2 | SARS-CoV-2 (COVID-19) ORF1ab region [Presence] in Unspecified specimen by NAA with probe detection | NAAT | PCR |
| 94640-0 | SARS-CoV-2 (COVID-19) S gene [Presence] in Respiratory specimen by NAA with probe detection | NAAT | PCR |
| 94641-8 | SARS-CoV-2 (COVID-19) S gene [Presence] in Unspecified specimen by NAA with probe detection | NAAT | PCR |
| 94660-8 | SARS-CoV-2 (COVID-19) RNA [Presence] in Serum or Plasma by NAA with probe detection | NAAT | PCR |
| 94756-4 | SARS-CoV-2 (COVID-19) N gene [Presence] in Respiratory specimen by Nucleic acid amplification using CDC primer-probe set N1 | NAAT | PCR |
| 94757-2 | SARS-CoV-2 (COVID-19) N gene [Presence] in Respiratory specimen by Nucleic acid amplification using CDC primer-probe set N2 | NAAT | PCR |
| 94759-8 | SARS-CoV-2 (COVID-19) RNA [Presence] in Nasopharynx by NAA with probe detection | NAAT | PCR |
| 94760-6 | SARS-CoV-2 (COVID-19) N gene [Presence] in Nasopharynx by NAA with probe detection | NAAT | PCR |
| 94766-3 | SARS-CoV-2 (COVID-19) N gene [Presence] in Serum or Plasma by NAA with probe detection | NAAT | PCR |
| 94767-1 | SARS-CoV-2 (COVID-19) S gene [Presence] in Serum or Plasma by NAA with probe detection | NAAT | PCR |
| 94845-5 | SARS-CoV-2 (COVID-19) RNA [Presence] in Saliva (oral fluid) by NAA with probe detection | NAAT | PCR |
| 95406-5 | SARS-CoV-2 (COVID-19) RNA [Presence] in Nose by NAA with probe detection | NAAT | PCR |
| 95409-9 | SARS-CoV-2 (COVID-19) N gene [Presence] in Nose by NAA with probe detection | NAAT | PCR |
| 95425-5 | SARS-CoV-2 (COVID-19) N gene [Presence] in Saliva (oral fluid) by NAA with probe detection | NAAT | PCR |
| 96448-6 | SARS-CoV-2 (COVID-19) N gene [Presence] in Saliva (oral fluid) by Nucleic acid amplification using CDC primer-probe set N1 | NAAT | PCR |
| 95824-9 | SARS-CoV-2 (COVID-19) ORF1ab region [Presence] in Saliva (oral fluid) by NAA with probe detection | NAAT | PCR |
| 96120-1 | SARS-CoV-2 (COVID-19) RdRp gene [Presence] in Lower respiratory specimen by NAA with probe detection | NAAT | PCR |
| 96091-4 | SARS-CoV-2 (COVID-19) RdRp gene [Presence] in Saliva (oral fluid) by NAA with probe detection | NAAT | PCR |
| 96123-5 | SARS-CoV-2 (COVID-19) RdRp gene [Presence] in Upper respiratory specimen by NAA with probe detection | NAAT | PCR |

Appendix F. List of Logical Observation Identifiers Names and Codes (LOINC) Mapped to Nucleic Acid Amplification Tests (NAAT) for SARS-CoV-2 in the Rapid COVID-19 Sentinel Distributed Database

| LOINC | Description | Test type | Amplification type¹ |
|--------------|--|------------------|---------------------------------------|
| 95608-6 | SARS-CoV-2 (COVID-19) RNA [Presence] in Respiratory specimen by NAA with non-probe detection | NAAT | PCR |
| 95423-0 | Influenza virus A and B and SARS-CoV-2 (COVID-19) identified in Respiratory specimen by NAA with probe detection | NAAT | PCR |

¹PCR = Polymerase chain reaction

Appendix G. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), Current Procedural Terminology, Category III (CPT Category III), Current Procedural Terminology, Fourth Edition (CPT-4), and Revenue Codes Used to Define Hierarchical COVID-19 Severity and Oxygenation Endpoints

| Code | Description | Care Setting | Code | |
|---|---|--|-----------|-----------|
| | | | Category | Code Type |
| Hierarchical severity level 4: Acute respiratory distress syndrome, intubation, or invasive mechanical ventilation | | | | |
| J96 | Respiratory failure, not elsewhere classified | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| J960 | Acute respiratory failure | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| J9600 | Acute respiratory failure, unspecified whether with hypoxia or hypercapnia | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| J9601 | Acute respiratory failure with hypoxia | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| J9602 | Acute respiratory failure with hypercapnia | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| J962 | Acute and chronic respiratory failure | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| J9620 | Acute and chronic respiratory failure unspecified with hypoxia/hypercapnia | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| J9621 | Acute and chronic respiratory failure with hypoxia | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| J9622 | Acute and chronic respiratory failure with hypercapnia | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| J969 | Respiratory failure, unspecified | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| J9690 | Respiratory failure, unspecified, unspecified whether with hypoxia or hypercapnia | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| J9691 | Respiratory failure, unspecified with hypoxia | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| J9692 | Respiratory failure, unspecified with hypercapnia | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| J80 | Acute respiratory distress syndrome | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| 31500 | Intubation, endotracheal, emergency procedure | Inpatient or Institutional Stay, any diagnostic position | Procedure | CPT-4 |
| 31600 | Tracheostomy, planned procedure | Inpatient or Institutional Stay, any diagnostic position | Procedure | CPT-4 |

Appendix G. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), Current Procedural Terminology, Category III (CPT Category III), Current Procedural Terminology, Fourth Edition (CPT-4), and Revenue Codes Used to Define Hierarchical COVID-19 Severity and Oxygenation Endpoints

| Code | Description | Care Setting | Code | |
|-------|---|--|-----------|-----------|
| | | | Category | Code Type |
| 31603 | Tracheostomy, emergency procedure, transtracheal | Inpatient or Institutional Stay, any diagnostic position | Procedure | CPT-4 |
| 31605 | Tracheostomy, emergency procedure, cricothyroid membrane | Inpatient or Institutional Stay, any diagnostic position | Procedure | CPT-4 |
| 31730 | Transtracheal (percutaneous) introduction of needle wire dilator/stent or indwelling tube for oxygen therapy | Inpatient or Institutional Stay, any diagnostic position | Procedure | CPT-4 |
| 33946 | Extracorporeal membrane oxygenation (ecmo)/ extracorporeal life support (ecls) provided by physician; initiation, veno-venous | Inpatient or Institutional Stay, any diagnostic position | Procedure | CPT-4 |
| 33947 | Extracorporeal membrane oxygenation (ecmo)/ extracorporeal life support (ecls) provided by physician; initiation, veno-arterial | Inpatient or Institutional Stay, any diagnostic position | Procedure | CPT-4 |
| 33948 | Extracorporeal membrane oxygenation (ecmo)/ extracorporeal life support (ecls) provided by physician; daily management, each day, veno-venous | Inpatient or Institutional Stay, any diagnostic position | Procedure | CPT-4 |
| 33949 | Extracorporeal membrane oxygenation (ecmo)/ extracorporeal life support (ecls) provided by physician; daily management, each day, veno-arterial | Inpatient or Institutional Stay, any diagnostic position | Procedure | CPT-4 |
| 33951 | Extracorporeal membrane oxygenation (ECMO)/extracorporeal life support (ECLS) provided by physician; insertion of peripheral (arterial and/or venous) cannula(e), percutaneous, birth through 5 years of age (includes fluoroscopic guidance, when performed) | Inpatient or Institutional Stay, any diagnostic position | Procedure | CPT-4 |
| 33952 | Extracorporeal membrane oxygenation (ecmo)/ extracorporeal life support (ecls) provided by physician; insertion of peripheral (arterial and/or venous) cannula(e), percutaneous, 6 years and older (include fluoroscopic guidance, when performed) | Inpatient or Institutional Stay, any diagnostic position | Procedure | CPT-4 |
| 33954 | Extracorporeal membrane oxygenation (ecmo)/ extracorporeal life support (ecls) provided by physician; insertion of peripheral (arterial and/or venous) cannula(e), open, 6 years and older | Inpatient or Institutional Stay, any diagnostic position | Procedure | CPT-4 |
| 33956 | Extracorporeal membrane oxygenation (ecmo)/ extracorporeal life support (ecls) provided by physician; insertion of central cannula(e) by sternotomy or thoracotomy, 6 years and older | Inpatient or Institutional Stay, any diagnostic position | Procedure | CPT-4 |
| 33958 | Extracorporeal membrane oxygenation (ECMO)/extracorporeal life support (ECLS) provided by physician; reposition peripheral (arterial and/or venous) cannula(e), percutaneous, 6 years and older (includes fluoroscopic guidance, when performed) | Inpatient or Institutional Stay, any diagnostic position | Procedure | CPT-4 |
| 33962 | Extracorporeal membrane oxygenation (ECMO)/extracorporeal life support (ECLS) provided by physician; reposition peripheral (arterial and/or venous) cannula(e), open, 6 years and older (includes fluoroscopic guidance, when performed) | Inpatient or Institutional Stay, any diagnostic position | Procedure | CPT-4 |
| 33964 | Extracorporeal membrane oxygenation (ECMO)/extracorporeal life support (ECLS) provided by physician; reposition central cannula(e) by sternotomy or thoracotomy, 6 years and older (includes fluoroscopic guidance, when performed) | Inpatient or Institutional Stay, any diagnostic position | Procedure | CPT-4 |

Appendix G. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), Current Procedural Terminology, Category III (CPT Category III), Current Procedural Terminology, Fourth Edition (CPT-4), and Revenue Codes Used to Define Hierarchical COVID-19 Severity and Oxygenation Endpoints

| Code | Description | Care Setting | Code | |
|---------|--|--|-----------|------------|
| | | | Category | Code Type |
| 33966 | Extracorporeal membrane oxygenation (ECMO)/extracorporeal life support (ECLS) provided by physician; removal of peripheral (arterial and/or venous) cannula(e), percutaneous, 6 years and older | Inpatient or Institutional Stay, any diagnostic position | Procedure | CPT-4 |
| 33984 | Extracorporeal membrane oxygenation (ECMO)/extracorporeal life support (ECLS) provided by physician; removal of peripheral (arterial and/or venous) cannula(e), open, 6 years and older | Inpatient or Institutional Stay, any diagnostic position | Procedure | CPT-4 |
| 33986 | Extracorporeal membrane oxygenation (ECMO)/extracorporeal life support (ECLS) provided by physician; reposition peripheral (arterial and/or venous) cannula(e), percutaneous, 6 years and older (includes fluoroscopic guidance, when performed) | Inpatient or Institutional Stay, any diagnostic position | Procedure | CPT-4 |
| 33987 | Arterial exposure with creation of graft conduit (eg, chimney graft) to facilitate arterial perfusion for ECMO/ECLS (List separately in addition to code for primary procedure) | Inpatient or Institutional Stay, any diagnostic position | Procedure | CPT-4 |
| 33988 | Insertion of left heart vent by thoracic incision (eg, sternotomy, thoracotomy) for ECMO/ECLS | Inpatient or Institutional Stay, any diagnostic position | Procedure | CPT-4 |
| 33989 | Removal of left heart vent by thoracic incision (eg, sternotomy, thoracotomy) for ECMO/ECLS | Inpatient or Institutional Stay, any diagnostic position | Procedure | CPT-4 |
| 99504 | Home visit for respirator care | Inpatient or Institutional Stay, any diagnostic position | Procedure | CPT-4 |
| 09HN7BZ | Insertion of Airway into Nasopharynx, Via Natural or Artificial Opening | Inpatient or Institutional Stay, any diagnostic position | Procedure | ICD-10-PCS |
| 09HN8BZ | Insertion of Airway into Nasopharynx, Via Natural or Artificial Opening Endoscopic | Inpatient or Institutional Stay, any diagnostic position | Procedure | ICD-10-PCS |
| 0B113F4 | Insertion Of Endotracheal Airway Into Trachea, Percutaneous Approach | Inpatient or Institutional Stay, any diagnostic position | Procedure | ICD-10-PCS |
| 0B113Z4 | Bypass Trachea To Cutaneous, Percutaneous Approach | Inpatient or Institutional Stay, any diagnostic position | Procedure | ICD-10-PCS |
| 0B114F4 | Insertion Of Endotracheal Airway Into Trachea, Percutaneous Approach | Inpatient or Institutional Stay, any diagnostic position | Procedure | ICD-10-PCS |
| 0B114Z4 | Bypass Trachea To Cutaneous, Percutaneous Endoscopic Approach | Inpatient or Institutional Stay, any diagnostic position | Procedure | ICD-10-PCS |
| 0B21XEZ | Change Endotracheal Airway In Trachea, External Approach | Inpatient or Institutional Stay, any diagnostic position | Procedure | ICD-10-PCS |
| 0B21XFZ | Change Endotracheal Airway In Trachea, External Approach | Inpatient or Institutional Stay, any diagnostic position | Procedure | ICD-10-PCS |

Appendix G. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), Current Procedural Terminology, Category III (CPT Category III), Current Procedural Terminology, Fourth Edition (CPT-4), and Revenue Codes Used to Define Hierarchical COVID-19 Severity and Oxygenation Endpoints

| Code | Description | Care Setting | Code | |
|---------|---|--|-----------|-----------------|
| | | | Category | Code Type |
| 0BH13EZ | Insertion of Endotracheal Airway into Trachea, Percutaneous Approach | Inpatient or Institutional Stay, any diagnostic position | Procedure | ICD-10-PCS |
| 0BH17EZ | Insertion of Endotracheal Airway into Trachea, Via Natural or Artificial Opening | Inpatient or Institutional Stay, any diagnostic position | Procedure | ICD-10-PCS |
| 0BH18EZ | Insertion of Endotracheal Airway into Trachea, Via Natural or Artificial Opening Endoscopic | Inpatient or Institutional Stay, any diagnostic position | Procedure | ICD-10-PCS |
| 0CHY7BZ | Insertion of Airway into Mouth and Throat, Via Natural or Artificial Opening | Inpatient or Institutional Stay, any diagnostic position | Procedure | ICD-10-PCS |
| 0CHY8BZ | Insertion of Airway into Mouth and Throat, Via Natural or Artificial Opening Endoscopic | Inpatient or Institutional Stay, any diagnostic position | Procedure | ICD-10-PCS |
| 0DH57BZ | Insertion of Airway into Esophagus, Via Natural or Artificial Opening | Inpatient or Institutional Stay, any diagnostic position | Procedure | ICD-10-PCS |
| 0DH58BZ | Insertion of Airway into Esophagus, Via Natural or Artificial Opening Endoscopic | Inpatient or Institutional Stay, any diagnostic position | Procedure | ICD-10-PCS |
| 4168F | Patient receiving care in the intensive care unit (ICU) and receiving mechanical ventilation, 24 hours or less (CRIT) | Inpatient or Institutional Stay, any diagnostic position | Procedure | CPT Category II |
| 5A15223 | Extracorporeal Membrane Oxygenation, Continuous | Inpatient or Institutional Stay, any diagnostic position | Procedure | CPT-4 |
| 5A1522F | Extracorporeal Oxygenation, Membrane, Central | Inpatient or Institutional Stay, any diagnostic position | Procedure | ICD-10-PCS |
| 5A1522G | Extracorporeal Oxygenation, Membrane, Peripheral Venous-arterial | Inpatient or Institutional Stay, any diagnostic position | Procedure | ICD-10-PCS |
| 5A1522H | Extracorporeal Oxygenation, Membrane, Peripheral Venous-venous | Inpatient or Institutional Stay, any diagnostic position | Procedure | ICD-10-PCS |
| 5A19054 | Respiratory Ventilation, Single, Nonmechanical | Inpatient or Institutional Stay, any diagnostic position | Procedure | ICD-10-PCS |
| 5A1935Z | Respiratory Ventilation, Less than 24 Consecutive Hours | Inpatient or Institutional Stay, any diagnostic position | Procedure | ICD-10-PCS |
| 5A1945Z | Respiratory Ventilation, 24-96 Consecutive Hours | Inpatient or Institutional Stay, any diagnostic position | Procedure | ICD-10-PCS |
| 5A1955Z | Respiratory Ventilation, Greater than 96 Consecutive Hours | Inpatient or Institutional Stay, any diagnostic position | Procedure | ICD-10-PCS |

Appendix G. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), Current Procedural Terminology, Category III (CPT Category III), Current Procedural Terminology, Fourth Edition (CPT-4), and Revenue Codes Used to Define Hierarchical COVID-19 Severity and Oxygenation Endpoints

| Code | Description | Care Setting | Code Category | Code Type |
|---|--|--|----------------------|------------------|
| 94002 | Ventilation assist and management, initiation of pressure or volume preset ventilators for assisted or controlled breathing; hospital inpatient/observation. initial day | Inpatient or Institutional Stay, any diagnostic position | Procedure | CPT-4 |
| 94003 | Ventilation assist and management, initiation of pressure or volume preset ventilators for assisted or controlled breathing; hospital inpatient/observation. each subsequent day | Inpatient or Institutional Stay, any diagnostic position | Procedure | CPT-4 |
| 94004 | Ventilation assist and management, initiation of pressure or volume preset ventilators for assisted or controlled breathing; nursing facility. per day | Inpatient or Institutional Stay, any diagnostic position | Procedure | CPT-4 |
| A4483 | Moisture exchanger, disposable, for use with invasive mechanical ventilation | Inpatient or Institutional Stay, any diagnostic position | Procedure | HCPCS |
| A4623 | Tracheostomy, inner cannula | Inpatient or Institutional Stay, any diagnostic position | Procedure | HCPCS |
| E0465 | Home ventilator, any type, used with invasive interface, (e.g., tracheostomy tube) | Inpatient or Institutional Stay, any diagnostic position | Procedure | HCPCS |
| J1325 | Injection, epoprostenol, 0.5 mg | Inpatient or Institutional Stay, any diagnostic position | Procedure | HCPCS |
| Z9911 | Dependence on respirator [ventilator] status | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| Hierarchical severity level 3: ICU admission | | | | |
| 200 | ICU general | Inpatient or Institutional Stay, any diagnostic position | Procedure | Revenue |
| 201 | ICU surgical | Inpatient or Institutional Stay, any diagnostic position | Procedure | Revenue |
| 202 | ICU medical | Inpatient or Institutional Stay, any diagnostic position | Procedure | Revenue |
| 203 | ICU pediatric | Inpatient or Institutional Stay, any diagnostic position | Procedure | Revenue |
| 204 | ICU psychiatric stay | Inpatient or Institutional Stay, any diagnostic position | Procedure | Revenue |
| 206 | ICU intermediate | Inpatient or Institutional Stay, any diagnostic position | Procedure | Revenue |
| 207 | ICU burn care | Inpatient or Institutional Stay, any diagnostic position | Procedure | Revenue |

Appendix G. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), Current Procedural Terminology, Category III (CPT Category III), Current Procedural Terminology, Fourth Edition (CPT-4), and Revenue Codes Used to Define Hierarchical COVID-19 Severity and Oxygenation Endpoints

| Code | Description | Care Setting | Code | |
|-------|---|--|-----------|------------------|
| | | | Category | Code Type |
| 208 | ICU trauma | Inpatient or Institutional Stay, any diagnostic position | Procedure | Revenue |
| 209 | ICU other | Inpatient or Institutional Stay, any diagnostic position | Procedure | Revenue |
| 210 | CCU | Inpatient or Institutional Stay, any diagnostic position | Procedure | Revenue |
| 211 | CCU myo infarc | Inpatient or Institutional Stay, any diagnostic position | Procedure | Revenue |
| 212 | CCU pulmonary | Inpatient or Institutional Stay, any diagnostic position | Procedure | Revenue |
| 213 | CCU transplant | Inpatient or Institutional Stay, any diagnostic position | Procedure | Revenue |
| 214 | CCU intermediate | Inpatient or Institutional Stay, any diagnostic position | Procedure | Revenue |
| 219 | CCU other | Inpatient or Institutional Stay, any diagnostic position | Procedure | Revenue |
| G0390 | Trauma response team associated with hospital critical care service | Inpatient or Institutional Stay, any diagnostic position | Procedure | HCPCS |
| G0509 | Telehealth consultation, critical care, subsequent, physicians typically spend 50 minutes communicating with the patient and providers via telehealth | Inpatient or Institutional Stay, any diagnostic position | Procedure | HCPCS |
| G0508 | Telehealth consultation, critical care, initial, physicians typically spend 60 minutes communicating with the patient and providers via telehealth | Inpatient or Institutional Stay, any diagnostic position | Procedure | HCPCS |
| 0188T | Remote real-time interactive video-conferenced critical care, evaluation and management of the critically ill or critically injured patient; first 30-74 minutes | Inpatient or Institutional Stay, any diagnostic position | Procedure | CPT Category III |
| 0189T | Remote real-time interactive video-conferenced critical care, evaluation and management of the critically ill or critically injured patient; each additional 30 minutes (List separately in addition to code for primary service) | Inpatient or Institutional Stay, any diagnostic position | Procedure | CPT Category III |
| 0581F | Patient transferred directly from anesthetizing location to critical care unit (Peri2) | Inpatient or Institutional Stay, any diagnostic position | Procedure | CPT Category II |
| 0582F | Patient not transferred directly from anesthetizing location to critical care unit (Peri2) | Inpatient or Institutional Stay, any diagnostic position | Procedure | CPT Category II |

Appendix G. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), Current Procedural Terminology, Category III (CPT Category III), Current Procedural Terminology, Fourth Edition (CPT-4), and Revenue Codes Used to Define Hierarchical COVID-19 Severity and Oxygenation Endpoints

| Code | Description | Care Setting | Code | |
|----------------------------|--|--|-----------|------------|
| | | | Category | Code Type |
| 99171 | Critical Care, Subsequent Follow-up Visit; Brief Examination, Evaluation And/or Treatment For Same Illness | Inpatient or Institutional Stay, any diagnostic position | Procedure | CPT-4 |
| 99160 | Critical Care, Initial, Including The Diagnostic And Therapeutic Services And Direction Of Care Of The Critically Ill Or Multiply Injured Or Comatose Patient, Requiring The Prolonged Presence Of The Physician; First Hour | Inpatient or Institutional Stay, any diagnostic position | Procedure | CPT-4 |
| 99162 | Critical Care, Initial, Including The Diagnostic And Therapeutic Services And Direction Of Care Of The Critically Ill Or Multiply Injured Or Comatose Patient, Requiring The Prolonged Presence Of The Physician; Each Additional 30 Minutes | Inpatient or Institutional Stay, any diagnostic position | Procedure | CPT-4 |
| 99291 | Critical care, evaluation and management of the critically ill or critically injured patient; first 30-74 minutes | Inpatient or Institutional Stay, any diagnostic position | Procedure | CPT-4 |
| 99292 | Critical care, evaluation and management of the critically ill or critically injured patient; each additional 30 minutes (List separately in addition to code for primary service) | Inpatient or Institutional Stay, any diagnostic position | Procedure | CPT-4 |
| G0240 | Critical care service delivered by a physician, face to face; during interfacility transport of a critically ill or critically injured patient; first 30-74 minutes of active transport | Inpatient or Institutional Stay, any diagnostic position | Procedure | HCPCS |
| Supplemental oxygen | | | | |
| 0277 | Medical/surgical supplies-oxygen-take home | Any | Procedure | Revenue |
| 0412 | Respiratory Services-Inhalation Services | Any | Procedure | Revenue |
| 0600 | Oxygen/Home Health-General Classification | Any | Procedure | Revenue |
| 0601 | Oxygen/Home Health-Stat Or Port Equip/Supply Or Count | Any | Procedure | Revenue |
| 0602 | Oxygen/Home Health-Stat/Equip/Under 1 Lpm | Any | Procedure | Revenue |
| 0603 | Oxygen/Home Health-Stat/Equip/Over 4 Lpm | Any | Procedure | Revenue |
| 0604 | Oxygen/Home Health-Stat/Equip/Portable Add-On | Any | Procedure | Revenue |
| 3E097GC | Introduction Of Other Therapeutic Substance Into Nose, Via Natural Or Artificial Opening | Any | Procedure | ICD-10-PCS |
| 99503 | Home visit for respiratory therapy care | Any | Procedure | CPT-4 |
| A4608 | Transtracheal oxygen catheter, each | Any | Procedure | HCPCS |
| A4615 | Cannula, nasal | Any | Procedure | HCPCS |
| A4616 | Tubing (oxygen), per foot | Any | Procedure | HCPCS |
| A4619 | Face tent | Any | Procedure | HCPCS |
| A4620 | Variable concentration mask | Any | Procedure | HCPCS |

Appendix G. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), Current Procedural Terminology, Category III (CPT Category III), Current Procedural Terminology, Fourth Edition (CPT-4), and Revenue Codes Used to Define Hierarchical COVID-19 Severity and Oxygenation Endpoints

| Code | Description | Care Setting | Code | |
|-------|--|--------------|-----------|-----------|
| | | | Category | Code Type |
| E0424 | Stationary compressed gaseous oxygen system, rental; includes container, contents, regulator, flowmeter, humidifier, nebulizer, cannula or mask, and tubing | Any | Procedure | HCPCS |
| E0425 | Stationary compressed gas system, purchase; includes regulator, flowmeter, humidifier, nebulizer, cannula or mask, and tubing | Any | Procedure | HCPCS |
| E0430 | Portable gaseous oxygen system, purchase; includes regulator, flowmeter, humidifier, cannula or mask, and tubing | Any | Procedure | HCPCS |
| E0431 | Portable gaseous oxygen system, rental; includes portable container, regulator, flowmeter, humidifier, cannula or mask, and tubing | Any | Procedure | HCPCS |
| E0433 | Portable liquid oxygen system, rental; home liquefier used to fill portable liquid oxygen containers, includes portable containers, regulator, flowmeter, humidifier, cannula or mask and tubing, with o | Any | Procedure | HCPCS |
| E0434 | Portable liquid oxygen system, rental; includes portable container, supply reservoir, humidifier, flowmeter, refill adaptor, contents gauge, cannula or mask, and tubing | Any | Procedure | HCPCS |
| E0435 | Portable liquid oxygen system, purchase; includes portable container, supply reservoir, flowmeter, humidifier, contents gauge, cannula or mask, tubing and refill adaptor | Any | Procedure | HCPCS |
| E0439 | Stationary liquid oxygen system, rental; includes container, contents, regulator, flowmeter, humidifier, nebulizer, cannula or mask, & tubing | Any | Procedure | HCPCS |
| E0440 | Stationary liquid oxygen system, purchase; includes use of reservoir, contents indicator, regulator, flowmeter, humidifier, nebulizer, cannula or mask, and tubing | Any | Procedure | HCPCS |
| E0441 | Stationary oxygen contents, gaseous, 1 month's supply = 1 unit | Any | Procedure | HCPCS |
| E0442 | Stationary oxygen contents, liquid, 1 month's supply = 1 unit | Any | Procedure | HCPCS |
| E0443 | Portable oxygen contents, gaseous, 1 month's supply = 1 unit | Any | Procedure | HCPCS |
| E0444 | Portable oxygen contents, liquid, 1 month's supply = 1 unit | Any | Procedure | HCPCS |
| E0447 | Portable oxygen contents, one month supply | Any | Procedure | HCPCS |
| E0455 | Oxygen tent, excluding croup or pediatric tents | Any | Procedure | HCPCS |
| E0550 | Humidifier, durable for extensive supplemental humidification during ippb treatments or oxygen delivery | Any | Procedure | HCPCS |
| E0555 | Humidifier, durable, glass or autoclavable plastic bottle type, for use with regulator or flowmeter | Any | Procedure | HCPCS |
| E0560 | Humidifier, durable for supplemental humidification during ippb treatment or oxygen delivery | Any | Procedure | HCPCS |
| E1352 | Oxygen accessory, flow regulator capable of positive inspiratory pressure | Any | Procedure | HCPCS |

Appendix G. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), Current Procedural Terminology, Category III (CPT Category III), Current Procedural Terminology, Fourth Edition (CPT-4), and Revenue Codes Used to Define Hierarchical COVID-19 Severity and Oxygenation Endpoints

| Code | Description | Care Setting | Code | |
|-------|---|--------------|-----------|-----------|
| | | | Category | Code Type |
| E1353 | Regulator | Any | Procedure | HCPCS |
| E1354 | Oxygen accessory, wheeled cart for portable cylinder or portable concentrator, any type, replacement only, each | Any | Procedure | HCPCS |
| E1355 | Stand/rack | Any | Procedure | HCPCS |
| E1356 | Oxygen accessory, battery pack/cartridge for portable concentrator, any type, replacement only, each | Any | Procedure | HCPCS |
| E1357 | Oxygen accessory, battery charger for portable concentrator, any type, replacement only, each | Any | Procedure | HCPCS |
| E1358 | Oxygen accessory, dc power adapter for portable concentrator, any type, replacement only, each | Any | Procedure | HCPCS |
| E1390 | Oxygen concentrator, single delivery port, capable of delivering 85 percent or greater oxygen concentration at the prescribed flow rate | Any | Procedure | HCPCS |
| E1391 | Oxygen concentrator, dual delivery port, capable of delivering 85 percent or greater oxygen concentration at the prescribed flow rate, each | Any | Procedure | HCPCS |
| E1392 | Portable oxygen concentrator, rental | Any | Procedure | HCPCS |
| E1405 | Oxygen and water vapor enriching system with heated delivery | Any | Procedure | HCPCS |
| E1406 | Oxygen and water vapor enriching system without heated delivery | Any | Procedure | HCPCS |
| K0738 | Portable gaseous oxygen system, rental; home compressor used to fill portable oxygen cylinders; includes portable containers, regulator, flowmeter, humidifier, cannula or mask, and tubing | Any | Procedure | HCPCS |
| K0740 | Repair or nonroutine service for oxygen equipment requiring the skill of a technician, labor component, per 15 minutes | Any | Procedure | HCPCS |
| Z9981 | Dependence on supplemental oxygen | Any | Diagnosis | ICD-10-CM |
| S8120 | Oxygen contents, gaseous, 1 unit equals 1 cubic foot | Any | Procedure | HCPCS |
| S8121 | Oxygen contents, liquid, 1 unit equals 1 pound | Any | Procedure | HCPCS |

High-flow oxygen or non-invasive mechanical ventilation

| | | | | |
|---------|--|--|-----------|------------|
| 5A09357 | Assistance with Respiratory Ventilation, Less than 24 Consecutive Hours, Continuous Positive Airway Pressure | Inpatient or Institutional Stay, any diagnostic position | Procedure | ICD-10-PCS |
| 5A09358 | Assistance with Respiratory Ventilation, Less than 24 Consecutive Hours, Intermittent Positive Airway Pressure | Inpatient or Institutional Stay, any diagnostic position | Procedure | ICD-10-PCS |

Appendix G. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), Current Procedural Terminology, Category III (CPT Category III), Current Procedural Terminology, Fourth Edition (CPT-4), and Revenue Codes Used to Define Hierarchical COVID-19 Severity and Oxygenation Endpoints

| Code | Description | Care Setting | Code | |
|---------|---|--|-----------|------------|
| | | | Category | Code Type |
| 5A0935A | Assistance with Respiratory Ventilation, Less than 24 Consecutive Hours, High Nasal Flow/Velocity | Inpatient or Institutional Stay, any diagnostic position | Procedure | ICD-10-PCS |
| 5A0935Z | Assistance with Respiratory Ventilation, Less than 24 Consecutive Hours | Inpatient or Institutional Stay, any diagnostic position | Procedure | ICD-10-PCS |
| 5A09457 | Assistance with Respiratory Ventilation, 24-96 Consecutive Hours, Continuous Positive Airway Pressure | Inpatient or Institutional Stay, any diagnostic position | Procedure | ICD-10-PCS |
| 5A09458 | Assistance with Respiratory Ventilation, 24-96 Consecutive Hours, Intermittent Positive Airway Pressure | Inpatient or Institutional Stay, any diagnostic position | Procedure | ICD-10-PCS |
| 5A0945A | Assistance with Respiratory Ventilation, 24-96 Consecutive Hours, High Nasal Flow/Velocity | Inpatient or Institutional Stay, any diagnostic position | Procedure | ICD-10-PCS |
| 5A0945Z | Assistance with Respiratory Ventilation, 24-96 Consecutive Hours | Inpatient or Institutional Stay, any diagnostic position | Procedure | ICD-10-PCS |
| 5A09557 | Assistance with Respiratory Ventilation, Greater than 96 Consecutive Hours, Continuous Positive Airway Pressure | Inpatient or Institutional Stay, any diagnostic position | Procedure | ICD-10-PCS |
| 5A09558 | Assistance with Respiratory Ventilation, Greater than 96 Consecutive Hours, Intermittent Positive Airway Pressure | Inpatient or Institutional Stay, any diagnostic position | Procedure | ICD-10-PCS |
| 5A0955A | Assistance with Respiratory Ventilation, Greater than 96 Consecutive Hours, High Nasal Flow/Velocity | Inpatient or Institutional Stay, any diagnostic position | Procedure | ICD-10-PCS |
| 5A0955Z | Assistance with Respiratory Ventilation, Greater than 96 Consecutive Hours | Inpatient or Institutional Stay, any diagnostic position | Procedure | ICD-10-PCS |
| 94660 | Continuous positive airway pressure ventilation (CPAP), initiation and management | Inpatient or Institutional Stay, any diagnostic position | Procedure | CPT-4 |
| A7027 | Combination oral/nasal mask, used with continuous positive airway pressure device, each | Inpatient or Institutional Stay, any diagnostic position | Procedure | HCPCS |
| A7045 | Exhalation port with or without swivel used with accessories for positive airway devices, replacement only | Inpatient or Institutional Stay, any diagnostic position | Procedure | HCPCS |
| A7046 | Water chamber for humidifier, used with positive airway pressure device, replacement, each | Inpatient or Institutional Stay, any diagnostic position | Procedure | HCPCS |
| E0466 | Home ventilator, any type, used with noninvasive interface, (e.g., mask, chest shell) | Inpatient or Institutional Stay, any diagnostic position | Procedure | HCPCS |

Appendix G. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), Current Procedural Terminology, Category III (CPT Category III), Current Procedural Terminology, Fourth Edition (CPT-4), and Revenue Codes Used to Define Hierarchical COVID-19 Severity and Oxygenation Endpoints

| Code | Description | Care Setting | Code | |
|---|---|--|-----------|-----------|
| | | | Category | Code Type |
| E0467 | Home ventilator, multi-function respiratory device, also performs any or all of the additional functions of oxygen concentration, drug nebulization, aspiration, and cough stimulation, includes all accessories, components and supplies for all functions | Inpatient or Institutional Stay, any diagnostic position | Procedure | HCPCS |
| E0470 | Respiratory assist device, bi-level pressure capability, without backup rate feature, used with noninvasive interface, e.g., nasal or facial mask (intermittent assist device with continuous positive airway pressure device) | Inpatient or Institutional Stay, any diagnostic position | Procedure | HCPCS |
| E0471 | Respiratory assist device, bi-level pressure capability, with back-up rate feature, used with noninvasive interface, e.g., nasal or facial mask (intermittent assist device with continuous positive airway pressure device) | Inpatient or Institutional Stay, any diagnostic position | Procedure | HCPCS |
| E0472 | Respiratory assist device, bi-level pressure capability, with backup rate feature, used with invasive interface, e.g., tracheostomy tube (intermittent assist device with continuous positive airway pressure device) | Inpatient or Institutional Stay, any diagnostic position | Procedure | HCPCS |
| Invasive mechanical ventilation or extracorporeal membrane oxygenation | | | | |
| 31500 | Intubation, endotracheal, emergency procedure | Inpatient or Institutional Stay, any diagnostic position | Procedure | CPT-4 |
| 31600 | Tracheostomy, planned procedure | Inpatient or Institutional Stay, any diagnostic position | Procedure | CPT-4 |
| 31603 | Tracheostomy, emergency procedure, transtracheal | Inpatient or Institutional Stay, any diagnostic position | Procedure | CPT-4 |
| 31605 | Tracheostomy, emergency procedure, cricothyroid membrane | Inpatient or Institutional Stay, any diagnostic position | Procedure | CPT-4 |
| 31730 | Transtracheal (percutaneous) introduction of needle wire dilator/stent or indwelling tube for oxygen therapy | Inpatient or Institutional Stay, any diagnostic position | Procedure | CPT-4 |
| 33946 | Extracorporeal membrane oxygenation (ecmo)/ extracorporeal life support (ecls) provided by physician; initiation, veno-venous | Inpatient or Institutional Stay, any diagnostic position | Procedure | CPT-4 |
| 33947 | Extracorporeal membrane oxygenation (ecmo)/ extracorporeal life support (ecls) provided by physician; initiation, veno-arterial | Inpatient or Institutional Stay, any diagnostic position | Procedure | CPT-4 |

Appendix G. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), Current Procedural Terminology, Category III (CPT Category III), Current Procedural Terminology, Fourth Edition (CPT-4), and Revenue Codes Used to Define Hierarchical COVID-19 Severity and Oxygenation Endpoints

| Code | Description | Care Setting | Code | |
|-------|---|--|-----------|-----------|
| | | | Category | Code Type |
| 33948 | Extracorporeal membrane oxygenation (ecmo)/ extracorporeal life support (ecls) provided by physician; daily management, each day, veno-venous | Inpatient or Institutional Stay, any diagnostic position | Procedure | CPT-4 |
| 33949 | Extracorporeal membrane oxygenation (ecmo)/ extracorporeal life support (ecls) provided by physician; daily management, each day, veno-arterial | Inpatient or Institutional Stay, any diagnostic position | Procedure | CPT-4 |
| 33951 | Extracorporeal membrane oxygenation (ECMO)/extracorporeal life support (ECLS) provided by physician; insertion of peripheral (arterial and/or venous) cannula(e), percutaneous, birth through 5 years of age (includes fluoroscopic guidance, when performed) | Inpatient or Institutional Stay, any diagnostic position | Procedure | CPT-4 |
| 33952 | Extracorporeal membrane oxygenation (ecmo)/ extracorporeal life support (ecls) provided by physician; insertion of peripheral (arterial and/or venous) cannula(e), percutaneous, 6 years and older (include fluoroscopic guidance, when performed) | Inpatient or Institutional Stay, any diagnostic position | Procedure | CPT-4 |
| 33954 | Extracorporeal membrane oxygenation (ecmo)/ extracorporeal life support (ecls) provided by physician; insertion of peripheral (arterial and/or venous) cannula(e), open, 6 years and older | Inpatient or Institutional Stay, any diagnostic position | Procedure | CPT-4 |
| 33956 | Extracorporeal membrane oxygenation (ecmo)/ extracorporeal life support (ecls) provided by physician; insertion of central cannula(e) by sternotomy or thoracotomy, 6 years and older | Inpatient or Institutional Stay, any diagnostic position | Procedure | CPT-4 |
| 33958 | Extracorporeal membrane oxygenation (ECMO)/extracorporeal life support (ECLS) provided by physician; reposition peripheral (arterial and/or venous) cannula(e), percutaneous, 6 years and older (includes fluoroscopic guidance, when performed) | Inpatient or Institutional Stay, any diagnostic position | Procedure | CPT-4 |
| 33962 | Extracorporeal membrane oxygenation (ECMO)/extracorporeal life support (ECLS) provided by physician; reposition peripheral (arterial and/or venous) cannula(e), open, 6 years and older (includes fluoroscopic guidance, when performed) | Inpatient or Institutional Stay, any diagnostic position | Procedure | CPT-4 |
| 33964 | Extracorporeal membrane oxygenation (ECMO)/extracorporeal life support (ECLS) provided by physician; reposition central cannula(e) by sternotomy or thoracotomy, 6 years and older (includes fluoroscopic guidance, when performed) | Inpatient or Institutional Stay, any diagnostic position | Procedure | CPT-4 |
| 33966 | Extracorporeal membrane oxygenation (ECMO)/extracorporeal life support (ECLS) provided by physician; removal of peripheral (arterial and/or venous) cannula(e), percutaneous, 6 years and older | Inpatient or Institutional Stay, any diagnostic position | Procedure | CPT-4 |
| 33984 | Extracorporeal membrane oxygenation (ECMO)/extracorporeal life support (ECLS) provided by physician; removal of peripheral (arterial and/or venous) cannula(e), open, 6 years and older | Inpatient or Institutional Stay, any diagnostic position | Procedure | CPT-4 |

Appendix G. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), Current Procedural Terminology, Category III (CPT Category III), Current Procedural Terminology, Fourth Edition (CPT-4), and Revenue Codes Used to Define Hierarchical COVID-19 Severity and Oxygenation Endpoints

| Code | Description | Care Setting | Code | |
|---------|--|--|-----------|------------|
| | | | Category | Code Type |
| 33986 | Extracorporeal membrane oxygenation (ECMO)/extracorporeal life support (ECLS) provided by physician; reposition peripheral (arterial and/or venous) cannula(e), percutaneous, 6 years and older (includes fluoroscopic guidance, when performed) | Inpatient or Institutional Stay, any diagnostic position | Procedure | CPT-4 |
| 33987 | Arterial exposure with creation of graft conduit (eg, chimney graft) to facilitate arterial perfusion for ECMO/ECLS (List separately in addition to code for primary procedure) | Inpatient or Institutional Stay, any diagnostic position | Procedure | CPT-4 |
| 33988 | Insertion of left heart vent by thoracic incision (eg, sternotomy, thoracotomy) for ECMO/ECLS | Inpatient or Institutional Stay, any diagnostic position | Procedure | CPT-4 |
| 33989 | Removal of left heart vent by thoracic incision (eg, sternotomy, thoracotomy) for ECMO/ECLS | Inpatient or Institutional Stay, any diagnostic position | Procedure | CPT-4 |
| 99504 | Home visit for respirator care | Inpatient or Institutional Stay, any diagnostic position | Procedure | CPT-4 |
| 09HN7BZ | Insertion of Airway into Nasopharynx, Via Natural or Artificial Opening | Inpatient or Institutional Stay, any diagnostic position | Procedure | ICD-10-PCS |
| 09HN8BZ | Insertion of Airway into Nasopharynx, Via Natural or Artificial Opening Endoscopic | Inpatient or Institutional Stay, any diagnostic position | Procedure | ICD-10-PCS |
| 0B113F4 | Insertion Of Endotracheal Airway Into Trachea, Percutaneous Approach | Inpatient or Institutional Stay, any diagnostic position | Procedure | ICD-10-PCS |
| 0B113Z4 | Bypass Trachea To Cutaneous, Percutaneous Approach | Inpatient or Institutional Stay, any diagnostic position | Procedure | ICD-10-PCS |
| 0B114F4 | Insertion Of Endotracheal Airway Into Trachea, Percutaneous Approach | Inpatient or Institutional Stay, any diagnostic position | Procedure | ICD-10-PCS |
| 0B114Z4 | Bypass Trachea To Cutaneous, Percutaneous Endoscopic Approach | Inpatient or Institutional Stay, any diagnostic position | Procedure | ICD-10-PCS |
| 0B21XEZ | Change Endotracheal Airway In Trachea, External Approach | Inpatient or Institutional Stay, any diagnostic position | Procedure | ICD-10-PCS |
| 0B21XFZ | Change Endotracheal Airway In Trachea, External Approach | Inpatient or Institutional Stay, any diagnostic position | Procedure | ICD-10-PCS |
| 0BH13EZ | Insertion of Endotracheal Airway into Trachea, Percutaneous Approach | Inpatient or Institutional Stay, any diagnostic position | Procedure | ICD-10-PCS |
| 0BH17EZ | Insertion of Endotracheal Airway into Trachea, Via Natural or Artificial Opening | Inpatient or Institutional Stay, any diagnostic position | Procedure | ICD-10-PCS |
| 0BH18EZ | Insertion of Endotracheal Airway into Trachea, Via Natural or Artificial Opening Endoscopic | Inpatient or Institutional Stay, any diagnostic position | Procedure | ICD-10-PCS |

Appendix G. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), Current Procedural Terminology, Category III (CPT Category III), Current Procedural Terminology, Fourth Edition (CPT-4), and Revenue Codes Used to Define Hierarchical COVID-19 Severity and Oxygenation Endpoints

| Code | Description | Care Setting | Code | |
|---------|--|--|-----------|-----------------|
| | | | Category | Code Type |
| 0CHY7BZ | Insertion of Airway into Mouth and Throat, Via Natural or Artificial Opening | Inpatient or Institutional Stay, any diagnostic position | Procedure | ICD-10-PCS |
| 0CHY8BZ | Insertion of Airway into Mouth and Throat, Via Natural or Artificial Opening Endoscopic | Inpatient or Institutional Stay, any diagnostic position | Procedure | ICD-10-PCS |
| 0DH57BZ | Insertion of Airway into Esophagus, Via Natural or Artificial Opening | Inpatient or Institutional Stay, any diagnostic position | Procedure | ICD-10-PCS |
| 0DH58BZ | Insertion of Airway into Esophagus, Via Natural or Artificial Opening Endoscopic | Inpatient or Institutional Stay, any diagnostic position | Procedure | ICD-10-PCS |
| 4168F | Patient receiving care in the intensive care unit (ICU) and receiving mechanical ventilation, 24 hours or less (CRIT) | Inpatient or Institutional Stay, any diagnostic position | Procedure | CPT Category II |
| 5A15223 | Extracorporeal Membrane Oxygenation, Continuous | Inpatient or Institutional Stay, any diagnostic position | Procedure | CPT-4 |
| 5A1522F | Extracorporeal Oxygenation, Membrane, Central | Inpatient or Institutional Stay, any diagnostic position | Procedure | ICD-10-PCS |
| 5A1522G | Extracorporeal Oxygenation, Membrane, Peripheral Venous-arterial | Inpatient or Institutional Stay, any diagnostic position | Procedure | ICD-10-PCS |
| 5A1522H | Extracorporeal Oxygenation, Membrane, Peripheral Venous-venous | Inpatient or Institutional Stay, any diagnostic position | Procedure | ICD-10-PCS |
| 5A19054 | Respiratory Ventilation, Single, Nonmechanical | Inpatient or Institutional Stay, any diagnostic position | Procedure | ICD-10-PCS |
| 5A1935Z | Respiratory Ventilation, Less than 24 Consecutive Hours | Inpatient or Institutional Stay, any diagnostic position | Procedure | ICD-10-PCS |
| 5A1945Z | Respiratory Ventilation, 24-96 Consecutive Hours | Inpatient or Institutional Stay, any diagnostic position | Procedure | ICD-10-PCS |
| 5A1955Z | Respiratory Ventilation, Greater than 96 Consecutive Hours | Inpatient or Institutional Stay, any diagnostic position | Procedure | ICD-10-PCS |
| 94002 | Ventilation assist and management, initiation of pressure or volume preset ventilators for assisted or controlled breathing; hospital inpatient/observation, initial day | Inpatient or Institutional Stay, any diagnostic position | Procedure | CPT-4 |
| 94003 | Ventilation assist and management, initiation of pressure or volume preset ventilators for assisted or controlled breathing; hospital inpatient/observation, each subsequent day | Inpatient or Institutional Stay, any diagnostic position | Procedure | CPT-4 |
| 94004 | Ventilation assist and management, initiation of pressure or volume preset ventilators for assisted or controlled breathing; nursing facility, per day | Inpatient or Institutional Stay, any diagnostic position | Procedure | CPT-4 |

Appendix G. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), Current Procedural Terminology, Category III (CPT Category III), Current Procedural Terminology, Fourth Edition (CPT-4), and Revenue Codes Used to Define Hierarchical COVID-19 Severity and Oxygenation Endpoints

| Code | Description | Care Setting | Code | |
|-------------|--|--|-----------------|------------------|
| | | | Category | Code Type |
| A4483 | Moisture exchanger, disposable, for use with invasive mechanical ventilation | Inpatient or Institutional Stay, any diagnostic position | Procedure | HCPCS |
| A4623 | Tracheostomy, inner cannula | Inpatient or Institutional Stay, any diagnostic position | Procedure | HCPCS |
| E0465 | Home ventilator, any type, used with invasive interface, (e.g., tracheostomy tube) | Inpatient or Institutional Stay, any diagnostic position | Procedure | HCPCS |
| J1325 | Injection, epoprostenol, 0.5 mg | Inpatient or Institutional Stay, any diagnostic position | Procedure | HCPCS |
| Z9911 | Dependence on respirator [ventilator] status | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|---------------|---|---------------|-----------|
| Cancer | | | |
| C00 | Malignant neoplasm of lip | Diagnosis | ICD-10-CM |
| C000 | Malignant neoplasm of external upper lip | Diagnosis | ICD-10-CM |
| C001 | Malignant neoplasm of external lower lip | Diagnosis | ICD-10-CM |
| C002 | Malignant neoplasm of external lip, unspecified | Diagnosis | ICD-10-CM |
| C003 | Malignant neoplasm of upper lip, inner aspect | Diagnosis | ICD-10-CM |
| C004 | Malignant neoplasm of lower lip, inner aspect | Diagnosis | ICD-10-CM |
| C005 | Malignant neoplasm of lip, unspecified, inner aspect | Diagnosis | ICD-10-CM |
| C006 | Malignant neoplasm of commissure of lip, unspecified | Diagnosis | ICD-10-CM |
| C008 | Malignant neoplasm of overlapping sites of lip | Diagnosis | ICD-10-CM |
| C009 | Malignant neoplasm of lip, unspecified | Diagnosis | ICD-10-CM |
| C01 | Malignant neoplasm of base of tongue | Diagnosis | ICD-10-CM |
| C02 | Malignant neoplasm of other and unspecified parts of tongue | Diagnosis | ICD-10-CM |
| C020 | Malignant neoplasm of dorsal surface of tongue | Diagnosis | ICD-10-CM |
| C021 | Malignant neoplasm of border of tongue | Diagnosis | ICD-10-CM |
| C022 | Malignant neoplasm of ventral surface of tongue | Diagnosis | ICD-10-CM |
| C023 | Malignant neoplasm of anterior two-thirds of tongue, part unspecified | Diagnosis | ICD-10-CM |
| C024 | Malignant neoplasm of lingual tonsil | Diagnosis | ICD-10-CM |
| C028 | Malignant neoplasm of overlapping sites of tongue | Diagnosis | ICD-10-CM |
| C029 | Malignant neoplasm of tongue, unspecified | Diagnosis | ICD-10-CM |
| C03 | Malignant neoplasm of gum | Diagnosis | ICD-10-CM |
| C030 | Malignant neoplasm of upper gum | Diagnosis | ICD-10-CM |
| C031 | Malignant neoplasm of lower gum | Diagnosis | ICD-10-CM |
| C039 | Malignant neoplasm of gum, unspecified | Diagnosis | ICD-10-CM |
| C04 | Malignant neoplasm of floor of mouth | Diagnosis | ICD-10-CM |
| C040 | Malignant neoplasm of anterior floor of mouth | Diagnosis | ICD-10-CM |
| C041 | Malignant neoplasm of lateral floor of mouth | Diagnosis | ICD-10-CM |
| C048 | Malignant neoplasm of overlapping sites of floor of mouth | Diagnosis | ICD-10-CM |
| C049 | Malignant neoplasm of floor of mouth, unspecified | Diagnosis | ICD-10-CM |
| C05 | Malignant neoplasm of palate | Diagnosis | ICD-10-CM |
| C050 | Malignant neoplasm of hard palate | Diagnosis | ICD-10-CM |
| C051 | Malignant neoplasm of soft palate | Diagnosis | ICD-10-CM |
| C052 | Malignant neoplasm of uvula | Diagnosis | ICD-10-CM |
| C058 | Malignant neoplasm of overlapping sites of palate | Diagnosis | ICD-10-CM |
| C059 | Malignant neoplasm of palate, unspecified | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|---|----------------------|------------------|
| C06 | Malignant neoplasm of other and unspecified parts of mouth | Diagnosis | ICD-10-CM |
| C060 | Malignant neoplasm of cheek mucosa | Diagnosis | ICD-10-CM |
| C061 | Malignant neoplasm of vestibule of mouth | Diagnosis | ICD-10-CM |
| C062 | Malignant neoplasm of retromolar area | Diagnosis | ICD-10-CM |
| C068 | Malignant neoplasm of overlapping sites of other and unspecified parts of mouth | Diagnosis | ICD-10-CM |
| C0680 | Malignant neoplasm of overlapping sites of unspecified parts of mouth | Diagnosis | ICD-10-CM |
| C0689 | Malignant neoplasm of overlapping sites of other parts of mouth | Diagnosis | ICD-10-CM |
| C069 | Malignant neoplasm of mouth, unspecified | Diagnosis | ICD-10-CM |
| C07 | Malignant neoplasm of parotid gland | Diagnosis | ICD-10-CM |
| C08 | Malignant neoplasm of other and unspecified major salivary glands | Diagnosis | ICD-10-CM |
| C080 | Malignant neoplasm of submandibular gland | Diagnosis | ICD-10-CM |
| C081 | Malignant neoplasm of sublingual gland | Diagnosis | ICD-10-CM |
| C089 | Malignant neoplasm of major salivary gland, unspecified | Diagnosis | ICD-10-CM |
| C09 | Malignant neoplasm of tonsil | Diagnosis | ICD-10-CM |
| C090 | Malignant neoplasm of tonsillar fossa | Diagnosis | ICD-10-CM |
| C091 | Malignant neoplasm of tonsillar pillar (anterior) (posterior) | Diagnosis | ICD-10-CM |
| C098 | Malignant neoplasm of overlapping sites of tonsil | Diagnosis | ICD-10-CM |
| C099 | Malignant neoplasm of tonsil, unspecified | Diagnosis | ICD-10-CM |
| C10 | Malignant neoplasm of oropharynx | Diagnosis | ICD-10-CM |
| C100 | Malignant neoplasm of vallecula | Diagnosis | ICD-10-CM |
| C101 | Malignant neoplasm of anterior surface of epiglottis | Diagnosis | ICD-10-CM |
| C102 | Malignant neoplasm of lateral wall of oropharynx | Diagnosis | ICD-10-CM |
| C103 | Malignant neoplasm of posterior wall of oropharynx | Diagnosis | ICD-10-CM |
| C104 | Malignant neoplasm of branchial cleft | Diagnosis | ICD-10-CM |
| C108 | Malignant neoplasm of overlapping sites of oropharynx | Diagnosis | ICD-10-CM |
| C109 | Malignant neoplasm of oropharynx, unspecified | Diagnosis | ICD-10-CM |
| C11 | Malignant neoplasm of nasopharynx | Diagnosis | ICD-10-CM |
| C110 | Malignant neoplasm of superior wall of nasopharynx | Diagnosis | ICD-10-CM |
| C111 | Malignant neoplasm of posterior wall of nasopharynx | Diagnosis | ICD-10-CM |
| C112 | Malignant neoplasm of lateral wall of nasopharynx | Diagnosis | ICD-10-CM |
| C113 | Malignant neoplasm of anterior wall of nasopharynx | Diagnosis | ICD-10-CM |
| C118 | Malignant neoplasm of overlapping sites of nasopharynx | Diagnosis | ICD-10-CM |
| C119 | Malignant neoplasm of nasopharynx, unspecified | Diagnosis | ICD-10-CM |
| C12 | Malignant neoplasm of pyriform sinus | Diagnosis | ICD-10-CM |
| C13 | Malignant neoplasm of hypopharynx | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code | |
|------|---|-----------|-----------|
| | | Category | Code Type |
| C130 | Malignant neoplasm of postcricoid region | Diagnosis | ICD-10-CM |
| C131 | Malignant neoplasm of aryepiglottic fold, hypopharyngeal aspect | Diagnosis | ICD-10-CM |
| C132 | Malignant neoplasm of posterior wall of hypopharynx | Diagnosis | ICD-10-CM |
| C138 | Malignant neoplasm of overlapping sites of hypopharynx | Diagnosis | ICD-10-CM |
| C139 | Malignant neoplasm of hypopharynx, unspecified | Diagnosis | ICD-10-CM |
| C14 | Malignant neoplasm of other and ill-defined sites in the lip, oral cavity and pharynx | Diagnosis | ICD-10-CM |
| C140 | Malignant neoplasm of pharynx, unspecified | Diagnosis | ICD-10-CM |
| C142 | Malignant neoplasm of Waldeyer's ring | Diagnosis | ICD-10-CM |
| C148 | Malignant neoplasm of overlapping sites of lip, oral cavity and pharynx | Diagnosis | ICD-10-CM |
| C15 | Malignant neoplasm of esophagus | Diagnosis | ICD-10-CM |
| C153 | Malignant neoplasm of upper third of esophagus | Diagnosis | ICD-10-CM |
| C154 | Malignant neoplasm of middle third of esophagus | Diagnosis | ICD-10-CM |
| C155 | Malignant neoplasm of lower third of esophagus | Diagnosis | ICD-10-CM |
| C158 | Malignant neoplasm of overlapping sites of esophagus | Diagnosis | ICD-10-CM |
| C159 | Malignant neoplasm of esophagus, unspecified | Diagnosis | ICD-10-CM |
| C16 | Malignant neoplasm of stomach | Diagnosis | ICD-10-CM |
| C160 | Malignant neoplasm of cardia | Diagnosis | ICD-10-CM |
| C161 | Malignant neoplasm of fundus of stomach | Diagnosis | ICD-10-CM |
| C162 | Malignant neoplasm of body of stomach | Diagnosis | ICD-10-CM |
| C163 | Malignant neoplasm of pyloric antrum | Diagnosis | ICD-10-CM |
| C164 | Malignant neoplasm of pylorus | Diagnosis | ICD-10-CM |
| C165 | Malignant neoplasm of lesser curvature of stomach, unspecified | Diagnosis | ICD-10-CM |
| C166 | Malignant neoplasm of greater curvature of stomach, unspecified | Diagnosis | ICD-10-CM |
| C168 | Malignant neoplasm of overlapping sites of stomach | Diagnosis | ICD-10-CM |
| C169 | Malignant neoplasm of stomach, unspecified | Diagnosis | ICD-10-CM |
| C17 | Malignant neoplasm of small intestine | Diagnosis | ICD-10-CM |
| C170 | Malignant neoplasm of duodenum | Diagnosis | ICD-10-CM |
| C171 | Malignant neoplasm of jejunum | Diagnosis | ICD-10-CM |
| C172 | Malignant neoplasm of ileum | Diagnosis | ICD-10-CM |
| C173 | Meckel's diverticulum, malignant | Diagnosis | ICD-10-CM |
| C178 | Malignant neoplasm of overlapping sites of small intestine | Diagnosis | ICD-10-CM |
| C179 | Malignant neoplasm of small intestine, unspecified | Diagnosis | ICD-10-CM |
| C18 | Malignant neoplasm of colon | Diagnosis | ICD-10-CM |
| C180 | Malignant neoplasm of cecum | Diagnosis | ICD-10-CM |
| C181 | Malignant neoplasm of appendix | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|--|----------------------|------------------|
| C182 | Malignant neoplasm of ascending colon | Diagnosis | ICD-10-CM |
| C183 | Malignant neoplasm of hepatic flexure | Diagnosis | ICD-10-CM |
| C184 | Malignant neoplasm of transverse colon | Diagnosis | ICD-10-CM |
| C185 | Malignant neoplasm of splenic flexure | Diagnosis | ICD-10-CM |
| C186 | Malignant neoplasm of descending colon | Diagnosis | ICD-10-CM |
| C187 | Malignant neoplasm of sigmoid colon | Diagnosis | ICD-10-CM |
| C188 | Malignant neoplasm of overlapping sites of colon | Diagnosis | ICD-10-CM |
| C189 | Malignant neoplasm of colon, unspecified | Diagnosis | ICD-10-CM |
| C19 | Malignant neoplasm of rectosigmoid junction | Diagnosis | ICD-10-CM |
| C20 | Malignant neoplasm of rectum | Diagnosis | ICD-10-CM |
| C21 | Malignant neoplasm of anus and anal canal | Diagnosis | ICD-10-CM |
| C210 | Malignant neoplasm of anus, unspecified | Diagnosis | ICD-10-CM |
| C211 | Malignant neoplasm of anal canal | Diagnosis | ICD-10-CM |
| C212 | Malignant neoplasm of cloacogenic zone | Diagnosis | ICD-10-CM |
| C218 | Malignant neoplasm of overlapping sites of rectum, anus and anal canal | Diagnosis | ICD-10-CM |
| C22 | Malignant neoplasm of liver and intrahepatic bile ducts | Diagnosis | ICD-10-CM |
| C220 | Liver cell carcinoma | Diagnosis | ICD-10-CM |
| C221 | Intrahepatic bile duct carcinoma | Diagnosis | ICD-10-CM |
| C222 | Hepatoblastoma | Diagnosis | ICD-10-CM |
| C223 | Angiosarcoma of liver | Diagnosis | ICD-10-CM |
| C224 | Other sarcomas of liver | Diagnosis | ICD-10-CM |
| C227 | Other specified carcinomas of liver | Diagnosis | ICD-10-CM |
| C228 | Malignant neoplasm of liver, primary, unspecified as to type | Diagnosis | ICD-10-CM |
| C229 | Malignant neoplasm of liver, not specified as primary or secondary | Diagnosis | ICD-10-CM |
| C23 | Malignant neoplasm of gallbladder | Diagnosis | ICD-10-CM |
| C24 | Malignant neoplasm of other and unspecified parts of biliary tract | Diagnosis | ICD-10-CM |
| C240 | Malignant neoplasm of extrahepatic bile duct | Diagnosis | ICD-10-CM |
| C241 | Malignant neoplasm of ampulla of Vater | Diagnosis | ICD-10-CM |
| C248 | Malignant neoplasm of overlapping sites of biliary tract | Diagnosis | ICD-10-CM |
| C249 | Malignant neoplasm of biliary tract, unspecified | Diagnosis | ICD-10-CM |
| C25 | Malignant neoplasm of pancreas | Diagnosis | ICD-10-CM |
| C250 | Malignant neoplasm of head of pancreas | Diagnosis | ICD-10-CM |
| C251 | Malignant neoplasm of body of pancreas | Diagnosis | ICD-10-CM |
| C252 | Malignant neoplasm of tail of pancreas | Diagnosis | ICD-10-CM |
| C253 | Malignant neoplasm of pancreatic duct | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|---|----------------------|------------------|
| C254 | Malignant neoplasm of endocrine pancreas | Diagnosis | ICD-10-CM |
| C257 | Malignant neoplasm of other parts of pancreas | Diagnosis | ICD-10-CM |
| C258 | Malignant neoplasm of overlapping sites of pancreas | Diagnosis | ICD-10-CM |
| C259 | Malignant neoplasm of pancreas, unspecified | Diagnosis | ICD-10-CM |
| C26 | Malignant neoplasm of other and ill-defined digestive organs | Diagnosis | ICD-10-CM |
| C260 | Malignant neoplasm of intestinal tract, part unspecified | Diagnosis | ICD-10-CM |
| C261 | Malignant neoplasm of spleen | Diagnosis | ICD-10-CM |
| C269 | Malignant neoplasm of ill-defined sites within the digestive system | Diagnosis | ICD-10-CM |
| C30 | Malignant neoplasm of nasal cavity and middle ear | Diagnosis | ICD-10-CM |
| C300 | Malignant neoplasm of nasal cavity | Diagnosis | ICD-10-CM |
| C301 | Malignant neoplasm of middle ear | Diagnosis | ICD-10-CM |
| C31 | Malignant neoplasm of accessory sinuses | Diagnosis | ICD-10-CM |
| C310 | Malignant neoplasm of maxillary sinus | Diagnosis | ICD-10-CM |
| C311 | Malignant neoplasm of ethmoidal sinus | Diagnosis | ICD-10-CM |
| C312 | Malignant neoplasm of frontal sinus | Diagnosis | ICD-10-CM |
| C313 | Malignant neoplasm of sphenoid sinus | Diagnosis | ICD-10-CM |
| C318 | Malignant neoplasm of overlapping sites of accessory sinuses | Diagnosis | ICD-10-CM |
| C319 | Malignant neoplasm of accessory sinus, unspecified | Diagnosis | ICD-10-CM |
| C32 | Malignant neoplasm of larynx | Diagnosis | ICD-10-CM |
| C320 | Malignant neoplasm of glottis | Diagnosis | ICD-10-CM |
| C321 | Malignant neoplasm of supraglottis | Diagnosis | ICD-10-CM |
| C322 | Malignant neoplasm of subglottis | Diagnosis | ICD-10-CM |
| C323 | Malignant neoplasm of laryngeal cartilage | Diagnosis | ICD-10-CM |
| C328 | Malignant neoplasm of overlapping sites of larynx | Diagnosis | ICD-10-CM |
| C329 | Malignant neoplasm of larynx, unspecified | Diagnosis | ICD-10-CM |
| C33 | Malignant neoplasm of trachea | Diagnosis | ICD-10-CM |
| C34 | Malignant neoplasm of bronchus and lung | Diagnosis | ICD-10-CM |
| C340 | Malignant neoplasm of main bronchus | Diagnosis | ICD-10-CM |
| C3400 | Malignant neoplasm of unspecified main bronchus | Diagnosis | ICD-10-CM |
| C3401 | Malignant neoplasm of right main bronchus | Diagnosis | ICD-10-CM |
| C3402 | Malignant neoplasm of left main bronchus | Diagnosis | ICD-10-CM |
| C341 | Malignant neoplasm of upper lobe, bronchus or lung | Diagnosis | ICD-10-CM |
| C3410 | Malignant neoplasm of upper lobe, unspecified bronchus or lung | Diagnosis | ICD-10-CM |
| C3411 | Malignant neoplasm of upper lobe, right bronchus or lung | Diagnosis | ICD-10-CM |
| C3412 | Malignant neoplasm of upper lobe, left bronchus or lung | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|--|----------------------|------------------|
| C342 | Malignant neoplasm of middle lobe, bronchus or lung | Diagnosis | ICD-10-CM |
| C343 | Malignant neoplasm of lower lobe, bronchus or lung | Diagnosis | ICD-10-CM |
| C3430 | Malignant neoplasm of lower lobe, unspecified bronchus or lung | Diagnosis | ICD-10-CM |
| C3431 | Malignant neoplasm of lower lobe, right bronchus or lung | Diagnosis | ICD-10-CM |
| C3432 | Malignant neoplasm of lower lobe, left bronchus or lung | Diagnosis | ICD-10-CM |
| C348 | Malignant neoplasm of overlapping sites of bronchus and lung | Diagnosis | ICD-10-CM |
| C3480 | Malignant neoplasm of overlapping sites of unspecified bronchus and lung | Diagnosis | ICD-10-CM |
| C3481 | Malignant neoplasm of overlapping sites of right bronchus and lung | Diagnosis | ICD-10-CM |
| C3482 | Malignant neoplasm of overlapping sites of left bronchus and lung | Diagnosis | ICD-10-CM |
| C349 | Malignant neoplasm of unspecified part of bronchus or lung | Diagnosis | ICD-10-CM |
| C3490 | Malignant neoplasm of unspecified part of unspecified bronchus or lung | Diagnosis | ICD-10-CM |
| C3491 | Malignant neoplasm of unspecified part of right bronchus or lung | Diagnosis | ICD-10-CM |
| C3492 | Malignant neoplasm of unspecified part of left bronchus or lung | Diagnosis | ICD-10-CM |
| C37 | Malignant neoplasm of thymus | Diagnosis | ICD-10-CM |
| C38 | Malignant neoplasm of heart, mediastinum and pleura | Diagnosis | ICD-10-CM |
| C380 | Malignant neoplasm of heart | Diagnosis | ICD-10-CM |
| C381 | Malignant neoplasm of anterior mediastinum | Diagnosis | ICD-10-CM |
| C382 | Malignant neoplasm of posterior mediastinum | Diagnosis | ICD-10-CM |
| C383 | Malignant neoplasm of mediastinum, part unspecified | Diagnosis | ICD-10-CM |
| C384 | Malignant neoplasm of pleura | Diagnosis | ICD-10-CM |
| C388 | Malignant neoplasm of overlapping sites of heart, mediastinum and pleura | Diagnosis | ICD-10-CM |
| C39 | Malignant neoplasm of other and ill-defined sites in the respiratory system and intrathoracic organs | Diagnosis | ICD-10-CM |
| C390 | Malignant neoplasm of upper respiratory tract, part unspecified | Diagnosis | ICD-10-CM |
| C399 | Malignant neoplasm of lower respiratory tract, part unspecified | Diagnosis | ICD-10-CM |
| C40 | Malignant neoplasm of bone and articular cartilage of limbs | Diagnosis | ICD-10-CM |
| C400 | Malignant neoplasm of scapula and long bones of upper limb | Diagnosis | ICD-10-CM |
| C4000 | Malignant neoplasm of scapula and long bones of unspecified upper limb | Diagnosis | ICD-10-CM |
| C4001 | Malignant neoplasm of scapula and long bones of right upper limb | Diagnosis | ICD-10-CM |
| C4002 | Malignant neoplasm of scapula and long bones of left upper limb | Diagnosis | ICD-10-CM |
| C401 | Malignant neoplasm of short bones of upper limb | Diagnosis | ICD-10-CM |
| C4010 | Malignant neoplasm of short bones of unspecified upper limb | Diagnosis | ICD-10-CM |
| C4011 | Malignant neoplasm of short bones of right upper limb | Diagnosis | ICD-10-CM |
| C4012 | Malignant neoplasm of short bones of left upper limb | Diagnosis | ICD-10-CM |
| C402 | Malignant neoplasm of long bones of lower limb | Diagnosis | ICD-10-CM |
| C4020 | Malignant neoplasm of long bones of unspecified lower limb | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|---|----------------------|------------------|
| C4021 | Malignant neoplasm of long bones of right lower limb | Diagnosis | ICD-10-CM |
| C4022 | Malignant neoplasm of long bones of left lower limb | Diagnosis | ICD-10-CM |
| C403 | Malignant neoplasm of short bones of lower limb | Diagnosis | ICD-10-CM |
| C4030 | Malignant neoplasm of short bones of unspecified lower limb | Diagnosis | ICD-10-CM |
| C4031 | Malignant neoplasm of short bones of right lower limb | Diagnosis | ICD-10-CM |
| C4032 | Malignant neoplasm of short bones of left lower limb | Diagnosis | ICD-10-CM |
| C408 | Malignant neoplasm of overlapping sites of bone and articular cartilage of limb | Diagnosis | ICD-10-CM |
| C4080 | Malignant neoplasm of overlapping sites of bone and articular cartilage of unspecified limb | Diagnosis | ICD-10-CM |
| C4081 | Malignant neoplasm of overlapping sites of bone and articular cartilage of right limb | Diagnosis | ICD-10-CM |
| C4082 | Malignant neoplasm of overlapping sites of bone and articular cartilage of left limb | Diagnosis | ICD-10-CM |
| C409 | Malignant neoplasm of unspecified bones and articular cartilage of limb | Diagnosis | ICD-10-CM |
| C4090 | Malignant neoplasm of unspecified bones and articular cartilage of unspecified limb | Diagnosis | ICD-10-CM |
| C4091 | Malignant neoplasm of unspecified bones and articular cartilage of right limb | Diagnosis | ICD-10-CM |
| C4092 | Malignant neoplasm of unspecified bones and articular cartilage of left limb | Diagnosis | ICD-10-CM |
| C41 | Malignant neoplasm of bone and articular cartilage of other and unspecified sites | Diagnosis | ICD-10-CM |
| C410 | Malignant neoplasm of bones of skull and face | Diagnosis | ICD-10-CM |
| C411 | Malignant neoplasm of mandible | Diagnosis | ICD-10-CM |
| C412 | Malignant neoplasm of vertebral column | Diagnosis | ICD-10-CM |
| C413 | Malignant neoplasm of ribs, sternum and clavicle | Diagnosis | ICD-10-CM |
| C414 | Malignant neoplasm of pelvic bones, sacrum and coccyx | Diagnosis | ICD-10-CM |
| C419 | Malignant neoplasm of bone and articular cartilage, unspecified | Diagnosis | ICD-10-CM |
| C43 | Malignant melanoma of skin | Diagnosis | ICD-10-CM |
| C430 | Malignant melanoma of lip | Diagnosis | ICD-10-CM |
| C431 | Malignant melanoma of eyelid, including canthus | Diagnosis | ICD-10-CM |
| C4310 | Malignant melanoma of unspecified eyelid, including canthus | Diagnosis | ICD-10-CM |
| C4311 | Malignant melanoma of right eyelid, including canthus | Diagnosis | ICD-10-CM |
| C43111 | Malignant melanoma of right upper eyelid, including canthus | Diagnosis | ICD-10-CM |
| C43112 | Malignant melanoma of right lower eyelid, including canthus | Diagnosis | ICD-10-CM |
| C4312 | Malignant melanoma of left eyelid, including canthus | Diagnosis | ICD-10-CM |
| C43121 | Malignant melanoma of left upper eyelid, including canthus | Diagnosis | ICD-10-CM |
| C43122 | Malignant melanoma of left lower eyelid, including canthus | Diagnosis | ICD-10-CM |
| C432 | Malignant melanoma of ear and external auricular canal | Diagnosis | ICD-10-CM |
| C4320 | Malignant melanoma of unspecified ear and external auricular canal | Diagnosis | ICD-10-CM |
| C4321 | Malignant melanoma of right ear and external auricular canal | Diagnosis | ICD-10-CM |
| C4322 | Malignant melanoma of left ear and external auricular canal | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code | |
|-------|--|-----------|-----------|
| | | Category | Code Type |
| C433 | Malignant melanoma of other and unspecified parts of face | Diagnosis | ICD-10-CM |
| C4330 | Malignant melanoma of unspecified part of face | Diagnosis | ICD-10-CM |
| C4331 | Malignant melanoma of nose | Diagnosis | ICD-10-CM |
| C4339 | Malignant melanoma of other parts of face | Diagnosis | ICD-10-CM |
| C434 | Malignant melanoma of scalp and neck | Diagnosis | ICD-10-CM |
| C435 | Malignant melanoma of trunk | Diagnosis | ICD-10-CM |
| C4351 | Malignant melanoma of anal skin | Diagnosis | ICD-10-CM |
| C4352 | Malignant melanoma of skin of breast | Diagnosis | ICD-10-CM |
| C4359 | Malignant melanoma of other part of trunk | Diagnosis | ICD-10-CM |
| C436 | Malignant melanoma of upper limb, including shoulder | Diagnosis | ICD-10-CM |
| C4360 | Malignant melanoma of unspecified upper limb, including shoulder | Diagnosis | ICD-10-CM |
| C4361 | Malignant melanoma of right upper limb, including shoulder | Diagnosis | ICD-10-CM |
| C4362 | Malignant melanoma of left upper limb, including shoulder | Diagnosis | ICD-10-CM |
| C437 | Malignant melanoma of lower limb, including hip | Diagnosis | ICD-10-CM |
| C4370 | Malignant melanoma of unspecified lower limb, including hip | Diagnosis | ICD-10-CM |
| C4371 | Malignant melanoma of right lower limb, including hip | Diagnosis | ICD-10-CM |
| C4372 | Malignant melanoma of left lower limb, including hip | Diagnosis | ICD-10-CM |
| C438 | Malignant melanoma of overlapping sites of skin | Diagnosis | ICD-10-CM |
| C439 | Malignant melanoma of skin, unspecified | Diagnosis | ICD-10-CM |
| C45 | Mesothelioma | Diagnosis | ICD-10-CM |
| C450 | Mesothelioma of pleura | Diagnosis | ICD-10-CM |
| C451 | Mesothelioma of peritoneum | Diagnosis | ICD-10-CM |
| C452 | Mesothelioma of pericardium | Diagnosis | ICD-10-CM |
| C457 | Mesothelioma of other sites | Diagnosis | ICD-10-CM |
| C459 | Mesothelioma, unspecified | Diagnosis | ICD-10-CM |
| C46 | Kaposi's sarcoma | Diagnosis | ICD-10-CM |
| C460 | Kaposi's sarcoma of skin | Diagnosis | ICD-10-CM |
| C461 | Kaposi's sarcoma of soft tissue | Diagnosis | ICD-10-CM |
| C462 | Kaposi's sarcoma of palate | Diagnosis | ICD-10-CM |
| C463 | Kaposi's sarcoma of lymph nodes | Diagnosis | ICD-10-CM |
| C464 | Kaposi's sarcoma of gastrointestinal sites | Diagnosis | ICD-10-CM |
| C465 | Kaposi's sarcoma of lung | Diagnosis | ICD-10-CM |
| C4650 | Kaposi's sarcoma of unspecified lung | Diagnosis | ICD-10-CM |
| C4651 | Kaposi's sarcoma of right lung | Diagnosis | ICD-10-CM |
| C4652 | Kaposi's sarcoma of left lung | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|--|----------------------|------------------|
| C467 | Kaposi's sarcoma of other sites | Diagnosis | ICD-10-CM |
| C469 | Kaposi's sarcoma, unspecified | Diagnosis | ICD-10-CM |
| C47 | Malignant neoplasm of peripheral nerves and autonomic nervous system | Diagnosis | ICD-10-CM |
| C470 | Malignant neoplasm of peripheral nerves of head, face and neck | Diagnosis | ICD-10-CM |
| C471 | Malignant neoplasm of peripheral nerves of upper limb, including shoulder | Diagnosis | ICD-10-CM |
| C4710 | Malignant neoplasm of peripheral nerves of unspecified upper limb, including shoulder | Diagnosis | ICD-10-CM |
| C4711 | Malignant neoplasm of peripheral nerves of right upper limb, including shoulder | Diagnosis | ICD-10-CM |
| C4712 | Malignant neoplasm of peripheral nerves of left upper limb, including shoulder | Diagnosis | ICD-10-CM |
| C472 | Malignant neoplasm of peripheral nerves of lower limb, including hip | Diagnosis | ICD-10-CM |
| C4720 | Malignant neoplasm of peripheral nerves of unspecified lower limb, including hip | Diagnosis | ICD-10-CM |
| C4721 | Malignant neoplasm of peripheral nerves of right lower limb, including hip | Diagnosis | ICD-10-CM |
| C4722 | Malignant neoplasm of peripheral nerves of left lower limb, including hip | Diagnosis | ICD-10-CM |
| C473 | Malignant neoplasm of peripheral nerves of thorax | Diagnosis | ICD-10-CM |
| C474 | Malignant neoplasm of peripheral nerves of abdomen | Diagnosis | ICD-10-CM |
| C475 | Malignant neoplasm of peripheral nerves of pelvis | Diagnosis | ICD-10-CM |
| C476 | Malignant neoplasm of peripheral nerves of trunk, unspecified | Diagnosis | ICD-10-CM |
| C478 | Malignant neoplasm of overlapping sites of peripheral nerves and autonomic nervous system | Diagnosis | ICD-10-CM |
| C479 | Malignant neoplasm of peripheral nerves and autonomic nervous system, unspecified | Diagnosis | ICD-10-CM |
| C48 | Malignant neoplasm of retroperitoneum and peritoneum | Diagnosis | ICD-10-CM |
| C480 | Malignant neoplasm of retroperitoneum | Diagnosis | ICD-10-CM |
| C481 | Malignant neoplasm of specified parts of peritoneum | Diagnosis | ICD-10-CM |
| C482 | Malignant neoplasm of peritoneum, unspecified | Diagnosis | ICD-10-CM |
| C488 | Malignant neoplasm of overlapping sites of retroperitoneum and peritoneum | Diagnosis | ICD-10-CM |
| C49 | Malignant neoplasm of other connective and soft tissue | Diagnosis | ICD-10-CM |
| C490 | Malignant neoplasm of connective and soft tissue of head, face and neck | Diagnosis | ICD-10-CM |
| C491 | Malignant neoplasm of connective and soft tissue of upper limb, including shoulder | Diagnosis | ICD-10-CM |
| C4910 | Malignant neoplasm of connective and soft tissue of unspecified upper limb, including shoulder | Diagnosis | ICD-10-CM |
| C4911 | Malignant neoplasm of connective and soft tissue of right upper limb, including shoulder | Diagnosis | ICD-10-CM |
| C4912 | Malignant neoplasm of connective and soft tissue of left upper limb, including shoulder | Diagnosis | ICD-10-CM |
| C492 | Malignant neoplasm of connective and soft tissue of lower limb, including hip | Diagnosis | ICD-10-CM |
| C4920 | Malignant neoplasm of connective and soft tissue of unspecified lower limb, including hip | Diagnosis | ICD-10-CM |
| C4921 | Malignant neoplasm of connective and soft tissue of right lower limb, including hip | Diagnosis | ICD-10-CM |
| C4922 | Malignant neoplasm of connective and soft tissue of left lower limb, including hip | Diagnosis | ICD-10-CM |
| C493 | Malignant neoplasm of connective and soft tissue of thorax | Diagnosis | ICD-10-CM |
| C494 | Malignant neoplasm of connective and soft tissue of abdomen | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code | |
|--------|--|-----------|-----------|
| | | Category | Code Type |
| C495 | Malignant neoplasm of connective and soft tissue of pelvis | Diagnosis | ICD-10-CM |
| C496 | Malignant neoplasm of connective and soft tissue of trunk, unspecified | Diagnosis | ICD-10-CM |
| C498 | Malignant neoplasm of overlapping sites of connective and soft tissue | Diagnosis | ICD-10-CM |
| C499 | Malignant neoplasm of connective and soft tissue, unspecified | Diagnosis | ICD-10-CM |
| C49A | Gastrointestinal stromal tumor | Diagnosis | ICD-10-CM |
| C49A0 | Gastrointestinal stromal tumor, unspecified site | Diagnosis | ICD-10-CM |
| C49A1 | Gastrointestinal stromal tumor of esophagus | Diagnosis | ICD-10-CM |
| C49A2 | Gastrointestinal stromal tumor of stomach | Diagnosis | ICD-10-CM |
| C49A3 | Gastrointestinal stromal tumor of small intestine | Diagnosis | ICD-10-CM |
| C49A4 | Gastrointestinal stromal tumor of large intestine | Diagnosis | ICD-10-CM |
| C49A5 | Gastrointestinal stromal tumor of rectum | Diagnosis | ICD-10-CM |
| C49A9 | Gastrointestinal stromal tumor of other sites | Diagnosis | ICD-10-CM |
| C4A | Merkel cell carcinoma | Diagnosis | ICD-10-CM |
| C4A0 | Merkel cell carcinoma of lip | Diagnosis | ICD-10-CM |
| C4A1 | Merkel cell carcinoma of eyelid, including canthus | Diagnosis | ICD-10-CM |
| C4A10 | Merkel cell carcinoma of unspecified eyelid, including canthus | Diagnosis | ICD-10-CM |
| C4A11 | Merkel cell carcinoma of right eyelid, including canthus | Diagnosis | ICD-10-CM |
| C4A111 | Merkel cell carcinoma of right upper eyelid, including canthus | Diagnosis | ICD-10-CM |
| C4A112 | Merkel cell carcinoma of right lower eyelid, including canthus | Diagnosis | ICD-10-CM |
| C4A12 | Merkel cell carcinoma of left eyelid, including canthus | Diagnosis | ICD-10-CM |
| C4A121 | Merkel cell carcinoma of left upper eyelid, including canthus | Diagnosis | ICD-10-CM |
| C4A122 | Merkel cell carcinoma of left lower eyelid, including canthus | Diagnosis | ICD-10-CM |
| C4A2 | Merkel cell carcinoma of ear and external auricular canal | Diagnosis | ICD-10-CM |
| C4A20 | Merkel cell carcinoma of unspecified ear and external auricular canal | Diagnosis | ICD-10-CM |
| C4A21 | Merkel cell carcinoma of right ear and external auricular canal | Diagnosis | ICD-10-CM |
| C4A22 | Merkel cell carcinoma of left ear and external auricular canal | Diagnosis | ICD-10-CM |
| C4A3 | Merkel cell carcinoma of other and unspecified parts of face | Diagnosis | ICD-10-CM |
| C4A30 | Merkel cell carcinoma of unspecified part of face | Diagnosis | ICD-10-CM |
| C4A31 | Merkel cell carcinoma of nose | Diagnosis | ICD-10-CM |
| C4A39 | Merkel cell carcinoma of other parts of face | Diagnosis | ICD-10-CM |
| C4A4 | Merkel cell carcinoma of scalp and neck | Diagnosis | ICD-10-CM |
| C4A5 | Merkel cell carcinoma of trunk | Diagnosis | ICD-10-CM |
| C4A51 | Merkel cell carcinoma of anal skin | Diagnosis | ICD-10-CM |
| C4A52 | Merkel cell carcinoma of skin of breast | Diagnosis | ICD-10-CM |
| C4A59 | Merkel cell carcinoma of other part of trunk | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|---|----------------------|------------------|
| C4A6 | Merkel cell carcinoma of upper limb, including shoulder | Diagnosis | ICD-10-CM |
| C4A60 | Merkel cell carcinoma of unspecified upper limb, including shoulder | Diagnosis | ICD-10-CM |
| C4A61 | Merkel cell carcinoma of right upper limb, including shoulder | Diagnosis | ICD-10-CM |
| C4A62 | Merkel cell carcinoma of left upper limb, including shoulder | Diagnosis | ICD-10-CM |
| C4A7 | Merkel cell carcinoma of lower limb, including hip | Diagnosis | ICD-10-CM |
| C4A70 | Merkel cell carcinoma of unspecified lower limb, including hip | Diagnosis | ICD-10-CM |
| C4A71 | Merkel cell carcinoma of right lower limb, including hip | Diagnosis | ICD-10-CM |
| C4A72 | Merkel cell carcinoma of left lower limb, including hip | Diagnosis | ICD-10-CM |
| C4A8 | Merkel cell carcinoma of overlapping sites | Diagnosis | ICD-10-CM |
| C4A9 | Merkel cell carcinoma, unspecified | Diagnosis | ICD-10-CM |
| C50 | Malignant neoplasm of breast | Diagnosis | ICD-10-CM |
| C500 | Malignant neoplasm of nipple and areola | Diagnosis | ICD-10-CM |
| C5001 | Malignant neoplasm of nipple and areola, female | Diagnosis | ICD-10-CM |
| C50011 | Malignant neoplasm of nipple and areola, right female breast | Diagnosis | ICD-10-CM |
| C50012 | Malignant neoplasm of nipple and areola, left female breast | Diagnosis | ICD-10-CM |
| C50019 | Malignant neoplasm of nipple and areola, unspecified female breast | Diagnosis | ICD-10-CM |
| C5002 | Malignant neoplasm of nipple and areola, male | Diagnosis | ICD-10-CM |
| C50021 | Malignant neoplasm of nipple and areola, right male breast | Diagnosis | ICD-10-CM |
| C50022 | Malignant neoplasm of nipple and areola, left male breast | Diagnosis | ICD-10-CM |
| C50029 | Malignant neoplasm of nipple and areola, unspecified male breast | Diagnosis | ICD-10-CM |
| C501 | Malignant neoplasm of central portion of breast | Diagnosis | ICD-10-CM |
| C5011 | Malignant neoplasm of central portion of breast, female | Diagnosis | ICD-10-CM |
| C50111 | Malignant neoplasm of central portion of right female breast | Diagnosis | ICD-10-CM |
| C50112 | Malignant neoplasm of central portion of left female breast | Diagnosis | ICD-10-CM |
| C50119 | Malignant neoplasm of central portion of unspecified female breast | Diagnosis | ICD-10-CM |
| C5012 | Malignant neoplasm of central portion of breast, male | Diagnosis | ICD-10-CM |
| C50121 | Malignant neoplasm of central portion of right male breast | Diagnosis | ICD-10-CM |
| C50122 | Malignant neoplasm of central portion of left male breast | Diagnosis | ICD-10-CM |
| C50129 | Malignant neoplasm of central portion of unspecified male breast | Diagnosis | ICD-10-CM |
| C502 | Malignant neoplasm of upper-inner quadrant of breast | Diagnosis | ICD-10-CM |
| C5021 | Malignant neoplasm of upper-inner quadrant of breast, female | Diagnosis | ICD-10-CM |
| C50211 | Malignant neoplasm of upper-inner quadrant of right female breast | Diagnosis | ICD-10-CM |
| C50212 | Malignant neoplasm of upper-inner quadrant of left female breast | Diagnosis | ICD-10-CM |
| C50219 | Malignant neoplasm of upper-inner quadrant of unspecified female breast | Diagnosis | ICD-10-CM |
| C5022 | Malignant neoplasm of upper-inner quadrant of breast, male | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|---|----------------------|------------------|
| C50221 | Malignant neoplasm of upper-inner quadrant of right male breast | Diagnosis | ICD-10-CM |
| C50222 | Malignant neoplasm of upper-inner quadrant of left male breast | Diagnosis | ICD-10-CM |
| C50229 | Malignant neoplasm of upper-inner quadrant of unspecified male breast | Diagnosis | ICD-10-CM |
| C503 | Malignant neoplasm of lower-inner quadrant of breast | Diagnosis | ICD-10-CM |
| C5031 | Malignant neoplasm of lower-inner quadrant of breast, female | Diagnosis | ICD-10-CM |
| C50311 | Malignant neoplasm of lower-inner quadrant of right female breast | Diagnosis | ICD-10-CM |
| C50312 | Malignant neoplasm of lower-inner quadrant of left female breast | Diagnosis | ICD-10-CM |
| C50319 | Malignant neoplasm of lower-inner quadrant of unspecified female breast | Diagnosis | ICD-10-CM |
| C5032 | Malignant neoplasm of lower-inner quadrant of breast, male | Diagnosis | ICD-10-CM |
| C50321 | Malignant neoplasm of lower-inner quadrant of right male breast | Diagnosis | ICD-10-CM |
| C50322 | Malignant neoplasm of lower-inner quadrant of left male breast | Diagnosis | ICD-10-CM |
| C50329 | Malignant neoplasm of lower-inner quadrant of unspecified male breast | Diagnosis | ICD-10-CM |
| C504 | Malignant neoplasm of upper-outer quadrant of breast | Diagnosis | ICD-10-CM |
| C5041 | Malignant neoplasm of upper-outer quadrant of breast, female | Diagnosis | ICD-10-CM |
| C50411 | Malignant neoplasm of upper-outer quadrant of right female breast | Diagnosis | ICD-10-CM |
| C50412 | Malignant neoplasm of upper-outer quadrant of left female breast | Diagnosis | ICD-10-CM |
| C50419 | Malignant neoplasm of upper-outer quadrant of unspecified female breast | Diagnosis | ICD-10-CM |
| C5042 | Malignant neoplasm of upper-outer quadrant of breast, male | Diagnosis | ICD-10-CM |
| C50421 | Malignant neoplasm of upper-outer quadrant of right male breast | Diagnosis | ICD-10-CM |
| C50422 | Malignant neoplasm of upper-outer quadrant of left male breast | Diagnosis | ICD-10-CM |
| C50429 | Malignant neoplasm of upper-outer quadrant of unspecified male breast | Diagnosis | ICD-10-CM |
| C505 | Malignant neoplasm of lower-outer quadrant of breast | Diagnosis | ICD-10-CM |
| C5051 | Malignant neoplasm of lower-outer quadrant of breast, female | Diagnosis | ICD-10-CM |
| C50511 | Malignant neoplasm of lower-outer quadrant of right female breast | Diagnosis | ICD-10-CM |
| C50512 | Malignant neoplasm of lower-outer quadrant of left female breast | Diagnosis | ICD-10-CM |
| C50519 | Malignant neoplasm of lower-outer quadrant of unspecified female breast | Diagnosis | ICD-10-CM |
| C5052 | Malignant neoplasm of lower-outer quadrant of breast, male | Diagnosis | ICD-10-CM |
| C50521 | Malignant neoplasm of lower-outer quadrant of right male breast | Diagnosis | ICD-10-CM |
| C50522 | Malignant neoplasm of lower-outer quadrant of left male breast | Diagnosis | ICD-10-CM |
| C50529 | Malignant neoplasm of lower-outer quadrant of unspecified male breast | Diagnosis | ICD-10-CM |
| C506 | Malignant neoplasm of axillary tail of breast | Diagnosis | ICD-10-CM |
| C5061 | Malignant neoplasm of axillary tail of breast, female | Diagnosis | ICD-10-CM |
| C50611 | Malignant neoplasm of axillary tail of right female breast | Diagnosis | ICD-10-CM |
| C50612 | Malignant neoplasm of axillary tail of left female breast | Diagnosis | ICD-10-CM |
| C50619 | Malignant neoplasm of axillary tail of unspecified female breast | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|--|----------------------|------------------|
| C5062 | Malignant neoplasm of axillary tail of breast, male | Diagnosis | ICD-10-CM |
| C50621 | Malignant neoplasm of axillary tail of right male breast | Diagnosis | ICD-10-CM |
| C50622 | Malignant neoplasm of axillary tail of left male breast | Diagnosis | ICD-10-CM |
| C50629 | Malignant neoplasm of axillary tail of unspecified male breast | Diagnosis | ICD-10-CM |
| C508 | Malignant neoplasm of overlapping sites of breast | Diagnosis | ICD-10-CM |
| C5081 | Malignant neoplasm of overlapping sites of breast, female | Diagnosis | ICD-10-CM |
| C50811 | Malignant neoplasm of overlapping sites of right female breast | Diagnosis | ICD-10-CM |
| C50812 | Malignant neoplasm of overlapping sites of left female breast | Diagnosis | ICD-10-CM |
| C50819 | Malignant neoplasm of overlapping sites of unspecified female breast | Diagnosis | ICD-10-CM |
| C5082 | Malignant neoplasm of overlapping sites of breast, male | Diagnosis | ICD-10-CM |
| C50821 | Malignant neoplasm of overlapping sites of right male breast | Diagnosis | ICD-10-CM |
| C50822 | Malignant neoplasm of overlapping sites of left male breast | Diagnosis | ICD-10-CM |
| C50829 | Malignant neoplasm of overlapping sites of unspecified male breast | Diagnosis | ICD-10-CM |
| C509 | Malignant neoplasm of breast of unspecified site | Diagnosis | ICD-10-CM |
| C5091 | Malignant neoplasm of breast of unspecified site, female | Diagnosis | ICD-10-CM |
| C50911 | Malignant neoplasm of unspecified site of right female breast | Diagnosis | ICD-10-CM |
| C50912 | Malignant neoplasm of unspecified site of left female breast | Diagnosis | ICD-10-CM |
| C50919 | Malignant neoplasm of unspecified site of unspecified female breast | Diagnosis | ICD-10-CM |
| C5092 | Malignant neoplasm of breast of unspecified site, male | Diagnosis | ICD-10-CM |
| C50921 | Malignant neoplasm of unspecified site of right male breast | Diagnosis | ICD-10-CM |
| C50922 | Malignant neoplasm of unspecified site of left male breast | Diagnosis | ICD-10-CM |
| C50929 | Malignant neoplasm of unspecified site of unspecified male breast | Diagnosis | ICD-10-CM |
| C51 | Malignant neoplasm of vulva | Diagnosis | ICD-10-CM |
| C510 | Malignant neoplasm of labium majus | Diagnosis | ICD-10-CM |
| C511 | Malignant neoplasm of labium minus | Diagnosis | ICD-10-CM |
| C512 | Malignant neoplasm of clitoris | Diagnosis | ICD-10-CM |
| C518 | Malignant neoplasm of overlapping sites of vulva | Diagnosis | ICD-10-CM |
| C519 | Malignant neoplasm of vulva, unspecified | Diagnosis | ICD-10-CM |
| C52 | Malignant neoplasm of vagina | Diagnosis | ICD-10-CM |
| C53 | Malignant neoplasm of cervix uteri | Diagnosis | ICD-10-CM |
| C530 | Malignant neoplasm of endocervix | Diagnosis | ICD-10-CM |
| C531 | Malignant neoplasm of exocervix | Diagnosis | ICD-10-CM |
| C538 | Malignant neoplasm of overlapping sites of cervix uteri | Diagnosis | ICD-10-CM |
| C539 | Malignant neoplasm of cervix uteri, unspecified | Diagnosis | ICD-10-CM |
| C54 | Malignant neoplasm of corpus uteri | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|---|----------------------|------------------|
| C540 | Malignant neoplasm of isthmus uteri | Diagnosis | ICD-10-CM |
| C541 | Malignant neoplasm of endometrium | Diagnosis | ICD-10-CM |
| C542 | Malignant neoplasm of myometrium | Diagnosis | ICD-10-CM |
| C543 | Malignant neoplasm of fundus uteri | Diagnosis | ICD-10-CM |
| C548 | Malignant neoplasm of overlapping sites of corpus uteri | Diagnosis | ICD-10-CM |
| C549 | Malignant neoplasm of corpus uteri, unspecified | Diagnosis | ICD-10-CM |
| C55 | Malignant neoplasm of uterus, part unspecified | Diagnosis | ICD-10-CM |
| C56 | Malignant neoplasm of ovary | Diagnosis | ICD-10-CM |
| C561 | Malignant neoplasm of right ovary | Diagnosis | ICD-10-CM |
| C562 | Malignant neoplasm of left ovary | Diagnosis | ICD-10-CM |
| C569 | Malignant neoplasm of unspecified ovary | Diagnosis | ICD-10-CM |
| C57 | Malignant neoplasm of other and unspecified female genital organs | Diagnosis | ICD-10-CM |
| C570 | Malignant neoplasm of fallopian tube | Diagnosis | ICD-10-CM |
| C5700 | Malignant neoplasm of unspecified fallopian tube | Diagnosis | ICD-10-CM |
| C5701 | Malignant neoplasm of right fallopian tube | Diagnosis | ICD-10-CM |
| C5702 | Malignant neoplasm of left fallopian tube | Diagnosis | ICD-10-CM |
| C571 | Malignant neoplasm of broad ligament | Diagnosis | ICD-10-CM |
| C5710 | Malignant neoplasm of unspecified broad ligament | Diagnosis | ICD-10-CM |
| C5711 | Malignant neoplasm of right broad ligament | Diagnosis | ICD-10-CM |
| C5712 | Malignant neoplasm of left broad ligament | Diagnosis | ICD-10-CM |
| C572 | Malignant neoplasm of round ligament | Diagnosis | ICD-10-CM |
| C5720 | Malignant neoplasm of unspecified round ligament | Diagnosis | ICD-10-CM |
| C5721 | Malignant neoplasm of right round ligament | Diagnosis | ICD-10-CM |
| C5722 | Malignant neoplasm of left round ligament | Diagnosis | ICD-10-CM |
| C573 | Malignant neoplasm of parametrium | Diagnosis | ICD-10-CM |
| C574 | Malignant neoplasm of uterine adnexa, unspecified | Diagnosis | ICD-10-CM |
| C577 | Malignant neoplasm of other specified female genital organs | Diagnosis | ICD-10-CM |
| C578 | Malignant neoplasm of overlapping sites of female genital organs | Diagnosis | ICD-10-CM |
| C579 | Malignant neoplasm of female genital organ, unspecified | Diagnosis | ICD-10-CM |
| C58 | Malignant neoplasm of placenta | Diagnosis | ICD-10-CM |
| C60 | Malignant neoplasm of penis | Diagnosis | ICD-10-CM |
| C600 | Malignant neoplasm of prepuce | Diagnosis | ICD-10-CM |
| C601 | Malignant neoplasm of glans penis | Diagnosis | ICD-10-CM |
| C602 | Malignant neoplasm of body of penis | Diagnosis | ICD-10-CM |
| C608 | Malignant neoplasm of overlapping sites of penis | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code | |
|-------|--|-----------|-----------|
| | | Category | Code Type |
| C609 | Malignant neoplasm of penis, unspecified | Diagnosis | ICD-10-CM |
| C61 | Malignant neoplasm of prostate | Diagnosis | ICD-10-CM |
| C62 | Malignant neoplasm of testis | Diagnosis | ICD-10-CM |
| C620 | Malignant neoplasm of undescended testis | Diagnosis | ICD-10-CM |
| C6200 | Malignant neoplasm of unspecified undescended testis | Diagnosis | ICD-10-CM |
| C6201 | Malignant neoplasm of undescended right testis | Diagnosis | ICD-10-CM |
| C6202 | Malignant neoplasm of undescended left testis | Diagnosis | ICD-10-CM |
| C621 | Malignant neoplasm of descended testis | Diagnosis | ICD-10-CM |
| C6210 | Malignant neoplasm of unspecified descended testis | Diagnosis | ICD-10-CM |
| C6211 | Malignant neoplasm of descended right testis | Diagnosis | ICD-10-CM |
| C6212 | Malignant neoplasm of descended left testis | Diagnosis | ICD-10-CM |
| C629 | Malignant neoplasm of testis, unspecified whether descended or undescended | Diagnosis | ICD-10-CM |
| C6290 | Malignant neoplasm of unspecified testis, unspecified whether descended or undescended | Diagnosis | ICD-10-CM |
| C6291 | Malignant neoplasm of right testis, unspecified whether descended or undescended | Diagnosis | ICD-10-CM |
| C6292 | Malignant neoplasm of left testis, unspecified whether descended or undescended | Diagnosis | ICD-10-CM |
| C63 | Malignant neoplasm of other and unspecified male genital organs | Diagnosis | ICD-10-CM |
| C630 | Malignant neoplasm of epididymis | Diagnosis | ICD-10-CM |
| C6300 | Malignant neoplasm of unspecified epididymis | Diagnosis | ICD-10-CM |
| C6301 | Malignant neoplasm of right epididymis | Diagnosis | ICD-10-CM |
| C6302 | Malignant neoplasm of left epididymis | Diagnosis | ICD-10-CM |
| C631 | Malignant neoplasm of spermatic cord | Diagnosis | ICD-10-CM |
| C6310 | Malignant neoplasm of unspecified spermatic cord | Diagnosis | ICD-10-CM |
| C6311 | Malignant neoplasm of right spermatic cord | Diagnosis | ICD-10-CM |
| C6312 | Malignant neoplasm of left spermatic cord | Diagnosis | ICD-10-CM |
| C632 | Malignant neoplasm of scrotum | Diagnosis | ICD-10-CM |
| C637 | Malignant neoplasm of other specified male genital organs | Diagnosis | ICD-10-CM |
| C638 | Malignant neoplasm of overlapping sites of male genital organs | Diagnosis | ICD-10-CM |
| C639 | Malignant neoplasm of male genital organ, unspecified | Diagnosis | ICD-10-CM |
| C64 | Malignant neoplasm of kidney, except renal pelvis | Diagnosis | ICD-10-CM |
| C641 | Malignant neoplasm of right kidney, except renal pelvis | Diagnosis | ICD-10-CM |
| C642 | Malignant neoplasm of left kidney, except renal pelvis | Diagnosis | ICD-10-CM |
| C649 | Malignant neoplasm of unspecified kidney, except renal pelvis | Diagnosis | ICD-10-CM |
| C65 | Malignant neoplasm of renal pelvis | Diagnosis | ICD-10-CM |
| C651 | Malignant neoplasm of right renal pelvis | Diagnosis | ICD-10-CM |
| C652 | Malignant neoplasm of left renal pelvis | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|--|----------------------|------------------|
| C659 | Malignant neoplasm of unspecified renal pelvis | Diagnosis | ICD-10-CM |
| C66 | Malignant neoplasm of ureter | Diagnosis | ICD-10-CM |
| C661 | Malignant neoplasm of right ureter | Diagnosis | ICD-10-CM |
| C662 | Malignant neoplasm of left ureter | Diagnosis | ICD-10-CM |
| C669 | Malignant neoplasm of unspecified ureter | Diagnosis | ICD-10-CM |
| C67 | Malignant neoplasm of bladder | Diagnosis | ICD-10-CM |
| C670 | Malignant neoplasm of trigone of bladder | Diagnosis | ICD-10-CM |
| C671 | Malignant neoplasm of dome of bladder | Diagnosis | ICD-10-CM |
| C672 | Malignant neoplasm of lateral wall of bladder | Diagnosis | ICD-10-CM |
| C673 | Malignant neoplasm of anterior wall of bladder | Diagnosis | ICD-10-CM |
| C674 | Malignant neoplasm of posterior wall of bladder | Diagnosis | ICD-10-CM |
| C675 | Malignant neoplasm of bladder neck | Diagnosis | ICD-10-CM |
| C676 | Malignant neoplasm of ureteric orifice | Diagnosis | ICD-10-CM |
| C677 | Malignant neoplasm of urachus | Diagnosis | ICD-10-CM |
| C678 | Malignant neoplasm of overlapping sites of bladder | Diagnosis | ICD-10-CM |
| C679 | Malignant neoplasm of bladder, unspecified | Diagnosis | ICD-10-CM |
| C68 | Malignant neoplasm of other and unspecified urinary organs | Diagnosis | ICD-10-CM |
| C680 | Malignant neoplasm of urethra | Diagnosis | ICD-10-CM |
| C681 | Malignant neoplasm of paraurethral glands | Diagnosis | ICD-10-CM |
| C688 | Malignant neoplasm of overlapping sites of urinary organs | Diagnosis | ICD-10-CM |
| C689 | Malignant neoplasm of urinary organ, unspecified | Diagnosis | ICD-10-CM |
| C69 | Malignant neoplasm of eye and adnexa | Diagnosis | ICD-10-CM |
| C690 | Malignant neoplasm of conjunctiva | Diagnosis | ICD-10-CM |
| C6900 | Malignant neoplasm of unspecified conjunctiva | Diagnosis | ICD-10-CM |
| C6901 | Malignant neoplasm of right conjunctiva | Diagnosis | ICD-10-CM |
| C6902 | Malignant neoplasm of left conjunctiva | Diagnosis | ICD-10-CM |
| C691 | Malignant neoplasm of cornea | Diagnosis | ICD-10-CM |
| C6910 | Malignant neoplasm of unspecified cornea | Diagnosis | ICD-10-CM |
| C6911 | Malignant neoplasm of right cornea | Diagnosis | ICD-10-CM |
| C6912 | Malignant neoplasm of left cornea | Diagnosis | ICD-10-CM |
| C692 | Malignant neoplasm of retina | Diagnosis | ICD-10-CM |
| C6920 | Malignant neoplasm of unspecified retina | Diagnosis | ICD-10-CM |
| C6921 | Malignant neoplasm of right retina | Diagnosis | ICD-10-CM |
| C6922 | Malignant neoplasm of left retina | Diagnosis | ICD-10-CM |
| C693 | Malignant neoplasm of choroid | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code | |
|-------|---|-----------|-----------|
| | | Category | Code Type |
| C6930 | Malignant neoplasm of unspecified choroid | Diagnosis | ICD-10-CM |
| C6931 | Malignant neoplasm of right choroid | Diagnosis | ICD-10-CM |
| C6932 | Malignant neoplasm of left choroid | Diagnosis | ICD-10-CM |
| C694 | Malignant neoplasm of ciliary body | Diagnosis | ICD-10-CM |
| C6940 | Malignant neoplasm of unspecified ciliary body | Diagnosis | ICD-10-CM |
| C6941 | Malignant neoplasm of right ciliary body | Diagnosis | ICD-10-CM |
| C6942 | Malignant neoplasm of left ciliary body | Diagnosis | ICD-10-CM |
| C695 | Malignant neoplasm of lacrimal gland and duct | Diagnosis | ICD-10-CM |
| C6950 | Malignant neoplasm of unspecified lacrimal gland and duct | Diagnosis | ICD-10-CM |
| C6951 | Malignant neoplasm of right lacrimal gland and duct | Diagnosis | ICD-10-CM |
| C6952 | Malignant neoplasm of left lacrimal gland and duct | Diagnosis | ICD-10-CM |
| C696 | Malignant neoplasm of orbit | Diagnosis | ICD-10-CM |
| C6960 | Malignant neoplasm of unspecified orbit | Diagnosis | ICD-10-CM |
| C6961 | Malignant neoplasm of right orbit | Diagnosis | ICD-10-CM |
| C6962 | Malignant neoplasm of left orbit | Diagnosis | ICD-10-CM |
| C698 | Malignant neoplasm of overlapping sites of eye and adnexa | Diagnosis | ICD-10-CM |
| C6980 | Malignant neoplasm of overlapping sites of unspecified eye and adnexa | Diagnosis | ICD-10-CM |
| C6981 | Malignant neoplasm of overlapping sites of right eye and adnexa | Diagnosis | ICD-10-CM |
| C6982 | Malignant neoplasm of overlapping sites of left eye and adnexa | Diagnosis | ICD-10-CM |
| C699 | Malignant neoplasm of unspecified site of eye | Diagnosis | ICD-10-CM |
| C6990 | Malignant neoplasm of unspecified site of unspecified eye | Diagnosis | ICD-10-CM |
| C6991 | Malignant neoplasm of unspecified site of right eye | Diagnosis | ICD-10-CM |
| C6992 | Malignant neoplasm of unspecified site of left eye | Diagnosis | ICD-10-CM |
| C70 | Malignant neoplasm of meninges | Diagnosis | ICD-10-CM |
| C700 | Malignant neoplasm of cerebral meninges | Diagnosis | ICD-10-CM |
| C701 | Malignant neoplasm of spinal meninges | Diagnosis | ICD-10-CM |
| C709 | Malignant neoplasm of meninges, unspecified | Diagnosis | ICD-10-CM |
| C71 | Malignant neoplasm of brain | Diagnosis | ICD-10-CM |
| C710 | Malignant neoplasm of cerebrum, except lobes and ventricles | Diagnosis | ICD-10-CM |
| C711 | Malignant neoplasm of frontal lobe | Diagnosis | ICD-10-CM |
| C712 | Malignant neoplasm of temporal lobe | Diagnosis | ICD-10-CM |
| C713 | Malignant neoplasm of parietal lobe | Diagnosis | ICD-10-CM |
| C714 | Malignant neoplasm of occipital lobe | Diagnosis | ICD-10-CM |
| C715 | Malignant neoplasm of cerebral ventricle | Diagnosis | ICD-10-CM |
| C716 | Malignant neoplasm of cerebellum | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|---|----------------------|------------------|
| C717 | Malignant neoplasm of brain stem | Diagnosis | ICD-10-CM |
| C718 | Malignant neoplasm of overlapping sites of brain | Diagnosis | ICD-10-CM |
| C719 | Malignant neoplasm of brain, unspecified | Diagnosis | ICD-10-CM |
| C72 | Malignant neoplasm of spinal cord, cranial nerves and other parts of central nervous system | Diagnosis | ICD-10-CM |
| C720 | Malignant neoplasm of spinal cord | Diagnosis | ICD-10-CM |
| C721 | Malignant neoplasm of cauda equina | Diagnosis | ICD-10-CM |
| C722 | Malignant neoplasm of olfactory nerve | Diagnosis | ICD-10-CM |
| C7220 | Malignant neoplasm of unspecified olfactory nerve | Diagnosis | ICD-10-CM |
| C7221 | Malignant neoplasm of right olfactory nerve | Diagnosis | ICD-10-CM |
| C7222 | Malignant neoplasm of left olfactory nerve | Diagnosis | ICD-10-CM |
| C723 | Malignant neoplasm of optic nerve | Diagnosis | ICD-10-CM |
| C7230 | Malignant neoplasm of unspecified optic nerve | Diagnosis | ICD-10-CM |
| C7231 | Malignant neoplasm of right optic nerve | Diagnosis | ICD-10-CM |
| C7232 | Malignant neoplasm of left optic nerve | Diagnosis | ICD-10-CM |
| C724 | Malignant neoplasm of acoustic nerve | Diagnosis | ICD-10-CM |
| C7240 | Malignant neoplasm of unspecified acoustic nerve | Diagnosis | ICD-10-CM |
| C7241 | Malignant neoplasm of right acoustic nerve | Diagnosis | ICD-10-CM |
| C7242 | Malignant neoplasm of left acoustic nerve | Diagnosis | ICD-10-CM |
| C725 | Malignant neoplasm of other and unspecified cranial nerves | Diagnosis | ICD-10-CM |
| C7250 | Malignant neoplasm of unspecified cranial nerve | Diagnosis | ICD-10-CM |
| C7259 | Malignant neoplasm of other cranial nerves | Diagnosis | ICD-10-CM |
| C729 | Malignant neoplasm of central nervous system, unspecified | Diagnosis | ICD-10-CM |
| C73 | Malignant neoplasm of thyroid gland | Diagnosis | ICD-10-CM |
| C74 | Malignant neoplasm of adrenal gland | Diagnosis | ICD-10-CM |
| C740 | Malignant neoplasm of cortex of adrenal gland | Diagnosis | ICD-10-CM |
| C7400 | Malignant neoplasm of cortex of unspecified adrenal gland | Diagnosis | ICD-10-CM |
| C7401 | Malignant neoplasm of cortex of right adrenal gland | Diagnosis | ICD-10-CM |
| C7402 | Malignant neoplasm of cortex of left adrenal gland | Diagnosis | ICD-10-CM |
| C741 | Malignant neoplasm of medulla of adrenal gland | Diagnosis | ICD-10-CM |
| C7410 | Malignant neoplasm of medulla of unspecified adrenal gland | Diagnosis | ICD-10-CM |
| C7411 | Malignant neoplasm of medulla of right adrenal gland | Diagnosis | ICD-10-CM |
| C7412 | Malignant neoplasm of medulla of left adrenal gland | Diagnosis | ICD-10-CM |
| C749 | Malignant neoplasm of unspecified part of adrenal gland | Diagnosis | ICD-10-CM |
| C7490 | Malignant neoplasm of unspecified part of unspecified adrenal gland | Diagnosis | ICD-10-CM |
| C7491 | Malignant neoplasm of unspecified part of right adrenal gland | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|---|----------------------|------------------|
| C7492 | Malignant neoplasm of unspecified part of left adrenal gland | Diagnosis | ICD-10-CM |
| C75 | Malignant neoplasm of other endocrine glands and related structures | Diagnosis | ICD-10-CM |
| C750 | Malignant neoplasm of parathyroid gland | Diagnosis | ICD-10-CM |
| C751 | Malignant neoplasm of pituitary gland | Diagnosis | ICD-10-CM |
| C752 | Malignant neoplasm of craniopharyngeal duct | Diagnosis | ICD-10-CM |
| C753 | Malignant neoplasm of pineal gland | Diagnosis | ICD-10-CM |
| C754 | Malignant neoplasm of carotid body | Diagnosis | ICD-10-CM |
| C755 | Malignant neoplasm of aortic body and other paraganglia | Diagnosis | ICD-10-CM |
| C758 | Malignant neoplasm with pluriglandular involvement, unspecified | Diagnosis | ICD-10-CM |
| C759 | Malignant neoplasm of endocrine gland, unspecified | Diagnosis | ICD-10-CM |
| C76 | Malignant neoplasm of other and ill-defined sites | Diagnosis | ICD-10-CM |
| C760 | Malignant neoplasm of head, face and neck | Diagnosis | ICD-10-CM |
| C761 | Malignant neoplasm of thorax | Diagnosis | ICD-10-CM |
| C762 | Malignant neoplasm of abdomen | Diagnosis | ICD-10-CM |
| C763 | Malignant neoplasm of pelvis | Diagnosis | ICD-10-CM |
| C764 | Malignant neoplasm of upper limb | Diagnosis | ICD-10-CM |
| C7640 | Malignant neoplasm of unspecified upper limb | Diagnosis | ICD-10-CM |
| C7641 | Malignant neoplasm of right upper limb | Diagnosis | ICD-10-CM |
| C7642 | Malignant neoplasm of left upper limb | Diagnosis | ICD-10-CM |
| C765 | Malignant neoplasm of lower limb | Diagnosis | ICD-10-CM |
| C7650 | Malignant neoplasm of unspecified lower limb | Diagnosis | ICD-10-CM |
| C7651 | Malignant neoplasm of right lower limb | Diagnosis | ICD-10-CM |
| C7652 | Malignant neoplasm of left lower limb | Diagnosis | ICD-10-CM |
| C768 | Malignant neoplasm of other specified ill-defined sites | Diagnosis | ICD-10-CM |
| C77 | Secondary and unspecified malignant neoplasm of lymph nodes | Diagnosis | ICD-10-CM |
| C770 | Secondary and unspecified malignant neoplasm of lymph nodes of head, face and neck | Diagnosis | ICD-10-CM |
| C771 | Secondary and unspecified malignant neoplasm of intrathoracic lymph nodes | Diagnosis | ICD-10-CM |
| C772 | Secondary and unspecified malignant neoplasm of intra-abdominal lymph nodes | Diagnosis | ICD-10-CM |
| C773 | Secondary and unspecified malignant neoplasm of axilla and upper limb lymph nodes | Diagnosis | ICD-10-CM |
| C774 | Secondary and unspecified malignant neoplasm of inguinal and lower limb lymph nodes | Diagnosis | ICD-10-CM |
| C775 | Secondary and unspecified malignant neoplasm of intrapelvic lymph nodes | Diagnosis | ICD-10-CM |
| C778 | Secondary and unspecified malignant neoplasm of lymph nodes of multiple regions | Diagnosis | ICD-10-CM |
| C779 | Secondary and unspecified malignant neoplasm of lymph node, unspecified | Diagnosis | ICD-10-CM |
| C78 | Secondary malignant neoplasm of respiratory and digestive organs | Diagnosis | ICD-10-CM |
| C780 | Secondary malignant neoplasm of lung | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|--|----------------------|------------------|
| C7800 | Secondary malignant neoplasm of unspecified lung | Diagnosis | ICD-10-CM |
| C7801 | Secondary malignant neoplasm of right lung | Diagnosis | ICD-10-CM |
| C7802 | Secondary malignant neoplasm of left lung | Diagnosis | ICD-10-CM |
| C781 | Secondary malignant neoplasm of mediastinum | Diagnosis | ICD-10-CM |
| C782 | Secondary malignant neoplasm of pleura | Diagnosis | ICD-10-CM |
| C783 | Secondary malignant neoplasm of other and unspecified respiratory organs | Diagnosis | ICD-10-CM |
| C7830 | Secondary malignant neoplasm of unspecified respiratory organ | Diagnosis | ICD-10-CM |
| C7839 | Secondary malignant neoplasm of other respiratory organs | Diagnosis | ICD-10-CM |
| C784 | Secondary malignant neoplasm of small intestine | Diagnosis | ICD-10-CM |
| C785 | Secondary malignant neoplasm of large intestine and rectum | Diagnosis | ICD-10-CM |
| C786 | Secondary malignant neoplasm of retroperitoneum and peritoneum | Diagnosis | ICD-10-CM |
| C787 | Secondary malignant neoplasm of liver and intrahepatic bile duct | Diagnosis | ICD-10-CM |
| C788 | Secondary malignant neoplasm of other and unspecified digestive organs | Diagnosis | ICD-10-CM |
| C7880 | Secondary malignant neoplasm of unspecified digestive organ | Diagnosis | ICD-10-CM |
| C7889 | Secondary malignant neoplasm of other digestive organs | Diagnosis | ICD-10-CM |
| C79 | Secondary malignant neoplasm of other and unspecified sites | Diagnosis | ICD-10-CM |
| C790 | Secondary malignant neoplasm of kidney and renal pelvis | Diagnosis | ICD-10-CM |
| C7900 | Secondary malignant neoplasm of unspecified kidney and renal pelvis | Diagnosis | ICD-10-CM |
| C7901 | Secondary malignant neoplasm of right kidney and renal pelvis | Diagnosis | ICD-10-CM |
| C7902 | Secondary malignant neoplasm of left kidney and renal pelvis | Diagnosis | ICD-10-CM |
| C791 | Secondary malignant neoplasm of bladder and other and unspecified urinary organs | Diagnosis | ICD-10-CM |
| C7910 | Secondary malignant neoplasm of unspecified urinary organs | Diagnosis | ICD-10-CM |
| C7911 | Secondary malignant neoplasm of bladder | Diagnosis | ICD-10-CM |
| C7919 | Secondary malignant neoplasm of other urinary organs | Diagnosis | ICD-10-CM |
| C792 | Secondary malignant neoplasm of skin | Diagnosis | ICD-10-CM |
| C793 | Secondary malignant neoplasm of brain and cerebral meninges | Diagnosis | ICD-10-CM |
| C7931 | Secondary malignant neoplasm of brain | Diagnosis | ICD-10-CM |
| C7932 | Secondary malignant neoplasm of cerebral meninges | Diagnosis | ICD-10-CM |
| C794 | Secondary malignant neoplasm of other and unspecified parts of nervous system | Diagnosis | ICD-10-CM |
| C7940 | Secondary malignant neoplasm of unspecified part of nervous system | Diagnosis | ICD-10-CM |
| C7949 | Secondary malignant neoplasm of other parts of nervous system | Diagnosis | ICD-10-CM |
| C795 | Secondary malignant neoplasm of bone and bone marrow | Diagnosis | ICD-10-CM |
| C7951 | Secondary malignant neoplasm of bone | Diagnosis | ICD-10-CM |
| C7952 | Secondary malignant neoplasm of bone marrow | Diagnosis | ICD-10-CM |
| C796 | Secondary malignant neoplasm of ovary | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code | |
|--------|---|-----------|-----------|
| | | Category | Code Type |
| C7960 | Secondary malignant neoplasm of unspecified ovary | Diagnosis | ICD-10-CM |
| C7961 | Secondary malignant neoplasm of right ovary | Diagnosis | ICD-10-CM |
| C7962 | Secondary malignant neoplasm of left ovary | Diagnosis | ICD-10-CM |
| C797 | Secondary malignant neoplasm of adrenal gland | Diagnosis | ICD-10-CM |
| C7970 | Secondary malignant neoplasm of unspecified adrenal gland | Diagnosis | ICD-10-CM |
| C7971 | Secondary malignant neoplasm of right adrenal gland | Diagnosis | ICD-10-CM |
| C7972 | Secondary malignant neoplasm of left adrenal gland | Diagnosis | ICD-10-CM |
| C798 | Secondary malignant neoplasm of other specified sites | Diagnosis | ICD-10-CM |
| C7981 | Secondary malignant neoplasm of breast | Diagnosis | ICD-10-CM |
| C7982 | Secondary malignant neoplasm of genital organs | Diagnosis | ICD-10-CM |
| C7989 | Secondary malignant neoplasm of other specified sites | Diagnosis | ICD-10-CM |
| C799 | Secondary malignant neoplasm of unspecified site | Diagnosis | ICD-10-CM |
| C7A | Malignant neuroendocrine tumors | Diagnosis | ICD-10-CM |
| C7A0 | Malignant carcinoid tumors | Diagnosis | ICD-10-CM |
| C7A00 | Malignant carcinoid tumor of unspecified site | Diagnosis | ICD-10-CM |
| C7A01 | Malignant carcinoid tumors of the small intestine | Diagnosis | ICD-10-CM |
| C7A010 | Malignant carcinoid tumor of the duodenum | Diagnosis | ICD-10-CM |
| C7A011 | Malignant carcinoid tumor of the jejunum | Diagnosis | ICD-10-CM |
| C7A012 | Malignant carcinoid tumor of the ileum | Diagnosis | ICD-10-CM |
| C7A019 | Malignant carcinoid tumor of the small intestine, unspecified portion | Diagnosis | ICD-10-CM |
| C7A02 | Malignant carcinoid tumors of the appendix, large intestine, and rectum | Diagnosis | ICD-10-CM |
| C7A020 | Malignant carcinoid tumor of the appendix | Diagnosis | ICD-10-CM |
| C7A021 | Malignant carcinoid tumor of the cecum | Diagnosis | ICD-10-CM |
| C7A022 | Malignant carcinoid tumor of the ascending colon | Diagnosis | ICD-10-CM |
| C7A023 | Malignant carcinoid tumor of the transverse colon | Diagnosis | ICD-10-CM |
| C7A024 | Malignant carcinoid tumor of the descending colon | Diagnosis | ICD-10-CM |
| C7A025 | Malignant carcinoid tumor of the sigmoid colon | Diagnosis | ICD-10-CM |
| C7A026 | Malignant carcinoid tumor of the rectum | Diagnosis | ICD-10-CM |
| C7A029 | Malignant carcinoid tumor of the large intestine, unspecified portion | Diagnosis | ICD-10-CM |
| C7A09 | Malignant carcinoid tumors of other sites | Diagnosis | ICD-10-CM |
| C7A090 | Malignant carcinoid tumor of the bronchus and lung | Diagnosis | ICD-10-CM |
| C7A091 | Malignant carcinoid tumor of the thymus | Diagnosis | ICD-10-CM |
| C7A092 | Malignant carcinoid tumor of the stomach | Diagnosis | ICD-10-CM |
| C7A093 | Malignant carcinoid tumor of the kidney | Diagnosis | ICD-10-CM |
| C7A094 | Malignant carcinoid tumor of the foregut, unspecified | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code | |
|--------|--|-----------|-----------|
| | | Category | Code Type |
| C7A095 | Malignant carcinoid tumor of the midgut, unspecified | Diagnosis | ICD-10-CM |
| C7A096 | Malignant carcinoid tumor of the hindgut, unspecified | Diagnosis | ICD-10-CM |
| C7A098 | Malignant carcinoid tumors of other sites | Diagnosis | ICD-10-CM |
| C7A1 | Malignant poorly differentiated neuroendocrine tumors | Diagnosis | ICD-10-CM |
| C7A8 | Other malignant neuroendocrine tumors | Diagnosis | ICD-10-CM |
| C7B | Secondary neuroendocrine tumors | Diagnosis | ICD-10-CM |
| C7B0 | Secondary carcinoid tumors | Diagnosis | ICD-10-CM |
| C7B00 | Secondary carcinoid tumors, unspecified site | Diagnosis | ICD-10-CM |
| C7B01 | Secondary carcinoid tumors of distant lymph nodes | Diagnosis | ICD-10-CM |
| C7B02 | Secondary carcinoid tumors of liver | Diagnosis | ICD-10-CM |
| C7B03 | Secondary carcinoid tumors of bone | Diagnosis | ICD-10-CM |
| C7B04 | Secondary carcinoid tumors of peritoneum | Diagnosis | ICD-10-CM |
| C7B09 | Secondary carcinoid tumors of other sites | Diagnosis | ICD-10-CM |
| C7B1 | Secondary Merkel cell carcinoma | Diagnosis | ICD-10-CM |
| C7B8 | Other secondary neuroendocrine tumors | Diagnosis | ICD-10-CM |
| C80 | Malignant neoplasm without specification of site | Diagnosis | ICD-10-CM |
| C800 | Disseminated malignant neoplasm, unspecified | Diagnosis | ICD-10-CM |
| C801 | Malignant (primary) neoplasm, unspecified | Diagnosis | ICD-10-CM |
| C802 | Malignant neoplasm associated with transplanted organ | Diagnosis | ICD-10-CM |
| C81 | Hodgkin lymphoma | Diagnosis | ICD-10-CM |
| C810 | Nodular lymphocyte predominant Hodgkin lymphoma | Diagnosis | ICD-10-CM |
| C8100 | Nodular lymphocyte predominant Hodgkin lymphoma, unspecified site | Diagnosis | ICD-10-CM |
| C8101 | Nodular lymphocyte predominant Hodgkin lymphoma, lymph nodes of head, face, and neck | Diagnosis | ICD-10-CM |
| C8102 | Nodular lymphocyte predominant Hodgkin lymphoma, intrathoracic lymph nodes | Diagnosis | ICD-10-CM |
| C8103 | Nodular lymphocyte predominant Hodgkin lymphoma, intra-abdominal lymph nodes | Diagnosis | ICD-10-CM |
| C8104 | Nodular lymphocyte predominant Hodgkin lymphoma, lymph nodes of axilla and upper limb | Diagnosis | ICD-10-CM |
| C8105 | Nodular lymphocyte predominant Hodgkin lymphoma, lymph nodes of inguinal region and lower limb | Diagnosis | ICD-10-CM |
| C8106 | Nodular lymphocyte predominant Hodgkin lymphoma, intrapelvic lymph nodes | Diagnosis | ICD-10-CM |
| C8107 | Nodular lymphocyte predominant Hodgkin lymphoma, spleen | Diagnosis | ICD-10-CM |
| C8108 | Nodular lymphocyte predominant Hodgkin lymphoma, lymph nodes of multiple sites | Diagnosis | ICD-10-CM |
| C8109 | Nodular lymphocyte predominant Hodgkin lymphoma, extranodal and solid organ sites | Diagnosis | ICD-10-CM |
| C811 | Nodular sclerosis Hodgkin lymphoma | Diagnosis | ICD-10-CM |
| C8110 | Nodular sclerosis Hodgkin lymphoma, unspecified site | Diagnosis | ICD-10-CM |
| C8111 | Nodular sclerosis Hodgkin lymphoma, lymph nodes of head, face, and neck | Diagnosis | ICD-10-CM |
| C8112 | Nodular sclerosis Hodgkin lymphoma, intrathoracic lymph nodes | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|---|----------------------|------------------|
| C8113 | Nodular sclerosis Hodgkin lymphoma, intra-abdominal lymph nodes | Diagnosis | ICD-10-CM |
| C8114 | Nodular sclerosis Hodgkin lymphoma, lymph nodes of axilla and upper limb | Diagnosis | ICD-10-CM |
| C8115 | Nodular sclerosis Hodgkin lymphoma, lymph nodes of inguinal region and lower limb | Diagnosis | ICD-10-CM |
| C8116 | Nodular sclerosis Hodgkin lymphoma, intrapelvic lymph nodes | Diagnosis | ICD-10-CM |
| C8117 | Nodular sclerosis Hodgkin lymphoma, spleen | Diagnosis | ICD-10-CM |
| C8118 | Nodular sclerosis Hodgkin lymphoma, lymph nodes of multiple sites | Diagnosis | ICD-10-CM |
| C8119 | Nodular sclerosis Hodgkin lymphoma, extranodal and solid organ sites | Diagnosis | ICD-10-CM |
| C812 | Mixed cellularity Hodgkin lymphoma | Diagnosis | ICD-10-CM |
| C8120 | Mixed cellularity Hodgkin lymphoma, unspecified site | Diagnosis | ICD-10-CM |
| C8121 | Mixed cellularity Hodgkin lymphoma, lymph nodes of head, face, and neck | Diagnosis | ICD-10-CM |
| C8122 | Mixed cellularity Hodgkin lymphoma, intrathoracic lymph nodes | Diagnosis | ICD-10-CM |
| C8123 | Mixed cellularity Hodgkin lymphoma, intra-abdominal lymph nodes | Diagnosis | ICD-10-CM |
| C8124 | Mixed cellularity Hodgkin lymphoma, lymph nodes of axilla and upper limb | Diagnosis | ICD-10-CM |
| C8125 | Mixed cellularity Hodgkin lymphoma, lymph nodes of inguinal region and lower limb | Diagnosis | ICD-10-CM |
| C8126 | Mixed cellularity Hodgkin lymphoma, intrapelvic lymph nodes | Diagnosis | ICD-10-CM |
| C8127 | Mixed cellularity Hodgkin lymphoma, spleen | Diagnosis | ICD-10-CM |
| C8128 | Mixed cellularity Hodgkin lymphoma, lymph nodes of multiple sites | Diagnosis | ICD-10-CM |
| C8129 | Mixed cellularity Hodgkin lymphoma, extranodal and solid organ sites | Diagnosis | ICD-10-CM |
| C813 | Lymphocyte depleted Hodgkin lymphoma | Diagnosis | ICD-10-CM |
| C8130 | Lymphocyte depleted Hodgkin lymphoma, unspecified site | Diagnosis | ICD-10-CM |
| C8131 | Lymphocyte depleted Hodgkin lymphoma, lymph nodes of head, face, and neck | Diagnosis | ICD-10-CM |
| C8132 | Lymphocyte depleted Hodgkin lymphoma, intrathoracic lymph nodes | Diagnosis | ICD-10-CM |
| C8133 | Lymphocyte depleted Hodgkin lymphoma, intra-abdominal lymph nodes | Diagnosis | ICD-10-CM |
| C8134 | Lymphocyte depleted Hodgkin lymphoma, lymph nodes of axilla and upper limb | Diagnosis | ICD-10-CM |
| C8135 | Lymphocyte depleted Hodgkin lymphoma, lymph nodes of inguinal region and lower limb | Diagnosis | ICD-10-CM |
| C8136 | Lymphocyte depleted Hodgkin lymphoma, intrapelvic lymph nodes | Diagnosis | ICD-10-CM |
| C8137 | Lymphocyte depleted Hodgkin lymphoma, spleen | Diagnosis | ICD-10-CM |
| C8138 | Lymphocyte depleted Hodgkin lymphoma, lymph nodes of multiple sites | Diagnosis | ICD-10-CM |
| C8139 | Lymphocyte depleted Hodgkin lymphoma, extranodal and solid organ sites | Diagnosis | ICD-10-CM |
| C814 | Lymphocyte-rich Hodgkin lymphoma | Diagnosis | ICD-10-CM |
| C8140 | Lymphocyte-rich Hodgkin lymphoma, unspecified site | Diagnosis | ICD-10-CM |
| C8141 | Lymphocyte-rich Hodgkin lymphoma, lymph nodes of head, face, and neck | Diagnosis | ICD-10-CM |
| C8142 | Lymphocyte-rich Hodgkin lymphoma, intrathoracic lymph nodes | Diagnosis | ICD-10-CM |
| C8143 | Lymphocyte-rich Hodgkin lymphoma, intra-abdominal lymph nodes | Diagnosis | ICD-10-CM |
| C8144 | Lymphocyte-rich Hodgkin lymphoma, lymph nodes of axilla and upper limb | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|---|----------------------|------------------|
| C8145 | Lymphocyte-rich Hodgkin lymphoma, lymph nodes of inguinal region and lower limb | Diagnosis | ICD-10-CM |
| C8146 | Lymphocyte-rich Hodgkin lymphoma, intrapelvic lymph nodes | Diagnosis | ICD-10-CM |
| C8147 | Lymphocyte-rich Hodgkin lymphoma, spleen | Diagnosis | ICD-10-CM |
| C8148 | Lymphocyte-rich Hodgkin lymphoma, lymph nodes of multiple sites | Diagnosis | ICD-10-CM |
| C8149 | Lymphocyte-rich Hodgkin lymphoma, extranodal and solid organ sites | Diagnosis | ICD-10-CM |
| C817 | Other Hodgkin lymphoma | Diagnosis | ICD-10-CM |
| C8170 | Other Hodgkin lymphoma, unspecified site | Diagnosis | ICD-10-CM |
| C8171 | Other Hodgkin lymphoma, lymph nodes of head, face, and neck | Diagnosis | ICD-10-CM |
| C8172 | Other Hodgkin lymphoma, intrathoracic lymph nodes | Diagnosis | ICD-10-CM |
| C8173 | Other Hodgkin lymphoma, intra-abdominal lymph nodes | Diagnosis | ICD-10-CM |
| C8174 | Other Hodgkin lymphoma, lymph nodes of axilla and upper limb | Diagnosis | ICD-10-CM |
| C8175 | Other Hodgkin lymphoma, lymph nodes of inguinal region and lower limb | Diagnosis | ICD-10-CM |
| C8176 | Other Hodgkin lymphoma, intrapelvic lymph nodes | Diagnosis | ICD-10-CM |
| C8177 | Other Hodgkin lymphoma, spleen | Diagnosis | ICD-10-CM |
| C8178 | Other Hodgkin lymphoma, lymph nodes of multiple sites | Diagnosis | ICD-10-CM |
| C8179 | Other Hodgkin lymphoma, extranodal and solid organ sites | Diagnosis | ICD-10-CM |
| C819 | Hodgkin lymphoma, unspecified | Diagnosis | ICD-10-CM |
| C8190 | Hodgkin lymphoma, unspecified, unspecified site | Diagnosis | ICD-10-CM |
| C8191 | Hodgkin lymphoma, unspecified, lymph nodes of head, face, and neck | Diagnosis | ICD-10-CM |
| C8192 | Hodgkin lymphoma, unspecified, intrathoracic lymph nodes | Diagnosis | ICD-10-CM |
| C8193 | Hodgkin lymphoma, unspecified, intra-abdominal lymph nodes | Diagnosis | ICD-10-CM |
| C8194 | Hodgkin lymphoma, unspecified, lymph nodes of axilla and upper limb | Diagnosis | ICD-10-CM |
| C8195 | Hodgkin lymphoma, unspecified, lymph nodes of inguinal region and lower limb | Diagnosis | ICD-10-CM |
| C8196 | Hodgkin lymphoma, unspecified, intrapelvic lymph nodes | Diagnosis | ICD-10-CM |
| C8197 | Hodgkin lymphoma, unspecified, spleen | Diagnosis | ICD-10-CM |
| C8198 | Hodgkin lymphoma, unspecified, lymph nodes of multiple sites | Diagnosis | ICD-10-CM |
| C8199 | Hodgkin lymphoma, unspecified, extranodal and solid organ sites | Diagnosis | ICD-10-CM |
| C82 | Follicular lymphoma | Diagnosis | ICD-10-CM |
| C820 | Follicular lymphoma grade I | Diagnosis | ICD-10-CM |
| C8200 | Follicular lymphoma grade I, unspecified site | Diagnosis | ICD-10-CM |
| C8201 | Follicular lymphoma grade I, lymph nodes of head, face, and neck | Diagnosis | ICD-10-CM |
| C8202 | Follicular lymphoma grade I, intrathoracic lymph nodes | Diagnosis | ICD-10-CM |
| C8203 | Follicular lymphoma grade I, intra-abdominal lymph nodes | Diagnosis | ICD-10-CM |
| C8204 | Follicular lymphoma grade I, lymph nodes of axilla and upper limb | Diagnosis | ICD-10-CM |
| C8205 | Follicular lymphoma grade I, lymph nodes of inguinal region and lower limb | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|---|----------------------|------------------|
| C8206 | Follicular lymphoma grade I, intrapelvic lymph nodes | Diagnosis | ICD-10-CM |
| C8207 | Follicular lymphoma grade I, spleen | Diagnosis | ICD-10-CM |
| C8208 | Follicular lymphoma grade I, lymph nodes of multiple sites | Diagnosis | ICD-10-CM |
| C8209 | Follicular lymphoma grade I, extranodal and solid organ sites | Diagnosis | ICD-10-CM |
| C821 | Follicular lymphoma grade II | Diagnosis | ICD-10-CM |
| C8210 | Follicular lymphoma grade II, unspecified site | Diagnosis | ICD-10-CM |
| C8211 | Follicular lymphoma grade II, lymph nodes of head, face, and neck | Diagnosis | ICD-10-CM |
| C8212 | Follicular lymphoma grade II, intrathoracic lymph nodes | Diagnosis | ICD-10-CM |
| C8213 | Follicular lymphoma grade II, intra-abdominal lymph nodes | Diagnosis | ICD-10-CM |
| C8214 | Follicular lymphoma grade II, lymph nodes of axilla and upper limb | Diagnosis | ICD-10-CM |
| C8215 | Follicular lymphoma grade II, lymph nodes of inguinal region and lower limb | Diagnosis | ICD-10-CM |
| C8216 | Follicular lymphoma grade II, intrapelvic lymph nodes | Diagnosis | ICD-10-CM |
| C8217 | Follicular lymphoma grade II, spleen | Diagnosis | ICD-10-CM |
| C8218 | Follicular lymphoma grade II, lymph nodes of multiple sites | Diagnosis | ICD-10-CM |
| C8219 | Follicular lymphoma grade II, extranodal and solid organ sites | Diagnosis | ICD-10-CM |
| C822 | Follicular lymphoma grade III, unspecified | Diagnosis | ICD-10-CM |
| C8220 | Follicular lymphoma grade III, unspecified, unspecified site | Diagnosis | ICD-10-CM |
| C8221 | Follicular lymphoma grade III, unspecified, lymph nodes of head, face, and neck | Diagnosis | ICD-10-CM |
| C8222 | Follicular lymphoma grade III, unspecified, intrathoracic lymph nodes | Diagnosis | ICD-10-CM |
| C8223 | Follicular lymphoma grade III, unspecified, intra-abdominal lymph nodes | Diagnosis | ICD-10-CM |
| C8224 | Follicular lymphoma grade III, unspecified, lymph nodes of axilla and upper limb | Diagnosis | ICD-10-CM |
| C8225 | Follicular lymphoma grade III, unspecified, lymph nodes of inguinal region and lower limb | Diagnosis | ICD-10-CM |
| C8226 | Follicular lymphoma grade III, unspecified, intrapelvic lymph nodes | Diagnosis | ICD-10-CM |
| C8227 | Follicular lymphoma grade III, unspecified, spleen | Diagnosis | ICD-10-CM |
| C8228 | Follicular lymphoma grade III, unspecified, lymph nodes of multiple sites | Diagnosis | ICD-10-CM |
| C8229 | Follicular lymphoma grade III, unspecified, extranodal and solid organ sites | Diagnosis | ICD-10-CM |
| C823 | Follicular lymphoma grade IIIa | Diagnosis | ICD-10-CM |
| C8230 | Follicular lymphoma grade IIIa, unspecified site | Diagnosis | ICD-10-CM |
| C8231 | Follicular lymphoma grade IIIa, lymph nodes of head, face, and neck | Diagnosis | ICD-10-CM |
| C8232 | Follicular lymphoma grade IIIa, intrathoracic lymph nodes | Diagnosis | ICD-10-CM |
| C8233 | Follicular lymphoma grade IIIa, intra-abdominal lymph nodes | Diagnosis | ICD-10-CM |
| C8234 | Follicular lymphoma grade IIIa, lymph nodes of axilla and upper limb | Diagnosis | ICD-10-CM |
| C8235 | Follicular lymphoma grade IIIa, lymph nodes of inguinal region and lower limb | Diagnosis | ICD-10-CM |
| C8236 | Follicular lymphoma grade IIIa, intrapelvic lymph nodes | Diagnosis | ICD-10-CM |
| C8237 | Follicular lymphoma grade IIIa, spleen | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|---|----------------------|------------------|
| C8238 | Follicular lymphoma grade IIIa, lymph nodes of multiple sites | Diagnosis | ICD-10-CM |
| C8239 | Follicular lymphoma grade IIIa, extranodal and solid organ sites | Diagnosis | ICD-10-CM |
| C824 | Follicular lymphoma grade IIIb | Diagnosis | ICD-10-CM |
| C8240 | Follicular lymphoma grade IIIb, unspecified site | Diagnosis | ICD-10-CM |
| C8241 | Follicular lymphoma grade IIIb, lymph nodes of head, face, and neck | Diagnosis | ICD-10-CM |
| C8242 | Follicular lymphoma grade IIIb, intrathoracic lymph nodes | Diagnosis | ICD-10-CM |
| C8243 | Follicular lymphoma grade IIIb, intra-abdominal lymph nodes | Diagnosis | ICD-10-CM |
| C8244 | Follicular lymphoma grade IIIb, lymph nodes of axilla and upper limb | Diagnosis | ICD-10-CM |
| C8245 | Follicular lymphoma grade IIIb, lymph nodes of inguinal region and lower limb | Diagnosis | ICD-10-CM |
| C8246 | Follicular lymphoma grade IIIb, intrapelvic lymph nodes | Diagnosis | ICD-10-CM |
| C8247 | Follicular lymphoma grade IIIb, spleen | Diagnosis | ICD-10-CM |
| C8248 | Follicular lymphoma grade IIIb, lymph nodes of multiple sites | Diagnosis | ICD-10-CM |
| C8249 | Follicular lymphoma grade IIIb, extranodal and solid organ sites | Diagnosis | ICD-10-CM |
| C825 | Diffuse follicle center lymphoma | Diagnosis | ICD-10-CM |
| C8250 | Diffuse follicle center lymphoma, unspecified site | Diagnosis | ICD-10-CM |
| C8251 | Diffuse follicle center lymphoma, lymph nodes of head, face, and neck | Diagnosis | ICD-10-CM |
| C8252 | Diffuse follicle center lymphoma, intrathoracic lymph nodes | Diagnosis | ICD-10-CM |
| C8253 | Diffuse follicle center lymphoma, intra-abdominal lymph nodes | Diagnosis | ICD-10-CM |
| C8254 | Diffuse follicle center lymphoma, lymph nodes of axilla and upper limb | Diagnosis | ICD-10-CM |
| C8255 | Diffuse follicle center lymphoma, lymph nodes of inguinal region and lower limb | Diagnosis | ICD-10-CM |
| C8256 | Diffuse follicle center lymphoma, intrapelvic lymph nodes | Diagnosis | ICD-10-CM |
| C8257 | Diffuse follicle center lymphoma, spleen | Diagnosis | ICD-10-CM |
| C8258 | Diffuse follicle center lymphoma, lymph nodes of multiple sites | Diagnosis | ICD-10-CM |
| C8259 | Diffuse follicle center lymphoma, extranodal and solid organ sites | Diagnosis | ICD-10-CM |
| C826 | Cutaneous follicle center lymphoma | Diagnosis | ICD-10-CM |
| C8260 | Cutaneous follicle center lymphoma, unspecified site | Diagnosis | ICD-10-CM |
| C8261 | Cutaneous follicle center lymphoma, lymph nodes of head, face, and neck | Diagnosis | ICD-10-CM |
| C8262 | Cutaneous follicle center lymphoma, intrathoracic lymph nodes | Diagnosis | ICD-10-CM |
| C8263 | Cutaneous follicle center lymphoma, intra-abdominal lymph nodes | Diagnosis | ICD-10-CM |
| C8264 | Cutaneous follicle center lymphoma, lymph nodes of axilla and upper limb | Diagnosis | ICD-10-CM |
| C8265 | Cutaneous follicle center lymphoma, lymph nodes of inguinal region and lower limb | Diagnosis | ICD-10-CM |
| C8266 | Cutaneous follicle center lymphoma, intrapelvic lymph nodes | Diagnosis | ICD-10-CM |
| C8267 | Cutaneous follicle center lymphoma, spleen | Diagnosis | ICD-10-CM |
| C8268 | Cutaneous follicle center lymphoma, lymph nodes of multiple sites | Diagnosis | ICD-10-CM |
| C8269 | Cutaneous follicle center lymphoma, extranodal and solid organ sites | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code | |
|-------|---|-----------|-----------|
| | | Category | Code Type |
| C828 | Other types of follicular lymphoma | Diagnosis | ICD-10-CM |
| C8280 | Other types of follicular lymphoma, unspecified site | Diagnosis | ICD-10-CM |
| C8281 | Other types of follicular lymphoma, lymph nodes of head, face, and neck | Diagnosis | ICD-10-CM |
| C8282 | Other types of follicular lymphoma, intrathoracic lymph nodes | Diagnosis | ICD-10-CM |
| C8283 | Other types of follicular lymphoma, intra-abdominal lymph nodes | Diagnosis | ICD-10-CM |
| C8284 | Other types of follicular lymphoma, lymph nodes of axilla and upper limb | Diagnosis | ICD-10-CM |
| C8285 | Other types of follicular lymphoma, lymph nodes of inguinal region and lower limb | Diagnosis | ICD-10-CM |
| C8286 | Other types of follicular lymphoma, intrapelvic lymph nodes | Diagnosis | ICD-10-CM |
| C8287 | Other types of follicular lymphoma, spleen | Diagnosis | ICD-10-CM |
| C8288 | Other types of follicular lymphoma, lymph nodes of multiple sites | Diagnosis | ICD-10-CM |
| C8289 | Other types of follicular lymphoma, extranodal and solid organ sites | Diagnosis | ICD-10-CM |
| C829 | Follicular lymphoma, unspecified | Diagnosis | ICD-10-CM |
| C8290 | Follicular lymphoma, unspecified, unspecified site | Diagnosis | ICD-10-CM |
| C8291 | Follicular lymphoma, unspecified, lymph nodes of head, face, and neck | Diagnosis | ICD-10-CM |
| C8292 | Follicular lymphoma, unspecified, intrathoracic lymph nodes | Diagnosis | ICD-10-CM |
| C8293 | Follicular lymphoma, unspecified, intra-abdominal lymph nodes | Diagnosis | ICD-10-CM |
| C8294 | Follicular lymphoma, unspecified, lymph nodes of axilla and upper limb | Diagnosis | ICD-10-CM |
| C8295 | Follicular lymphoma, unspecified, lymph nodes of inguinal region and lower limb | Diagnosis | ICD-10-CM |
| C8296 | Follicular lymphoma, unspecified, intrapelvic lymph nodes | Diagnosis | ICD-10-CM |
| C8297 | Follicular lymphoma, unspecified, spleen | Diagnosis | ICD-10-CM |
| C8298 | Follicular lymphoma, unspecified, lymph nodes of multiple sites | Diagnosis | ICD-10-CM |
| C8299 | Follicular lymphoma, unspecified, extranodal and solid organ sites | Diagnosis | ICD-10-CM |
| C83 | Non-follicular lymphoma | Diagnosis | ICD-10-CM |
| C830 | Small cell B-cell lymphoma | Diagnosis | ICD-10-CM |
| C8300 | Small cell B-cell lymphoma, unspecified site | Diagnosis | ICD-10-CM |
| C8301 | Small cell B-cell lymphoma, lymph nodes of head, face, and neck | Diagnosis | ICD-10-CM |
| C8302 | Small cell B-cell lymphoma, intrathoracic lymph nodes | Diagnosis | ICD-10-CM |
| C8303 | Small cell B-cell lymphoma, intra-abdominal lymph nodes | Diagnosis | ICD-10-CM |
| C8304 | Small cell B-cell lymphoma, lymph nodes of axilla and upper limb | Diagnosis | ICD-10-CM |
| C8305 | Small cell B-cell lymphoma, lymph nodes of inguinal region and lower limb | Diagnosis | ICD-10-CM |
| C8306 | Small cell B-cell lymphoma, intrapelvic lymph nodes | Diagnosis | ICD-10-CM |
| C8307 | Small cell B-cell lymphoma, spleen | Diagnosis | ICD-10-CM |
| C8308 | Small cell B-cell lymphoma, lymph nodes of multiple sites | Diagnosis | ICD-10-CM |
| C8309 | Small cell B-cell lymphoma, extranodal and solid organ sites | Diagnosis | ICD-10-CM |
| C831 | Mantle cell lymphoma | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|---|----------------------|------------------|
| C8310 | Mantle cell lymphoma, unspecified site | Diagnosis | ICD-10-CM |
| C8311 | Mantle cell lymphoma, lymph nodes of head, face, and neck | Diagnosis | ICD-10-CM |
| C8312 | Mantle cell lymphoma, intrathoracic lymph nodes | Diagnosis | ICD-10-CM |
| C8313 | Mantle cell lymphoma, intra-abdominal lymph nodes | Diagnosis | ICD-10-CM |
| C8314 | Mantle cell lymphoma, lymph nodes of axilla and upper limb | Diagnosis | ICD-10-CM |
| C8315 | Mantle cell lymphoma, lymph nodes of inguinal region and lower limb | Diagnosis | ICD-10-CM |
| C8316 | Mantle cell lymphoma, intrapelvic lymph nodes | Diagnosis | ICD-10-CM |
| C8317 | Mantle cell lymphoma, spleen | Diagnosis | ICD-10-CM |
| C8318 | Mantle cell lymphoma, lymph nodes of multiple sites | Diagnosis | ICD-10-CM |
| C8319 | Mantle cell lymphoma, extranodal and solid organ sites | Diagnosis | ICD-10-CM |
| C833 | Diffuse large B-cell lymphoma | Diagnosis | ICD-10-CM |
| C8330 | Diffuse large B-cell lymphoma, unspecified site | Diagnosis | ICD-10-CM |
| C8331 | Diffuse large B-cell lymphoma, lymph nodes of head, face, and neck | Diagnosis | ICD-10-CM |
| C8332 | Diffuse large B-cell lymphoma, intrathoracic lymph nodes | Diagnosis | ICD-10-CM |
| C8333 | Diffuse large B-cell lymphoma, intra-abdominal lymph nodes | Diagnosis | ICD-10-CM |
| C8334 | Diffuse large B-cell lymphoma, lymph nodes of axilla and upper limb | Diagnosis | ICD-10-CM |
| C8335 | Diffuse large B-cell lymphoma, lymph nodes of inguinal region and lower limb | Diagnosis | ICD-10-CM |
| C8336 | Diffuse large B-cell lymphoma, intrapelvic lymph nodes | Diagnosis | ICD-10-CM |
| C8337 | Diffuse large B-cell lymphoma, spleen | Diagnosis | ICD-10-CM |
| C8338 | Diffuse large B-cell lymphoma, lymph nodes of multiple sites | Diagnosis | ICD-10-CM |
| C8339 | Diffuse large B-cell lymphoma, extranodal and solid organ sites | Diagnosis | ICD-10-CM |
| C835 | Lymphoblastic (diffuse) lymphoma | Diagnosis | ICD-10-CM |
| C8350 | Lymphoblastic (diffuse) lymphoma, unspecified site | Diagnosis | ICD-10-CM |
| C8351 | Lymphoblastic (diffuse) lymphoma, lymph nodes of head, face, and neck | Diagnosis | ICD-10-CM |
| C8352 | Lymphoblastic (diffuse) lymphoma, intrathoracic lymph nodes | Diagnosis | ICD-10-CM |
| C8353 | Lymphoblastic (diffuse) lymphoma, intra-abdominal lymph nodes | Diagnosis | ICD-10-CM |
| C8354 | Lymphoblastic (diffuse) lymphoma, lymph nodes of axilla and upper limb | Diagnosis | ICD-10-CM |
| C8355 | Lymphoblastic (diffuse) lymphoma, lymph nodes of inguinal region and lower limb | Diagnosis | ICD-10-CM |
| C8356 | Lymphoblastic (diffuse) lymphoma, intrapelvic lymph nodes | Diagnosis | ICD-10-CM |
| C8357 | Lymphoblastic (diffuse) lymphoma, spleen | Diagnosis | ICD-10-CM |
| C8358 | Lymphoblastic (diffuse) lymphoma, lymph nodes of multiple sites | Diagnosis | ICD-10-CM |
| C8359 | Lymphoblastic (diffuse) lymphoma, extranodal and solid organ sites | Diagnosis | ICD-10-CM |
| C837 | Burkitt lymphoma | Diagnosis | ICD-10-CM |
| C8370 | Burkitt lymphoma, unspecified site | Diagnosis | ICD-10-CM |
| C8371 | Burkitt lymphoma, lymph nodes of head, face, and neck | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code | |
|-------|---|-----------|-----------|
| | | Category | Code Type |
| C8372 | Burkitt lymphoma, intrathoracic lymph nodes | Diagnosis | ICD-10-CM |
| C8373 | Burkitt lymphoma, intra-abdominal lymph nodes | Diagnosis | ICD-10-CM |
| C8374 | Burkitt lymphoma, lymph nodes of axilla and upper limb | Diagnosis | ICD-10-CM |
| C8375 | Burkitt lymphoma, lymph nodes of inguinal region and lower limb | Diagnosis | ICD-10-CM |
| C8376 | Burkitt lymphoma, intrapelvic lymph nodes | Diagnosis | ICD-10-CM |
| C8377 | Burkitt lymphoma, spleen | Diagnosis | ICD-10-CM |
| C8378 | Burkitt lymphoma, lymph nodes of multiple sites | Diagnosis | ICD-10-CM |
| C8379 | Burkitt lymphoma, extranodal and solid organ sites | Diagnosis | ICD-10-CM |
| C838 | Other non-follicular lymphoma | Diagnosis | ICD-10-CM |
| C8380 | Other non-follicular lymphoma, unspecified site | Diagnosis | ICD-10-CM |
| C8381 | Other non-follicular lymphoma, lymph nodes of head, face, and neck | Diagnosis | ICD-10-CM |
| C8382 | Other non-follicular lymphoma, intrathoracic lymph nodes | Diagnosis | ICD-10-CM |
| C8383 | Other non-follicular lymphoma, intra-abdominal lymph nodes | Diagnosis | ICD-10-CM |
| C8384 | Other non-follicular lymphoma, lymph nodes of axilla and upper limb | Diagnosis | ICD-10-CM |
| C8385 | Other non-follicular lymphoma, lymph nodes of inguinal region and lower limb | Diagnosis | ICD-10-CM |
| C8386 | Other non-follicular lymphoma, intrapelvic lymph nodes | Diagnosis | ICD-10-CM |
| C8387 | Other non-follicular lymphoma, spleen | Diagnosis | ICD-10-CM |
| C8388 | Other non-follicular lymphoma, lymph nodes of multiple sites | Diagnosis | ICD-10-CM |
| C8389 | Other non-follicular lymphoma, extranodal and solid organ sites | Diagnosis | ICD-10-CM |
| C839 | Non-follicular (diffuse) lymphoma, unspecified | Diagnosis | ICD-10-CM |
| C8390 | Non-follicular (diffuse) lymphoma, unspecified, unspecified site | Diagnosis | ICD-10-CM |
| C8391 | Non-follicular (diffuse) lymphoma, unspecified, lymph nodes of head, face, and neck | Diagnosis | ICD-10-CM |
| C8392 | Non-follicular (diffuse) lymphoma, unspecified, intrathoracic lymph nodes | Diagnosis | ICD-10-CM |
| C8393 | Non-follicular (diffuse) lymphoma, unspecified, intra-abdominal lymph nodes | Diagnosis | ICD-10-CM |
| C8394 | Non-follicular (diffuse) lymphoma, unspecified, lymph nodes of axilla and upper limb | Diagnosis | ICD-10-CM |
| C8395 | Non-follicular (diffuse) lymphoma, unspecified, lymph nodes of inguinal region and lower limb | Diagnosis | ICD-10-CM |
| C8396 | Non-follicular (diffuse) lymphoma, unspecified, intrapelvic lymph nodes | Diagnosis | ICD-10-CM |
| C8397 | Non-follicular (diffuse) lymphoma, unspecified, spleen | Diagnosis | ICD-10-CM |
| C8398 | Non-follicular (diffuse) lymphoma, unspecified, lymph nodes of multiple sites | Diagnosis | ICD-10-CM |
| C8399 | Non-follicular (diffuse) lymphoma, unspecified, extranodal and solid organ sites | Diagnosis | ICD-10-CM |
| C84 | Mature T/NK-cell lymphomas | Diagnosis | ICD-10-CM |
| C840 | Mycosis fungoides | Diagnosis | ICD-10-CM |
| C8400 | Mycosis fungoides, unspecified site | Diagnosis | ICD-10-CM |
| C8401 | Mycosis fungoides, lymph nodes of head, face, and neck | Diagnosis | ICD-10-CM |
| C8402 | Mycosis fungoides, intrathoracic lymph nodes | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|---|----------------------|------------------|
| C8403 | Mycosis fungoides, intra-abdominal lymph nodes | Diagnosis | ICD-10-CM |
| C8404 | Mycosis fungoides, lymph nodes of axilla and upper limb | Diagnosis | ICD-10-CM |
| C8405 | Mycosis fungoides, lymph nodes of inguinal region and lower limb | Diagnosis | ICD-10-CM |
| C8406 | Mycosis fungoides, intrapelvic lymph nodes | Diagnosis | ICD-10-CM |
| C8407 | Mycosis fungoides, spleen | Diagnosis | ICD-10-CM |
| C8408 | Mycosis fungoides, lymph nodes of multiple sites | Diagnosis | ICD-10-CM |
| C8409 | Mycosis fungoides, extranodal and solid organ sites | Diagnosis | ICD-10-CM |
| C841 | Sezary disease | Diagnosis | ICD-10-CM |
| C8410 | Sezary disease, unspecified site | Diagnosis | ICD-10-CM |
| C8411 | Sezary disease, lymph nodes of head, face, and neck | Diagnosis | ICD-10-CM |
| C8412 | Sezary disease, intrathoracic lymph nodes | Diagnosis | ICD-10-CM |
| C8413 | Sezary disease, intra-abdominal lymph nodes | Diagnosis | ICD-10-CM |
| C8414 | Sezary disease, lymph nodes of axilla and upper limb | Diagnosis | ICD-10-CM |
| C8415 | Sezary disease, lymph nodes of inguinal region and lower limb | Diagnosis | ICD-10-CM |
| C8416 | Sezary disease, intrapelvic lymph nodes | Diagnosis | ICD-10-CM |
| C8417 | Sezary disease, spleen | Diagnosis | ICD-10-CM |
| C8418 | Sezary disease, lymph nodes of multiple sites | Diagnosis | ICD-10-CM |
| C8419 | Sezary disease, extranodal and solid organ sites | Diagnosis | ICD-10-CM |
| C844 | Peripheral T-cell lymphoma, not classified | Diagnosis | ICD-10-CM |
| C8440 | Peripheral T-cell lymphoma, not classified, unspecified site | Diagnosis | ICD-10-CM |
| C8441 | Peripheral T-cell lymphoma, not classified, lymph nodes of head, face, and neck | Diagnosis | ICD-10-CM |
| C8442 | Peripheral T-cell lymphoma, not classified, intrathoracic lymph nodes | Diagnosis | ICD-10-CM |
| C8443 | Peripheral T-cell lymphoma, not classified, intra-abdominal lymph nodes | Diagnosis | ICD-10-CM |
| C8444 | Peripheral T-cell lymphoma, not classified, lymph nodes of axilla and upper limb | Diagnosis | ICD-10-CM |
| C8445 | Peripheral T-cell lymphoma, not classified, lymph nodes of inguinal region and lower limb | Diagnosis | ICD-10-CM |
| C8446 | Peripheral T-cell lymphoma, not classified, intrapelvic lymph nodes | Diagnosis | ICD-10-CM |
| C8447 | Peripheral T-cell lymphoma, not classified, spleen | Diagnosis | ICD-10-CM |
| C8448 | Peripheral T-cell lymphoma, not classified, lymph nodes of multiple sites | Diagnosis | ICD-10-CM |
| C8449 | Peripheral T-cell lymphoma, not classified, extranodal and solid organ sites | Diagnosis | ICD-10-CM |
| C846 | Anaplastic large cell lymphoma, ALK-positive | Diagnosis | ICD-10-CM |
| C8460 | Anaplastic large cell lymphoma, ALK-positive, unspecified site | Diagnosis | ICD-10-CM |
| C8461 | Anaplastic large cell lymphoma, ALK-positive, lymph nodes of head, face, and neck | Diagnosis | ICD-10-CM |
| C8462 | Anaplastic large cell lymphoma, ALK-positive, intrathoracic lymph nodes | Diagnosis | ICD-10-CM |
| C8463 | Anaplastic large cell lymphoma, ALK-positive, intra-abdominal lymph nodes | Diagnosis | ICD-10-CM |
| C8464 | Anaplastic large cell lymphoma, ALK-positive, lymph nodes of axilla and upper limb | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|---|----------------------|------------------|
| C8465 | Anaplastic large cell lymphoma, ALK-positive, lymph nodes of inguinal region and lower limb | Diagnosis | ICD-10-CM |
| C8466 | Anaplastic large cell lymphoma, ALK-positive, intrapelvic lymph nodes | Diagnosis | ICD-10-CM |
| C8467 | Anaplastic large cell lymphoma, ALK-positive, spleen | Diagnosis | ICD-10-CM |
| C8468 | Anaplastic large cell lymphoma, ALK-positive, lymph nodes of multiple sites | Diagnosis | ICD-10-CM |
| C8469 | Anaplastic large cell lymphoma, ALK-positive, extranodal and solid organ sites | Diagnosis | ICD-10-CM |
| C847 | Anaplastic large cell lymphoma, ALK-negative | Diagnosis | ICD-10-CM |
| C8470 | Anaplastic large cell lymphoma, ALK-negative, unspecified site | Diagnosis | ICD-10-CM |
| C8471 | Anaplastic large cell lymphoma, ALK-negative, lymph nodes of head, face, and neck | Diagnosis | ICD-10-CM |
| C8472 | Anaplastic large cell lymphoma, ALK-negative, intrathoracic lymph nodes | Diagnosis | ICD-10-CM |
| C8473 | Anaplastic large cell lymphoma, ALK-negative, intra-abdominal lymph nodes | Diagnosis | ICD-10-CM |
| C8474 | Anaplastic large cell lymphoma, ALK-negative, lymph nodes of axilla and upper limb | Diagnosis | ICD-10-CM |
| C8475 | Anaplastic large cell lymphoma, ALK-negative, lymph nodes of inguinal region and lower limb | Diagnosis | ICD-10-CM |
| C8476 | Anaplastic large cell lymphoma, ALK-negative, intrapelvic lymph nodes | Diagnosis | ICD-10-CM |
| C8477 | Anaplastic large cell lymphoma, ALK-negative, spleen | Diagnosis | ICD-10-CM |
| C8478 | Anaplastic large cell lymphoma, ALK-negative, lymph nodes of multiple sites | Diagnosis | ICD-10-CM |
| C8479 | Anaplastic large cell lymphoma, ALK-negative, extranodal and solid organ sites | Diagnosis | ICD-10-CM |
| C849 | Mature T/NK-cell lymphomas, unspecified | Diagnosis | ICD-10-CM |
| C8490 | Mature T/NK-cell lymphomas, unspecified, unspecified site | Diagnosis | ICD-10-CM |
| C8491 | Mature T/NK-cell lymphomas, unspecified, lymph nodes of head, face, and neck | Diagnosis | ICD-10-CM |
| C8492 | Mature T/NK-cell lymphomas, unspecified, intrathoracic lymph nodes | Diagnosis | ICD-10-CM |
| C8493 | Mature T/NK-cell lymphomas, unspecified, intra-abdominal lymph nodes | Diagnosis | ICD-10-CM |
| C8494 | Mature T/NK-cell lymphomas, unspecified, lymph nodes of axilla and upper limb | Diagnosis | ICD-10-CM |
| C8495 | Mature T/NK-cell lymphomas, unspecified, lymph nodes of inguinal region and lower limb | Diagnosis | ICD-10-CM |
| C8496 | Mature T/NK-cell lymphomas, unspecified, intrapelvic lymph nodes | Diagnosis | ICD-10-CM |
| C8497 | Mature T/NK-cell lymphomas, unspecified, spleen | Diagnosis | ICD-10-CM |
| C8498 | Mature T/NK-cell lymphomas, unspecified, lymph nodes of multiple sites | Diagnosis | ICD-10-CM |
| C8499 | Mature T/NK-cell lymphomas, unspecified, extranodal and solid organ sites | Diagnosis | ICD-10-CM |
| C84A | Cutaneous T-cell lymphoma, unspecified | Diagnosis | ICD-10-CM |
| C84A0 | Cutaneous T-cell lymphoma, unspecified, unspecified site | Diagnosis | ICD-10-CM |
| C84A1 | Cutaneous T-cell lymphoma, unspecified lymph nodes of head, face, and neck | Diagnosis | ICD-10-CM |
| C84A2 | Cutaneous T-cell lymphoma, unspecified, intrathoracic lymph nodes | Diagnosis | ICD-10-CM |
| C84A3 | Cutaneous T-cell lymphoma, unspecified, intra-abdominal lymph nodes | Diagnosis | ICD-10-CM |
| C84A4 | Cutaneous T-cell lymphoma, unspecified, lymph nodes of axilla and upper limb | Diagnosis | ICD-10-CM |
| C84A5 | Cutaneous T-cell lymphoma, unspecified, lymph nodes of inguinal region and lower limb | Diagnosis | ICD-10-CM |
| C84A6 | Cutaneous T-cell lymphoma, unspecified, intrapelvic lymph nodes | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|---|----------------------|------------------|
| C84A7 | Cutaneous T-cell lymphoma, unspecified, spleen | Diagnosis | ICD-10-CM |
| C84A8 | Cutaneous T-cell lymphoma, unspecified, lymph nodes of multiple sites | Diagnosis | ICD-10-CM |
| C84A9 | Cutaneous T-cell lymphoma, unspecified, extranodal and solid organ sites | Diagnosis | ICD-10-CM |
| C84Z | Other mature T/NK-cell lymphomas | Diagnosis | ICD-10-CM |
| C84Z0 | Other mature T/NK-cell lymphomas, unspecified site | Diagnosis | ICD-10-CM |
| C84Z1 | Other mature T/NK-cell lymphomas, lymph nodes of head, face, and neck | Diagnosis | ICD-10-CM |
| C84Z2 | Other mature T/NK-cell lymphomas, intrathoracic lymph nodes | Diagnosis | ICD-10-CM |
| C84Z3 | Other mature T/NK-cell lymphomas, intra-abdominal lymph nodes | Diagnosis | ICD-10-CM |
| C84Z4 | Other mature T/NK-cell lymphomas, lymph nodes of axilla and upper limb | Diagnosis | ICD-10-CM |
| C84Z5 | Other mature T/NK-cell lymphomas, lymph nodes of inguinal region and lower limb | Diagnosis | ICD-10-CM |
| C84Z6 | Other mature T/NK-cell lymphomas, intrapelvic lymph nodes | Diagnosis | ICD-10-CM |
| C84Z7 | Other mature T/NK-cell lymphomas, spleen | Diagnosis | ICD-10-CM |
| C84Z8 | Other mature T/NK-cell lymphomas, lymph nodes of multiple sites | Diagnosis | ICD-10-CM |
| C84Z9 | Other mature T/NK-cell lymphomas, extranodal and solid organ sites | Diagnosis | ICD-10-CM |
| C85 | Other specified and unspecified types of non-Hodgkin lymphoma | Diagnosis | ICD-10-CM |
| C851 | Unspecified B-cell lymphoma | Diagnosis | ICD-10-CM |
| C8510 | Unspecified B-cell lymphoma, unspecified site | Diagnosis | ICD-10-CM |
| C8511 | Unspecified B-cell lymphoma, lymph nodes of head, face, and neck | Diagnosis | ICD-10-CM |
| C8512 | Unspecified B-cell lymphoma, intrathoracic lymph nodes | Diagnosis | ICD-10-CM |
| C8513 | Unspecified B-cell lymphoma, intra-abdominal lymph nodes | Diagnosis | ICD-10-CM |
| C8514 | Unspecified B-cell lymphoma, lymph nodes of axilla and upper limb | Diagnosis | ICD-10-CM |
| C8515 | Unspecified B-cell lymphoma, lymph nodes of inguinal region and lower limb | Diagnosis | ICD-10-CM |
| C8516 | Unspecified B-cell lymphoma, intrapelvic lymph nodes | Diagnosis | ICD-10-CM |
| C8517 | Unspecified B-cell lymphoma, spleen | Diagnosis | ICD-10-CM |
| C8518 | Unspecified B-cell lymphoma, lymph nodes of multiple sites | Diagnosis | ICD-10-CM |
| C8519 | Unspecified B-cell lymphoma, extranodal and solid organ sites | Diagnosis | ICD-10-CM |
| C852 | Mediastinal (thymic) large B-cell lymphoma | Diagnosis | ICD-10-CM |
| C8520 | Mediastinal (thymic) large B-cell lymphoma, unspecified site | Diagnosis | ICD-10-CM |
| C8521 | Mediastinal (thymic) large B-cell lymphoma, lymph nodes of head, face, and neck | Diagnosis | ICD-10-CM |
| C8522 | Mediastinal (thymic) large B-cell lymphoma, intrathoracic lymph nodes | Diagnosis | ICD-10-CM |
| C8523 | Mediastinal (thymic) large B-cell lymphoma, intra-abdominal lymph nodes | Diagnosis | ICD-10-CM |
| C8524 | Mediastinal (thymic) large B-cell lymphoma, lymph nodes of axilla and upper limb | Diagnosis | ICD-10-CM |
| C8525 | Mediastinal (thymic) large B-cell lymphoma, lymph nodes of inguinal region and lower limb | Diagnosis | ICD-10-CM |
| C8526 | Mediastinal (thymic) large B-cell lymphoma, intrapelvic lymph nodes | Diagnosis | ICD-10-CM |
| C8527 | Mediastinal (thymic) large B-cell lymphoma, spleen | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code | |
|-------|--|-----------|-----------|
| | | Category | Code Type |
| C8528 | Mediastinal (thymic) large B-cell lymphoma, lymph nodes of multiple sites | Diagnosis | ICD-10-CM |
| C8529 | Mediastinal (thymic) large B-cell lymphoma, extranodal and solid organ sites | Diagnosis | ICD-10-CM |
| C858 | Other specified types of non-Hodgkin lymphoma | Diagnosis | ICD-10-CM |
| C8580 | Other specified types of non-Hodgkin lymphoma, unspecified site | Diagnosis | ICD-10-CM |
| C8581 | Other specified types of non-Hodgkin lymphoma, lymph nodes of head, face, and neck | Diagnosis | ICD-10-CM |
| C8582 | Other specified types of non-Hodgkin lymphoma, intrathoracic lymph nodes | Diagnosis | ICD-10-CM |
| C8583 | Other specified types of non-Hodgkin lymphoma, intra-abdominal lymph nodes | Diagnosis | ICD-10-CM |
| C8584 | Other specified types of non-Hodgkin lymphoma, lymph nodes of axilla and upper limb | Diagnosis | ICD-10-CM |
| C8585 | Other specified types of non-Hodgkin lymphoma, lymph nodes of inguinal region and lower limb | Diagnosis | ICD-10-CM |
| C8586 | Other specified types of non-Hodgkin lymphoma, intrapelvic lymph nodes | Diagnosis | ICD-10-CM |
| C8587 | Other specified types of non-Hodgkin lymphoma, spleen | Diagnosis | ICD-10-CM |
| C8588 | Other specified types of non-Hodgkin lymphoma, lymph nodes of multiple sites | Diagnosis | ICD-10-CM |
| C8589 | Other specified types of non-Hodgkin lymphoma, extranodal and solid organ sites | Diagnosis | ICD-10-CM |
| C859 | Non-Hodgkin lymphoma, unspecified | Diagnosis | ICD-10-CM |
| C8590 | Non-Hodgkin lymphoma, unspecified, unspecified site | Diagnosis | ICD-10-CM |
| C8591 | Non-Hodgkin lymphoma, unspecified, lymph nodes of head, face, and neck | Diagnosis | ICD-10-CM |
| C8592 | Non-Hodgkin lymphoma, unspecified, intrathoracic lymph nodes | Diagnosis | ICD-10-CM |
| C8593 | Non-Hodgkin lymphoma, unspecified, intra-abdominal lymph nodes | Diagnosis | ICD-10-CM |
| C8594 | Non-Hodgkin lymphoma, unspecified, lymph nodes of axilla and upper limb | Diagnosis | ICD-10-CM |
| C8595 | Non-Hodgkin lymphoma, unspecified, lymph nodes of inguinal region and lower limb | Diagnosis | ICD-10-CM |
| C8596 | Non-Hodgkin lymphoma, unspecified, intrapelvic lymph nodes | Diagnosis | ICD-10-CM |
| C8597 | Non-Hodgkin lymphoma, unspecified, spleen | Diagnosis | ICD-10-CM |
| C8598 | Non-Hodgkin lymphoma, unspecified, lymph nodes of multiple sites | Diagnosis | ICD-10-CM |
| C8599 | Non-Hodgkin lymphoma, unspecified, extranodal and solid organ sites | Diagnosis | ICD-10-CM |
| C86 | Other specified types of T/NK-cell lymphoma | Diagnosis | ICD-10-CM |
| C860 | Extranodal NK/T-cell lymphoma, nasal type | Diagnosis | ICD-10-CM |
| C861 | Hepatosplenic T-cell lymphoma | Diagnosis | ICD-10-CM |
| C862 | Enteropathy-type (intestinal) T-cell lymphoma | Diagnosis | ICD-10-CM |
| C863 | Subcutaneous panniculitis-like T-cell lymphoma | Diagnosis | ICD-10-CM |
| C864 | Blastic NK-cell lymphoma | Diagnosis | ICD-10-CM |
| C865 | Angioimmunoblastic T-cell lymphoma | Diagnosis | ICD-10-CM |
| C866 | Primary cutaneous CD30-positive T-cell proliferations | Diagnosis | ICD-10-CM |
| C88 | Malignant immunoproliferative diseases and certain other B-cell lymphomas | Diagnosis | ICD-10-CM |
| C880 | Waldenstrom macroglobulinemia | Diagnosis | ICD-10-CM |
| C882 | Heavy chain disease | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|---|----------------------|------------------|
| C883 | Immunoproliferative small intestinal disease | Diagnosis | ICD-10-CM |
| C884 | Extranodal marginal zone B-cell lymphoma of mucosa-associated lymphoid tissue [MALT-lymphoma] | Diagnosis | ICD-10-CM |
| C888 | Other malignant immunoproliferative diseases | Diagnosis | ICD-10-CM |
| C889 | Malignant immunoproliferative disease, unspecified | Diagnosis | ICD-10-CM |
| C90 | Multiple myeloma and malignant plasma cell neoplasms | Diagnosis | ICD-10-CM |
| C900 | Multiple myeloma | Diagnosis | ICD-10-CM |
| C9000 | Multiple myeloma not having achieved remission | Diagnosis | ICD-10-CM |
| C9001 | Multiple myeloma in remission | Diagnosis | ICD-10-CM |
| C9002 | Multiple myeloma in relapse | Diagnosis | ICD-10-CM |
| C901 | Plasma cell leukemia | Diagnosis | ICD-10-CM |
| C9010 | Plasma cell leukemia not having achieved remission | Diagnosis | ICD-10-CM |
| C9011 | Plasma cell leukemia in remission | Diagnosis | ICD-10-CM |
| C9012 | Plasma cell leukemia in relapse | Diagnosis | ICD-10-CM |
| C902 | Extramedullary plasmacytoma | Diagnosis | ICD-10-CM |
| C9020 | Extramedullary plasmacytoma not having achieved remission | Diagnosis | ICD-10-CM |
| C9021 | Extramedullary plasmacytoma in remission | Diagnosis | ICD-10-CM |
| C9022 | Extramedullary plasmacytoma in relapse | Diagnosis | ICD-10-CM |
| C903 | Solitary plasmacytoma | Diagnosis | ICD-10-CM |
| C9030 | Solitary plasmacytoma not having achieved remission | Diagnosis | ICD-10-CM |
| C9031 | Solitary plasmacytoma in remission | Diagnosis | ICD-10-CM |
| C9032 | Solitary plasmacytoma in relapse | Diagnosis | ICD-10-CM |
| C91 | Lymphoid leukemia | Diagnosis | ICD-10-CM |
| C910 | Acute lymphoblastic leukemia [ALL] | Diagnosis | ICD-10-CM |
| C9100 | Acute lymphoblastic leukemia not having achieved remission | Diagnosis | ICD-10-CM |
| C9101 | Acute lymphoblastic leukemia, in remission | Diagnosis | ICD-10-CM |
| C9102 | Acute lymphoblastic leukemia, in relapse | Diagnosis | ICD-10-CM |
| C911 | Chronic lymphocytic leukemia of B-cell type | Diagnosis | ICD-10-CM |
| C9110 | Chronic lymphocytic leukemia of B-cell type not having achieved remission | Diagnosis | ICD-10-CM |
| C9111 | Chronic lymphocytic leukemia of B-cell type in remission | Diagnosis | ICD-10-CM |
| C9112 | Chronic lymphocytic leukemia of B-cell type in relapse | Diagnosis | ICD-10-CM |
| C913 | Polymphocytic leukemia of B-cell type | Diagnosis | ICD-10-CM |
| C9130 | Polymphocytic leukemia of B-cell type not having achieved remission | Diagnosis | ICD-10-CM |
| C9131 | Polymphocytic leukemia of B-cell type, in remission | Diagnosis | ICD-10-CM |
| C9132 | Polymphocytic leukemia of B-cell type, in relapse | Diagnosis | ICD-10-CM |
| C914 | Hairy cell leukemia | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|--|----------------------|------------------|
| C9140 | Hairy cell leukemia not having achieved remission | Diagnosis | ICD-10-CM |
| C9141 | Hairy cell leukemia, in remission | Diagnosis | ICD-10-CM |
| C9142 | Hairy cell leukemia, in relapse | Diagnosis | ICD-10-CM |
| C915 | Adult T-cell lymphoma/leukemia (HTLV-1-associated) | Diagnosis | ICD-10-CM |
| C9150 | Adult T-cell lymphoma/leukemia (HTLV-1-associated) not having achieved remission | Diagnosis | ICD-10-CM |
| C9151 | Adult T-cell lymphoma/leukemia (HTLV-1-associated), in remission | Diagnosis | ICD-10-CM |
| C9152 | Adult T-cell lymphoma/leukemia (HTLV-1-associated), in relapse | Diagnosis | ICD-10-CM |
| C916 | Polymphocytic leukemia of T-cell type | Diagnosis | ICD-10-CM |
| C9160 | Polymphocytic leukemia of T-cell type not having achieved remission | Diagnosis | ICD-10-CM |
| C9161 | Polymphocytic leukemia of T-cell type, in remission | Diagnosis | ICD-10-CM |
| C9162 | Polymphocytic leukemia of T-cell type, in relapse | Diagnosis | ICD-10-CM |
| C919 | Lymphoid leukemia, unspecified | Diagnosis | ICD-10-CM |
| C9190 | Lymphoid leukemia, unspecified not having achieved remission | Diagnosis | ICD-10-CM |
| C9191 | Lymphoid leukemia, unspecified, in remission | Diagnosis | ICD-10-CM |
| C9192 | Lymphoid leukemia, unspecified, in relapse | Diagnosis | ICD-10-CM |
| C91A | Mature B-cell leukemia Burkitt-type | Diagnosis | ICD-10-CM |
| C91A0 | Mature B-cell leukemia Burkitt-type not having achieved remission | Diagnosis | ICD-10-CM |
| C91A1 | Mature B-cell leukemia Burkitt-type, in remission | Diagnosis | ICD-10-CM |
| C91A2 | Mature B-cell leukemia Burkitt-type, in relapse | Diagnosis | ICD-10-CM |
| C91Z | Other lymphoid leukemia | Diagnosis | ICD-10-CM |
| C91Z0 | Other lymphoid leukemia not having achieved remission | Diagnosis | ICD-10-CM |
| C91Z1 | Other lymphoid leukemia, in remission | Diagnosis | ICD-10-CM |
| C91Z2 | Other lymphoid leukemia, in relapse | Diagnosis | ICD-10-CM |
| C92 | Myeloid leukemia | Diagnosis | ICD-10-CM |
| C920 | Acute myeloblastic leukemia | Diagnosis | ICD-10-CM |
| C9200 | Acute myeloblastic leukemia, not having achieved remission | Diagnosis | ICD-10-CM |
| C9201 | Acute myeloblastic leukemia, in remission | Diagnosis | ICD-10-CM |
| C9202 | Acute myeloblastic leukemia, in relapse | Diagnosis | ICD-10-CM |
| C921 | Chronic myeloid leukemia, BCR/ABL-positive | Diagnosis | ICD-10-CM |
| C9210 | Chronic myeloid leukemia, BCR/ABL-positive, not having achieved remission | Diagnosis | ICD-10-CM |
| C9211 | Chronic myeloid leukemia, BCR/ABL-positive, in remission | Diagnosis | ICD-10-CM |
| C9212 | Chronic myeloid leukemia, BCR/ABL-positive, in relapse | Diagnosis | ICD-10-CM |
| C922 | Atypical chronic myeloid leukemia, BCR/ABL-negative | Diagnosis | ICD-10-CM |
| C9220 | Atypical chronic myeloid leukemia, BCR/ABL-negative, not having achieved remission | Diagnosis | ICD-10-CM |
| C9221 | Atypical chronic myeloid leukemia, BCR/ABL-negative, in remission | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|---|----------------------|------------------|
| C9222 | Atypical chronic myeloid leukemia, BCR/ABL-negative, in relapse | Diagnosis | ICD-10-CM |
| C923 | Myeloid sarcoma | Diagnosis | ICD-10-CM |
| C9230 | Myeloid sarcoma, not having achieved remission | Diagnosis | ICD-10-CM |
| C9231 | Myeloid sarcoma, in remission | Diagnosis | ICD-10-CM |
| C9232 | Myeloid sarcoma, in relapse | Diagnosis | ICD-10-CM |
| C924 | Acute promyelocytic leukemia | Diagnosis | ICD-10-CM |
| C9240 | Acute promyelocytic leukemia, not having achieved remission | Diagnosis | ICD-10-CM |
| C9241 | Acute promyelocytic leukemia, in remission | Diagnosis | ICD-10-CM |
| C9242 | Acute promyelocytic leukemia, in relapse | Diagnosis | ICD-10-CM |
| C925 | Acute myelomonocytic leukemia | Diagnosis | ICD-10-CM |
| C9250 | Acute myelomonocytic leukemia, not having achieved remission | Diagnosis | ICD-10-CM |
| C9251 | Acute myelomonocytic leukemia, in remission | Diagnosis | ICD-10-CM |
| C9252 | Acute myelomonocytic leukemia, in relapse | Diagnosis | ICD-10-CM |
| C926 | Acute myeloid leukemia with 11q23-abnormality | Diagnosis | ICD-10-CM |
| C9260 | Acute myeloid leukemia with 11q23-abnormality not having achieved remission | Diagnosis | ICD-10-CM |
| C9261 | Acute myeloid leukemia with 11q23-abnormality in remission | Diagnosis | ICD-10-CM |
| C9262 | Acute myeloid leukemia with 11q23-abnormality in relapse | Diagnosis | ICD-10-CM |
| C929 | Myeloid leukemia, unspecified | Diagnosis | ICD-10-CM |
| C9290 | Myeloid leukemia, unspecified, not having achieved remission | Diagnosis | ICD-10-CM |
| C9291 | Myeloid leukemia, unspecified in remission | Diagnosis | ICD-10-CM |
| C9292 | Myeloid leukemia, unspecified in relapse | Diagnosis | ICD-10-CM |
| C92A | Acute myeloid leukemia with multilineage dysplasia | Diagnosis | ICD-10-CM |
| C92A0 | Acute myeloid leukemia with multilineage dysplasia, not having achieved remission | Diagnosis | ICD-10-CM |
| C92A1 | Acute myeloid leukemia with multilineage dysplasia, in remission | Diagnosis | ICD-10-CM |
| C92A2 | Acute myeloid leukemia with multilineage dysplasia, in relapse | Diagnosis | ICD-10-CM |
| C92Z | Other myeloid leukemia | Diagnosis | ICD-10-CM |
| C92Z0 | Other myeloid leukemia not having achieved remission | Diagnosis | ICD-10-CM |
| C92Z1 | Other myeloid leukemia, in remission | Diagnosis | ICD-10-CM |
| C92Z2 | Other myeloid leukemia, in relapse | Diagnosis | ICD-10-CM |
| C93 | Monocytic leukemia | Diagnosis | ICD-10-CM |
| C930 | Acute monoblastic/monocytic leukemia | Diagnosis | ICD-10-CM |
| C9300 | Acute monoblastic/monocytic leukemia, not having achieved remission | Diagnosis | ICD-10-CM |
| C9301 | Acute monoblastic/monocytic leukemia, in remission | Diagnosis | ICD-10-CM |
| C9302 | Acute monoblastic/monocytic leukemia, in relapse | Diagnosis | ICD-10-CM |
| C931 | Chronic myelomonocytic leukemia | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|--|----------------------|------------------|
| C9310 | Chronic myelomonocytic leukemia not having achieved remission | Diagnosis | ICD-10-CM |
| C9311 | Chronic myelomonocytic leukemia, in remission | Diagnosis | ICD-10-CM |
| C9312 | Chronic myelomonocytic leukemia, in relapse | Diagnosis | ICD-10-CM |
| C933 | Juvenile myelomonocytic leukemia | Diagnosis | ICD-10-CM |
| C9330 | Juvenile myelomonocytic leukemia, not having achieved remission | Diagnosis | ICD-10-CM |
| C9331 | Juvenile myelomonocytic leukemia, in remission | Diagnosis | ICD-10-CM |
| C9332 | Juvenile myelomonocytic leukemia, in relapse | Diagnosis | ICD-10-CM |
| C939 | Monocytic leukemia, unspecified | Diagnosis | ICD-10-CM |
| C9390 | Monocytic leukemia, unspecified, not having achieved remission | Diagnosis | ICD-10-CM |
| C9391 | Monocytic leukemia, unspecified in remission | Diagnosis | ICD-10-CM |
| C9392 | Monocytic leukemia, unspecified in relapse | Diagnosis | ICD-10-CM |
| C93Z | Other monocytic leukemia | Diagnosis | ICD-10-CM |
| C93Z0 | Other monocytic leukemia, not having achieved remission | Diagnosis | ICD-10-CM |
| C93Z1 | Other monocytic leukemia, in remission | Diagnosis | ICD-10-CM |
| C93Z2 | Other monocytic leukemia, in relapse | Diagnosis | ICD-10-CM |
| C94 | Other leukemias of specified cell type | Diagnosis | ICD-10-CM |
| C940 | Acute erythroid leukemia | Diagnosis | ICD-10-CM |
| C9400 | Acute erythroid leukemia, not having achieved remission | Diagnosis | ICD-10-CM |
| C9401 | Acute erythroid leukemia, in remission | Diagnosis | ICD-10-CM |
| C9402 | Acute erythroid leukemia, in relapse | Diagnosis | ICD-10-CM |
| C942 | Acute megakaryoblastic leukemia | Diagnosis | ICD-10-CM |
| C9420 | Acute megakaryoblastic leukemia not having achieved remission | Diagnosis | ICD-10-CM |
| C9421 | Acute megakaryoblastic leukemia, in remission | Diagnosis | ICD-10-CM |
| C9422 | Acute megakaryoblastic leukemia, in relapse | Diagnosis | ICD-10-CM |
| C943 | Mast cell leukemia | Diagnosis | ICD-10-CM |
| C9430 | Mast cell leukemia not having achieved remission | Diagnosis | ICD-10-CM |
| C9431 | Mast cell leukemia, in remission | Diagnosis | ICD-10-CM |
| C9432 | Mast cell leukemia, in relapse | Diagnosis | ICD-10-CM |
| C944 | Acute panmyelosis with myelofibrosis | Diagnosis | ICD-10-CM |
| C9440 | Acute panmyelosis with myelofibrosis not having achieved remission | Diagnosis | ICD-10-CM |
| C9441 | Acute panmyelosis with myelofibrosis, in remission | Diagnosis | ICD-10-CM |
| C9442 | Acute panmyelosis with myelofibrosis, in relapse | Diagnosis | ICD-10-CM |
| C946 | Myelodysplastic disease, not classified | Diagnosis | ICD-10-CM |
| C948 | Other specified leukemias | Diagnosis | ICD-10-CM |
| C9480 | Other specified leukemias not having achieved remission | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|---|----------------------|------------------|
| C9481 | Other specified leukemias, in remission | Diagnosis | ICD-10-CM |
| C9482 | Other specified leukemias, in relapse | Diagnosis | ICD-10-CM |
| C95 | Leukemia of unspecified cell type | Diagnosis | ICD-10-CM |
| C950 | Acute leukemia of unspecified cell type | Diagnosis | ICD-10-CM |
| C9500 | Acute leukemia of unspecified cell type not having achieved remission | Diagnosis | ICD-10-CM |
| C9501 | Acute leukemia of unspecified cell type, in remission | Diagnosis | ICD-10-CM |
| C9502 | Acute leukemia of unspecified cell type, in relapse | Diagnosis | ICD-10-CM |
| C951 | Chronic leukemia of unspecified cell type | Diagnosis | ICD-10-CM |
| C9510 | Chronic leukemia of unspecified cell type not having achieved remission | Diagnosis | ICD-10-CM |
| C9511 | Chronic leukemia of unspecified cell type, in remission | Diagnosis | ICD-10-CM |
| C9512 | Chronic leukemia of unspecified cell type, in relapse | Diagnosis | ICD-10-CM |
| C959 | Leukemia, unspecified | Diagnosis | ICD-10-CM |
| C9590 | Leukemia, unspecified not having achieved remission | Diagnosis | ICD-10-CM |
| C9591 | Leukemia, unspecified, in remission | Diagnosis | ICD-10-CM |
| C9592 | Leukemia, unspecified, in relapse | Diagnosis | ICD-10-CM |
| C96 | Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue | Diagnosis | ICD-10-CM |
| C960 | Multifocal and multisystemic (disseminated) Langerhans-cell histiocytosis | Diagnosis | ICD-10-CM |
| C962 | Malignant mast cell neoplasm | Diagnosis | ICD-10-CM |
| C9620 | Malignant mast cell neoplasm, unspecified | Diagnosis | ICD-10-CM |
| C9621 | Aggressive systemic mastocytosis | Diagnosis | ICD-10-CM |
| C9622 | Mast cell sarcoma | Diagnosis | ICD-10-CM |
| C9629 | Other malignant mast cell neoplasm | Diagnosis | ICD-10-CM |
| C964 | Sarcoma of dendritic cells (accessory cells) | Diagnosis | ICD-10-CM |
| C965 | Multifocal and unisystemic Langerhans-cell histiocytosis | Diagnosis | ICD-10-CM |
| C966 | Unifocal Langerhans-cell histiocytosis | Diagnosis | ICD-10-CM |
| C969 | Malignant neoplasm of lymphoid, hematopoietic and related tissue, unspecified | Diagnosis | ICD-10-CM |
| C96A | Histiocytic sarcoma | Diagnosis | ICD-10-CM |
| C96Z | Other specified malignant neoplasms of lymphoid, hematopoietic and related tissue | Diagnosis | ICD-10-CM |
| D030 | Melanoma in situ of lip | Diagnosis | ICD-10-CM |
| D0310 | Melanoma in situ of unspecified eyelid, including canthus | Diagnosis | ICD-10-CM |
| D0311 | Melanoma in situ of right eyelid, including canthus | Diagnosis | ICD-10-CM |
| D0312 | Melanoma in situ of left eyelid, including canthus | Diagnosis | ICD-10-CM |
| D0320 | Melanoma in situ of unspecified ear and external auricular canal | Diagnosis | ICD-10-CM |
| D0321 | Melanoma in situ of right ear and external auricular canal | Diagnosis | ICD-10-CM |
| D0322 | Melanoma in situ of left ear and external auricular canal | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|--|----------------------|------------------|
| D0330 | Melanoma in situ of unspecified part of face | Diagnosis | ICD-10-CM |
| D0339 | Melanoma in situ of other parts of face | Diagnosis | ICD-10-CM |
| D034 | Melanoma in situ of scalp and neck | Diagnosis | ICD-10-CM |
| D0351 | Melanoma in situ of anal skin | Diagnosis | ICD-10-CM |
| D0352 | Melanoma in situ of breast (skin) (soft tissue) | Diagnosis | ICD-10-CM |
| D0359 | Melanoma in situ of other part of trunk | Diagnosis | ICD-10-CM |
| D0360 | Melanoma in situ of unspecified upper limb, including shoulder | Diagnosis | ICD-10-CM |
| D0361 | Melanoma in situ of right upper limb, including shoulder | Diagnosis | ICD-10-CM |
| D0362 | Melanoma in situ of left upper limb, including shoulder | Diagnosis | ICD-10-CM |
| D0370 | Melanoma in situ of unspecified lower limb, including hip | Diagnosis | ICD-10-CM |
| D0371 | Melanoma in situ of right lower limb, including hip | Diagnosis | ICD-10-CM |
| D0372 | Melanoma in situ of left lower limb, including hip | Diagnosis | ICD-10-CM |
| D038 | Melanoma in situ of other sites | Diagnosis | ICD-10-CM |
| D039 | Melanoma in situ, unspecified | Diagnosis | ICD-10-CM |
| D45 | Polycythemia vera | Diagnosis | ICD-10-CM |
| O9A1 | Malignant neoplasm complicating pregnancy, childbirth and the puerperium | Diagnosis | ICD-10-CM |
| O9A11 | Malignant neoplasm complicating pregnancy | Diagnosis | ICD-10-CM |
| O9A111 | Malignant neoplasm complicating pregnancy, first trimester | Diagnosis | ICD-10-CM |
| O9A112 | Malignant neoplasm complicating pregnancy, second trimester | Diagnosis | ICD-10-CM |
| O9A113 | Malignant neoplasm complicating pregnancy, third trimester | Diagnosis | ICD-10-CM |
| O9A119 | Malignant neoplasm complicating pregnancy, unspecified trimester | Diagnosis | ICD-10-CM |
| O9A12 | Malignant neoplasm complicating childbirth | Diagnosis | ICD-10-CM |
| O9A13 | Malignant neoplasm complicating the puerperium | Diagnosis | ICD-10-CM |
| R9721 | Rising PSA following treatment for malignant neoplasm of prostate | Diagnosis | ICD-10-CM |

Cardiovascular and other vascular disease: Congenital heart disease

| | | | |
|-------|--|-----------|-----------|
| P293 | Persistent fetal circulation | Diagnosis | ICD-10-CM |
| P298 | Oth cardiovasc disorders originating in the perinatal period | Diagnosis | ICD-10-CM |
| P2938 | Other persistent fetal circulation | Diagnosis | ICD-10-CM |
| Q20 | Congenital malformations of cardiac chambers and connections | Diagnosis | ICD-10-CM |
| Q21 | Congenital malformations of cardiac septa | Diagnosis | ICD-10-CM |
| Q22 | Congenital malformations of pulmonary and tricuspid valves | Diagnosis | ICD-10-CM |
| Q23 | Congenital malformations of aortic and mitral valves | Diagnosis | ICD-10-CM |
| Q24 | Other congenital malformations of heart | Diagnosis | ICD-10-CM |
| Q200 | Common arterial trunk | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|--|----------------------|------------------|
| Q201 | Double outlet right ventricle | Diagnosis | ICD-10-CM |
| Q202 | Double outlet left ventricle | Diagnosis | ICD-10-CM |
| Q203 | Discordant ventriculoarterial connection | Diagnosis | ICD-10-CM |
| Q204 | Double inlet ventricle | Diagnosis | ICD-10-CM |
| Q205 | Discordant atrioventricular connection | Diagnosis | ICD-10-CM |
| Q206 | Isomerism of atrial appendages | Diagnosis | ICD-10-CM |
| Q208 | Oth congenital malform of cardiac chambers and connections | Diagnosis | ICD-10-CM |
| Q209 | Congenital malform of cardiac chambers and connections, unsp | Diagnosis | ICD-10-CM |
| Q210 | Ventricular septal defect | Diagnosis | ICD-10-CM |
| Q211 | Atrial septal defect | Diagnosis | ICD-10-CM |
| Q212 | Atrioventricular septal defect | Diagnosis | ICD-10-CM |
| Q213 | Tetralogy of Fallot | Diagnosis | ICD-10-CM |
| Q214 | Aortopulmonary septal defect | Diagnosis | ICD-10-CM |
| Q218 | Other congenital malformations of cardiac septa | Diagnosis | ICD-10-CM |
| Q219 | Congenital malformation of cardiac septum, unspecified | Diagnosis | ICD-10-CM |
| Q220 | Pulmonary valve atresia | Diagnosis | ICD-10-CM |
| Q221 | Congenital pulmonary valve stenosis | Diagnosis | ICD-10-CM |
| Q222 | Congenital pulmonary valve insufficiency | Diagnosis | ICD-10-CM |
| Q223 | Other congenital malformations of pulmonary valve | Diagnosis | ICD-10-CM |
| Q224 | Congenital tricuspid stenosis | Diagnosis | ICD-10-CM |
| Q225 | Ebstein's anomaly | Diagnosis | ICD-10-CM |
| Q226 | Hypoplastic right heart syndrome | Diagnosis | ICD-10-CM |
| Q228 | Other congenital malformations of tricuspid valve | Diagnosis | ICD-10-CM |
| Q229 | Congenital malformation of tricuspid valve, unspecified | Diagnosis | ICD-10-CM |
| Q230 | Congenital stenosis of aortic valve | Diagnosis | ICD-10-CM |
| Q231 | Congenital insufficiency of aortic valve | Diagnosis | ICD-10-CM |
| Q232 | Congenital mitral stenosis | Diagnosis | ICD-10-CM |
| Q233 | Congenital mitral insufficiency | Diagnosis | ICD-10-CM |
| Q234 | Hypoplastic left heart syndrome | Diagnosis | ICD-10-CM |
| Q238 | Other congenital malformations of aortic and mitral valves | Diagnosis | ICD-10-CM |
| Q239 | Congenital malformation of aortic and mitral valves, unsp | Diagnosis | ICD-10-CM |
| Q240 | Dextrocardia | Diagnosis | ICD-10-CM |
| Q241 | Levocardia | Diagnosis | ICD-10-CM |
| Q242 | Cor triatriatum | Diagnosis | ICD-10-CM |
| Q243 | Pulmonary infundibular stenosis | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code | |
|--------|--|-----------|-----------|
| | | Category | Code Type |
| Q244 | Congenital subaortic stenosis | Diagnosis | ICD-10-CM |
| Q245 | Malformation of coronary vessels | Diagnosis | ICD-10-CM |
| Q246 | Congenital heart block | Diagnosis | ICD-10-CM |
| Q248 | Other specified congenital malformations of heart | Diagnosis | ICD-10-CM |
| Q249 | Congenital malformation of heart, unspecified | Diagnosis | ICD-10-CM |
| Q250 | Patent ductus arteriosus | Diagnosis | ICD-10-CM |
| Q251 | Coarctation of aorta | Diagnosis | ICD-10-CM |
| Q2521 | Interruption of aortic arch | Diagnosis | ICD-10-CM |
| Q2529 | Other atresia of aorta | Diagnosis | ICD-10-CM |
| Q253 | Supravalvular aortic stenosis | Diagnosis | ICD-10-CM |
| Q2540 | Congenital malformation of aorta unspecified | Diagnosis | ICD-10-CM |
| Q2541 | Absence and aplasia of aorta | Diagnosis | ICD-10-CM |
| Q2542 | Hypoplasia of aorta | Diagnosis | ICD-10-CM |
| Q2543 | Congenital aneurysm of aorta | Diagnosis | ICD-10-CM |
| Q2544 | Congenital dilation of aorta | Diagnosis | ICD-10-CM |
| Q2545 | Double aortic arch | Diagnosis | ICD-10-CM |
| Q2546 | Tortuous aortic arch | Diagnosis | ICD-10-CM |
| Q2547 | Right aortic arch | Diagnosis | ICD-10-CM |
| Q2548 | Anomalous origin of subclavian artery | Diagnosis | ICD-10-CM |
| Q2549 | Other congenital malformations of aorta | Diagnosis | ICD-10-CM |
| Q255 | Atresia of pulmonary artery | Diagnosis | ICD-10-CM |
| Q256 | Stenosis of pulmonary artery | Diagnosis | ICD-10-CM |
| Q2571 | Coarctation of pulmonary artery | Diagnosis | ICD-10-CM |
| Q2572 | Congenital pulmonary arteriovenous malformation | Diagnosis | ICD-10-CM |
| Q2579 | Other congenital malformations of pulmonary artery | Diagnosis | ICD-10-CM |
| Q258 | Other congenital malformations of other great arteries | Diagnosis | ICD-10-CM |
| Q259 | Congenital malformation of great arteries, unspecified | Diagnosis | ICD-10-CM |
| Q260 | Congenital stenosis of vena cava | Diagnosis | ICD-10-CM |
| Q261 | Persistent left superior vena cava | Diagnosis | ICD-10-CM |
| Q262 | Total anomalous pulmonary venous connection | Diagnosis | ICD-10-CM |
| Q263 | Partial anomalous pulmonary venous connection | Diagnosis | ICD-10-CM |
| Q264 | Anomalous pulmonary venous connection, unspecified | Diagnosis | ICD-10-CM |
| Q8740 | Marfan's syndrome, unspecified | Diagnosis | ICD-10-CM |
| Q8741 | Marfan's syndrome with cardiovascular manifestations | Diagnosis | ICD-10-CM |
| Q87410 | Marfan's syndrome with aortic dilation | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code | |
|--------|--|-----------|-----------|
| | | Category | Code Type |
| Q87418 | Marfan's syndrome with other cardiovascular manifestations | Diagnosis | ICD-10-CM |
| Q8782 | Arterial tortuosity syndrome | Diagnosis | ICD-10-CM |
| Q900 | Trisomy 21, nonmosaicism (meiotic nondisjunction) | Diagnosis | ICD-10-CM |
| Q901 | Trisomy 21, mosaicism (mitotic nondisjunction) | Diagnosis | ICD-10-CM |
| Q902 | Trisomy 21, translocation | Diagnosis | ICD-10-CM |
| Q909 | Down syndrome, unspecified | Diagnosis | ICD-10-CM |
| Q910 | Trisomy 18, nonmosaicism (meiotic nondisjunction) | Diagnosis | ICD-10-CM |
| Q911 | Trisomy 18, mosaicism (mitotic nondisjunction) | Diagnosis | ICD-10-CM |
| Q912 | Trisomy 18, translocation | Diagnosis | ICD-10-CM |
| Q913 | Trisomy 18, unspecified | Diagnosis | ICD-10-CM |
| Q914 | Trisomy 13, nonmosaicism (meiotic nondisjunction) | Diagnosis | ICD-10-CM |
| Q915 | Trisomy 13, mosaicism (mitotic nondisjunction) | Diagnosis | ICD-10-CM |
| Q916 | Trisomy 13, translocation | Diagnosis | ICD-10-CM |
| Q917 | Trisomy 13, unspecified | Diagnosis | ICD-10-CM |
| Q9381 | Velo-cardio-facial syndrome | Diagnosis | ICD-10-CM |
| Q9382 | Williams syndrome | Diagnosis | ICD-10-CM |
| 93530 | Right heart catheterization, for congenital cardiac anomalies | Procedure | CPT-4 |
| 93531 | Combined right heart catheterization and retrograde left heart catheterization, for congenital cardiac anomalies | Procedure | CPT-4 |
| 93532 | Combined right heart catheterization and transseptal left heart catheterization through intact septum with or without retrograde left heart catheterization, for congenital cardiac anomalies | Procedure | CPT-4 |
| 93533 | Combined right heart catheterization and transseptal left heart catheterization through existing septal opening, with or without retrograde left heart catheterization, for congenital cardiac anomalies | Procedure | CPT-4 |
| 75573 | Computed tomography, heart, with contrast material, for evaluation of cardiac structure and morphology in the setting of congenital heart disease (including 3D image postprocessing, assessment of LV cardiac function, RV structure and function and evaluation) | Procedure | CPT-4 |
| 75572 | Computed tomography, heart, with contrast material, for evaluation of cardiac structure and morphology (including 3D image postprocessing, assessment of cardiac function, and evaluation of venous structures, if performed) | Procedure | CPT-4 |
| 33924 | Ligation and takedown of a systemic-to-pulmonary artery shunt, performed in conjunction with a congenital heart procedure (List separately in addition to code for primary procedure) | Procedure | CPT-4 |
| 93563 | Injection procedure during cardiac catheterization including imaging supervision, interpretation, and report, for selective coronary angiography during congenital heart catheterization (List separately in addition to code for primary procedure) | Procedure | CPT-4 |
| 93564 | Injection procedure during cardiac catheterization including imaging supervision, interpretation, and report, for selective opacification of aortocoronary venous or arterial bypass graft(s) (eg, aortocoronary saphenous vein, free radial artery, or free ma | Procedure | CPT-4 |
| 33647 | Repair of atrial septal defect and ventricular septal defect, with direct or patch closure | Procedure | CPT-4 |
| 33720 | Repair sinus of Valsalva aneurysm, with cardiopulmonary bypass | Procedure | CPT-4 |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code | |
|--|---|-----------|-----------|
| | | Category | Code Type |
| 33745 | Transcatheter intracardiac shunt (TIS) creation by stent placement for congenital cardiac anomalies to establish effective intracardiac flow, including all imaging guidance by the proceduralist, when performed, left and right heart diagnostic cardiac cath | Procedure | CPT-4 |
| 33746 | Transcatheter intracardiac shunt (TIS) creation by stent placement for congenital cardiac anomalies to establish effective intracardiac flow, including all imaging guidance by the proceduralist, when performed, left and right heart diagnostic cardiac cath | Procedure | CPT-4 |
| 33741 | Transcatheter atrial septostomy (TAS) for congenital cardiac anomalies to create effective atrial flow, including all imaging guidance by the proceduralist, when performed, any method (eg, Rashkind, Sang-Park, balloon, cutting balloon, blade) | Procedure | CPT-4 |
| 93303 | Transthoracic echocardiography for congenital cardiac anomalies, complete | Procedure | CPT-4 |
| 93304 | Transthoracic echocardiography for congenital cardiac anomalies, follow-up or limited | Procedure | CPT-4 |
| 93316 | Transesophageal echocardiography for congenital cardiac anomalies, placement of transesophageal probe only, image acquisition, interpretation and report only | Procedure | CPT-4 |
| 93317 | Transesophageal echocardiography for congenital cardiac anomalies | Procedure | CPT-4 |
| 93315 | Transesophageal echocardiography for congenital cardiac anomalies, including probe placement, image acquisition, interpretation and report | Procedure | CPT-4 |
| 93581 | Percutaneous transcatheter closure of a congenital ventricular septal defect with implant | Procedure | CPT-4 |
| 93580 | Percutaneous transcatheter closure of congenital interatrial communication (ie, Fontan fenestration, atrial septal defect) with implant | Procedure | CPT-4 |
| 02Q50ZZ | Repair Atrial Septum, Open Approach | Procedure | CPT-4 |
| 02U507Z | Supplement Atrial Septum with Autologous Tissue Substitute, Open Approach | Procedure | CPT-4 |
| 02U50JZ | Supplement Atrial Septum with Synthetic Substitute, Open Approach | Procedure | CPT-4 |
| 02U53JZ | Supplement Atrial Septum with Synthetic Substitute, Percutaneous Approach | Procedure | CPT-4 |
| 02QM0ZZ | Repair Ventricular Septum, Open Approach | Procedure | CPT-4 |
| 02UM07Z | Supplement Ventricular Septum with Autologous Tissue Substitute, Open Approach | Procedure | CPT-4 |
| 02UM0JZ | Supplement Ventricular Septum with Synthetic Substitute, Open Approach | Procedure | CPT-4 |
| 02UM3JZ | Supplement Ventricular Septum with Synthetic Substitute, Percutaneous Approach | Procedure | CPT-4 |
| Cardiovascular and other vascular disease: Cardiovascular disease | | | |
| I11 | Hypertensive heart disease | Diagnosis | ICD-10-CM |
| I110 | Hypertensive heart disease with heart failure | Diagnosis | ICD-10-CM |
| I119 | Hypertensive heart disease without heart failure | Diagnosis | ICD-10-CM |
| I24 | Other acute ischemic heart diseases | Diagnosis | ICD-10-CM |
| I248 | Other forms of acute ischemic heart disease | Diagnosis | ICD-10-CM |
| I249 | Acute ischemic heart disease, unspecified | Diagnosis | ICD-10-CM |
| I25 | Chronic ischemic heart disease | Diagnosis | ICD-10-CM |
| I251 | Atherosclerotic heart disease of native coronary artery | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|---|----------------------|------------------|
| I2510 | Atherosclerotic heart disease of native coronary artery without angina pectoris | Diagnosis | ICD-10-CM |
| I2511 | Atherosclerotic heart disease of native coronary artery with angina pectoris | Diagnosis | ICD-10-CM |
| I25110 | Atherosclerotic heart disease of native coronary artery with unstable angina pectoris | Diagnosis | ICD-10-CM |
| I25111 | Atherosclerotic heart disease of native coronary artery with angina pectoris with documented spasm | Diagnosis | ICD-10-CM |
| I25118 | Atherosclerotic heart disease of native coronary artery with other forms of angina pectoris | Diagnosis | ICD-10-CM |
| I25119 | Atherosclerotic heart disease of native coronary artery with unspecified angina pectoris | Diagnosis | ICD-10-CM |
| I258 | Other forms of chronic ischemic heart disease | Diagnosis | ICD-10-CM |
| I2589 | Other forms of chronic ischemic heart disease | Diagnosis | ICD-10-CM |
| I259 | Chronic ischemic heart disease, unspecified | Diagnosis | ICD-10-CM |
| I271 | Kyphoscoliotic heart disease | Diagnosis | ICD-10-CM |
| I51 | Complications and ill-defined descriptions of heart disease | Diagnosis | ICD-10-CM |
| I518 | Other ill-defined heart diseases | Diagnosis | ICD-10-CM |
| I5189 | Other ill-defined heart diseases | Diagnosis | ICD-10-CM |
| I519 | Heart disease, unspecified | Diagnosis | ICD-10-CM |
| I2101 | ST elevation (STEMI) myocardial infarction involving left main coronary artery | Diagnosis | ICD-10-CM |
| I2102 | ST elevation (STEMI) myocardial infarction involving left anterior descending coronary artery | Diagnosis | ICD-10-CM |
| I2109 | ST elevation (STEMI) myocardial infarction involving other coronary artery of anterior wall | Diagnosis | ICD-10-CM |
| I2111 | ST elevation (STEMI) myocardial infarction involving right coronary artery | Diagnosis | ICD-10-CM |
| I2119 | ST elevation (STEMI) myocardial infarction involving other coronary artery of inferior wall | Diagnosis | ICD-10-CM |
| I2121 | ST elevation (STEMI) myocardial infarction involving left circumflex coronary artery | Diagnosis | ICD-10-CM |
| I240 | Acute coronary thrombosis not resulting in myocardial infarction | Diagnosis | ICD-10-CM |
| I254 | Coronary artery aneurysm and dissection | Diagnosis | ICD-10-CM |
| I2541 | Coronary artery aneurysm | Diagnosis | ICD-10-CM |
| I2542 | Coronary artery dissection | Diagnosis | ICD-10-CM |
| I257 | Atherosclerosis of coronary artery bypass graft(s) and coronary artery of transplanted heart with angina pectoris | Diagnosis | ICD-10-CM |
| I2570 | Atherosclerosis of coronary artery bypass graft(s), unspecified, with angina pectoris | Diagnosis | ICD-10-CM |
| I25700 | Atherosclerosis of coronary artery bypass graft(s), unspecified, with unstable angina pectoris | Diagnosis | ICD-10-CM |
| I25701 | Atherosclerosis of coronary artery bypass graft(s), unspecified, with angina pectoris with documented spasm | Diagnosis | ICD-10-CM |
| I25708 | Atherosclerosis of coronary artery bypass graft(s), unspecified, with other forms of angina pectoris | Diagnosis | ICD-10-CM |
| I25709 | Atherosclerosis of coronary artery bypass graft(s), unspecified, with unspecified angina pectoris | Diagnosis | ICD-10-CM |
| I2571 | Atherosclerosis of autologous vein coronary artery bypass graft(s) with angina pectoris | Diagnosis | ICD-10-CM |
| I25710 | Atherosclerosis of autologous vein coronary artery bypass graft(s) with unstable angina pectoris | Diagnosis | ICD-10-CM |
| I25711 | Atherosclerosis of autologous vein coronary artery bypass graft(s) with angina pectoris with documented spasm | Diagnosis | ICD-10-CM |
| I25718 | Atherosclerosis of autologous vein coronary artery bypass graft(s) with other forms of angina pectoris | Diagnosis | ICD-10-CM |
| I25719 | Atherosclerosis of autologous vein coronary artery bypass graft(s) with unspecified angina pectoris | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|--|----------------------|------------------|
| I2572 | Atherosclerosis of autologous artery coronary artery bypass graft(s) with angina pectoris | Diagnosis | ICD-10-CM |
| I25720 | Atherosclerosis of autologous artery coronary artery bypass graft(s) with unstable angina pectoris | Diagnosis | ICD-10-CM |
| I25721 | Atherosclerosis of autologous artery coronary artery bypass graft(s) with angina pectoris with documented spasm | Diagnosis | ICD-10-CM |
| I25728 | Atherosclerosis of autologous artery coronary artery bypass graft(s) with other forms of angina pectoris | Diagnosis | ICD-10-CM |
| I25729 | Atherosclerosis of autologous artery coronary artery bypass graft(s) with unspecified angina pectoris | Diagnosis | ICD-10-CM |
| I2573 | Atherosclerosis of nonautologous biological coronary artery bypass graft(s) with angina pectoris | Diagnosis | ICD-10-CM |
| I25730 | Atherosclerosis of nonautologous biological coronary artery bypass graft(s) with unstable angina pectoris | Diagnosis | ICD-10-CM |
| I25731 | Atherosclerosis of nonautologous biological coronary artery bypass graft(s) with angina pectoris with documented spasm | Diagnosis | ICD-10-CM |
| I25738 | Atherosclerosis of nonautologous biological coronary artery bypass graft(s) with other forms of angina pectoris | Diagnosis | ICD-10-CM |
| I25739 | Atherosclerosis of nonautologous biological coronary artery bypass graft(s) with unspecified angina pectoris | Diagnosis | ICD-10-CM |
| I2575 | Atherosclerosis of native coronary artery of transplanted heart with angina pectoris | Diagnosis | ICD-10-CM |
| I25750 | Atherosclerosis of native coronary artery of transplanted heart with unstable angina | Diagnosis | ICD-10-CM |
| I25751 | Atherosclerosis of native coronary artery of transplanted heart with angina pectoris with documented spasm | Diagnosis | ICD-10-CM |
| I25758 | Atherosclerosis of native coronary artery of transplanted heart with other forms of angina pectoris | Diagnosis | ICD-10-CM |
| I25759 | Atherosclerosis of native coronary artery of transplanted heart with unspecified angina pectoris | Diagnosis | ICD-10-CM |
| I2576 | Atherosclerosis of bypass graft of coronary artery of transplanted heart with angina pectoris | Diagnosis | ICD-10-CM |
| I25760 | Atherosclerosis of bypass graft of coronary artery of transplanted heart with unstable angina | Diagnosis | ICD-10-CM |
| I25761 | Atherosclerosis of bypass graft of coronary artery of transplanted heart with angina pectoris with documented spasm | Diagnosis | ICD-10-CM |
| I25768 | Atherosclerosis of bypass graft of coronary artery of transplanted heart with other forms of angina pectoris | Diagnosis | ICD-10-CM |
| I25769 | Atherosclerosis of bypass graft of coronary artery of transplanted heart with unspecified angina pectoris | Diagnosis | ICD-10-CM |
| I2579 | Atherosclerosis of other coronary artery bypass graft(s) with angina pectoris | Diagnosis | ICD-10-CM |
| I25790 | Atherosclerosis of other coronary artery bypass graft(s) with unstable angina pectoris | Diagnosis | ICD-10-CM |
| I25791 | Atherosclerosis of other coronary artery bypass graft(s) with angina pectoris with documented spasm | Diagnosis | ICD-10-CM |
| I25798 | Atherosclerosis of other coronary artery bypass graft(s) with other forms of angina pectoris | Diagnosis | ICD-10-CM |
| I25799 | Atherosclerosis of other coronary artery bypass graft(s) with unspecified angina pectoris | Diagnosis | ICD-10-CM |
| I2581 | Atherosclerosis of other coronary vessels without angina pectoris | Diagnosis | ICD-10-CM |
| I25810 | Atherosclerosis of coronary artery bypass graft(s) without angina pectoris | Diagnosis | ICD-10-CM |
| I25811 | Atherosclerosis of native coronary artery of transplanted heart without angina pectoris | Diagnosis | ICD-10-CM |
| I25812 | Atherosclerosis of bypass graft of coronary artery of transplanted heart without angina pectoris | Diagnosis | ICD-10-CM |
| I2582 | Chronic total occlusion of coronary artery | Diagnosis | ICD-10-CM |
| I2583 | Coronary atherosclerosis due to lipid rich plaque | Diagnosis | ICD-10-CM |
| I2584 | Coronary atherosclerosis due to calcified coronary lesion | Diagnosis | ICD-10-CM |
| I200 | Unstable angina | Diagnosis | ICD-10-CM |
| I201 | Angina pectoris with documented spasm | Diagnosis | ICD-10-CM |
| I208 | Other forms of angina pectoris | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code | |
|-------|---|-----------|-----------|
| | | Category | Code Type |
| I209 | Angina pectoris, unspecified | Diagnosis | ICD-10-CM |
| I2129 | ST elevation (STEMI) myocardial infarction involving other sites | Diagnosis | ICD-10-CM |
| I213 | ST elevation (STEMI) myocardial infarction of unspecified site | Diagnosis | ICD-10-CM |
| I214 | Non-ST elevation (NSTEMI) myocardial infarction | Diagnosis | ICD-10-CM |
| I219 | Acute myocardial infarction, unspecified | Diagnosis | ICD-10-CM |
| I21A1 | Myocardial infarction type 2 | Diagnosis | ICD-10-CM |
| I21A9 | Other myocardial infarction type | Diagnosis | ICD-10-CM |
| I220 | Subsequent ST elevation (STEMI) myocardial infarction of anterior wall | Diagnosis | ICD-10-CM |
| I221 | Subsequent ST elevation (STEMI) myocardial infarction of inferior wall | Diagnosis | ICD-10-CM |
| I222 | Subsequent non-ST elevation (NSTEMI) myocardial infarction | Diagnosis | ICD-10-CM |
| I228 | Subsequent ST elevation (STEMI) myocardial infarction of other sites | Diagnosis | ICD-10-CM |
| I229 | Subsequent ST elevation (STEMI) myocardial infarction of unspecified site | Diagnosis | ICD-10-CM |
| I230 | Hemopericardium as current complication following acute myocardial infarction | Diagnosis | ICD-10-CM |
| I231 | Atrial septal defect as current complication following acute myocardial infarction | Diagnosis | ICD-10-CM |
| I232 | Ventricular septal defect as current complication following acute myocardial infarction | Diagnosis | ICD-10-CM |
| I233 | Rupture of cardiac wall without hemopericardium as current complication following acute myocardial infarction | Diagnosis | ICD-10-CM |
| I234 | Rupture of chordae tendineae as current complication following acute myocardial infarction | Diagnosis | ICD-10-CM |
| I235 | Rupture of papillary muscle as current complication following acute myocardial infarction | Diagnosis | ICD-10-CM |
| I236 | Thrombosis of atrium, auricular appendage, and ventricle as current complications following acute myocardial infarction | Diagnosis | ICD-10-CM |
| I237 | Postinfarction angina | Diagnosis | ICD-10-CM |
| I238 | Other current complications following acute myocardial infarction | Diagnosis | ICD-10-CM |
| I241 | Dressler's syndrome | Diagnosis | ICD-10-CM |
| I252 | Old myocardial infarction | Diagnosis | ICD-10-CM |
| I255 | Ischemic cardiomyopathy | Diagnosis | ICD-10-CM |
| I256 | Silent myocardial ischemia | Diagnosis | ICD-10-CM |
| I462 | Cardiac arrest due to underlying cardiac condition | Diagnosis | ICD-10-CM |
| I468 | Cardiac arrest due to other underlying condition | Diagnosis | ICD-10-CM |
| I469 | Cardiac arrest, cause unspecified | Diagnosis | ICD-10-CM |
| I472 | Ventricular tachycardia | Diagnosis | ICD-10-CM |
| I4901 | Ventricular fibrillation | Diagnosis | ICD-10-CM |
| I4902 | Ventricular flutter | Diagnosis | ICD-10-CM |
| I501 | Left ventricular failure, unspecified | Diagnosis | ICD-10-CM |
| I5020 | Unspecified systolic (congestive) heart failure | Diagnosis | ICD-10-CM |
| I5021 | Acute systolic (congestive) heart failure | Diagnosis | ICD-10-CM |
| I5022 | Chronic systolic (congestive) heart failure | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|--|----------------------|------------------|
| I5023 | Acute on chronic systolic (congestive) heart failure | Diagnosis | ICD-10-CM |
| I5030 | Unspecified diastolic (congestive) heart failure | Diagnosis | ICD-10-CM |
| I5031 | Acute diastolic (congestive) heart failure | Diagnosis | ICD-10-CM |
| I5032 | Chronic diastolic (congestive) heart failure | Diagnosis | ICD-10-CM |
| I5033 | Acute on chronic diastolic (congestive) heart failure | Diagnosis | ICD-10-CM |
| I5040 | Unspecified combined systolic (congestive) and diastolic (congestive) heart failure | Diagnosis | ICD-10-CM |
| I5041 | Acute combined systolic (congestive) and diastolic (congestive) heart failure | Diagnosis | ICD-10-CM |
| I5042 | Chronic combined systolic (congestive) and diastolic (congestive) heart failure | Diagnosis | ICD-10-CM |
| I5043 | Acute on chronic combined systolic (congestive) and diastolic (congestive) heart failure | Diagnosis | ICD-10-CM |
| I50810 | Right heart failure, unspecified | Diagnosis | ICD-10-CM |
| I50811 | Acute right heart failure | Diagnosis | ICD-10-CM |
| I50812 | Chronic right heart failure | Diagnosis | ICD-10-CM |
| I50813 | Acute on chronic right heart failure | Diagnosis | ICD-10-CM |
| I50814 | Right heart failure due to left heart failure | Diagnosis | ICD-10-CM |
| I5082 | Biventricular heart failure | Diagnosis | ICD-10-CM |
| I5083 | High output heart failure | Diagnosis | ICD-10-CM |
| I5084 | End stage heart failure | Diagnosis | ICD-10-CM |
| I5089 | Other heart failure | Diagnosis | ICD-10-CM |
| I509 | Heart failure, unspecified | Diagnosis | ICD-10-CM |
| I52 | Other heart disorders in diseases classified elsewhere | Diagnosis | ICD-10-CM |
| I6000 | Nontraumatic subarachnoid hemorrhage from unspecified carotid siphon and bifurcation | Diagnosis | ICD-10-CM |
| I6001 | Nontraumatic subarachnoid hemorrhage from right carotid siphon and bifurcation | Diagnosis | ICD-10-CM |
| I6002 | Nontraumatic subarachnoid hemorrhage from left carotid siphon and bifurcation | Diagnosis | ICD-10-CM |
| I6010 | Nontraumatic subarachnoid hemorrhage from unspecified middle cerebral artery | Diagnosis | ICD-10-CM |
| I6011 | Nontraumatic subarachnoid hemorrhage from right middle cerebral artery | Diagnosis | ICD-10-CM |
| I6012 | Nontraumatic subarachnoid hemorrhage from left middle cerebral artery | Diagnosis | ICD-10-CM |
| I602 | Nontraumatic subarachnoid hemorrhage from anterior communicating artery | Diagnosis | ICD-10-CM |
| I6030 | Nontraumatic subarachnoid hemorrhage from unspecified posterior communicating artery | Diagnosis | ICD-10-CM |
| I6031 | Nontraumatic subarachnoid hemorrhage from right posterior communicating artery | Diagnosis | ICD-10-CM |
| I6032 | Nontraumatic subarachnoid hemorrhage from left posterior communicating artery | Diagnosis | ICD-10-CM |
| I604 | Nontraumatic subarachnoid hemorrhage from basilar artery | Diagnosis | ICD-10-CM |
| I6050 | Nontraumatic subarachnoid hemorrhage from unspecified vertebral artery | Diagnosis | ICD-10-CM |
| I6051 | Nontraumatic subarachnoid hemorrhage from right vertebral artery | Diagnosis | ICD-10-CM |
| I6052 | Nontraumatic subarachnoid hemorrhage from left vertebral artery | Diagnosis | ICD-10-CM |
| I606 | Nontraumatic subarachnoid hemorrhage from other intracranial arteries | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code | |
|-------|---|-----------|-----------|
| | | Category | Code Type |
| I607 | Nontraumatic subarachnoid hemorrhage from unspecified intracranial artery | Diagnosis | ICD-10-CM |
| I608 | Other nontraumatic subarachnoid hemorrhage | Diagnosis | ICD-10-CM |
| I609 | Nontraumatic subarachnoid hemorrhage, unspecified | Diagnosis | ICD-10-CM |
| I610 | Nontraumatic intracerebral hemorrhage in hemisphere, subcortical | Diagnosis | ICD-10-CM |
| I611 | Nontraumatic intracerebral hemorrhage in hemisphere, cortical | Diagnosis | ICD-10-CM |
| I612 | Nontraumatic intracerebral hemorrhage in hemisphere, unspecified | Diagnosis | ICD-10-CM |
| I613 | Nontraumatic intracerebral hemorrhage in brain stem | Diagnosis | ICD-10-CM |
| I614 | Nontraumatic intracerebral hemorrhage in cerebellum | Diagnosis | ICD-10-CM |
| I615 | Nontraumatic intracerebral hemorrhage, intraventricular | Diagnosis | ICD-10-CM |
| I616 | Nontraumatic intracerebral hemorrhage, multiple localized | Diagnosis | ICD-10-CM |
| I618 | Other nontraumatic intracerebral hemorrhage | Diagnosis | ICD-10-CM |
| I619 | Nontraumatic intracerebral hemorrhage, unspecified | Diagnosis | ICD-10-CM |
| I6200 | Nontraumatic subdural hemorrhage, unspecified | Diagnosis | ICD-10-CM |
| I6201 | Nontraumatic acute subdural hemorrhage | Diagnosis | ICD-10-CM |
| I6202 | Nontraumatic subacute subdural hemorrhage | Diagnosis | ICD-10-CM |
| I6203 | Nontraumatic chronic subdural hemorrhage | Diagnosis | ICD-10-CM |
| I621 | Nontraumatic extradural hemorrhage | Diagnosis | ICD-10-CM |
| I629 | Nontraumatic intracranial hemorrhage, unspecified | Diagnosis | ICD-10-CM |
| I6501 | Occlusion and stenosis of right vertebral artery | Diagnosis | ICD-10-CM |
| I6502 | Occlusion and stenosis of left vertebral artery | Diagnosis | ICD-10-CM |
| I6503 | Occlusion and stenosis of bilateral vertebral arteries | Diagnosis | ICD-10-CM |
| I6509 | Occlusion and stenosis of unspecified vertebral artery | Diagnosis | ICD-10-CM |
| I651 | Occlusion and stenosis of basilar artery | Diagnosis | ICD-10-CM |
| I6521 | Occlusion and stenosis of right carotid artery | Diagnosis | ICD-10-CM |
| I6522 | Occlusion and stenosis of left carotid artery | Diagnosis | ICD-10-CM |
| I6523 | Occlusion and stenosis of bilateral carotid arteries | Diagnosis | ICD-10-CM |
| I6529 | Occlusion and stenosis of unspecified carotid artery | Diagnosis | ICD-10-CM |
| I658 | Occlusion and stenosis of other precerebral arteries | Diagnosis | ICD-10-CM |
| I659 | Occlusion and stenosis of unspecified precerebral artery | Diagnosis | ICD-10-CM |
| I6601 | Occlusion and stenosis of right middle cerebral artery | Diagnosis | ICD-10-CM |
| I6602 | Occlusion and stenosis of left middle cerebral artery | Diagnosis | ICD-10-CM |
| I6603 | Occlusion and stenosis of bilateral middle cerebral arteries | Diagnosis | ICD-10-CM |
| I6609 | Occlusion and stenosis of unspecified middle cerebral artery | Diagnosis | ICD-10-CM |
| I6611 | Occlusion and stenosis of right anterior cerebral artery | Diagnosis | ICD-10-CM |
| I6612 | Occlusion and stenosis of left anterior cerebral artery | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code | |
|---------|--|-----------|------------|
| | | Category | Code Type |
| I6613 | Occlusion and stenosis of bilateral anterior cerebral arteries | Diagnosis | ICD-10-CM |
| I6619 | Occlusion and stenosis of unspecified anterior cerebral artery | Diagnosis | ICD-10-CM |
| I6621 | Occlusion and stenosis of right posterior cerebral artery | Diagnosis | ICD-10-CM |
| I6622 | Occlusion and stenosis of left posterior cerebral artery | Diagnosis | ICD-10-CM |
| I6623 | Occlusion and stenosis of bilateral posterior cerebral arteries | Diagnosis | ICD-10-CM |
| I6629 | Occlusion and stenosis of unspecified posterior cerebral artery | Diagnosis | ICD-10-CM |
| I663 | Occlusion and stenosis of cerebellar arteries | Diagnosis | ICD-10-CM |
| I668 | Occlusion and stenosis of other cerebral arteries | Diagnosis | ICD-10-CM |
| I669 | Occlusion and stenosis of unspecified cerebral artery | Diagnosis | ICD-10-CM |
| I6789 | Other cerebrovascular disease | Diagnosis | ICD-10-CM |
| I700 | Atherosclerosis of aorta | Diagnosis | ICD-10-CM |
| T82211A | Breakdown (mechanical) of coronary artery bypass graft, initial encounter | Diagnosis | ICD-10-CM |
| T82212A | Displacement of coronary artery bypass graft, initial encounter | Diagnosis | ICD-10-CM |
| T82213A | Leakage of coronary artery bypass graft, initial encounter | Diagnosis | ICD-10-CM |
| T82218A | Other mechanical complication of coronary artery bypass graft, initial encounter | Diagnosis | ICD-10-CM |
| Z951 | Presence of aortocoronary bypass graft | Diagnosis | ICD-10-CM |
| Z955 | Presence of coronary angioplasty implant and graft | Diagnosis | ICD-10-CM |
| I0981 | Rheumatic heart failure | Diagnosis | ICD-10-CM |
| I130 | Hypertensive heart and chronic kidney disease with heart failure and stage 1 through stage 4 chronic kidney disease, or unspecified chronic kidney disease | Diagnosis | ICD-10-CM |
| I132 | Hypertensive heart and chronic kidney disease with heart failure and with stage 5 chronic kidney disease, or end stage renal disease | Diagnosis | ICD-10-CM |
| I50 | Heart failure | Diagnosis | ICD-10-CM |
| I502 | Systolic (congestive) heart failure | Diagnosis | ICD-10-CM |
| I503 | Diastolic (congestive) heart failure | Diagnosis | ICD-10-CM |
| I504 | Combined systolic (congestive) and diastolic (congestive) heart failure | Diagnosis | ICD-10-CM |
| I508 | Other heart failure | Diagnosis | ICD-10-CM |
| I5081 | Right heart failure | Diagnosis | ICD-10-CM |
| I9713 | Postprocedural heart failure | Diagnosis | ICD-10-CM |
| I97130 | Postprocedural heart failure following cardiac surgery | Diagnosis | ICD-10-CM |
| I97131 | Postprocedural heart failure following other surgery | Diagnosis | ICD-10-CM |
| 0210083 | Bypass Coronary Artery, One Artery from Coronary Artery with Zooplastic Tissue, Open Approach | Procedure | ICD-10-PCS |
| 0210088 | Bypass Coronary Artery, One Artery from Right Internal Mammary with Zooplastic Tissue, Open Approach | Procedure | ICD-10-PCS |
| 0210089 | Bypass Coronary Artery, One Artery from Left Internal Mammary with Zooplastic Tissue, Open Approach | Procedure | ICD-10-PCS |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|--|----------------------|------------------|
| 021008C | Bypass Coronary Artery, One Artery from Thoracic Artery with Zooplastic Tissue, Open Approach | Procedure | ICD-10-PCS |
| 021008F | Bypass Coronary Artery, One Artery from Abdominal Artery with Zooplastic Tissue, Open Approach | Procedure | ICD-10-PCS |
| 021008W | Bypass Coronary Artery, One Artery from Aorta with Zooplastic Tissue, Open Approach | Procedure | ICD-10-PCS |
| 0210093 | Bypass Coronary Artery, One Artery from Coronary Artery with Autologous Venous Tissue, Open Approach | Procedure | ICD-10-PCS |
| 0210098 | Bypass Coronary Artery, One Artery from Right Internal Mammary with Autologous Venous Tissue, Open Approach | Procedure | ICD-10-PCS |
| 0210099 | Bypass Coronary Artery, One Artery from Left Internal Mammary with Autologous Venous Tissue, Open Approach | Procedure | ICD-10-PCS |
| 021009C | Bypass Coronary Artery, One Artery from Thoracic Artery with Autologous Venous Tissue, Open Approach | Procedure | ICD-10-PCS |
| 021009F | Bypass Coronary Artery, One Artery from Abdominal Artery with Autologous Venous Tissue, Open Approach | Procedure | ICD-10-PCS |
| 021009W | Bypass Coronary Artery, One Artery from Aorta with Autologous Venous Tissue, Open Approach | Procedure | ICD-10-PCS |
| 02100A3 | Bypass Coronary Artery, One Artery from Coronary Artery with Autologous Arterial Tissue, Open Approach | Procedure | ICD-10-PCS |
| 02100A8 | Bypass Coronary Artery, One Artery from Right Internal Mammary with Autologous Arterial Tissue, Open Approach | Procedure | ICD-10-PCS |
| 02100A9 | Bypass Coronary Artery, One Artery from Left Internal Mammary with Autologous Arterial Tissue, Open Approach | Procedure | ICD-10-PCS |
| 02100AC | Bypass Coronary Artery, One Artery from Thoracic Artery with Autologous Arterial Tissue, Open Approach | Procedure | ICD-10-PCS |
| 02100AF | Bypass Coronary Artery, One Artery from Abdominal Artery with Autologous Arterial Tissue, Open Approach | Procedure | ICD-10-PCS |
| 02100AW | Bypass Coronary Artery, One Artery from Aorta with Autologous Arterial Tissue, Open Approach | Procedure | ICD-10-PCS |
| 02100J3 | Bypass Coronary Artery, One Artery from Coronary Artery with Synthetic Substitute, Open Approach | Procedure | ICD-10-PCS |
| 02100J8 | Bypass Coronary Artery, One Artery from Right Internal Mammary with Synthetic Substitute, Open Approach | Procedure | ICD-10-PCS |
| 02100J9 | Bypass Coronary Artery, One Artery from Left Internal Mammary with Synthetic Substitute, Open Approach | Procedure | ICD-10-PCS |
| 02100JC | Bypass Coronary Artery, One Artery from Thoracic Artery with Synthetic Substitute, Open Approach | Procedure | ICD-10-PCS |
| 02100JF | Bypass Coronary Artery, One Artery from Abdominal Artery with Synthetic Substitute, Open Approach | Procedure | ICD-10-PCS |
| 02100JW | Bypass Coronary Artery, One Artery from Aorta with Synthetic Substitute, Open Approach | Procedure | ICD-10-PCS |
| 02100K3 | Bypass Coronary Artery, One Artery from Coronary Artery with Nonautologous Tissue Substitute, Open Approach | Procedure | ICD-10-PCS |
| 02100K8 | Bypass Coronary Artery, One Artery from Right Internal Mammary with Nonautologous Tissue Substitute, Open Approach | Procedure | ICD-10-PCS |
| 02100K9 | Bypass Coronary Artery, One Artery from Left Internal Mammary with Nonautologous Tissue Substitute, Open Approach | Procedure | ICD-10-PCS |
| 02100KC | Bypass Coronary Artery, One Artery from Thoracic Artery with Nonautologous Tissue Substitute, Open Approach | Procedure | ICD-10-PCS |
| 02100KF | Bypass Coronary Artery, One Artery from Abdominal Artery with Nonautologous Tissue Substitute, Open Approach | Procedure | ICD-10-PCS |
| 02100KW | Bypass Coronary Artery, One Artery from Aorta with Nonautologous Tissue Substitute, Open Approach | Procedure | ICD-10-PCS |
| 02100Z3 | Bypass Coronary Artery, One Artery from Coronary Artery, Open Approach | Procedure | ICD-10-PCS |
| 02100Z8 | Bypass Coronary Artery, One Artery from Right Internal Mammary, Open Approach | Procedure | ICD-10-PCS |
| 02100Z9 | Bypass Coronary Artery, One Artery from Left Internal Mammary, Open Approach | Procedure | ICD-10-PCS |
| 02100ZC | Bypass Coronary Artery, One Artery from Thoracic Artery, Open Approach | Procedure | ICD-10-PCS |
| 02100ZF | Bypass Coronary Artery, One Artery from Abdominal Artery, Open Approach | Procedure | ICD-10-PCS |
| 0210344 | Bypass Coronary Artery, One Artery from Coronary Vein with Drug-eluting Intraluminal Device, Percutaneous Approach | Procedure | ICD-10-PCS |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|---|----------------------|------------------|
| 02103D4 | Bypass Coronary Artery, One Artery from Coronary Vein with Intraluminal Device, Percutaneous Approach | Procedure | ICD-10-PCS |
| 0210444 | Bypass Coronary Artery, One Artery from Coronary Vein with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0210483 | Bypass Coronary Artery, One Artery from Coronary Artery with Zooplastic Tissue, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0210488 | Bypass Coronary Artery, One Artery from Right Internal Mammary with Zooplastic Tissue, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0210489 | Bypass Coronary Artery, One Artery from Left Internal Mammary with Zooplastic Tissue, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 021048C | Bypass Coronary Artery, One Artery from Thoracic Artery with Zooplastic Tissue, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 021048F | Bypass Coronary Artery, One Artery from Abdominal Artery with Zooplastic Tissue, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 021048W | Bypass Coronary Artery, One Artery from Aorta with Zooplastic Tissue, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0210493 | Bypass Coronary Artery, One Artery from Coronary Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0210498 | Bypass Coronary Artery, One Artery from Right Internal Mammary with Autologous Venous Tissue, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0210499 | Bypass Coronary Artery, One Artery from Left Internal Mammary with Autologous Venous Tissue, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 021049C | Bypass Coronary Artery, One Artery from Thoracic Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 021049F | Bypass Coronary Artery, One Artery from Abdominal Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 021049W | Bypass Coronary Artery, One Artery from Aorta with Autologous Venous Tissue, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02104A3 | Bypass Coronary Artery, One Artery from Coronary Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02104A8 | Bypass Coronary Artery, One Artery from Right Internal Mammary with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02104A9 | Bypass Coronary Artery, One Artery from Left Internal Mammary with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02104AC | Bypass Coronary Artery, One Artery from Thoracic Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02104AF | Bypass Coronary Artery, One Artery from Abdominal Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02104AW | Bypass Coronary Artery, One Artery from Aorta with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02104D4 | Bypass Coronary Artery, One Artery from Coronary Vein with Intraluminal Device, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02104J3 | Bypass Coronary Artery, One Artery from Coronary Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02104J8 | Bypass Coronary Artery, One Artery from Right Internal Mammary with Synthetic Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02104J9 | Bypass Coronary Artery, One Artery from Left Internal Mammary with Synthetic Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02104JC | Bypass Coronary Artery, One Artery from Thoracic Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02104JF | Bypass Coronary Artery, One Artery from Abdominal Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02104JW | Bypass Coronary Artery, One Artery from Aorta with Synthetic Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02104K3 | Bypass Coronary Artery, One Artery from Coronary Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02104K8 | Bypass Coronary Artery, One Artery from Right Internal Mammary with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02104K9 | Bypass Coronary Artery, One Artery from Left Internal Mammary with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02104KC | Bypass Coronary Artery, One Artery from Thoracic Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|---|----------------------|------------------|
| 02104KF | Bypass Coronary Artery, One Artery from Abdominal Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02104KW | Bypass Coronary Artery, One Artery from Aorta with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02104Z3 | Bypass Coronary Artery, One Artery from Coronary Artery, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02104Z8 | Bypass Coronary Artery, One Artery from Right Internal Mammary, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02104Z9 | Bypass Coronary Artery, One Artery from Left Internal Mammary, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02104ZC | Bypass Coronary Artery, One Artery from Thoracic Artery, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02104ZF | Bypass Coronary Artery, One Artery from Abdominal Artery, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0211083 | Bypass Coronary Artery, Two Arteries from Coronary Artery with Zooplastic Tissue, Open Approach | Procedure | ICD-10-PCS |
| 0211088 | Bypass Coronary Artery, Two Arteries from Right Internal Mammary with Zooplastic Tissue, Open Approach | Procedure | ICD-10-PCS |
| 0211089 | Bypass Coronary Artery, Two Arteries from Left Internal Mammary with Zooplastic Tissue, Open Approach | Procedure | ICD-10-PCS |
| 021108C | Bypass Coronary Artery, Two Arteries from Thoracic Artery with Zooplastic Tissue, Open Approach | Procedure | ICD-10-PCS |
| 021108F | Bypass Coronary Artery, Two Arteries from Abdominal Artery with Zooplastic Tissue, Open Approach | Procedure | ICD-10-PCS |
| 021108W | Bypass Coronary Artery, Two Arteries from Aorta with Zooplastic Tissue, Open Approach | Procedure | ICD-10-PCS |
| 0211093 | Bypass Coronary Artery, Two Arteries from Coronary Artery with Autologous Venous Tissue, Open Approach | Procedure | ICD-10-PCS |
| 0211098 | Bypass Coronary Artery, Two Arteries from Right Internal Mammary with Autologous Venous Tissue, Open Approach | Procedure | ICD-10-PCS |
| 0211099 | Bypass Coronary Artery, Two Arteries from Left Internal Mammary with Autologous Venous Tissue, Open Approach | Procedure | ICD-10-PCS |
| 021109C | Bypass Coronary Artery, Two Arteries from Thoracic Artery with Autologous Venous Tissue, Open Approach | Procedure | ICD-10-PCS |
| 021109F | Bypass Coronary Artery, Two Arteries from Abdominal Artery with Autologous Venous Tissue, Open Approach | Procedure | ICD-10-PCS |
| 021109W | Bypass Coronary Artery, Two Arteries from Aorta with Autologous Venous Tissue, Open Approach | Procedure | ICD-10-PCS |
| 02110A3 | Bypass Coronary Artery, Two Arteries from Coronary Artery with Autologous Arterial Tissue, Open Approach | Procedure | ICD-10-PCS |
| 02110A8 | Bypass Coronary Artery, Two Arteries from Right Internal Mammary with Autologous Arterial Tissue, Open Approach | Procedure | ICD-10-PCS |
| 02110A9 | Bypass Coronary Artery, Two Arteries from Left Internal Mammary with Autologous Arterial Tissue, Open Approach | Procedure | ICD-10-PCS |
| 02110AC | Bypass Coronary Artery, Two Arteries from Thoracic Artery with Autologous Arterial Tissue, Open Approach | Procedure | ICD-10-PCS |
| 02110AF | Bypass Coronary Artery, Two Arteries from Abdominal Artery with Autologous Arterial Tissue, Open Approach | Procedure | ICD-10-PCS |
| 02110AW | Bypass Coronary Artery, Two Arteries from Aorta with Autologous Arterial Tissue, Open Approach | Procedure | ICD-10-PCS |
| 02110J3 | Bypass Coronary Artery, Two Arteries from Coronary Artery with Synthetic Substitute, Open Approach | Procedure | ICD-10-PCS |
| 02110J8 | Bypass Coronary Artery, Two Arteries from Right Internal Mammary with Synthetic Substitute, Open Approach | Procedure | ICD-10-PCS |
| 02110J9 | Bypass Coronary Artery, Two Arteries from Left Internal Mammary with Synthetic Substitute, Open Approach | Procedure | ICD-10-PCS |
| 02110JC | Bypass Coronary Artery, Two Arteries from Thoracic Artery with Synthetic Substitute, Open Approach | Procedure | ICD-10-PCS |
| 02110JF | Bypass Coronary Artery, Two Arteries from Abdominal Artery with Synthetic Substitute, Open Approach | Procedure | ICD-10-PCS |
| 02110JW | Bypass Coronary Artery, Two Arteries from Aorta with Synthetic Substitute, Open Approach | Procedure | ICD-10-PCS |
| 02110K3 | Bypass Coronary Artery, Two Arteries from Coronary Artery with Nonautologous Tissue Substitute, Open Approach | Procedure | ICD-10-PCS |
| 02110K8 | Bypass Coronary Artery, Two Arteries from Right Internal Mammary with Nonautologous Tissue Substitute, Open Approach | Procedure | ICD-10-PCS |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|--|----------------------|------------------|
| 02110K9 | Bypass Coronary Artery, Two Arteries from Left Internal Mammary with Nonautologous Tissue Substitute, Open Approach | Procedure | ICD-10-PCS |
| 02110KC | Bypass Coronary Artery, Two Arteries from Thoracic Artery with Nonautologous Tissue Substitute, Open Approach | Procedure | ICD-10-PCS |
| 02110KF | Bypass Coronary Artery, Two Arteries from Abdominal Artery with Nonautologous Tissue Substitute, Open Approach | Procedure | ICD-10-PCS |
| 02110KW | Bypass Coronary Artery, Two Arteries from Aorta with Nonautologous Tissue Substitute, Open Approach | Procedure | ICD-10-PCS |
| 02110Z3 | Bypass Coronary Artery, Two Arteries from Coronary Artery, Open Approach | Procedure | ICD-10-PCS |
| 02110Z8 | Bypass Coronary Artery, Two Arteries from Right Internal Mammary, Open Approach | Procedure | ICD-10-PCS |
| 02110Z9 | Bypass Coronary Artery, Two Arteries from Left Internal Mammary, Open Approach | Procedure | ICD-10-PCS |
| 02110ZC | Bypass Coronary Artery, Two Arteries from Thoracic Artery, Open Approach | Procedure | ICD-10-PCS |
| 02110ZF | Bypass Coronary Artery, Two Arteries from Abdominal Artery, Open Approach | Procedure | ICD-10-PCS |
| 0211344 | Bypass Coronary Artery, Two Arteries from Coronary Vein with Drug-eluting Intraluminal Device, Percutaneous Approach | Procedure | ICD-10-PCS |
| 02113D4 | Bypass Coronary Artery, Two Arteries from Coronary Vein with Intraluminal Device, Percutaneous Approach | Procedure | ICD-10-PCS |
| 0211444 | Bypass Coronary Artery, Two Arteries from Coronary Vein with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0211483 | Bypass Coronary Artery, Two Arteries from Coronary Artery with Zooplastic Tissue, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0211488 | Bypass Coronary Artery, Two Arteries from Right Internal Mammary with Zooplastic Tissue, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0211489 | Bypass Coronary Artery, Two Arteries from Left Internal Mammary with Zooplastic Tissue, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 021148C | Bypass Coronary Artery, Two Arteries from Thoracic Artery with Zooplastic Tissue, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 021148F | Bypass Coronary Artery, Two Arteries from Abdominal Artery with Zooplastic Tissue, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 021148W | Bypass Coronary Artery, Two Arteries from Aorta with Zooplastic Tissue, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0211493 | Bypass Coronary Artery, Two Arteries from Coronary Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0211498 | Bypass Coronary Artery, Two Arteries from Right Internal Mammary with Autologous Venous Tissue, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0211499 | Bypass Coronary Artery, Two Arteries from Left Internal Mammary with Autologous Venous Tissue, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 021149C | Bypass Coronary Artery, Two Arteries from Thoracic Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 021149F | Bypass Coronary Artery, Two Arteries from Abdominal Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 021149W | Bypass Coronary Artery, Two Arteries from Aorta with Autologous Venous Tissue, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02114A3 | Bypass Coronary Artery, Two Arteries from Coronary Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02114A8 | Bypass Coronary Artery, Two Arteries from Right Internal Mammary with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02114A9 | Bypass Coronary Artery, Two Arteries from Left Internal Mammary with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02114AC | Bypass Coronary Artery, Two Arteries from Thoracic Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02114AF | Bypass Coronary Artery, Two Arteries from Abdominal Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02114AW | Bypass Coronary Artery, Two Arteries from Aorta with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02114D4 | Bypass Coronary Artery, Two Arteries from Coronary Vein with Intraluminal Device, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code | |
|---------|---|-----------|------------|
| | | Category | Code Type |
| 02114J3 | Bypass Coronary Artery, Two Arteries from Coronary Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02114J8 | Bypass Coronary Artery, Two Arteries from Right Internal Mammary with Synthetic Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02114J9 | Bypass Coronary Artery, Two Arteries from Left Internal Mammary with Synthetic Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02114JC | Bypass Coronary Artery, Two Arteries from Thoracic Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02114JF | Bypass Coronary Artery, Two Arteries from Abdominal Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02114JW | Bypass Coronary Artery, Two Arteries from Aorta with Synthetic Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02114K3 | Bypass Coronary Artery, Two Arteries from Coronary Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02114K8 | Bypass Coronary Artery, Two Arteries from Right Internal Mammary with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02114K9 | Bypass Coronary Artery, Two Arteries from Left Internal Mammary with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02114KC | Bypass Coronary Artery, Two Arteries from Thoracic Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02114KF | Bypass Coronary Artery, Two Arteries from Abdominal Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02114KW | Bypass Coronary Artery, Two Arteries from Aorta with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02114Z3 | Bypass Coronary Artery, Two Arteries from Coronary Artery, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02114Z8 | Bypass Coronary Artery, Two Arteries from Right Internal Mammary, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02114Z9 | Bypass Coronary Artery, Two Arteries from Left Internal Mammary, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02114ZC | Bypass Coronary Artery, Two Arteries from Thoracic Artery, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02114ZF | Bypass Coronary Artery, Two Arteries from Abdominal Artery, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0212083 | Bypass Coronary Artery, Three Arteries from Coronary Artery with Zooplastic Tissue, Open Approach | Procedure | ICD-10-PCS |
| 0212088 | Bypass Coronary Artery, Three Arteries from Right Internal Mammary with Zooplastic Tissue, Open Approach | Procedure | ICD-10-PCS |
| 0212089 | Bypass Coronary Artery, Three Arteries from Left Internal Mammary with Zooplastic Tissue, Open Approach | Procedure | ICD-10-PCS |
| 021208C | Bypass Coronary Artery, Three Arteries from Thoracic Artery with Zooplastic Tissue, Open Approach | Procedure | ICD-10-PCS |
| 021208F | Bypass Coronary Artery, Three Arteries from Abdominal Artery with Zooplastic Tissue, Open Approach | Procedure | ICD-10-PCS |
| 021208W | Bypass Coronary Artery, Three Arteries from Aorta with Zooplastic Tissue, Open Approach | Procedure | ICD-10-PCS |
| 0212093 | Bypass Coronary Artery, Three Arteries from Coronary Artery with Autologous Venous Tissue, Open Approach | Procedure | ICD-10-PCS |
| 0212098 | Bypass Coronary Artery, Three Arteries from Right Internal Mammary with Autologous Venous Tissue, Open Approach | Procedure | ICD-10-PCS |
| 0212099 | Bypass Coronary Artery, Three Arteries from Left Internal Mammary with Autologous Venous Tissue, Open Approach | Procedure | ICD-10-PCS |
| 021209C | Bypass Coronary Artery, Three Arteries from Thoracic Artery with Autologous Venous Tissue, Open Approach | Procedure | ICD-10-PCS |
| 021209F | Bypass Coronary Artery, Three Arteries from Abdominal Artery with Autologous Venous Tissue, Open Approach | Procedure | ICD-10-PCS |
| 021209W | Bypass Coronary Artery, Three Arteries from Aorta with Autologous Venous Tissue, Open Approach | Procedure | ICD-10-PCS |
| 02120A3 | Bypass Coronary Artery, Three Arteries from Coronary Artery with Autologous Arterial Tissue, Open Approach | Procedure | ICD-10-PCS |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|---|----------------------|------------------|
| 02120A8 | Bypass Coronary Artery, Three Arteries from Right Internal Mammary with Autologous Arterial Tissue, Open Approach | Procedure | ICD-10-PCS |
| 02120A9 | Bypass Coronary Artery, Three Arteries from Left Internal Mammary with Autologous Arterial Tissue, Open Approach | Procedure | ICD-10-PCS |
| 02120AC | Bypass Coronary Artery, Three Arteries from Thoracic Artery with Autologous Arterial Tissue, Open Approach | Procedure | ICD-10-PCS |
| 02120AF | Bypass Coronary Artery, Three Arteries from Abdominal Artery with Autologous Arterial Tissue, Open Approach | Procedure | ICD-10-PCS |
| 02120AW | Bypass Coronary Artery, Three Arteries from Aorta with Autologous Arterial Tissue, Open Approach | Procedure | ICD-10-PCS |
| 02120J3 | Bypass Coronary Artery, Three Arteries from Coronary Artery with Synthetic Substitute, Open Approach | Procedure | ICD-10-PCS |
| 02120J8 | Bypass Coronary Artery, Three Arteries from Right Internal Mammary with Synthetic Substitute, Open Approach | Procedure | ICD-10-PCS |
| 02120J9 | Bypass Coronary Artery, Three Arteries from Left Internal Mammary with Synthetic Substitute, Open Approach | Procedure | ICD-10-PCS |
| 02120JC | Bypass Coronary Artery, Three Arteries from Thoracic Artery with Synthetic Substitute, Open Approach | Procedure | ICD-10-PCS |
| 02120JF | Bypass Coronary Artery, Three Arteries from Abdominal Artery with Synthetic Substitute, Open Approach | Procedure | ICD-10-PCS |
| 02120JW | Bypass Coronary Artery, Three Arteries from Aorta with Synthetic Substitute, Open Approach | Procedure | ICD-10-PCS |
| 02120K3 | Bypass Coronary Artery, Three Arteries from Coronary Artery with Nonautologous Tissue Substitute, Open Approach | Procedure | ICD-10-PCS |
| 02120K8 | Bypass Coronary Artery, Three Arteries from Right Internal Mammary with Nonautologous Tissue Substitute, Open Approach | Procedure | ICD-10-PCS |
| 02120K9 | Bypass Coronary Artery, Three Arteries from Left Internal Mammary with Nonautologous Tissue Substitute, Open Approach | Procedure | ICD-10-PCS |
| 02120KC | Bypass Coronary Artery, Three Arteries from Thoracic Artery with Nonautologous Tissue Substitute, Open Approach | Procedure | ICD-10-PCS |
| 02120KF | Bypass Coronary Artery, Three Arteries from Abdominal Artery with Nonautologous Tissue Substitute, Open Approach | Procedure | ICD-10-PCS |
| 02120KW | Bypass Coronary Artery, Three Arteries from Aorta with Nonautologous Tissue Substitute, Open Approach | Procedure | ICD-10-PCS |
| 02120Z3 | Bypass Coronary Artery, Three Arteries from Coronary Artery, Open Approach | Procedure | ICD-10-PCS |
| 02120Z8 | Bypass Coronary Artery, Three Arteries from Right Internal Mammary, Open Approach | Procedure | ICD-10-PCS |
| 02120Z9 | Bypass Coronary Artery, Three Arteries from Left Internal Mammary, Open Approach | Procedure | ICD-10-PCS |
| 02120ZC | Bypass Coronary Artery, Three Arteries from Thoracic Artery, Open Approach | Procedure | ICD-10-PCS |
| 02120ZF | Bypass Coronary Artery, Three Arteries from Abdominal Artery, Open Approach | Procedure | ICD-10-PCS |
| 0212344 | Bypass Coronary Artery, Three Arteries from Coronary Vein with Drug-eluting Intraluminal Device, Percutaneous Approach | Procedure | ICD-10-PCS |
| 02123D4 | Bypass Coronary Artery, Three Arteries from Coronary Vein with Intraluminal Device, Percutaneous Approach | Procedure | ICD-10-PCS |
| 0212444 | Bypass Coronary Artery, Three Arteries from Coronary Vein with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0212483 | Bypass Coronary Artery, Three Arteries from Coronary Artery with Zooplastic Tissue, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0212488 | Bypass Coronary Artery, Three Arteries from Right Internal Mammary with Zooplastic Tissue, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0212489 | Bypass Coronary Artery, Three Arteries from Left Internal Mammary with Zooplastic Tissue, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 021248C | Bypass Coronary Artery, Three Arteries from Thoracic Artery with Zooplastic Tissue, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 021248F | Bypass Coronary Artery, Three Arteries from Abdominal Artery with Zooplastic Tissue, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 021248W | Bypass Coronary Artery, Three Arteries from Aorta with Zooplastic Tissue, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0212493 | Bypass Coronary Artery, Three Arteries from Coronary Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|---|----------------------|------------------|
| 0212498 | Bypass Coronary Artery, Three Arteries from Right Internal Mammary with Autologous Venous Tissue, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0212499 | Bypass Coronary Artery, Three Arteries from Left Internal Mammary with Autologous Venous Tissue, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 021249C | Bypass Coronary Artery, Three Arteries from Thoracic Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 021249F | Bypass Coronary Artery, Three Arteries from Abdominal Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 021249W | Bypass Coronary Artery, Three Arteries from Aorta with Autologous Venous Tissue, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02124A3 | Bypass Coronary Artery, Three Arteries from Coronary Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02124A8 | Bypass Coronary Artery, Three Arteries from Right Internal Mammary with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02124A9 | Bypass Coronary Artery, Three Arteries from Left Internal Mammary with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02124AC | Bypass Coronary Artery, Three Arteries from Thoracic Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02124AF | Bypass Coronary Artery, Three Arteries from Abdominal Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02124AW | Bypass Coronary Artery, Three Arteries from Aorta with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02124D4 | Bypass Coronary Artery, Three Arteries from Coronary Vein with Intraluminal Device, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02124J3 | Bypass Coronary Artery, Three Arteries from Coronary Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02124J8 | Bypass Coronary Artery, Three Arteries from Right Internal Mammary with Synthetic Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02124J9 | Bypass Coronary Artery, Three Arteries from Left Internal Mammary with Synthetic Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02124JC | Bypass Coronary Artery, Three Arteries from Thoracic Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02124JF | Bypass Coronary Artery, Three Arteries from Abdominal Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02124JW | Bypass Coronary Artery, Three Arteries from Aorta with Synthetic Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02124K3 | Bypass Coronary Artery, Three Arteries from Coronary Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02124K8 | Bypass Coronary Artery, Three Arteries from Right Internal Mammary with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02124K9 | Bypass Coronary Artery, Three Arteries from Left Internal Mammary with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02124KC | Bypass Coronary Artery, Three Arteries from Thoracic Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02124KF | Bypass Coronary Artery, Three Arteries from Abdominal Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02124KW | Bypass Coronary Artery, Three Arteries from Aorta with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02124Z3 | Bypass Coronary Artery, Three Arteries from Coronary Artery, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02124Z8 | Bypass Coronary Artery, Three Arteries from Right Internal Mammary, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|---|----------------------|------------------|
| 02124Z9 | Bypass Coronary Artery, Three Arteries from Left Internal Mammary, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02124ZC | Bypass Coronary Artery, Three Arteries from Thoracic Artery, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02124ZF | Bypass Coronary Artery, Three Arteries from Abdominal Artery, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0213083 | Bypass Coronary Artery, Four or More Arteries from Coronary Artery with Zooplastic Tissue, Open Approach | Procedure | ICD-10-PCS |
| 0213088 | Bypass Coronary Artery, Four or More Arteries from Right Internal Mammary with Zooplastic Tissue, Open Approach | Procedure | ICD-10-PCS |
| 0213089 | Bypass Coronary Artery, Four or More Arteries from Left Internal Mammary with Zooplastic Tissue, Open Approach | Procedure | ICD-10-PCS |
| 021308C | Bypass Coronary Artery, Four or More Arteries from Thoracic Artery with Zooplastic Tissue, Open Approach | Procedure | ICD-10-PCS |
| 021308F | Bypass Coronary Artery, Four or More Arteries from Abdominal Artery with Zooplastic Tissue, Open Approach | Procedure | ICD-10-PCS |
| 021308W | Bypass Coronary Artery, Four or More Arteries from Aorta with Zooplastic Tissue, Open Approach | Procedure | ICD-10-PCS |
| 0213093 | Bypass Coronary Artery, Four or More Arteries from Coronary Artery with Autologous Venous Tissue, Open Approach | Procedure | ICD-10-PCS |
| 0213098 | Bypass Coronary Artery, Four or More Arteries from Right Internal Mammary with Autologous Venous Tissue, Open Approach | Procedure | ICD-10-PCS |
| 0213099 | Bypass Coronary Artery, Four or More Arteries from Left Internal Mammary with Autologous Venous Tissue, Open Approach | Procedure | ICD-10-PCS |
| 021309C | Bypass Coronary Artery, Four or More Arteries from Thoracic Artery with Autologous Venous Tissue, Open Approach | Procedure | ICD-10-PCS |
| 021309F | Bypass Coronary Artery, Four or More Arteries from Abdominal Artery with Autologous Venous Tissue, Open Approach | Procedure | ICD-10-PCS |
| 021309W | Bypass Coronary Artery, Four or More Arteries from Aorta with Autologous Venous Tissue, Open Approach | Procedure | ICD-10-PCS |
| 02130A3 | Bypass Coronary Artery, Four or More Arteries from Coronary Artery with Autologous Arterial Tissue, Open Approach | Procedure | ICD-10-PCS |
| 02130A8 | Bypass Coronary Artery, Four or More Arteries from Right Internal Mammary with Autologous Arterial Tissue, Open Approach | Procedure | ICD-10-PCS |
| 02130A9 | Bypass Coronary Artery, Four or More Arteries from Left Internal Mammary with Autologous Arterial Tissue, Open Approach | Procedure | ICD-10-PCS |
| 02130AC | Bypass Coronary Artery, Four or More Arteries from Thoracic Artery with Autologous Arterial Tissue, Open Approach | Procedure | ICD-10-PCS |
| 02130AF | Bypass Coronary Artery, Four or More Arteries from Abdominal Artery with Autologous Arterial Tissue, Open Approach | Procedure | ICD-10-PCS |
| 02130AW | Bypass Coronary Artery, Four or More Arteries from Aorta with Autologous Arterial Tissue, Open Approach | Procedure | ICD-10-PCS |
| 02130J3 | Bypass Coronary Artery, Four or More Arteries from Coronary Artery with Synthetic Substitute, Open Approach | Procedure | ICD-10-PCS |
| 02130J8 | Bypass Coronary Artery, Four or More Arteries from Right Internal Mammary with Synthetic Substitute, Open Approach | Procedure | ICD-10-PCS |
| 02130J9 | Bypass Coronary Artery, Four or More Arteries from Left Internal Mammary with Synthetic Substitute, Open Approach | Procedure | ICD-10-PCS |
| 02130JC | Bypass Coronary Artery, Four or More Arteries from Thoracic Artery with Synthetic Substitute, Open Approach | Procedure | ICD-10-PCS |
| 02130JF | Bypass Coronary Artery, Four or More Arteries from Abdominal Artery with Synthetic Substitute, Open Approach | Procedure | ICD-10-PCS |
| 02130JW | Bypass Coronary Artery, Four or More Arteries from Aorta with Synthetic Substitute, Open Approach | Procedure | ICD-10-PCS |
| 02130K3 | Bypass Coronary Artery, Four or More Arteries from Coronary Artery with Nonautologous Tissue Substitute, Open Approach | Procedure | ICD-10-PCS |
| 02130K8 | Bypass Coronary Artery, Four or More Arteries from Right Internal Mammary with Nonautologous Tissue Substitute, Open Approach | Procedure | ICD-10-PCS |
| 02130K9 | Bypass Coronary Artery, Four or More Arteries from Left Internal Mammary with Nonautologous Tissue Substitute, Open Approach | Procedure | ICD-10-PCS |
| 02130KC | Bypass Coronary Artery, Four or More Arteries from Thoracic Artery with Nonautologous Tissue Substitute, Open Approach | Procedure | ICD-10-PCS |
| 02130KF | Bypass Coronary Artery, Four or More Arteries from Abdominal Artery with Nonautologous Tissue Substitute, Open Approach | Procedure | ICD-10-PCS |
| 02130KW | Bypass Coronary Artery, Four or More Arteries from Aorta with Nonautologous Tissue Substitute, Open Approach | Procedure | ICD-10-PCS |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|---|----------------------|------------------|
| 02130Z3 | Bypass Coronary Artery, Four or More Arteries from Coronary Artery, Open Approach | Procedure | ICD-10-PCS |
| 02130Z8 | Bypass Coronary Artery, Four or More Arteries from Right Internal Mammary, Open Approach | Procedure | ICD-10-PCS |
| 02130Z9 | Bypass Coronary Artery, Four or More Arteries from Left Internal Mammary, Open Approach | Procedure | ICD-10-PCS |
| 02130ZC | Bypass Coronary Artery, Four or More Arteries from Thoracic Artery, Open Approach | Procedure | ICD-10-PCS |
| 02130ZF | Bypass Coronary Artery, Four or More Arteries from Abdominal Artery, Open Approach | Procedure | ICD-10-PCS |
| 0213344 | Bypass Coronary Artery, Four or More Arteries from Coronary Vein with Drug-eluting Intraluminal Device, Percutaneous Approach | Procedure | ICD-10-PCS |
| 02133D4 | Bypass Coronary Artery, Four or More Arteries from Coronary Vein with Intraluminal Device, Percutaneous Approach | Procedure | ICD-10-PCS |
| 0213444 | Bypass Coronary Artery, Four or More Arteries from Coronary Vein with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0213483 | Bypass Coronary Artery, Four or More Arteries from Coronary Artery with Zooplastic Tissue, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0213488 | Bypass Coronary Artery, Four or More Arteries from Right Internal Mammary with Zooplastic Tissue, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0213489 | Bypass Coronary Artery, Four or More Arteries from Left Internal Mammary with Zooplastic Tissue, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 021348C | Bypass Coronary Artery, Four or More Arteries from Thoracic Artery with Zooplastic Tissue, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 021348F | Bypass Coronary Artery, Four or More Arteries from Abdominal Artery with Zooplastic Tissue, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 021348W | Bypass Coronary Artery, Four or More Arteries from Aorta with Zooplastic Tissue, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0213493 | Bypass Coronary Artery, Four or More Arteries from Coronary Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0213498 | Bypass Coronary Artery, Four or More Arteries from Right Internal Mammary with Autologous Venous Tissue, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0213499 | Bypass Coronary Artery, Four or More Arteries from Left Internal Mammary with Autologous Venous Tissue, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 021349C | Bypass Coronary Artery, Four or More Arteries from Thoracic Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 021349F | Bypass Coronary Artery, Four or More Arteries from Abdominal Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 021349W | Bypass Coronary Artery, Four or More Arteries from Aorta with Autologous Venous Tissue, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02134A3 | Bypass Coronary Artery, Four or More Arteries from Coronary Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02134A8 | Bypass Coronary Artery, Four or More Arteries from Right Internal Mammary with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02134A9 | Bypass Coronary Artery, Four or More Arteries from Left Internal Mammary with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02134AC | Bypass Coronary Artery, Four or More Arteries from Thoracic Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02134AF | Bypass Coronary Artery, Four or More Arteries from Abdominal Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code | |
|---------|--|-----------|------------|
| | | Category | Code Type |
| 02134AW | Bypass Coronary Artery, Four or More Arteries from Aorta with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02134D4 | Bypass Coronary Artery, Four or More Arteries from Coronary Vein with Intraluminal Device, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02134J3 | Bypass Coronary Artery, Four or More Arteries from Coronary Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02134J8 | Bypass Coronary Artery, Four or More Arteries from Right Internal Mammary with Synthetic Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02134J9 | Bypass Coronary Artery, Four or More Arteries from Left Internal Mammary with Synthetic Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02134JC | Bypass Coronary Artery, Four or More Arteries from Thoracic Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02134JF | Bypass Coronary Artery, Four or More Arteries from Abdominal Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02134JW | Bypass Coronary Artery, Four or More Arteries from Aorta with Synthetic Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02134K3 | Bypass Coronary Artery, Four or More Arteries from Coronary Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02134K8 | Bypass Coronary Artery, Four or More Arteries from Right Internal Mammary with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02134K9 | Bypass Coronary Artery, Four or More Arteries from Left Internal Mammary with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02134KC | Bypass Coronary Artery, Four or More Arteries from Thoracic Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02134KF | Bypass Coronary Artery, Four or More Arteries from Abdominal Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02134KW | Bypass Coronary Artery, Four or More Arteries from Aorta with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02134Z3 | Bypass Coronary Artery, Four or More Arteries from Coronary Artery, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02134Z8 | Bypass Coronary Artery, Four or More Arteries from Right Internal Mammary, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02134Z9 | Bypass Coronary Artery, Four or More Arteries from Left Internal Mammary, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02134ZC | Bypass Coronary Artery, Four or More Arteries from Thoracic Artery, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02134ZF | Bypass Coronary Artery, Four or More Arteries from Abdominal Artery, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0270046 | Dilation of Coronary Artery, One Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | Procedure | ICD-10-PCS |
| 027004Z | Dilation of Coronary Artery, One Artery with Drug-eluting Intraluminal Device, Open Approach | Procedure | ICD-10-PCS |
| 0270056 | Dilation of Coronary Artery, One Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | Procedure | ICD-10-PCS |
| 027005Z | Dilation of Coronary Artery, One Artery with Two Drug-eluting Intraluminal Devices, Open Approach | Procedure | ICD-10-PCS |
| 0270066 | Dilation of Coronary Artery, One Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | Procedure | ICD-10-PCS |
| 027006Z | Dilation of Coronary Artery, One Artery with Three Drug-eluting Intraluminal Devices, Open Approach | Procedure | ICD-10-PCS |
| 0270076 | Dilation of Coronary Artery, One Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | Procedure | ICD-10-PCS |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|--|----------------------|------------------|
| 027007Z | Dilation of Coronary Artery, One Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | Procedure | ICD-10-PCS |
| 02700D6 | Dilation of Coronary Artery, One Artery, Bifurcation, with Intraluminal Device, Open Approach | Procedure | ICD-10-PCS |
| 02700DZ | Dilation of Coronary Artery, One Artery with Intraluminal Device, Open Approach | Procedure | ICD-10-PCS |
| 02700E6 | Dilation of Coronary Artery, One Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | Procedure | ICD-10-PCS |
| 02700EZ | Dilation of Coronary Artery, One Artery with Two Intraluminal Devices, Open Approach | Procedure | ICD-10-PCS |
| 02700F6 | Dilation of Coronary Artery, One Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | Procedure | ICD-10-PCS |
| 02700FZ | Dilation of Coronary Artery, One Artery with Three Intraluminal Devices, Open Approach | Procedure | ICD-10-PCS |
| 02700G6 | Dilation of Coronary Artery, One Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | Procedure | ICD-10-PCS |
| 02700GZ | Dilation of Coronary Artery, One Artery with Four or More Intraluminal Devices, Open Approach | Procedure | ICD-10-PCS |
| 02700T6 | Dilation of Coronary Artery, One Artery, Bifurcation, with Radioactive Intraluminal Device, Open Approach | Procedure | ICD-10-PCS |
| 02700TZ | Dilation of Coronary Artery, One Artery with Radioactive Intraluminal Device, Open Approach | Procedure | ICD-10-PCS |
| 02700Z6 | Dilation of Coronary Artery, One Artery, Bifurcation, Open Approach | Procedure | ICD-10-PCS |
| 02700ZZ | Dilation of Coronary Artery, One Artery, Open Approach | Procedure | ICD-10-PCS |
| 0270346 | Dilation of Coronary Artery, One Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | Procedure | ICD-10-PCS |
| 027034Z | Dilation of Coronary Artery, One Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | Procedure | ICD-10-PCS |
| 0270356 | Dilation of Coronary Artery, One Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | Procedure | ICD-10-PCS |
| 027035Z | Dilation of Coronary Artery, One Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | Procedure | ICD-10-PCS |
| 0270366 | Dilation of Coronary Artery, One Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | Procedure | ICD-10-PCS |
| 027036Z | Dilation of Coronary Artery, One Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | Procedure | ICD-10-PCS |
| 0270376 | Dilation of Coronary Artery, One Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | Procedure | ICD-10-PCS |
| 027037Z | Dilation of Coronary Artery, One Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | Procedure | ICD-10-PCS |
| 02703D6 | Dilation of Coronary Artery, One Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | Procedure | ICD-10-PCS |
| 02703DZ | Dilation of Coronary Artery, One Artery with Intraluminal Device, Percutaneous Approach | Procedure | ICD-10-PCS |
| 02703E6 | Dilation of Coronary Artery, One Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | Procedure | ICD-10-PCS |
| 02703EZ | Dilation of Coronary Artery, One Artery with Two Intraluminal Devices, Percutaneous Approach | Procedure | ICD-10-PCS |
| 02703F6 | Dilation of Coronary Artery, One Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | Procedure | ICD-10-PCS |
| 02703FZ | Dilation of Coronary Artery, One Artery with Three Intraluminal Devices, Percutaneous Approach | Procedure | ICD-10-PCS |
| 02703G6 | Dilation of Coronary Artery, One Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | Procedure | ICD-10-PCS |
| 02703GZ | Dilation of Coronary Artery, One Artery with Four or More Intraluminal Devices, Percutaneous Approach | Procedure | ICD-10-PCS |
| 02703T6 | Dilation of Coronary Artery, One Artery, Bifurcation, with Radioactive Intraluminal Device, Percutaneous Approach | Procedure | ICD-10-PCS |
| 02703TZ | Dilation of Coronary Artery, One Artery with Radioactive Intraluminal Device, Percutaneous Approach | Procedure | ICD-10-PCS |
| 02703Z6 | Dilation of Coronary Artery, One Artery, Bifurcation, Percutaneous Approach | Procedure | ICD-10-PCS |
| 02703ZZ | Dilation of Coronary Artery, One Artery, Percutaneous Approach | Procedure | ICD-10-PCS |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code | |
|---------|---|-----------|------------|
| | | Category | Code Type |
| 0270446 | Dilation of Coronary Artery, One Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 027044Z | Dilation of Coronary Artery, One Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0270456 | Dilation of Coronary Artery, One Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 027045Z | Dilation of Coronary Artery, One Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0270466 | Dilation of Coronary Artery, One Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 027046Z | Dilation of Coronary Artery, One Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0270476 | Dilation of Coronary Artery, One Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 027047Z | Dilation of Coronary Artery, One Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02704D6 | Dilation of Coronary Artery, One Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02704DZ | Dilation of Coronary Artery, One Artery with Intraluminal Device, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02704E6 | Dilation of Coronary Artery, One Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02704EZ | Dilation of Coronary Artery, One Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02704F6 | Dilation of Coronary Artery, One Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02704FZ | Dilation of Coronary Artery, One Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02704G6 | Dilation of Coronary Artery, One Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02704GZ | Dilation of Coronary Artery, One Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02704T6 | Dilation of Coronary Artery, One Artery, Bifurcation, with Radioactive Intraluminal Device, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02704TZ | Dilation of Coronary Artery, One Artery with Radioactive Intraluminal Device, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02704Z6 | Dilation of Coronary Artery, One Artery, Bifurcation, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02704ZZ | Dilation of Coronary Artery, One Artery, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0271046 | Dilation of Coronary Artery, Two Arteries, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | Procedure | ICD-10-PCS |
| 027104Z | Dilation of Coronary Artery, Two Arteries with Drug-eluting Intraluminal Device, Open Approach | Procedure | ICD-10-PCS |
| 0271056 | Dilation of Coronary Artery, Two Arteries, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | Procedure | ICD-10-PCS |
| 027105Z | Dilation of Coronary Artery, Two Arteries with Two Drug-eluting Intraluminal Devices, Open Approach | Procedure | ICD-10-PCS |
| 0271066 | Dilation of Coronary Artery, Two Arteries, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | Procedure | ICD-10-PCS |
| 027106Z | Dilation of Coronary Artery, Two Arteries with Three Drug-eluting Intraluminal Devices, Open Approach | Procedure | ICD-10-PCS |
| 0271076 | Dilation of Coronary Artery, Two Arteries, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | Procedure | ICD-10-PCS |
| 027107Z | Dilation of Coronary Artery, Two Arteries with Four or More Drug-eluting Intraluminal Devices, Open Approach | Procedure | ICD-10-PCS |
| 02710D6 | Dilation of Coronary Artery, Two Arteries, Bifurcation, with Intraluminal Device, Open Approach | Procedure | ICD-10-PCS |
| 02710DZ | Dilation of Coronary Artery, Two Arteries with Intraluminal Device, Open Approach | Procedure | ICD-10-PCS |
| 02710E6 | Dilation of Coronary Artery, Two Arteries, Bifurcation, with Two Intraluminal Devices, Open Approach | Procedure | ICD-10-PCS |
| 02710EZ | Dilation of Coronary Artery, Two Arteries with Two Intraluminal Devices, Open Approach | Procedure | ICD-10-PCS |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code | |
|---------|--|-----------|------------|
| | | Category | Code Type |
| 02710F6 | Dilation of Coronary Artery, Two Arteries, Bifurcation, with Three Intraluminal Devices, Open Approach | Procedure | ICD-10-PCS |
| 02710FZ | Dilation of Coronary Artery, Two Arteries with Three Intraluminal Devices, Open Approach | Procedure | ICD-10-PCS |
| 02710G6 | Dilation of Coronary Artery, Two Arteries, Bifurcation, with Four or More Intraluminal Devices, Open Approach | Procedure | ICD-10-PCS |
| 02710GZ | Dilation of Coronary Artery, Two Arteries with Four or More Intraluminal Devices, Open Approach | Procedure | ICD-10-PCS |
| 02710T6 | Dilation of Coronary Artery, Two Arteries, Bifurcation, with Radioactive Intraluminal Device, Open Approach | Procedure | ICD-10-PCS |
| 02710TZ | Dilation of Coronary Artery, Two Arteries with Radioactive Intraluminal Device, Open Approach | Procedure | ICD-10-PCS |
| 02710Z6 | Dilation of Coronary Artery, Two Arteries, Bifurcation, Open Approach | Procedure | ICD-10-PCS |
| 02710ZZ | Dilation of Coronary Artery, Two Arteries, Open Approach | Procedure | ICD-10-PCS |
| 0271346 | Dilation of Coronary Artery, Two Arteries, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | Procedure | ICD-10-PCS |
| 027134Z | Dilation of Coronary Artery, Two Arteries with Drug-eluting Intraluminal Device, Percutaneous Approach | Procedure | ICD-10-PCS |
| 0271356 | Dilation of Coronary Artery, Two Arteries, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | Procedure | ICD-10-PCS |
| 027135Z | Dilation of Coronary Artery, Two Arteries with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | Procedure | ICD-10-PCS |
| 0271366 | Dilation of Coronary Artery, Two Arteries, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | Procedure | ICD-10-PCS |
| 027136Z | Dilation of Coronary Artery, Two Arteries with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | Procedure | ICD-10-PCS |
| 0271376 | Dilation of Coronary Artery, Two Arteries, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | Procedure | ICD-10-PCS |
| 027137Z | Dilation of Coronary Artery, Two Arteries with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | Procedure | ICD-10-PCS |
| 02713D6 | Dilation of Coronary Artery, Two Arteries, Bifurcation, with Intraluminal Device, Percutaneous Approach | Procedure | ICD-10-PCS |
| 02713DZ | Dilation of Coronary Artery, Two Arteries with Intraluminal Device, Percutaneous Approach | Procedure | ICD-10-PCS |
| 02713E6 | Dilation of Coronary Artery, Two Arteries, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | Procedure | ICD-10-PCS |
| 02713EZ | Dilation of Coronary Artery, Two Arteries with Two Intraluminal Devices, Percutaneous Approach | Procedure | ICD-10-PCS |
| 02713F6 | Dilation of Coronary Artery, Two Arteries, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | Procedure | ICD-10-PCS |
| 02713FZ | Dilation of Coronary Artery, Two Arteries with Three Intraluminal Devices, Percutaneous Approach | Procedure | ICD-10-PCS |
| 02713G6 | Dilation of Coronary Artery, Two Arteries, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | Procedure | ICD-10-PCS |
| 02713GZ | Dilation of Coronary Artery, Two Arteries with Four or More Intraluminal Devices, Percutaneous Approach | Procedure | ICD-10-PCS |
| 02713T6 | Dilation of Coronary Artery, Two Arteries, Bifurcation, with Radioactive Intraluminal Device, Percutaneous Approach | Procedure | ICD-10-PCS |
| 02713TZ | Dilation of Coronary Artery, Two Arteries with Radioactive Intraluminal Device, Percutaneous Approach | Procedure | ICD-10-PCS |
| 02713Z6 | Dilation of Coronary Artery, Two Arteries, Bifurcation, Percutaneous Approach | Procedure | ICD-10-PCS |
| 02713ZZ | Dilation of Coronary Artery, Two Arteries, Percutaneous Approach | Procedure | ICD-10-PCS |
| 0271446 | Dilation of Coronary Artery, Two Arteries, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 027144Z | Dilation of Coronary Artery, Two Arteries with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0271456 | Dilation of Coronary Artery, Two Arteries, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 027145Z | Dilation of Coronary Artery, Two Arteries with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0271466 | Dilation of Coronary Artery, Two Arteries, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code | |
|---------|---|-----------|------------|
| | | Category | Code Type |
| 027146Z | Dilation of Coronary Artery, Two Arteries with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0271476 | Dilation of Coronary Artery, Two Arteries, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 027147Z | Dilation of Coronary Artery, Two Arteries with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02714D6 | Dilation of Coronary Artery, Two Arteries, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02714DZ | Dilation of Coronary Artery, Two Arteries with Intraluminal Device, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02714E6 | Dilation of Coronary Artery, Two Arteries, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02714EZ | Dilation of Coronary Artery, Two Arteries with Two Intraluminal Devices, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02714F6 | Dilation of Coronary Artery, Two Arteries, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02714FZ | Dilation of Coronary Artery, Two Arteries with Three Intraluminal Devices, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02714G6 | Dilation of Coronary Artery, Two Arteries, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02714GZ | Dilation of Coronary Artery, Two Arteries with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02714T6 | Dilation of Coronary Artery, Two Arteries, Bifurcation, with Radioactive Intraluminal Device, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02714TZ | Dilation of Coronary Artery, Two Arteries with Radioactive Intraluminal Device, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02714Z6 | Dilation of Coronary Artery, Two Arteries, Bifurcation, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02714ZZ | Dilation of Coronary Artery, Two Arteries, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0272046 | Dilation of Coronary Artery, Three Arteries, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | Procedure | ICD-10-PCS |
| 027204Z | Dilation of Coronary Artery, Three Arteries with Drug-eluting Intraluminal Device, Open Approach | Procedure | ICD-10-PCS |
| 0272056 | Dilation of Coronary Artery, Three Arteries, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | Procedure | ICD-10-PCS |
| 027205Z | Dilation of Coronary Artery, Three Arteries with Two Drug-eluting Intraluminal Devices, Open Approach | Procedure | ICD-10-PCS |
| 0272066 | Dilation of Coronary Artery, Three Arteries, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | Procedure | ICD-10-PCS |
| 027206Z | Dilation of Coronary Artery, Three Arteries with Three Drug-eluting Intraluminal Devices, Open Approach | Procedure | ICD-10-PCS |
| 0272076 | Dilation of Coronary Artery, Three Arteries, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | Procedure | ICD-10-PCS |
| 027207Z | Dilation of Coronary Artery, Three Arteries with Four or More Drug-eluting Intraluminal Devices, Open Approach | Procedure | ICD-10-PCS |
| 02720D6 | Dilation of Coronary Artery, Three Arteries, Bifurcation, with Intraluminal Device, Open Approach | Procedure | ICD-10-PCS |
| 02720DZ | Dilation of Coronary Artery, Three Arteries with Intraluminal Device, Open Approach | Procedure | ICD-10-PCS |
| 02720E6 | Dilation of Coronary Artery, Three Arteries, Bifurcation, with Two Intraluminal Devices, Open Approach | Procedure | ICD-10-PCS |
| 02720EZ | Dilation of Coronary Artery, Three Arteries with Two Intraluminal Devices, Open Approach | Procedure | ICD-10-PCS |
| 02720F6 | Dilation of Coronary Artery, Three Arteries, Bifurcation, with Three Intraluminal Devices, Open Approach | Procedure | ICD-10-PCS |
| 02720FZ | Dilation of Coronary Artery, Three Arteries with Three Intraluminal Devices, Open Approach | Procedure | ICD-10-PCS |
| 02720G6 | Dilation of Coronary Artery, Three Arteries, Bifurcation, with Four or More Intraluminal Devices, Open Approach | Procedure | ICD-10-PCS |
| 02720GZ | Dilation of Coronary Artery, Three Arteries with Four or More Intraluminal Devices, Open Approach | Procedure | ICD-10-PCS |
| 02720T6 | Dilation of Coronary Artery, Three Arteries, Bifurcation, with Radioactive Intraluminal Device, Open Approach | Procedure | ICD-10-PCS |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|---|----------------------|------------------|
| 02720TZ | Dilation of Coronary Artery, Three Arteries with Radioactive Intraluminal Device, Open Approach | Procedure | ICD-10-PCS |
| 02720Z6 | Dilation of Coronary Artery, Three Arteries, Bifurcation, Open Approach | Procedure | ICD-10-PCS |
| 02720ZZ | Dilation of Coronary Artery, Three Arteries, Open Approach | Procedure | ICD-10-PCS |
| 0272346 | Dilation of Coronary Artery, Three Arteries, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | Procedure | ICD-10-PCS |
| 027234Z | Dilation of Coronary Artery, Three Arteries with Drug-eluting Intraluminal Device, Percutaneous Approach | Procedure | ICD-10-PCS |
| 0272356 | Dilation of Coronary Artery, Three Arteries, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | Procedure | ICD-10-PCS |
| 027235Z | Dilation of Coronary Artery, Three Arteries with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | Procedure | ICD-10-PCS |
| 0272366 | Dilation of Coronary Artery, Three Arteries, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | Procedure | ICD-10-PCS |
| 027236Z | Dilation of Coronary Artery, Three Arteries with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | Procedure | ICD-10-PCS |
| 0272376 | Dilation of Coronary Artery, Three Arteries, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | Procedure | ICD-10-PCS |
| 027237Z | Dilation of Coronary Artery, Three Arteries with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | Procedure | ICD-10-PCS |
| 02723D6 | Dilation of Coronary Artery, Three Arteries, Bifurcation, with Intraluminal Device, Percutaneous Approach | Procedure | ICD-10-PCS |
| 02723DZ | Dilation of Coronary Artery, Three Arteries with Intraluminal Device, Percutaneous Approach | Procedure | ICD-10-PCS |
| 02723E6 | Dilation of Coronary Artery, Three Arteries, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | Procedure | ICD-10-PCS |
| 02723EZ | Dilation of Coronary Artery, Three Arteries with Two Intraluminal Devices, Percutaneous Approach | Procedure | ICD-10-PCS |
| 02723F6 | Dilation of Coronary Artery, Three Arteries, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | Procedure | ICD-10-PCS |
| 02723FZ | Dilation of Coronary Artery, Three Arteries with Three Intraluminal Devices, Percutaneous Approach | Procedure | ICD-10-PCS |
| 02723G6 | Dilation of Coronary Artery, Three Arteries, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | Procedure | ICD-10-PCS |
| 02723GZ | Dilation of Coronary Artery, Three Arteries with Four or More Intraluminal Devices, Percutaneous Approach | Procedure | ICD-10-PCS |
| 02723T6 | Dilation of Coronary Artery, Three Arteries, Bifurcation, with Radioactive Intraluminal Device, Percutaneous Approach | Procedure | ICD-10-PCS |
| 02723TZ | Dilation of Coronary Artery, Three Arteries with Radioactive Intraluminal Device, Percutaneous Approach | Procedure | ICD-10-PCS |
| 02723Z6 | Dilation of Coronary Artery, Three Arteries, Bifurcation, Percutaneous Approach | Procedure | ICD-10-PCS |
| 02723ZZ | Dilation of Coronary Artery, Three Arteries, Percutaneous Approach | Procedure | ICD-10-PCS |
| 0272446 | Dilation of Coronary Artery, Three Arteries, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 027244Z | Dilation of Coronary Artery, Three Arteries with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0272456 | Dilation of Coronary Artery, Three Arteries, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 027245Z | Dilation of Coronary Artery, Three Arteries with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0272466 | Dilation of Coronary Artery, Three Arteries, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 027246Z | Dilation of Coronary Artery, Three Arteries with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0272476 | Dilation of Coronary Artery, Three Arteries, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 027247Z | Dilation of Coronary Artery, Three Arteries with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|---|----------------------|------------------|
| 02724D6 | Dilation of Coronary Artery, Three Arteries, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02724DZ | Dilation of Coronary Artery, Three Arteries with Intraluminal Device, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02724E6 | Dilation of Coronary Artery, Three Arteries, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02724EZ | Dilation of Coronary Artery, Three Arteries with Two Intraluminal Devices, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02724F6 | Dilation of Coronary Artery, Three Arteries, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02724FZ | Dilation of Coronary Artery, Three Arteries with Three Intraluminal Devices, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02724G6 | Dilation of Coronary Artery, Three Arteries, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02724GZ | Dilation of Coronary Artery, Three Arteries with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02724T6 | Dilation of Coronary Artery, Three Arteries, Bifurcation, with Radioactive Intraluminal Device, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02724TZ | Dilation of Coronary Artery, Three Arteries with Radioactive Intraluminal Device, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02724Z6 | Dilation of Coronary Artery, Three Arteries, Bifurcation, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02724ZZ | Dilation of Coronary Artery, Three Arteries, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0273046 | Dilation of Coronary Artery, Four or More Arteries, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | Procedure | ICD-10-PCS |
| 027304Z | Dilation of Coronary Artery, Four or More Arteries with Drug-eluting Intraluminal Device, Open Approach | Procedure | ICD-10-PCS |
| 0273056 | Dilation of Coronary Artery, Four or More Arteries, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | Procedure | ICD-10-PCS |
| 027305Z | Dilation of Coronary Artery, Four or More Arteries with Two Drug-eluting Intraluminal Devices, Open Approach | Procedure | ICD-10-PCS |
| 0273066 | Dilation of Coronary Artery, Four or More Arteries, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | Procedure | ICD-10-PCS |
| 027306Z | Dilation of Coronary Artery, Four or More Arteries with Three Drug-eluting Intraluminal Devices, Open Approach | Procedure | ICD-10-PCS |
| 0273076 | Dilation of Coronary Artery, Four or More Arteries, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | Procedure | ICD-10-PCS |
| 027307Z | Dilation of Coronary Artery, Four or More Arteries with Four or More Drug-eluting Intraluminal Devices, Open Approach | Procedure | ICD-10-PCS |
| 02730D6 | Dilation of Coronary Artery, Four or More Arteries, Bifurcation, with Intraluminal Device, Open Approach | Procedure | ICD-10-PCS |
| 02730DZ | Dilation of Coronary Artery, Four or More Arteries with Intraluminal Device, Open Approach | Procedure | ICD-10-PCS |
| 02730E6 | Dilation of Coronary Artery, Four or More Arteries, Bifurcation, with Two Intraluminal Devices, Open Approach | Procedure | ICD-10-PCS |
| 02730EZ | Dilation of Coronary Artery, Four or More Arteries with Two Intraluminal Devices, Open Approach | Procedure | ICD-10-PCS |
| 02730F6 | Dilation of Coronary Artery, Four or More Arteries, Bifurcation, with Three Intraluminal Devices, Open Approach | Procedure | ICD-10-PCS |
| 02730FZ | Dilation of Coronary Artery, Four or More Arteries with Three Intraluminal Devices, Open Approach | Procedure | ICD-10-PCS |
| 02730G6 | Dilation of Coronary Artery, Four or More Arteries, Bifurcation, with Four or More Intraluminal Devices, Open Approach | Procedure | ICD-10-PCS |
| 02730GZ | Dilation of Coronary Artery, Four or More Arteries with Four or More Intraluminal Devices, Open Approach | Procedure | ICD-10-PCS |
| 02730T6 | Dilation of Coronary Artery, Four or More Arteries, Bifurcation, with Radioactive Intraluminal Device, Open Approach | Procedure | ICD-10-PCS |
| 02730TZ | Dilation of Coronary Artery, Four or More Arteries with Radioactive Intraluminal Device, Open Approach | Procedure | ICD-10-PCS |
| 02730Z6 | Dilation of Coronary Artery, Four or More Arteries, Bifurcation, Open Approach | Procedure | ICD-10-PCS |
| 02730ZZ | Dilation of Coronary Artery, Four or More Arteries, Open Approach | Procedure | ICD-10-PCS |
| 0273346 | Dilation of Coronary Artery, Four or More Arteries, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | Procedure | ICD-10-PCS |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code | |
|---------|--|-----------|------------|
| | | Category | Code Type |
| 027334Z | Dilation of Coronary Artery, Four or More Arteries with Drug-eluting Intraluminal Device, Percutaneous Approach | Procedure | ICD-10-PCS |
| 0273356 | Dilation of Coronary Artery, Four or More Arteries, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | Procedure | ICD-10-PCS |
| 027335Z | Dilation of Coronary Artery, Four or More Arteries with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | Procedure | ICD-10-PCS |
| 0273366 | Dilation of Coronary Artery, Four or More Arteries, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | Procedure | ICD-10-PCS |
| 027336Z | Dilation of Coronary Artery, Four or More Arteries with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | Procedure | ICD-10-PCS |
| 0273376 | Dilation of Coronary Artery, Four or More Arteries, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | Procedure | ICD-10-PCS |
| 027337Z | Dilation of Coronary Artery, Four or More Arteries with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | Procedure | ICD-10-PCS |
| 02733D6 | Dilation of Coronary Artery, Four or More Arteries, Bifurcation, with Intraluminal Device, Percutaneous Approach | Procedure | ICD-10-PCS |
| 02733DZ | Dilation of Coronary Artery, Four or More Arteries with Intraluminal Device, Percutaneous Approach | Procedure | ICD-10-PCS |
| 02733E6 | Dilation of Coronary Artery, Four or More Arteries, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | Procedure | ICD-10-PCS |
| 02733EZ | Dilation of Coronary Artery, Four or More Arteries with Two Intraluminal Devices, Percutaneous Approach | Procedure | ICD-10-PCS |
| 02733F6 | Dilation of Coronary Artery, Four or More Arteries, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | Procedure | ICD-10-PCS |
| 02733FZ | Dilation of Coronary Artery, Four or More Arteries with Three Intraluminal Devices, Percutaneous Approach | Procedure | ICD-10-PCS |
| 02733G6 | Dilation of Coronary Artery, Four or More Arteries, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | Procedure | ICD-10-PCS |
| 02733GZ | Dilation of Coronary Artery, Four or More Arteries with Four or More Intraluminal Devices, Percutaneous Approach | Procedure | ICD-10-PCS |
| 02733T6 | Dilation of Coronary Artery, Four or More Arteries, Bifurcation, with Radioactive Intraluminal Device, Percutaneous Approach | Procedure | ICD-10-PCS |
| 02733TZ | Dilation of Coronary Artery, Four or More Arteries with Radioactive Intraluminal Device, Percutaneous Approach | Procedure | ICD-10-PCS |
| 02733Z6 | Dilation of Coronary Artery, Four or More Arteries, Bifurcation, Percutaneous Approach | Procedure | ICD-10-PCS |
| 02733ZZ | Dilation of Coronary Artery, Four or More Arteries, Percutaneous Approach | Procedure | ICD-10-PCS |
| 0273446 | Dilation of Coronary Artery, Four or More Arteries, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 027344Z | Dilation of Coronary Artery, Four or More Arteries with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0273456 | Dilation of Coronary Artery, Four or More Arteries, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 027345Z | Dilation of Coronary Artery, Four or More Arteries with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0273466 | Dilation of Coronary Artery, Four or More Arteries, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 027346Z | Dilation of Coronary Artery, Four or More Arteries with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0273476 | Dilation of Coronary Artery, Four or More Arteries, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 027347Z | Dilation of Coronary Artery, Four or More Arteries with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02734D6 | Dilation of Coronary Artery, Four or More Arteries, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02734DZ | Dilation of Coronary Artery, Four or More Arteries with Intraluminal Device, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02734E6 | Dilation of Coronary Artery, Four or More Arteries, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02734EZ | Dilation of Coronary Artery, Four or More Arteries with Two Intraluminal Devices, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02734F6 | Dilation of Coronary Artery, Four or More Arteries, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|---|----------------------|------------------|
| 02734FZ | Dilation of Coronary Artery, Four or More Arteries with Three Intraluminal Devices, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02734G6 | Dilation of Coronary Artery, Four or More Arteries, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic | Procedure | ICD-10-PCS |
| 02734GZ | Dilation of Coronary Artery, Four or More Arteries with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02734T6 | Dilation of Coronary Artery, Four or More Arteries, Bifurcation, with Radioactive Intraluminal Device, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02734TZ | Dilation of Coronary Artery, Four or More Arteries with Radioactive Intraluminal Device, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02734Z6 | Dilation of Coronary Artery, Four or More Arteries, Bifurcation, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02734ZZ | Dilation of Coronary Artery, Four or More Arteries, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02C00Z6 | Extirpation of Matter from Coronary Artery, One Artery, Bifurcation, Open Approach | Procedure | ICD-10-PCS |
| 02C00ZZ | Extirpation of Matter from Coronary Artery, One Artery, Open Approach | Procedure | ICD-10-PCS |
| 02C03Z6 | Extirpation of Matter from Coronary Artery, One Artery, Bifurcation, Percutaneous Approach | Procedure | ICD-10-PCS |
| 02C03ZZ | Extirpation of Matter from Coronary Artery, One Artery, Percutaneous Approach | Procedure | ICD-10-PCS |
| 02C04Z6 | Extirpation of Matter from Coronary Artery, One Artery, Bifurcation, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02C04ZZ | Extirpation of Matter from Coronary Artery, One Artery, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02C10Z6 | Extirpation of Matter from Coronary Artery, Two Arteries, Bifurcation, Open Approach | Procedure | ICD-10-PCS |
| 02C10ZZ | Extirpation of Matter from Coronary Artery, Two Arteries, Open Approach | Procedure | ICD-10-PCS |
| 02C13Z6 | Extirpation of Matter from Coronary Artery, Two Arteries, Bifurcation, Percutaneous Approach | Procedure | ICD-10-PCS |
| 02C13ZZ | Extirpation of Matter from Coronary Artery, Two Arteries, Percutaneous Approach | Procedure | ICD-10-PCS |
| 02C14Z6 | Extirpation of Matter from Coronary Artery, Two Arteries, Bifurcation, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02C14ZZ | Extirpation of Matter from Coronary Artery, Two Arteries, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02C20Z6 | Extirpation of Matter from Coronary Artery, Three Arteries, Bifurcation, Open Approach | Procedure | ICD-10-PCS |
| 02C20ZZ | Extirpation of Matter from Coronary Artery, Three Arteries, Open Approach | Procedure | ICD-10-PCS |
| 02C23Z6 | Extirpation of Matter from Coronary Artery, Three Arteries, Bifurcation, Percutaneous Approach | Procedure | ICD-10-PCS |
| 02C23ZZ | Extirpation of Matter from Coronary Artery, Three Arteries, Percutaneous Approach | Procedure | ICD-10-PCS |
| 02C24Z6 | Extirpation of Matter from Coronary Artery, Three Arteries, Bifurcation, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02C24ZZ | Extirpation of Matter from Coronary Artery, Three Arteries, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02C30Z6 | Extirpation of Matter from Coronary Artery, Four or More Arteries, Bifurcation, Open Approach | Procedure | ICD-10-PCS |
| 02C30ZZ | Extirpation of Matter from Coronary Artery, Four or More Arteries, Open Approach | Procedure | ICD-10-PCS |
| 02C33Z6 | Extirpation of Matter from Coronary Artery, Four or More Arteries, Bifurcation, Percutaneous Approach | Procedure | ICD-10-PCS |
| 02C33ZZ | Extirpation of Matter from Coronary Artery, Four or More Arteries, Percutaneous Approach | Procedure | ICD-10-PCS |
| 02C34Z6 | Extirpation of Matter from Coronary Artery, Four or More Arteries, Bifurcation, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 02C34ZZ | Extirpation of Matter from Coronary Artery, Four or More Arteries, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 3E07017 | Introduction of Other Thrombolytic into Coronary Artery, Open Approach | Procedure | ICD-10-PCS |
| 3E070PZ | Introduction of Platelet Inhibitor into Coronary Artery, Open Approach | Procedure | ICD-10-PCS |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|--|---|----------------------|------------------|
| 3E07317 | Introduction of Other Thrombolytic into Coronary Artery, Percutaneous Approach | Procedure | ICD-10-PCS |
| 3E073PZ | Introduction of Platelet Inhibitor into Coronary Artery, Percutaneous Approach | Procedure | ICD-10-PCS |
| G8451 | Beta-blocker therapy for lvef < 40% not prescribed for reasons documented by the clinician (e.g., low blood pressure, fluid overload, asthma, patients recently treated with an intravenous positive inotropic agent, allergy, intolerance, other medical reasons, patient declined, other patient reasons, or other reasons attributable to the healthcare system) | Procedure | HCPCS |
| G8694 | Left ventricular ejection fraction (lvef) < 40% | Procedure | HCPCS |
| G8738 | Left ventricular ejection fraction (lvef) < 40% or documentation of severely or moderately depressed left ventricular systolic function | Procedure | HCPCS |
| G8923 | Left ventricular ejection fraction (lvef) < 40% or documentation of moderately or severely depressed left ventricular systolic function | Procedure | HCPCS |
| G8934 | Left ventricular ejection fraction (lvef) <40% or documentation of moderately or severely depressed left ventricular systolic function | Procedure | HCPCS |
| T8622 | Heart transplant failure | Diagnosis | ICD-10-CM |
| Z951 | Presence of aortocoronary bypass graft | Diagnosis | ICD-10-CM |
| Z955 | Presence of coronary angioplasty implant and graft | Diagnosis | ICD-10-CM |
| Z9861 | Coronary angioplasty status | Diagnosis | ICD-10-CM |
| I42 | Cardiomyopathy | Diagnosis | ICD-10-CM |
| I420 | Dilated cardiomyopathy | Diagnosis | ICD-10-CM |
| I421 | Obstructive hypertrophic cardiomyopathy | Diagnosis | ICD-10-CM |
| I422 | Other hypertrophic cardiomyopathy | Diagnosis | ICD-10-CM |
| I425 | Other restrictive cardiomyopathy | Diagnosis | ICD-10-CM |
| I426 | Alcoholic cardiomyopathy | Diagnosis | ICD-10-CM |
| I427 | Cardiomyopathy due to drug and external agent | Diagnosis | ICD-10-CM |
| I428 | Other cardiomyopathies | Diagnosis | ICD-10-CM |
| I429 | Cardiomyopathy, unspecified | Diagnosis | ICD-10-CM |
| I43 | Cardiomyopathy in diseases classified elsewhere | Diagnosis | ICD-10-CM |
| Cardiovascular and other vascular disease: Other vascular disease | | | |
| I27 | Other pulmonary heart diseases | Diagnosis | ICD-10-CM |
| I270 | Primary pulmonary hypertension | Diagnosis | ICD-10-CM |
| I602 | Nontraumatic subarachnoid hemorrhage from anterior communicating artery | Diagnosis | ICD-10-CM |
| I6020 | Nontraumatic subarachnoid hemorrhage from unspecified anterior communicating artery | Diagnosis | ICD-10-CM |
| I6021 | Nontraumatic subarachnoid hemorrhage from right anterior communicating artery | Diagnosis | ICD-10-CM |
| I6022 | Nontraumatic subarachnoid hemorrhage from left anterior communicating artery | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|---|----------------------|------------------|
| I6300 | Cerebral infarction due to thrombosis of unspecified precerebral artery | Diagnosis | ICD-10-CM |
| I6310 | Cerebral infarction due to embolism of unspecified precerebral artery | Diagnosis | ICD-10-CM |
| I6320 | Cerebral infarction due to unspecified occlusion or stenosis of unspecified precerebral arteries | Diagnosis | ICD-10-CM |
| I6322 | Cerebral infarction due to unspecified occlusion or stenosis of basilar artery | Diagnosis | ICD-10-CM |
| I6330 | Cerebral infarction due to thrombosis of unspecified cerebral artery | Diagnosis | ICD-10-CM |
| I6340 | Cerebral infarction due to embolism of unspecified cerebral artery | Diagnosis | ICD-10-CM |
| I6350 | Cerebral infarction due to unspecified occlusion or stenosis of unspecified cerebral artery | Diagnosis | ICD-10-CM |
| I638 | Other cerebral infarction | Diagnosis | ICD-10-CM |
| I6381 | Other cerebral infarction due to occlusion or stenosis of small artery | Diagnosis | ICD-10-CM |
| I6389 | Other cerebral infarction | Diagnosis | ICD-10-CM |
| I70 | Atherosclerosis | Diagnosis | ICD-10-CM |
| I700 | Atherosclerosis of aorta | Diagnosis | ICD-10-CM |
| I701 | Atherosclerosis of renal artery | Diagnosis | ICD-10-CM |
| I702 | Atherosclerosis of native arteries of the extremities | Diagnosis | ICD-10-CM |
| I7020 | Unspecified atherosclerosis of native arteries of extremities | Diagnosis | ICD-10-CM |
| I70201 | Unspecified atherosclerosis of native arteries of extremities, right leg | Diagnosis | ICD-10-CM |
| I70202 | Unspecified atherosclerosis of native arteries of extremities, left leg | Diagnosis | ICD-10-CM |
| I70203 | Unspecified atherosclerosis of native arteries of extremities, bilateral legs | Diagnosis | ICD-10-CM |
| I70208 | Unspecified atherosclerosis of native arteries of extremities, other extremity | Diagnosis | ICD-10-CM |
| I70209 | Unspecified atherosclerosis of native arteries of extremities, unspecified extremity | Diagnosis | ICD-10-CM |
| I7021 | Atherosclerosis of native arteries of extremities with intermittent claudication | Diagnosis | ICD-10-CM |
| I70211 | Atherosclerosis of native arteries of extremities with intermittent claudication, right leg | Diagnosis | ICD-10-CM |
| I70212 | Atherosclerosis of native arteries of extremities with intermittent claudication, left leg | Diagnosis | ICD-10-CM |
| I70213 | Atherosclerosis of native arteries of extremities with intermittent claudication, bilateral legs | Diagnosis | ICD-10-CM |
| I70218 | Atherosclerosis of native arteries of extremities with intermittent claudication, other extremity | Diagnosis | ICD-10-CM |
| I70219 | Atherosclerosis of native arteries of extremities with intermittent claudication, unspecified extremity | Diagnosis | ICD-10-CM |
| I7022 | Atherosclerosis of native arteries of extremities with rest pain | Diagnosis | ICD-10-CM |
| I70221 | Atherosclerosis of native arteries of extremities with rest pain, right leg | Diagnosis | ICD-10-CM |
| I70222 | Atherosclerosis of native arteries of extremities with rest pain, left leg | Diagnosis | ICD-10-CM |
| I70223 | Atherosclerosis of native arteries of extremities with rest pain, bilateral legs | Diagnosis | ICD-10-CM |
| I70228 | Atherosclerosis of native arteries of extremities with rest pain, other extremity | Diagnosis | ICD-10-CM |
| I70229 | Atherosclerosis of native arteries of extremities with rest pain, unspecified extremity | Diagnosis | ICD-10-CM |
| I7023 | Atherosclerosis of native arteries of right leg with ulceration | Diagnosis | ICD-10-CM |
| I70231 | Atherosclerosis of native arteries of right leg with ulceration of thigh | Diagnosis | ICD-10-CM |
| I70232 | Atherosclerosis of native arteries of right leg with ulceration of calf | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|---|----------------------|------------------|
| I70233 | Atherosclerosis of native arteries of right leg with ulceration of ankle | Diagnosis | ICD-10-CM |
| I70234 | Atherosclerosis of native arteries of right leg with ulceration of heel and midfoot | Diagnosis | ICD-10-CM |
| I70235 | Atherosclerosis of native arteries of right leg with ulceration of other part of foot | Diagnosis | ICD-10-CM |
| I70238 | Atherosclerosis of native arteries of right leg with ulceration of other part of lower leg | Diagnosis | ICD-10-CM |
| I70239 | Atherosclerosis of native arteries of right leg with ulceration of unspecified site | Diagnosis | ICD-10-CM |
| I7024 | Atherosclerosis of native arteries of left leg with ulceration | Diagnosis | ICD-10-CM |
| I70241 | Atherosclerosis of native arteries of left leg with ulceration of thigh | Diagnosis | ICD-10-CM |
| I70242 | Atherosclerosis of native arteries of left leg with ulceration of calf | Diagnosis | ICD-10-CM |
| I70243 | Atherosclerosis of native arteries of left leg with ulceration of ankle | Diagnosis | ICD-10-CM |
| I70244 | Atherosclerosis of native arteries of left leg with ulceration of heel and midfoot | Diagnosis | ICD-10-CM |
| I70245 | Atherosclerosis of native arteries of left leg with ulceration of other part of foot | Diagnosis | ICD-10-CM |
| I70248 | Atherosclerosis of native arteries of left leg with ulceration of other part of lower leg | Diagnosis | ICD-10-CM |
| I70249 | Atherosclerosis of native arteries of left leg with ulceration of unspecified site | Diagnosis | ICD-10-CM |
| I7025 | Atherosclerosis of native arteries of other extremities with ulceration | Diagnosis | ICD-10-CM |
| I7026 | Atherosclerosis of native arteries of extremities with gangrene | Diagnosis | ICD-10-CM |
| I70261 | Atherosclerosis of native arteries of extremities with gangrene, right leg | Diagnosis | ICD-10-CM |
| I70262 | Atherosclerosis of native arteries of extremities with gangrene, left leg | Diagnosis | ICD-10-CM |
| I70263 | Atherosclerosis of native arteries of extremities with gangrene, bilateral legs | Diagnosis | ICD-10-CM |
| I70268 | Atherosclerosis of native arteries of extremities with gangrene, other extremity | Diagnosis | ICD-10-CM |
| I70269 | Atherosclerosis of native arteries of extremities with gangrene, unspecified extremity | Diagnosis | ICD-10-CM |
| I7029 | Other atherosclerosis of native arteries of extremities | Diagnosis | ICD-10-CM |
| I70291 | Other atherosclerosis of native arteries of extremities, right leg | Diagnosis | ICD-10-CM |
| I70292 | Other atherosclerosis of native arteries of extremities, left leg | Diagnosis | ICD-10-CM |
| I70293 | Other atherosclerosis of native arteries of extremities, bilateral legs | Diagnosis | ICD-10-CM |
| I70298 | Other atherosclerosis of native arteries of extremities, other extremity | Diagnosis | ICD-10-CM |
| I70299 | Other atherosclerosis of native arteries of extremities, unspecified extremity | Diagnosis | ICD-10-CM |
| I703 | Atherosclerosis of unspecified type of bypass graft(s) of the extremities | Diagnosis | ICD-10-CM |
| I7030 | Unspecified atherosclerosis of unspecified type of bypass graft(s) of the extremities | Diagnosis | ICD-10-CM |
| I70301 | Unspecified atherosclerosis of unspecified type of bypass graft(s) of the extremities, right leg | Diagnosis | ICD-10-CM |
| I70302 | Unspecified atherosclerosis of unspecified type of bypass graft(s) of the extremities, left leg | Diagnosis | ICD-10-CM |
| I70303 | Unspecified atherosclerosis of unspecified type of bypass graft(s) of the extremities, bilateral legs | Diagnosis | ICD-10-CM |
| I70308 | Unspecified atherosclerosis of unspecified type of bypass graft(s) of the extremities, other extremity | Diagnosis | ICD-10-CM |
| I70309 | Unspecified atherosclerosis of unspecified type of bypass graft(s) of the extremities, unspecified extremity | Diagnosis | ICD-10-CM |
| I7031 | Atherosclerosis of unspecified type of bypass graft(s) of the extremities with intermittent claudication | Diagnosis | ICD-10-CM |
| I70311 | Atherosclerosis of unspecified type of bypass graft(s) of the extremities with intermittent claudication, right leg | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|---|----------------------|------------------|
| I70312 | Atherosclerosis of unspecified type of bypass graft(s) of the extremities with intermittent claudication, left leg | Diagnosis | ICD-10-CM |
| I70313 | Atherosclerosis of unspecified type of bypass graft(s) of the extremities with intermittent claudication, bilateral legs | Diagnosis | ICD-10-CM |
| I70318 | Atherosclerosis of unspecified type of bypass graft(s) of the extremities with intermittent claudication, other extremity | Diagnosis | ICD-10-CM |
| I70319 | Atherosclerosis of unspecified type of bypass graft(s) of the extremities with intermittent claudication, unspecified extremity | Diagnosis | ICD-10-CM |
| I7032 | Atherosclerosis of unspecified type of bypass graft(s) of the extremities with rest pain | Diagnosis | ICD-10-CM |
| I70321 | Atherosclerosis of unspecified type of bypass graft(s) of the extremities with rest pain, right leg | Diagnosis | ICD-10-CM |
| I70322 | Atherosclerosis of unspecified type of bypass graft(s) of the extremities with rest pain, left leg | Diagnosis | ICD-10-CM |
| I70323 | Atherosclerosis of unspecified type of bypass graft(s) of the extremities with rest pain, bilateral legs | Diagnosis | ICD-10-CM |
| I70328 | Atherosclerosis of unspecified type of bypass graft(s) of the extremities with rest pain, other extremity | Diagnosis | ICD-10-CM |
| I70329 | Atherosclerosis of unspecified type of bypass graft(s) of the extremities with rest pain, unspecified extremity | Diagnosis | ICD-10-CM |
| I7033 | Atherosclerosis of unspecified type of bypass graft(s) of the right leg with ulceration | Diagnosis | ICD-10-CM |
| I70331 | Atherosclerosis of unspecified type of bypass graft(s) of the right leg with ulceration of thigh | Diagnosis | ICD-10-CM |
| I70332 | Atherosclerosis of unspecified type of bypass graft(s) of the right leg with ulceration of calf | Diagnosis | ICD-10-CM |
| I70333 | Atherosclerosis of unspecified type of bypass graft(s) of the right leg with ulceration of ankle | Diagnosis | ICD-10-CM |
| I70334 | Atherosclerosis of unspecified type of bypass graft(s) of the right leg with ulceration of heel and midfoot | Diagnosis | ICD-10-CM |
| I70335 | Atherosclerosis of unspecified type of bypass graft(s) of the right leg with ulceration of other part of foot | Diagnosis | ICD-10-CM |
| I70338 | Atherosclerosis of unspecified type of bypass graft(s) of the right leg with ulceration of other part of lower leg | Diagnosis | ICD-10-CM |
| I70339 | Atherosclerosis of unspecified type of bypass graft(s) of the right leg with ulceration of unspecified site | Diagnosis | ICD-10-CM |
| I7034 | Atherosclerosis of unspecified type of bypass graft(s) of the left leg with ulceration | Diagnosis | ICD-10-CM |
| I70341 | Atherosclerosis of unspecified type of bypass graft(s) of the left leg with ulceration of thigh | Diagnosis | ICD-10-CM |
| I70342 | Atherosclerosis of unspecified type of bypass graft(s) of the left leg with ulceration of calf | Diagnosis | ICD-10-CM |
| I70343 | Atherosclerosis of unspecified type of bypass graft(s) of the left leg with ulceration of ankle | Diagnosis | ICD-10-CM |
| I70344 | Atherosclerosis of unspecified type of bypass graft(s) of the left leg with ulceration of heel and midfoot | Diagnosis | ICD-10-CM |
| I70345 | Atherosclerosis of unspecified type of bypass graft(s) of the left leg with ulceration of other part of foot | Diagnosis | ICD-10-CM |
| I70348 | Atherosclerosis of unspecified type of bypass graft(s) of the left leg with ulceration of other part of lower leg | Diagnosis | ICD-10-CM |
| I70349 | Atherosclerosis of unspecified type of bypass graft(s) of the left leg with ulceration of unspecified site | Diagnosis | ICD-10-CM |
| I7035 | Atherosclerosis of unspecified type of bypass graft(s) of other extremity with ulceration | Diagnosis | ICD-10-CM |
| I7036 | Atherosclerosis of unspecified type of bypass graft(s) of the extremities with gangrene | Diagnosis | ICD-10-CM |
| I70361 | Atherosclerosis of unspecified type of bypass graft(s) of the extremities with gangrene, right leg | Diagnosis | ICD-10-CM |
| I70362 | Atherosclerosis of unspecified type of bypass graft(s) of the extremities with gangrene, left leg | Diagnosis | ICD-10-CM |
| I70363 | Atherosclerosis of unspecified type of bypass graft(s) of the extremities with gangrene, bilateral legs | Diagnosis | ICD-10-CM |
| I70368 | Atherosclerosis of unspecified type of bypass graft(s) of the extremities with gangrene, other extremity | Diagnosis | ICD-10-CM |
| I70369 | Atherosclerosis of unspecified type of bypass graft(s) of the extremities with gangrene, unspecified extremity | Diagnosis | ICD-10-CM |
| I7039 | Other atherosclerosis of unspecified type of bypass graft(s) of the extremities | Diagnosis | ICD-10-CM |
| I70391 | Other atherosclerosis of unspecified type of bypass graft(s) of the extremities, right leg | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|---|----------------------|------------------|
| I70392 | Other atherosclerosis of unspecified type of bypass graft(s) of the extremities, left leg | Diagnosis | ICD-10-CM |
| I70393 | Other atherosclerosis of unspecified type of bypass graft(s) of the extremities, bilateral legs | Diagnosis | ICD-10-CM |
| I70398 | Other atherosclerosis of unspecified type of bypass graft(s) of the extremities, other extremity | Diagnosis | ICD-10-CM |
| I70399 | Other atherosclerosis of unspecified type of bypass graft(s) of the extremities, unspecified extremity | Diagnosis | ICD-10-CM |
| I704 | Atherosclerosis of autologous vein bypass graft(s) of the extremities | Diagnosis | ICD-10-CM |
| I7040 | Unspecified atherosclerosis of autologous vein bypass graft(s) of the extremities | Diagnosis | ICD-10-CM |
| I70401 | Unspecified atherosclerosis of autologous vein bypass graft(s) of the extremities, right leg | Diagnosis | ICD-10-CM |
| I70402 | Unspecified atherosclerosis of autologous vein bypass graft(s) of the extremities, left leg | Diagnosis | ICD-10-CM |
| I70403 | Unspecified atherosclerosis of autologous vein bypass graft(s) of the extremities, bilateral legs | Diagnosis | ICD-10-CM |
| I70408 | Unspecified atherosclerosis of autologous vein bypass graft(s) of the extremities, other extremity | Diagnosis | ICD-10-CM |
| I70409 | Unspecified atherosclerosis of autologous vein bypass graft(s) of the extremities, unspecified extremity | Diagnosis | ICD-10-CM |
| I7041 | Atherosclerosis of autologous vein bypass graft(s) of the extremities with intermittent claudication | Diagnosis | ICD-10-CM |
| I70411 | Atherosclerosis of autologous vein bypass graft(s) of the extremities with intermittent claudication, right leg | Diagnosis | ICD-10-CM |
| I70412 | Atherosclerosis of autologous vein bypass graft(s) of the extremities with intermittent claudication, left leg | Diagnosis | ICD-10-CM |
| I70413 | Atherosclerosis of autologous vein bypass graft(s) of the extremities with intermittent claudication, bilateral legs | Diagnosis | ICD-10-CM |
| I70418 | Atherosclerosis of autologous vein bypass graft(s) of the extremities with intermittent claudication, other extremity | Diagnosis | ICD-10-CM |
| I70419 | Atherosclerosis of autologous vein bypass graft(s) of the extremities with intermittent claudication, unspecified extremity | Diagnosis | ICD-10-CM |
| I7042 | Atherosclerosis of autologous vein bypass graft(s) of the extremities with rest pain | Diagnosis | ICD-10-CM |
| I70421 | Atherosclerosis of autologous vein bypass graft(s) of the extremities with rest pain, right leg | Diagnosis | ICD-10-CM |
| I70422 | Atherosclerosis of autologous vein bypass graft(s) of the extremities with rest pain, left leg | Diagnosis | ICD-10-CM |
| I70423 | Atherosclerosis of autologous vein bypass graft(s) of the extremities with rest pain, bilateral legs | Diagnosis | ICD-10-CM |
| I70428 | Atherosclerosis of autologous vein bypass graft(s) of the extremities with rest pain, other extremity | Diagnosis | ICD-10-CM |
| I70429 | Atherosclerosis of autologous vein bypass graft(s) of the extremities with rest pain, unspecified extremity | Diagnosis | ICD-10-CM |
| I7043 | Atherosclerosis of autologous vein bypass graft(s) of the right leg with ulceration | Diagnosis | ICD-10-CM |
| I70431 | Atherosclerosis of autologous vein bypass graft(s) of the right leg with ulceration of thigh | Diagnosis | ICD-10-CM |
| I70432 | Atherosclerosis of autologous vein bypass graft(s) of the right leg with ulceration of calf | Diagnosis | ICD-10-CM |
| I70433 | Atherosclerosis of autologous vein bypass graft(s) of the right leg with ulceration of ankle | Diagnosis | ICD-10-CM |
| I70434 | Atherosclerosis of autologous vein bypass graft(s) of the right leg with ulceration of heel and midfoot | Diagnosis | ICD-10-CM |
| I70435 | Atherosclerosis of autologous vein bypass graft(s) of the right leg with ulceration of other part of foot | Diagnosis | ICD-10-CM |
| I70438 | Atherosclerosis of autologous vein bypass graft(s) of the right leg with ulceration of other part of lower leg | Diagnosis | ICD-10-CM |
| I70439 | Atherosclerosis of autologous vein bypass graft(s) of the right leg with ulceration of unspecified site | Diagnosis | ICD-10-CM |
| I7044 | Atherosclerosis of autologous vein bypass graft(s) of the left leg with ulceration | Diagnosis | ICD-10-CM |
| I70441 | Atherosclerosis of autologous vein bypass graft(s) of the left leg with ulceration of thigh | Diagnosis | ICD-10-CM |
| I70442 | Atherosclerosis of autologous vein bypass graft(s) of the left leg with ulceration of calf | Diagnosis | ICD-10-CM |
| I70443 | Atherosclerosis of autologous vein bypass graft(s) of the left leg with ulceration of ankle | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|--|----------------------|------------------|
| I70444 | Atherosclerosis of autologous vein bypass graft(s) of the left leg with ulceration of heel and midfoot | Diagnosis | ICD-10-CM |
| I70445 | Atherosclerosis of autologous vein bypass graft(s) of the left leg with ulceration of other part of foot | Diagnosis | ICD-10-CM |
| I70448 | Atherosclerosis of autologous vein bypass graft(s) of the left leg with ulceration of other part of lower leg | Diagnosis | ICD-10-CM |
| I70449 | Atherosclerosis of autologous vein bypass graft(s) of the left leg with ulceration of unspecified site | Diagnosis | ICD-10-CM |
| I7045 | Atherosclerosis of autologous vein bypass graft(s) of other extremity with ulceration | Diagnosis | ICD-10-CM |
| I7046 | Atherosclerosis of autologous vein bypass graft(s) of the extremities with gangrene | Diagnosis | ICD-10-CM |
| I70461 | Atherosclerosis of autologous vein bypass graft(s) of the extremities with gangrene, right leg | Diagnosis | ICD-10-CM |
| I70462 | Atherosclerosis of autologous vein bypass graft(s) of the extremities with gangrene, left leg | Diagnosis | ICD-10-CM |
| I70463 | Atherosclerosis of autologous vein bypass graft(s) of the extremities with gangrene, bilateral legs | Diagnosis | ICD-10-CM |
| I70468 | Atherosclerosis of autologous vein bypass graft(s) of the extremities with gangrene, other extremity | Diagnosis | ICD-10-CM |
| I70469 | Atherosclerosis of autologous vein bypass graft(s) of the extremities with gangrene, unspecified extremity | Diagnosis | ICD-10-CM |
| I7049 | Other atherosclerosis of autologous vein bypass graft(s) of the extremities | Diagnosis | ICD-10-CM |
| I70491 | Other atherosclerosis of autologous vein bypass graft(s) of the extremities, right leg | Diagnosis | ICD-10-CM |
| I70492 | Other atherosclerosis of autologous vein bypass graft(s) of the extremities, left leg | Diagnosis | ICD-10-CM |
| I70493 | Other atherosclerosis of autologous vein bypass graft(s) of the extremities, bilateral legs | Diagnosis | ICD-10-CM |
| I70498 | Other atherosclerosis of autologous vein bypass graft(s) of the extremities, other extremity | Diagnosis | ICD-10-CM |
| I70499 | Other atherosclerosis of autologous vein bypass graft(s) of the extremities, unspecified extremity | Diagnosis | ICD-10-CM |
| I705 | Atherosclerosis of nonautologous biological bypass graft(s) of the extremities | Diagnosis | ICD-10-CM |
| I7050 | Unspecified atherosclerosis of nonautologous biological bypass graft(s) of the extremities | Diagnosis | ICD-10-CM |
| I70501 | Unspecified atherosclerosis of nonautologous biological bypass graft(s) of the extremities, right leg | Diagnosis | ICD-10-CM |
| I70502 | Unspecified atherosclerosis of nonautologous biological bypass graft(s) of the extremities, left leg | Diagnosis | ICD-10-CM |
| I70503 | Unspecified atherosclerosis of nonautologous biological bypass graft(s) of the extremities, bilateral legs | Diagnosis | ICD-10-CM |
| I70508 | Unspecified atherosclerosis of nonautologous biological bypass graft(s) of the extremities, other extremity | Diagnosis | ICD-10-CM |
| I70509 | Unspecified atherosclerosis of nonautologous biological bypass graft(s) of the extremities, unspecified extremity | Diagnosis | ICD-10-CM |
| I7051 | Atherosclerosis of nonautologous biological bypass graft(s) of the extremities intermittent claudication | Diagnosis | ICD-10-CM |
| I70511 | Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with intermittent claudication, right leg | Diagnosis | ICD-10-CM |
| I70512 | Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with intermittent claudication, left leg | Diagnosis | ICD-10-CM |
| I70513 | Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with intermittent claudication, bilateral legs | Diagnosis | ICD-10-CM |
| I70518 | Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with intermittent claudication, other extremity | Diagnosis | ICD-10-CM |
| I70519 | Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with intermittent claudication, unspecified extremity | Diagnosis | ICD-10-CM |
| I7052 | Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with rest pain | Diagnosis | ICD-10-CM |
| I70521 | Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with rest pain, right leg | Diagnosis | ICD-10-CM |
| I70522 | Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with rest pain, left leg | Diagnosis | ICD-10-CM |
| I70523 | Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with rest pain, bilateral legs | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|---|----------------------|------------------|
| I70528 | Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with rest pain, other extremity | Diagnosis | ICD-10-CM |
| I70529 | Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with rest pain, unspecified extremity | Diagnosis | ICD-10-CM |
| I7053 | Atherosclerosis of nonautologous biological bypass graft(s) of the right leg with ulceration | Diagnosis | ICD-10-CM |
| I70531 | Atherosclerosis of nonautologous biological bypass graft(s) of the right leg with ulceration of thigh | Diagnosis | ICD-10-CM |
| I70532 | Atherosclerosis of nonautologous biological bypass graft(s) of the right leg with ulceration of calf | Diagnosis | ICD-10-CM |
| I70533 | Atherosclerosis of nonautologous biological bypass graft(s) of the right leg with ulceration of ankle | Diagnosis | ICD-10-CM |
| I70534 | Atherosclerosis of nonautologous biological bypass graft(s) of the right leg with ulceration of heel and midfoot | Diagnosis | ICD-10-CM |
| I70535 | Atherosclerosis of nonautologous biological bypass graft(s) of the right leg with ulceration of other part of foot | Diagnosis | ICD-10-CM |
| I70538 | Atherosclerosis of nonautologous biological bypass graft(s) of the right leg with ulceration of other part of lower leg | Diagnosis | ICD-10-CM |
| I70539 | Atherosclerosis of nonautologous biological bypass graft(s) of the right leg with ulceration of unspecified site | Diagnosis | ICD-10-CM |
| I7054 | Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration | Diagnosis | ICD-10-CM |
| I70541 | Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of thigh | Diagnosis | ICD-10-CM |
| I70542 | Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of calf | Diagnosis | ICD-10-CM |
| I70543 | Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of ankle | Diagnosis | ICD-10-CM |
| I70544 | Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of heel and midfoot | Diagnosis | ICD-10-CM |
| I70545 | Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of other part of foot | Diagnosis | ICD-10-CM |
| I70548 | Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of other part of lower leg | Diagnosis | ICD-10-CM |
| I70549 | Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of unspecified site | Diagnosis | ICD-10-CM |
| I7055 | Atherosclerosis of nonautologous biological bypass graft(s) of other extremity with ulceration | Diagnosis | ICD-10-CM |
| I7056 | Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with gangrene | Diagnosis | ICD-10-CM |
| I70561 | Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with gangrene, right leg | Diagnosis | ICD-10-CM |
| I70562 | Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with gangrene, left leg | Diagnosis | ICD-10-CM |
| I70563 | Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with gangrene, bilateral legs | Diagnosis | ICD-10-CM |
| I70568 | Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with gangrene, other extremity | Diagnosis | ICD-10-CM |
| I70569 | Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with gangrene, unspecified extremity | Diagnosis | ICD-10-CM |
| I7059 | Other atherosclerosis of nonautologous biological bypass graft(s) of the extremities | Diagnosis | ICD-10-CM |
| I70591 | Other atherosclerosis of nonautologous biological bypass graft(s) of the extremities, right leg | Diagnosis | ICD-10-CM |
| I70592 | Other atherosclerosis of nonautologous biological bypass graft(s) of the extremities, left leg | Diagnosis | ICD-10-CM |
| I70593 | Other atherosclerosis of nonautologous biological bypass graft(s) of the extremities, bilateral legs | Diagnosis | ICD-10-CM |
| I70598 | Other atherosclerosis of nonautologous biological bypass graft(s) of the extremities, other extremity | Diagnosis | ICD-10-CM |
| I70599 | Other atherosclerosis of nonautologous biological bypass graft(s) of the extremities, unspecified extremity | Diagnosis | ICD-10-CM |
| I706 | Atherosclerosis of nonbiological bypass graft(s) of the extremities | Diagnosis | ICD-10-CM |
| I7060 | Unspecified atherosclerosis of nonbiological bypass graft(s) of the extremities | Diagnosis | ICD-10-CM |
| I70601 | Unspecified atherosclerosis of nonbiological bypass graft(s) of the extremities, right leg | Diagnosis | ICD-10-CM |
| I70602 | Unspecified atherosclerosis of nonbiological bypass graft(s) of the extremities, left leg | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|---|----------------------|------------------|
| I70603 | Unspecified atherosclerosis of nonbiological bypass graft(s) of the extremities, bilateral legs | Diagnosis | ICD-10-CM |
| I70608 | Unspecified atherosclerosis of nonbiological bypass graft(s) of the extremities, other extremity | Diagnosis | ICD-10-CM |
| I70609 | Unspecified atherosclerosis of nonbiological bypass graft(s) of the extremities, unspecified extremity | Diagnosis | ICD-10-CM |
| I7061 | Atherosclerosis of nonbiological bypass graft(s) of the extremities with intermittent claudication | Diagnosis | ICD-10-CM |
| I70611 | Atherosclerosis of nonbiological bypass graft(s) of the extremities with intermittent claudication, right leg | Diagnosis | ICD-10-CM |
| I70612 | Atherosclerosis of nonbiological bypass graft(s) of the extremities with intermittent claudication, left leg | Diagnosis | ICD-10-CM |
| I70613 | Atherosclerosis of nonbiological bypass graft(s) of the extremities with intermittent claudication, bilateral legs | Diagnosis | ICD-10-CM |
| I70618 | Atherosclerosis of nonbiological bypass graft(s) of the extremities with intermittent claudication, other extremity | Diagnosis | ICD-10-CM |
| I70619 | Atherosclerosis of nonbiological bypass graft(s) of the extremities with intermittent claudication, unspecified extremity | Diagnosis | ICD-10-CM |
| I7062 | Atherosclerosis of nonbiological bypass graft(s) of the extremities with rest pain | Diagnosis | ICD-10-CM |
| I70621 | Atherosclerosis of nonbiological bypass graft(s) of the extremities with rest pain, right leg | Diagnosis | ICD-10-CM |
| I70622 | Atherosclerosis of nonbiological bypass graft(s) of the extremities with rest pain, left leg | Diagnosis | ICD-10-CM |
| I70623 | Atherosclerosis of nonbiological bypass graft(s) of the extremities with rest pain, bilateral legs | Diagnosis | ICD-10-CM |
| I70628 | Atherosclerosis of nonbiological bypass graft(s) of the extremities with rest pain, other extremity | Diagnosis | ICD-10-CM |
| I70629 | Atherosclerosis of nonbiological bypass graft(s) of the extremities with rest pain, unspecified extremity | Diagnosis | ICD-10-CM |
| I7063 | Atherosclerosis of nonbiological bypass graft(s) of the right leg with ulceration | Diagnosis | ICD-10-CM |
| I70631 | Atherosclerosis of nonbiological bypass graft(s) of the right leg with ulceration of thigh | Diagnosis | ICD-10-CM |
| I70632 | Atherosclerosis of nonbiological bypass graft(s) of the right leg with ulceration of calf | Diagnosis | ICD-10-CM |
| I70633 | Atherosclerosis of nonbiological bypass graft(s) of the right leg with ulceration of ankle | Diagnosis | ICD-10-CM |
| I70634 | Atherosclerosis of nonbiological bypass graft(s) of the right leg with ulceration of heel and midfoot | Diagnosis | ICD-10-CM |
| I70635 | Atherosclerosis of nonbiological bypass graft(s) of the right leg with ulceration of other part of foot | Diagnosis | ICD-10-CM |
| I70638 | Atherosclerosis of nonbiological bypass graft(s) of the right leg with ulceration of other part of lower leg | Diagnosis | ICD-10-CM |
| I70639 | Atherosclerosis of nonbiological bypass graft(s) of the right leg with ulceration of unspecified site | Diagnosis | ICD-10-CM |
| I7064 | Atherosclerosis of nonbiological bypass graft(s) of the left leg with ulceration | Diagnosis | ICD-10-CM |
| I70641 | Atherosclerosis of nonbiological bypass graft(s) of the left leg with ulceration of thigh | Diagnosis | ICD-10-CM |
| I70642 | Atherosclerosis of nonbiological bypass graft(s) of the left leg with ulceration of calf | Diagnosis | ICD-10-CM |
| I70643 | Atherosclerosis of nonbiological bypass graft(s) of the left leg with ulceration of ankle | Diagnosis | ICD-10-CM |
| I70644 | Atherosclerosis of nonbiological bypass graft(s) of the left leg with ulceration of heel and midfoot | Diagnosis | ICD-10-CM |
| I70645 | Atherosclerosis of nonbiological bypass graft(s) of the left leg with ulceration of other part of foot | Diagnosis | ICD-10-CM |
| I70648 | Atherosclerosis of nonbiological bypass graft(s) of the left leg with ulceration of other part of lower leg | Diagnosis | ICD-10-CM |
| I70649 | Atherosclerosis of nonbiological bypass graft(s) of the left leg with ulceration of unspecified site | Diagnosis | ICD-10-CM |
| I7065 | Atherosclerosis of nonbiological bypass graft(s) of other extremity with ulceration | Diagnosis | ICD-10-CM |
| I7066 | Atherosclerosis of nonbiological bypass graft(s) of the extremities with gangrene | Diagnosis | ICD-10-CM |
| I70661 | Atherosclerosis of nonbiological bypass graft(s) of the extremities with gangrene, right leg | Diagnosis | ICD-10-CM |
| I70662 | Atherosclerosis of nonbiological bypass graft(s) of the extremities with gangrene, left leg | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|---|----------------------|------------------|
| I70663 | Atherosclerosis of nonbiological bypass graft(s) of the extremities with gangrene, bilateral legs | Diagnosis | ICD-10-CM |
| I70668 | Atherosclerosis of nonbiological bypass graft(s) of the extremities with gangrene, other extremity | Diagnosis | ICD-10-CM |
| I70669 | Atherosclerosis of nonbiological bypass graft(s) of the extremities with gangrene, unspecified extremity | Diagnosis | ICD-10-CM |
| I7069 | Other atherosclerosis of nonbiological bypass graft(s) of the extremities | Diagnosis | ICD-10-CM |
| I70691 | Other atherosclerosis of nonbiological bypass graft(s) of the extremities, right leg | Diagnosis | ICD-10-CM |
| I70692 | Other atherosclerosis of nonbiological bypass graft(s) of the extremities, left leg | Diagnosis | ICD-10-CM |
| I70693 | Other atherosclerosis of nonbiological bypass graft(s) of the extremities, bilateral legs | Diagnosis | ICD-10-CM |
| I70698 | Other atherosclerosis of nonbiological bypass graft(s) of the extremities, other extremity | Diagnosis | ICD-10-CM |
| I70699 | Other atherosclerosis of nonbiological bypass graft(s) of the extremities, unspecified extremity | Diagnosis | ICD-10-CM |
| I707 | Atherosclerosis of other type of bypass graft(s) of the extremities | Diagnosis | ICD-10-CM |
| I7070 | Unspecified atherosclerosis of other type of bypass graft(s) of the extremities | Diagnosis | ICD-10-CM |
| I70701 | Unspecified atherosclerosis of other type of bypass graft(s) of the extremities, right leg | Diagnosis | ICD-10-CM |
| I70702 | Unspecified atherosclerosis of other type of bypass graft(s) of the extremities, left leg | Diagnosis | ICD-10-CM |
| I70703 | Unspecified atherosclerosis of other type of bypass graft(s) of the extremities, bilateral legs | Diagnosis | ICD-10-CM |
| I70708 | Unspecified atherosclerosis of other type of bypass graft(s) of the extremities, other extremity | Diagnosis | ICD-10-CM |
| I70709 | Unspecified atherosclerosis of other type of bypass graft(s) of the extremities, unspecified extremity | Diagnosis | ICD-10-CM |
| I7071 | Atherosclerosis of other type of bypass graft(s) of the extremities with intermittent claudication | Diagnosis | ICD-10-CM |
| I70711 | Atherosclerosis of other type of bypass graft(s) of the extremities with intermittent claudication, right leg | Diagnosis | ICD-10-CM |
| I70712 | Atherosclerosis of other type of bypass graft(s) of the extremities with intermittent claudication, left leg | Diagnosis | ICD-10-CM |
| I70713 | Atherosclerosis of other type of bypass graft(s) of the extremities with intermittent claudication, bilateral legs | Diagnosis | ICD-10-CM |
| I70718 | Atherosclerosis of other type of bypass graft(s) of the extremities with intermittent claudication, other extremity | Diagnosis | ICD-10-CM |
| I70719 | Atherosclerosis of other type of bypass graft(s) of the extremities with intermittent claudication, unspecified extremity | Diagnosis | ICD-10-CM |
| I7072 | Atherosclerosis of other type of bypass graft(s) of the extremities with rest pain | Diagnosis | ICD-10-CM |
| I70721 | Atherosclerosis of other type of bypass graft(s) of the extremities with rest pain, right leg | Diagnosis | ICD-10-CM |
| I70722 | Atherosclerosis of other type of bypass graft(s) of the extremities with rest pain, left leg | Diagnosis | ICD-10-CM |
| I70723 | Atherosclerosis of other type of bypass graft(s) of the extremities with rest pain, bilateral legs | Diagnosis | ICD-10-CM |
| I70728 | Atherosclerosis of other type of bypass graft(s) of the extremities with rest pain, other extremity | Diagnosis | ICD-10-CM |
| I70729 | Atherosclerosis of other type of bypass graft(s) of the extremities with rest pain, unspecified extremity | Diagnosis | ICD-10-CM |
| I7073 | Atherosclerosis of other type of bypass graft(s) of the right leg with ulceration | Diagnosis | ICD-10-CM |
| I70731 | Atherosclerosis of other type of bypass graft(s) of the right leg with ulceration of thigh | Diagnosis | ICD-10-CM |
| I70732 | Atherosclerosis of other type of bypass graft(s) of the right leg with ulceration of calf | Diagnosis | ICD-10-CM |
| I70733 | Atherosclerosis of other type of bypass graft(s) of the right leg with ulceration of ankle | Diagnosis | ICD-10-CM |
| I70734 | Atherosclerosis of other type of bypass graft(s) of the right leg with ulceration of heel and midfoot | Diagnosis | ICD-10-CM |
| I70735 | Atherosclerosis of other type of bypass graft(s) of the right leg with ulceration of other part of foot | Diagnosis | ICD-10-CM |
| I70738 | Atherosclerosis of other type of bypass graft(s) of the right leg with ulceration of other part of lower leg | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|---|----------------------|------------------|
| I70739 | Atherosclerosis of other type of bypass graft(s) of the right leg with ulceration of unspecified site | Diagnosis | ICD-10-CM |
| I7074 | Atherosclerosis of other type of bypass graft(s) of the left leg with ulceration | Diagnosis | ICD-10-CM |
| I70741 | Atherosclerosis of other type of bypass graft(s) of the left leg with ulceration of thigh | Diagnosis | ICD-10-CM |
| I70742 | Atherosclerosis of other type of bypass graft(s) of the left leg with ulceration of calf | Diagnosis | ICD-10-CM |
| I70743 | Atherosclerosis of other type of bypass graft(s) of the left leg with ulceration of ankle | Diagnosis | ICD-10-CM |
| I70744 | Atherosclerosis of other type of bypass graft(s) of the left leg with ulceration of heel and midfoot | Diagnosis | ICD-10-CM |
| I70745 | Atherosclerosis of other type of bypass graft(s) of the left leg with ulceration of other part of foot | Diagnosis | ICD-10-CM |
| I70748 | Atherosclerosis of other type of bypass graft(s) of the left leg with ulceration of other part of lower leg | Diagnosis | ICD-10-CM |
| I70749 | Atherosclerosis of other type of bypass graft(s) of the left leg with ulceration of unspecified site | Diagnosis | ICD-10-CM |
| I7075 | Atherosclerosis of other type of bypass graft(s) of other extremity with ulceration | Diagnosis | ICD-10-CM |
| I7076 | Atherosclerosis of other type of bypass graft(s) of the extremities with gangrene | Diagnosis | ICD-10-CM |
| I70761 | Atherosclerosis of other type of bypass graft(s) of the extremities with gangrene, right leg | Diagnosis | ICD-10-CM |
| I70762 | Atherosclerosis of other type of bypass graft(s) of the extremities with gangrene, left leg | Diagnosis | ICD-10-CM |
| I70763 | Atherosclerosis of other type of bypass graft(s) of the extremities with gangrene, bilateral legs | Diagnosis | ICD-10-CM |
| I70768 | Atherosclerosis of other type of bypass graft(s) of the extremities with gangrene, other extremity | Diagnosis | ICD-10-CM |
| I70769 | Atherosclerosis of other type of bypass graft(s) of the extremities with gangrene, unspecified extremity | Diagnosis | ICD-10-CM |
| I7079 | Other atherosclerosis of other type of bypass graft(s) of the extremities | Diagnosis | ICD-10-CM |
| I70791 | Other atherosclerosis of other type of bypass graft(s) of the extremities, right leg | Diagnosis | ICD-10-CM |
| I70792 | Other atherosclerosis of other type of bypass graft(s) of the extremities, left leg | Diagnosis | ICD-10-CM |
| I70793 | Other atherosclerosis of other type of bypass graft(s) of the extremities, bilateral legs | Diagnosis | ICD-10-CM |
| I70798 | Other atherosclerosis of other type of bypass graft(s) of the extremities, other extremity | Diagnosis | ICD-10-CM |
| I70799 | Other atherosclerosis of other type of bypass graft(s) of the extremities, unspecified extremity | Diagnosis | ICD-10-CM |
| I708 | Atherosclerosis of other arteries | Diagnosis | ICD-10-CM |
| I709 | Other and unspecified atherosclerosis | Diagnosis | ICD-10-CM |
| I7090 | Unspecified atherosclerosis | Diagnosis | ICD-10-CM |
| I7091 | Generalized atherosclerosis | Diagnosis | ICD-10-CM |
| I7092 | Chronic total occlusion of artery of the extremities | Diagnosis | ICD-10-CM |
| I71 | Aortic aneurysm and dissection | Diagnosis | ICD-10-CM |
| I710 | Dissection of aorta | Diagnosis | ICD-10-CM |
| I7100 | Dissection of unspecified site of aorta | Diagnosis | ICD-10-CM |
| I7101 | Dissection of thoracic aorta | Diagnosis | ICD-10-CM |
| I7102 | Dissection of abdominal aorta | Diagnosis | ICD-10-CM |
| I7103 | Dissection of thoracoabdominal aorta | Diagnosis | ICD-10-CM |
| I711 | Thoracic aortic aneurysm, ruptured | Diagnosis | ICD-10-CM |
| I712 | Thoracic aortic aneurysm, without rupture | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code | |
|-------|---|-----------|-----------|
| | | Category | Code Type |
| I713 | Abdominal aortic aneurysm, ruptured | Diagnosis | ICD-10-CM |
| I714 | Abdominal aortic aneurysm, without rupture | Diagnosis | ICD-10-CM |
| I715 | Thoracoabdominal aortic aneurysm, ruptured | Diagnosis | ICD-10-CM |
| I716 | Thoracoabdominal aortic aneurysm, without rupture | Diagnosis | ICD-10-CM |
| I718 | Aortic aneurysm of unspecified site, ruptured | Diagnosis | ICD-10-CM |
| I719 | Aortic aneurysm of unspecified site, without rupture | Diagnosis | ICD-10-CM |
| I72 | Other aneurysm | Diagnosis | ICD-10-CM |
| I720 | Aneurysm of carotid artery | Diagnosis | ICD-10-CM |
| I721 | Aneurysm of artery of upper extremity | Diagnosis | ICD-10-CM |
| I722 | Aneurysm of renal artery | Diagnosis | ICD-10-CM |
| I723 | Aneurysm of iliac artery | Diagnosis | ICD-10-CM |
| I724 | Aneurysm of artery of lower extremity | Diagnosis | ICD-10-CM |
| I725 | Aneurysm of other precerebral arteries | Diagnosis | ICD-10-CM |
| I726 | Aneurysm of vertebral artery | Diagnosis | ICD-10-CM |
| I728 | Aneurysm of other specified arteries | Diagnosis | ICD-10-CM |
| I729 | Aneurysm of unspecified site | Diagnosis | ICD-10-CM |
| I73 | Other peripheral vascular diseases | Diagnosis | ICD-10-CM |
| I731 | Thromboangiitis obliterans [Buerger's disease] | Diagnosis | ICD-10-CM |
| I7389 | Other specified peripheral vascular diseases | Diagnosis | ICD-10-CM |
| I739 | Peripheral vascular disease, unspecified | Diagnosis | ICD-10-CM |
| I74 | Arterial embolism and thrombosis | Diagnosis | ICD-10-CM |
| I740 | Embolism and thrombosis of abdominal aorta | Diagnosis | ICD-10-CM |
| I7401 | Saddle embolus of abdominal aorta | Diagnosis | ICD-10-CM |
| I7409 | Other arterial embolism and thrombosis of abdominal aorta | Diagnosis | ICD-10-CM |
| I741 | Embolism and thrombosis of other and unspecified parts of aorta | Diagnosis | ICD-10-CM |
| I7410 | Embolism and thrombosis of unspecified parts of aorta | Diagnosis | ICD-10-CM |
| I7411 | Embolism and thrombosis of thoracic aorta | Diagnosis | ICD-10-CM |
| I7419 | Embolism and thrombosis of other parts of aorta | Diagnosis | ICD-10-CM |
| I742 | Embolism and thrombosis of arteries of the upper extremities | Diagnosis | ICD-10-CM |
| I743 | Embolism and thrombosis of arteries of the lower extremities | Diagnosis | ICD-10-CM |
| I744 | Embolism and thrombosis of arteries of extremities, unspecified | Diagnosis | ICD-10-CM |
| I745 | Embolism and thrombosis of iliac artery | Diagnosis | ICD-10-CM |
| I748 | Embolism and thrombosis of other arteries | Diagnosis | ICD-10-CM |
| I749 | Embolism and thrombosis of unspecified artery | Diagnosis | ICD-10-CM |
| I75 | Atheroembolism | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code | |
|--------|--|-----------|-----------|
| | | Category | Code Type |
| I750 | Atheroembolism of extremities | Diagnosis | ICD-10-CM |
| I7501 | Atheroembolism of upper extremity | Diagnosis | ICD-10-CM |
| I75011 | Atheroembolism of right upper extremity | Diagnosis | ICD-10-CM |
| I75012 | Atheroembolism of left upper extremity | Diagnosis | ICD-10-CM |
| I75013 | Atheroembolism of bilateral upper extremities | Diagnosis | ICD-10-CM |
| I75019 | Atheroembolism of unspecified upper extremity | Diagnosis | ICD-10-CM |
| I7502 | Atheroembolism of lower extremity | Diagnosis | ICD-10-CM |
| I75021 | Atheroembolism of right lower extremity | Diagnosis | ICD-10-CM |
| I75022 | Atheroembolism of left lower extremity | Diagnosis | ICD-10-CM |
| I75023 | Atheroembolism of bilateral lower extremities | Diagnosis | ICD-10-CM |
| I75029 | Atheroembolism of unspecified lower extremity | Diagnosis | ICD-10-CM |
| I758 | Atheroembolism of other sites | Diagnosis | ICD-10-CM |
| I7581 | Atheroembolism of kidney | Diagnosis | ICD-10-CM |
| I7589 | Atheroembolism of other site | Diagnosis | ICD-10-CM |
| I76 | Septic arterial embolism | Diagnosis | ICD-10-CM |
| I77 | Other disorders of arteries and arterioles | Diagnosis | ICD-10-CM |
| I770 | Arteriovenous fistula, acquired | Diagnosis | ICD-10-CM |
| I771 | Stricture of artery | Diagnosis | ICD-10-CM |
| I772 | Rupture of artery | Diagnosis | ICD-10-CM |
| I773 | Arterial fibromuscular dysplasia | Diagnosis | ICD-10-CM |
| I774 | Celiac artery compression syndrome | Diagnosis | ICD-10-CM |
| I775 | Necrosis of artery | Diagnosis | ICD-10-CM |
| I776 | Arteritis, unspecified | Diagnosis | ICD-10-CM |
| I777 | Other arterial dissection | Diagnosis | ICD-10-CM |
| I7770 | Dissection of unspecified artery | Diagnosis | ICD-10-CM |
| I7771 | Dissection of carotid artery | Diagnosis | ICD-10-CM |
| I7772 | Dissection of iliac artery | Diagnosis | ICD-10-CM |
| I7773 | Dissection of renal artery | Diagnosis | ICD-10-CM |
| I7774 | Dissection of vertebral artery | Diagnosis | ICD-10-CM |
| I7775 | Dissection of other precerebral arteries | Diagnosis | ICD-10-CM |
| I7776 | Dissection of artery of upper extremity | Diagnosis | ICD-10-CM |
| I7777 | Dissection of artery of lower extremity | Diagnosis | ICD-10-CM |
| I7779 | Dissection of other specified artery | Diagnosis | ICD-10-CM |
| I778 | Other specified disorders of arteries and arterioles | Diagnosis | ICD-10-CM |
| I7781 | Aortic ectasia | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|--|----------------------|------------------|
| I77810 | Thoracic aortic ectasia | Diagnosis | ICD-10-CM |
| I77811 | Abdominal aortic ectasia | Diagnosis | ICD-10-CM |
| I77812 | Thoracoabdominal aortic ectasia | Diagnosis | ICD-10-CM |
| I77819 | Aortic ectasia, unspecified site | Diagnosis | ICD-10-CM |
| I7789 | Other specified disorders of arteries and arterioles | Diagnosis | ICD-10-CM |
| I779 | Disorder of arteries and arterioles, unspecified | Diagnosis | ICD-10-CM |
| I78 | Diseases of capillaries | Diagnosis | ICD-10-CM |
| I780 | Hereditary hemorrhagic telangiectasia | Diagnosis | ICD-10-CM |
| I8221 | Embolism and thrombosis of superior vena cava | Diagnosis | ICD-10-CM |
| I82210 | Acute embolism and thrombosis of superior vena cava | Diagnosis | ICD-10-CM |
| I82211 | Chronic embolism and thrombosis of superior vena cava | Diagnosis | ICD-10-CM |
| I8222 | Embolism and thrombosis of inferior vena cava | Diagnosis | ICD-10-CM |
| I82220 | Acute embolism and thrombosis of inferior vena cava | Diagnosis | ICD-10-CM |
| I82221 | Chronic embolism and thrombosis of inferior vena cava | Diagnosis | ICD-10-CM |
| I8700 | Postthrombotic syndrome without complications | Diagnosis | ICD-10-CM |
| I87001 | Postthrombotic syndrome without complications of right lower extremity | Diagnosis | ICD-10-CM |
| I87002 | Postthrombotic syndrome without complications of left lower extremity | Diagnosis | ICD-10-CM |
| I87003 | Postthrombotic syndrome without complications of bilateral lower extremity | Diagnosis | ICD-10-CM |
| I87009 | Postthrombotic syndrome without complications of unspecified extremity | Diagnosis | ICD-10-CM |
| I8701 | Postthrombotic syndrome with ulcer | Diagnosis | ICD-10-CM |
| I87011 | Postthrombotic syndrome with ulcer of right lower extremity | Diagnosis | ICD-10-CM |
| I87012 | Postthrombotic syndrome with ulcer of left lower extremity | Diagnosis | ICD-10-CM |
| I87013 | Postthrombotic syndrome with ulcer of bilateral lower extremity | Diagnosis | ICD-10-CM |
| I87019 | Postthrombotic syndrome with ulcer of unspecified lower extremity | Diagnosis | ICD-10-CM |
| I8702 | Postthrombotic syndrome with inflammation | Diagnosis | ICD-10-CM |
| I87021 | Postthrombotic syndrome with inflammation of right lower extremity | Diagnosis | ICD-10-CM |
| I87022 | Postthrombotic syndrome with inflammation of left lower extremity | Diagnosis | ICD-10-CM |
| I87023 | Postthrombotic syndrome with inflammation of bilateral lower extremity | Diagnosis | ICD-10-CM |
| I87029 | Postthrombotic syndrome with inflammation of unspecified lower extremity | Diagnosis | ICD-10-CM |
| I8703 | Postthrombotic syndrome with ulcer and inflammation | Diagnosis | ICD-10-CM |
| I87031 | Postthrombotic syndrome with ulcer and inflammation of right lower extremity | Diagnosis | ICD-10-CM |
| I87032 | Postthrombotic syndrome with ulcer and inflammation of left lower extremity | Diagnosis | ICD-10-CM |
| I87033 | Postthrombotic syndrome with ulcer and inflammation of bilateral lower extremity | Diagnosis | ICD-10-CM |
| I87039 | Postthrombotic syndrome with ulcer and inflammation of unspecified lower extremity | Diagnosis | ICD-10-CM |
| I8709 | Postthrombotic syndrome with other complications | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|--|---|----------------------|------------------|
| I87091 | Postthrombotic syndrome with other complications of right lower extremity | Diagnosis | ICD-10-CM |
| I87092 | Postthrombotic syndrome with other complications of left lower extremity | Diagnosis | ICD-10-CM |
| I87093 | Postthrombotic syndrome with other complications of bilateral lower extremity | Diagnosis | ICD-10-CM |
| I87099 | Postthrombotic syndrome with other complications of unspecified lower extremity | Diagnosis | ICD-10-CM |
| Endocrine disorder: Diabetes mellitus | | | |
| E0800 | Diabetes mellitus due to underlying condition with hyperosmolarity without nonketotic hyperglycemic-hyperosmolar coma (NKHHC) | Diagnosis | ICD-10-CM |
| E0801 | Diabetes mellitus due to underlying condition with hyperosmolarity with coma | Diagnosis | ICD-10-CM |
| E0810 | Diabetes mellitus due to underlying condition with ketoacidosis without coma | Diagnosis | ICD-10-CM |
| E0811 | Diabetes mellitus due to underlying condition with ketoacidosis with coma | Diagnosis | ICD-10-CM |
| E0821 | Diabetes mellitus due to underlying condition with diabetic nephropathy | Diagnosis | ICD-10-CM |
| E0822 | Diabetes mellitus due to underlying condition with diabetic chronic kidney disease | Diagnosis | ICD-10-CM |
| E0829 | Diabetes mellitus due to underlying condition with other diabetic kidney complication | Diagnosis | ICD-10-CM |
| E08311 | Diabetes mellitus due to underlying condition with unspecified diabetic retinopathy with macular edema | Diagnosis | ICD-10-CM |
| E08319 | Diabetes mellitus due to underlying condition with unspecified diabetic retinopathy without macular edema | Diagnosis | ICD-10-CM |
| E08321 | Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema | Diagnosis | ICD-10-CM |
| E083211 | Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, right eye | Diagnosis | ICD-10-CM |
| E083212 | Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, left eye | Diagnosis | ICD-10-CM |
| E083213 | Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, bilateral | Diagnosis | ICD-10-CM |
| E083219 | Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, unspecified eye | Diagnosis | ICD-10-CM |
| E08329 | Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy without macular edema | Diagnosis | ICD-10-CM |
| E083291 | Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy without macular edema, right eye | Diagnosis | ICD-10-CM |
| E083292 | Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy without macular edema, left eye | Diagnosis | ICD-10-CM |
| E083293 | Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy without macular edema, bilateral | Diagnosis | ICD-10-CM |
| E083299 | Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy without macular edema, unspecified eye | Diagnosis | ICD-10-CM |
| E08331 | Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy with macular edema | Diagnosis | ICD-10-CM |
| E083311 | Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy with macular edema, right eye | Diagnosis | ICD-10-CM |
| E083312 | Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy with macular edema, left eye | Diagnosis | ICD-10-CM |
| E083313 | Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy with macular edema, bilateral | Diagnosis | ICD-10-CM |
| E083319 | Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy with macular edema, unspecified eye | Diagnosis | ICD-10-CM |
| E08339 | Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy without macular edema | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|--|----------------------|------------------|
| E083391 | Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy without macular edema, right eye | Diagnosis | ICD-10-CM |
| E083392 | Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy without macular edema, left eye | Diagnosis | ICD-10-CM |
| E083393 | Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy without macular edema, bilateral | Diagnosis | ICD-10-CM |
| E083399 | Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy without macular edema, unspecified eye | Diagnosis | ICD-10-CM |
| E08341 | Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy with macular edema | Diagnosis | ICD-10-CM |
| E083411 | Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy with macular edema, right eye | Diagnosis | ICD-10-CM |
| E083412 | Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy with macular edema, left eye | Diagnosis | ICD-10-CM |
| E083413 | Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy with macular edema, bilateral | Diagnosis | ICD-10-CM |
| E083419 | Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy with macular edema, unspecified eye | Diagnosis | ICD-10-CM |
| E08349 | Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy without macular edema | Diagnosis | ICD-10-CM |
| E083491 | Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy without macular edema, right eye | Diagnosis | ICD-10-CM |
| E083492 | Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy without macular edema, left eye | Diagnosis | ICD-10-CM |
| E083493 | Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy without macular edema, bilateral | Diagnosis | ICD-10-CM |
| E083499 | Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy without macular edema, unspecified eye | Diagnosis | ICD-10-CM |
| E08351 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with macular edema | Diagnosis | ICD-10-CM |
| E083511 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with macular edema, right eye | Diagnosis | ICD-10-CM |
| E083512 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with macular edema, left eye | Diagnosis | ICD-10-CM |
| E083513 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with macular edema, bilateral | Diagnosis | ICD-10-CM |
| E083519 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with macular edema, unspecified eye | Diagnosis | ICD-10-CM |
| E083521 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment involving the macula, right eye | Diagnosis | ICD-10-CM |
| E083522 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment involving the macula, left eye | Diagnosis | ICD-10-CM |
| E083523 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment involving the macula, bilateral | Diagnosis | ICD-10-CM |
| E083529 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment involving the macula, unspecified eye | Diagnosis | ICD-10-CM |
| E083531 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, right eye | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|--|----------------------|------------------|
| E083532 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, left eye | Diagnosis | ICD-10-CM |
| E083533 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, bilateral | Diagnosis | ICD-10-CM |
| E083539 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, unspecified eye | Diagnosis | ICD-10-CM |
| E083541 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, right eye | Diagnosis | ICD-10-CM |
| E083542 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, left eye | Diagnosis | ICD-10-CM |
| E083543 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, bilateral | Diagnosis | ICD-10-CM |
| E083549 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, unspecified eye | Diagnosis | ICD-10-CM |
| E083551 | Diabetes mellitus due to underlying condition with stable proliferative diabetic retinopathy, right eye | Diagnosis | ICD-10-CM |
| E083552 | Diabetes mellitus due to underlying condition with stable proliferative diabetic retinopathy, left eye | Diagnosis | ICD-10-CM |
| E083553 | Diabetes mellitus due to underlying condition with stable proliferative diabetic retinopathy, bilateral | Diagnosis | ICD-10-CM |
| E083559 | Diabetes mellitus due to underlying condition with stable proliferative diabetic retinopathy, unspecified eye | Diagnosis | ICD-10-CM |
| E08359 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy without macular edema | Diagnosis | ICD-10-CM |
| E083591 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy without macular edema, right eye | Diagnosis | ICD-10-CM |
| E083592 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy without macular edema, left eye | Diagnosis | ICD-10-CM |
| E083593 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy without macular edema, bilateral | Diagnosis | ICD-10-CM |
| E083599 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy without macular edema, unspecified eye | Diagnosis | ICD-10-CM |
| E0836 | Diabetes mellitus due to underlying condition with diabetic cataract | Diagnosis | ICD-10-CM |
| E0837X1 | Diabetes mellitus due to underlying condition with diabetic macular edema, resolved following treatment, right eye | Diagnosis | ICD-10-CM |
| E0837X2 | Diabetes mellitus due to underlying condition with diabetic macular edema, resolved following treatment, left eye | Diagnosis | ICD-10-CM |
| E0837X3 | Diabetes mellitus due to underlying condition with diabetic macular edema, resolved following treatment, bilateral | Diagnosis | ICD-10-CM |
| E0837X9 | Diabetes mellitus due to underlying condition with diabetic macular edema, resolved following treatment, unspecified eye | Diagnosis | ICD-10-CM |
| E0839 | Diabetes mellitus due to underlying condition with other diabetic ophthalmic complication | Diagnosis | ICD-10-CM |
| E0840 | Diabetes mellitus due to underlying condition with diabetic neuropathy, unspecified | Diagnosis | ICD-10-CM |
| E0841 | Diabetes mellitus due to underlying condition with diabetic mononeuropathy | Diagnosis | ICD-10-CM |
| E0842 | Diabetes mellitus due to underlying condition with diabetic polyneuropathy | Diagnosis | ICD-10-CM |
| E0843 | Diabetes mellitus due to underlying condition with diabetic autonomic (poly)neuropathy | Diagnosis | ICD-10-CM |
| E0844 | Diabetes mellitus due to underlying condition with diabetic amyotrophy | Diagnosis | ICD-10-CM |
| E0849 | Diabetes mellitus due to underlying condition with other diabetic neurological complication | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|--|----------------------|------------------|
| E0851 | Diabetes mellitus due to underlying condition with diabetic peripheral angiopathy without gangrene | Diagnosis | ICD-10-CM |
| E0852 | Diabetes mellitus due to underlying condition with diabetic peripheral angiopathy with gangrene | Diagnosis | ICD-10-CM |
| E0859 | Diabetes mellitus due to underlying condition with other circulatory complications | Diagnosis | ICD-10-CM |
| E08610 | Diabetes mellitus due to underlying condition with diabetic neuropathic arthropathy | Diagnosis | ICD-10-CM |
| E08618 | Diabetes mellitus due to underlying condition with other diabetic arthropathy | Diagnosis | ICD-10-CM |
| E08620 | Diabetes mellitus due to underlying condition with diabetic dermatitis | Diagnosis | ICD-10-CM |
| E08621 | Diabetes mellitus due to underlying condition with foot ulcer | Diagnosis | ICD-10-CM |
| E08622 | Diabetes mellitus due to underlying condition with other skin ulcer | Diagnosis | ICD-10-CM |
| E08628 | Diabetes mellitus due to underlying condition with other skin complications | Diagnosis | ICD-10-CM |
| E08630 | Diabetes mellitus due to underlying condition with periodontal disease | Diagnosis | ICD-10-CM |
| E08638 | Diabetes mellitus due to underlying condition with other oral complications | Diagnosis | ICD-10-CM |
| E08641 | Diabetes mellitus due to underlying condition with hypoglycemia with coma | Diagnosis | ICD-10-CM |
| E08649 | Diabetes mellitus due to underlying condition with hypoglycemia without coma | Diagnosis | ICD-10-CM |
| E0865 | Diabetes mellitus due to underlying condition with hyperglycemia | Diagnosis | ICD-10-CM |
| E0869 | Diabetes mellitus due to underlying condition with other specified complication | Diagnosis | ICD-10-CM |
| E088 | Diabetes mellitus due to underlying condition with unspecified complications | Diagnosis | ICD-10-CM |
| E089 | Diabetes mellitus due to underlying condition without complications | Diagnosis | ICD-10-CM |
| E0900 | Drug or chemical induced diabetes mellitus with hyperosmolarity without nonketotic hyperglycemic-hyperosmolar coma (NKHHC) | Diagnosis | ICD-10-CM |
| E0901 | Drug or chemical induced diabetes mellitus with hyperosmolarity with coma | Diagnosis | ICD-10-CM |
| E0910 | Drug or chemical induced diabetes mellitus with ketoacidosis without coma | Diagnosis | ICD-10-CM |
| E0911 | Drug or chemical induced diabetes mellitus with ketoacidosis with coma | Diagnosis | ICD-10-CM |
| E0921 | Drug or chemical induced diabetes mellitus with diabetic nephropathy | Diagnosis | ICD-10-CM |
| E0922 | Drug or chemical induced diabetes mellitus with diabetic chronic kidney disease | Diagnosis | ICD-10-CM |
| E0929 | Drug or chemical induced diabetes mellitus with other diabetic kidney complication | Diagnosis | ICD-10-CM |
| E09311 | Drug or chemical induced diabetes mellitus with unspecified diabetic retinopathy with macular edema | Diagnosis | ICD-10-CM |
| E09319 | Drug or chemical induced diabetes mellitus with unspecified diabetic retinopathy without macular edema | Diagnosis | ICD-10-CM |
| E09321 | Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema | Diagnosis | ICD-10-CM |
| E093211 | Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, right eye | Diagnosis | ICD-10-CM |
| E093212 | Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, left eye | Diagnosis | ICD-10-CM |
| E093213 | Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, bilateral | Diagnosis | ICD-10-CM |
| E093219 | Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, unspecified eye | Diagnosis | ICD-10-CM |
| E09329 | Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema | Diagnosis | ICD-10-CM |
| E093291 | Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, right eye | Diagnosis | ICD-10-CM |
| E093292 | Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, left eye | Diagnosis | ICD-10-CM |
| E093293 | Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, bilateral | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|---|----------------------|------------------|
| E093299 | Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, unspecified eye | Diagnosis | ICD-10-CM |
| E09331 | Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema | Diagnosis | ICD-10-CM |
| E093311 | Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, right eye | Diagnosis | ICD-10-CM |
| E093312 | Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, left eye | Diagnosis | ICD-10-CM |
| E093313 | Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, bilateral | Diagnosis | ICD-10-CM |
| E093319 | Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, unspecified eye | Diagnosis | ICD-10-CM |
| E09339 | Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema | Diagnosis | ICD-10-CM |
| E093391 | Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, right eye | Diagnosis | ICD-10-CM |
| E093392 | Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, left eye | Diagnosis | ICD-10-CM |
| E093393 | Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, bilateral | Diagnosis | ICD-10-CM |
| E093399 | Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, unspecified eye | Diagnosis | ICD-10-CM |
| E09341 | Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema | Diagnosis | ICD-10-CM |
| E093411 | Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, right eye | Diagnosis | ICD-10-CM |
| E093412 | Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, left eye | Diagnosis | ICD-10-CM |
| E093413 | Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, bilateral | Diagnosis | ICD-10-CM |
| E093419 | Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, unspecified eye | Diagnosis | ICD-10-CM |
| E09349 | Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema | Diagnosis | ICD-10-CM |
| E093491 | Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, right eye | Diagnosis | ICD-10-CM |
| E093492 | Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, left eye | Diagnosis | ICD-10-CM |
| E093493 | Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, bilateral | Diagnosis | ICD-10-CM |
| E093499 | Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, unspecified eye | Diagnosis | ICD-10-CM |
| E09351 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with macular edema | Diagnosis | ICD-10-CM |
| E093511 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with macular edema, right eye | Diagnosis | ICD-10-CM |
| E093512 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with macular edema, left eye | Diagnosis | ICD-10-CM |
| E093513 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with macular edema, bilateral | Diagnosis | ICD-10-CM |
| E093519 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with macular edema, unspecified eye | Diagnosis | ICD-10-CM |
| E093521 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, right eye | Diagnosis | ICD-10-CM |
| E093522 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, left eye | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|---|----------------------|------------------|
| E093523 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, bilateral | Diagnosis | ICD-10-CM |
| E093529 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, unspecified eye | Diagnosis | ICD-10-CM |
| E093531 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, right eye | Diagnosis | ICD-10-CM |
| E093532 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, left eye | Diagnosis | ICD-10-CM |
| E093533 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, bilateral | Diagnosis | ICD-10-CM |
| E093539 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, unspecified eye | Diagnosis | ICD-10-CM |
| E093541 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, right eye | Diagnosis | ICD-10-CM |
| E093542 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, left eye | Diagnosis | ICD-10-CM |
| E093543 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, bilateral | Diagnosis | ICD-10-CM |
| E093549 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, unspecified eye | Diagnosis | ICD-10-CM |
| E093551 | Drug or chemical induced diabetes mellitus with stable proliferative diabetic retinopathy, right eye | Diagnosis | ICD-10-CM |
| E093552 | Drug or chemical induced diabetes mellitus with stable proliferative diabetic retinopathy, left eye | Diagnosis | ICD-10-CM |
| E093553 | Drug or chemical induced diabetes mellitus with stable proliferative diabetic retinopathy, bilateral | Diagnosis | ICD-10-CM |
| E093559 | Drug or chemical induced diabetes mellitus with stable proliferative diabetic retinopathy, unspecified eye | Diagnosis | ICD-10-CM |
| E09359 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy without macular edema | Diagnosis | ICD-10-CM |
| E093591 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy without macular edema, right eye | Diagnosis | ICD-10-CM |
| E093592 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy without macular edema, left eye | Diagnosis | ICD-10-CM |
| E093593 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy without macular edema, bilateral | Diagnosis | ICD-10-CM |
| E093599 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy without macular edema, unspecified eye | Diagnosis | ICD-10-CM |
| E0936 | Drug or chemical induced diabetes mellitus with diabetic cataract | Diagnosis | ICD-10-CM |
| E0937X1 | Drug or chemical induced diabetes mellitus with diabetic macular edema, resolved following treatment, right eye | Diagnosis | ICD-10-CM |
| E0937X2 | Drug or chemical induced diabetes mellitus with diabetic macular edema, resolved following treatment, left eye | Diagnosis | ICD-10-CM |
| E0937X3 | Drug or chemical induced diabetes mellitus with diabetic macular edema, resolved following treatment, bilateral | Diagnosis | ICD-10-CM |
| E0937X9 | Drug or chemical induced diabetes mellitus with diabetic macular edema, resolved following treatment, unspecified eye | Diagnosis | ICD-10-CM |
| E0939 | Drug or chemical induced diabetes mellitus with other diabetic ophthalmic complication | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|--|----------------------|------------------|
| E0940 | Drug or chemical induced diabetes mellitus with neurological complications with diabetic neuropathy, unspecified | Diagnosis | ICD-10-CM |
| E0941 | Drug or chemical induced diabetes mellitus with neurological complications with diabetic mononeuropathy | Diagnosis | ICD-10-CM |
| E0942 | Drug or chemical induced diabetes mellitus with neurological complications with diabetic polyneuropathy | Diagnosis | ICD-10-CM |
| E0943 | Drug or chemical induced diabetes mellitus with neurological complications with diabetic autonomic (poly)neuropathy | Diagnosis | ICD-10-CM |
| E0944 | Drug or chemical induced diabetes mellitus with neurological complications with diabetic amyotrophy | Diagnosis | ICD-10-CM |
| E0949 | Drug or chemical induced diabetes mellitus with neurological complications with other diabetic neurological complication | Diagnosis | ICD-10-CM |
| E0951 | Drug or chemical induced diabetes mellitus with diabetic peripheral angiopathy without gangrene | Diagnosis | ICD-10-CM |
| E0952 | Drug or chemical induced diabetes mellitus with diabetic peripheral angiopathy with gangrene | Diagnosis | ICD-10-CM |
| E0959 | Drug or chemical induced diabetes mellitus with other circulatory complications | Diagnosis | ICD-10-CM |
| E09610 | Drug or chemical induced diabetes mellitus with diabetic neuropathic arthropathy | Diagnosis | ICD-10-CM |
| E09618 | Drug or chemical induced diabetes mellitus with other diabetic arthropathy | Diagnosis | ICD-10-CM |
| E09620 | Drug or chemical induced diabetes mellitus with diabetic dermatitis | Diagnosis | ICD-10-CM |
| E09621 | Drug or chemical induced diabetes mellitus with foot ulcer | Diagnosis | ICD-10-CM |
| E09622 | Drug or chemical induced diabetes mellitus with other skin ulcer | Diagnosis | ICD-10-CM |
| E09628 | Drug or chemical induced diabetes mellitus with other skin complications | Diagnosis | ICD-10-CM |
| E09630 | Drug or chemical induced diabetes mellitus with periodontal disease | Diagnosis | ICD-10-CM |
| E09638 | Drug or chemical induced diabetes mellitus with other oral complications | Diagnosis | ICD-10-CM |
| E09641 | Drug or chemical induced diabetes mellitus with hypoglycemia with coma | Diagnosis | ICD-10-CM |
| E09649 | Drug or chemical induced diabetes mellitus with hypoglycemia without coma | Diagnosis | ICD-10-CM |
| E0965 | Drug or chemical induced diabetes mellitus with hyperglycemia | Diagnosis | ICD-10-CM |
| E0969 | Drug or chemical induced diabetes mellitus with other specified complication | Diagnosis | ICD-10-CM |
| E098 | Drug or chemical induced diabetes mellitus with unspecified complications | Diagnosis | ICD-10-CM |
| E099 | Drug or chemical induced diabetes mellitus without complications | Diagnosis | ICD-10-CM |
| E1010 | Type 1 diabetes mellitus with ketoacidosis without coma | Diagnosis | ICD-10-CM |
| E1011 | Type 1 diabetes mellitus with ketoacidosis with coma | Diagnosis | ICD-10-CM |
| E1021 | Type 1 diabetes mellitus with diabetic nephropathy | Diagnosis | ICD-10-CM |
| E1022 | Type 1 diabetes mellitus with diabetic chronic kidney disease | Diagnosis | ICD-10-CM |
| E1029 | Type 1 diabetes mellitus with other diabetic kidney complication | Diagnosis | ICD-10-CM |
| E10311 | Type 1 diabetes mellitus with unspecified diabetic retinopathy with macular edema | Diagnosis | ICD-10-CM |
| E10319 | Type 1 diabetes mellitus with unspecified diabetic retinopathy without macular edema | Diagnosis | ICD-10-CM |
| E10321 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema | Diagnosis | ICD-10-CM |
| E103211 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, right eye | Diagnosis | ICD-10-CM |
| E103212 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, left eye | Diagnosis | ICD-10-CM |
| E103213 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, bilateral | Diagnosis | ICD-10-CM |
| E103219 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, unspecified eye | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|---|----------------------|------------------|
| E10329 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema | Diagnosis | ICD-10-CM |
| E103291 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, right eye | Diagnosis | ICD-10-CM |
| E103292 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, left eye | Diagnosis | ICD-10-CM |
| E103293 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, bilateral | Diagnosis | ICD-10-CM |
| E103299 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, unspecified eye | Diagnosis | ICD-10-CM |
| E10331 | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema | Diagnosis | ICD-10-CM |
| E103311 | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, right eye | Diagnosis | ICD-10-CM |
| E103312 | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, left eye | Diagnosis | ICD-10-CM |
| E103313 | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, bilateral | Diagnosis | ICD-10-CM |
| E103319 | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, unspecified eye | Diagnosis | ICD-10-CM |
| E10339 | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema | Diagnosis | ICD-10-CM |
| E103391 | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, right eye | Diagnosis | ICD-10-CM |
| E103392 | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, left eye | Diagnosis | ICD-10-CM |
| E103393 | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, bilateral | Diagnosis | ICD-10-CM |
| E103399 | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, unspecified eye | Diagnosis | ICD-10-CM |
| E10341 | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema | Diagnosis | ICD-10-CM |
| E103411 | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, right eye | Diagnosis | ICD-10-CM |
| E103412 | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, left eye | Diagnosis | ICD-10-CM |
| E103413 | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, bilateral | Diagnosis | ICD-10-CM |
| E103419 | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, unspecified eye | Diagnosis | ICD-10-CM |
| E10349 | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema | Diagnosis | ICD-10-CM |
| E103491 | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, right eye | Diagnosis | ICD-10-CM |
| E103492 | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, left eye | Diagnosis | ICD-10-CM |
| E103493 | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, bilateral | Diagnosis | ICD-10-CM |
| E103499 | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, unspecified eye | Diagnosis | ICD-10-CM |
| E10351 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with macular edema | Diagnosis | ICD-10-CM |
| E103511 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with macular edema, right eye | Diagnosis | ICD-10-CM |
| E103512 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with macular edema, left eye | Diagnosis | ICD-10-CM |
| E103513 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with macular edema, bilateral | Diagnosis | ICD-10-CM |
| E103519 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with macular edema, unspecified eye | Diagnosis | ICD-10-CM |
| E10359 | Type 1 diabetes mellitus with proliferative diabetic retinopathy without macular edema | Diagnosis | ICD-10-CM |
| E1036 | Type 1 diabetes mellitus with diabetic cataract | Diagnosis | ICD-10-CM |
| E1037X1 | Type 1 diabetes mellitus with diabetic macular edema, resolved following treatment, right eye | Diagnosis | ICD-10-CM |
| E1037X2 | Type 1 diabetes mellitus with diabetic macular edema, resolved following treatment, left eye | Diagnosis | ICD-10-CM |
| E1037X3 | Type 1 diabetes mellitus with diabetic macular edema, resolved following treatment, bilateral | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|--|----------------------|------------------|
| E1037X9 | Type 1 diabetes mellitus with diabetic macular edema, resolved following treatment, unspecified eye | Diagnosis | ICD-10-CM |
| E1039 | Type 1 diabetes mellitus with other diabetic ophthalmic complication | Diagnosis | ICD-10-CM |
| E1040 | Type 1 diabetes mellitus with diabetic neuropathy, unspecified | Diagnosis | ICD-10-CM |
| E1041 | Type 1 diabetes mellitus with diabetic mononeuropathy | Diagnosis | ICD-10-CM |
| E1042 | Type 1 diabetes mellitus with diabetic polyneuropathy | Diagnosis | ICD-10-CM |
| E1043 | Type 1 diabetes mellitus with diabetic autonomic (poly)neuropathy | Diagnosis | ICD-10-CM |
| E1044 | Type 1 diabetes mellitus with diabetic amyotrophy | Diagnosis | ICD-10-CM |
| E1049 | Type 1 diabetes mellitus with other diabetic neurological complication | Diagnosis | ICD-10-CM |
| E1051 | Type 1 diabetes mellitus with diabetic peripheral angiopathy without gangrene | Diagnosis | ICD-10-CM |
| E1052 | Type 1 diabetes mellitus with diabetic peripheral angiopathy with gangrene | Diagnosis | ICD-10-CM |
| E1059 | Type 1 diabetes mellitus with other circulatory complications | Diagnosis | ICD-10-CM |
| E10610 | Type 1 diabetes mellitus with diabetic neuropathic arthropathy | Diagnosis | ICD-10-CM |
| E10618 | Type 1 diabetes mellitus with other diabetic arthropathy | Diagnosis | ICD-10-CM |
| E10620 | Type 1 diabetes mellitus with diabetic dermatitis | Diagnosis | ICD-10-CM |
| E10621 | Type 1 diabetes mellitus with foot ulcer | Diagnosis | ICD-10-CM |
| E10622 | Type 1 diabetes mellitus with other skin ulcer | Diagnosis | ICD-10-CM |
| E10628 | Type 1 diabetes mellitus with other skin complications | Diagnosis | ICD-10-CM |
| E10630 | Type 1 diabetes mellitus with periodontal disease | Diagnosis | ICD-10-CM |
| E10638 | Type 1 diabetes mellitus with other oral complications | Diagnosis | ICD-10-CM |
| E10641 | Type 1 diabetes mellitus with hypoglycemia with coma | Diagnosis | ICD-10-CM |
| E10649 | Type 1 diabetes mellitus with hypoglycemia without coma | Diagnosis | ICD-10-CM |
| E1065 | Type 1 diabetes mellitus with hyperglycemia | Diagnosis | ICD-10-CM |
| E1069 | Type 1 diabetes mellitus with other specified complication | Diagnosis | ICD-10-CM |
| E108 | Type 1 diabetes mellitus with unspecified complications | Diagnosis | ICD-10-CM |
| E109 | Type 1 diabetes mellitus without complications | Diagnosis | ICD-10-CM |
| E1100 | Type 2 diabetes mellitus with hyperosmolarity without nonketotic hyperglycemic-hyperosmolar coma (NKHHC) | Diagnosis | ICD-10-CM |
| E1101 | Type 2 diabetes mellitus with hyperosmolarity with coma | Diagnosis | ICD-10-CM |
| E1110 | Type 2 diabetes mellitus with ketoacidosis without coma | Diagnosis | ICD-10-CM |
| E1111 | Type 2 diabetes mellitus with ketoacidosis with coma | Diagnosis | ICD-10-CM |
| E1121 | Type 2 diabetes mellitus with diabetic nephropathy | Diagnosis | ICD-10-CM |
| E1122 | Type 2 diabetes mellitus with diabetic chronic kidney disease | Diagnosis | ICD-10-CM |
| E1129 | Type 2 diabetes mellitus with other diabetic kidney complication | Diagnosis | ICD-10-CM |
| E11311 | Type 2 diabetes mellitus with unspecified diabetic retinopathy with macular edema | Diagnosis | ICD-10-CM |
| E11319 | Type 2 diabetes mellitus with unspecified diabetic retinopathy without macular edema | Diagnosis | ICD-10-CM |
| E11321 | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|---|----------------------|------------------|
| E113211 | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, right eye | Diagnosis | ICD-10-CM |
| E113212 | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, left eye | Diagnosis | ICD-10-CM |
| E113213 | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, bilateral | Diagnosis | ICD-10-CM |
| E113219 | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, unspecified eye | Diagnosis | ICD-10-CM |
| E11329 | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema | Diagnosis | ICD-10-CM |
| E113291 | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, right eye | Diagnosis | ICD-10-CM |
| E113292 | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, left eye | Diagnosis | ICD-10-CM |
| E113293 | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, bilateral | Diagnosis | ICD-10-CM |
| E113299 | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, unspecified eye | Diagnosis | ICD-10-CM |
| E11331 | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema | Diagnosis | ICD-10-CM |
| E113311 | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, right eye | Diagnosis | ICD-10-CM |
| E113312 | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, left eye | Diagnosis | ICD-10-CM |
| E113313 | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, bilateral | Diagnosis | ICD-10-CM |
| E113319 | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, unspecified eye | Diagnosis | ICD-10-CM |
| E11339 | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema | Diagnosis | ICD-10-CM |
| E113391 | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, right eye | Diagnosis | ICD-10-CM |
| E113392 | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, left eye | Diagnosis | ICD-10-CM |
| E113393 | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, bilateral | Diagnosis | ICD-10-CM |
| E113399 | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, unspecified eye | Diagnosis | ICD-10-CM |
| E11341 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema | Diagnosis | ICD-10-CM |
| E113411 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, right eye | Diagnosis | ICD-10-CM |
| E113412 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, left eye | Diagnosis | ICD-10-CM |
| E113413 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, bilateral | Diagnosis | ICD-10-CM |
| E113419 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, unspecified eye | Diagnosis | ICD-10-CM |
| E11349 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema | Diagnosis | ICD-10-CM |
| E113491 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, right eye | Diagnosis | ICD-10-CM |
| E113492 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, left eye | Diagnosis | ICD-10-CM |
| E113493 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, bilateral | Diagnosis | ICD-10-CM |
| E113499 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, unspecified eye | Diagnosis | ICD-10-CM |
| E11351 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema | Diagnosis | ICD-10-CM |
| E113511 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema, right eye | Diagnosis | ICD-10-CM |
| E113512 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema, left eye | Diagnosis | ICD-10-CM |
| E113513 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema, bilateral | Diagnosis | ICD-10-CM |
| E113519 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema, unspecified eye | Diagnosis | ICD-10-CM |
| E113521 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, right eye | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code | |
|---------|---|-----------|-----------|
| | | Category | Code Type |
| E113522 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, left eye | Diagnosis | ICD-10-CM |
| E113523 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, bilateral | Diagnosis | ICD-10-CM |
| E113529 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, unspecified eye | Diagnosis | ICD-10-CM |
| E113531 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, right eye | Diagnosis | ICD-10-CM |
| E113532 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, left eye | Diagnosis | ICD-10-CM |
| E113533 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, bilateral | Diagnosis | ICD-10-CM |
| E113539 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, unspecified eye | Diagnosis | ICD-10-CM |
| E113541 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, right eye | Diagnosis | ICD-10-CM |
| E113542 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, left eye | Diagnosis | ICD-10-CM |
| E113543 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, bilateral | Diagnosis | ICD-10-CM |
| E113549 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, unspecified eye | Diagnosis | ICD-10-CM |
| E113551 | Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, right eye | Diagnosis | ICD-10-CM |
| E113552 | Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, left eye | Diagnosis | ICD-10-CM |
| E113553 | Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, bilateral | Diagnosis | ICD-10-CM |
| E113559 | Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, unspecified eye | Diagnosis | ICD-10-CM |
| E11359 | Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema | Diagnosis | ICD-10-CM |
| E113591 | Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, right eye | Diagnosis | ICD-10-CM |
| E113592 | Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, left eye | Diagnosis | ICD-10-CM |
| E113593 | Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, bilateral | Diagnosis | ICD-10-CM |
| E113599 | Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, unspecified eye | Diagnosis | ICD-10-CM |
| E1136 | Type 2 diabetes mellitus with diabetic cataract | Diagnosis | ICD-10-CM |
| E1137X1 | Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment, right eye | Diagnosis | ICD-10-CM |
| E1137X2 | Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment, left eye | Diagnosis | ICD-10-CM |
| E1137X3 | Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment, bilateral | Diagnosis | ICD-10-CM |
| E1137X9 | Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment, unspecified eye | Diagnosis | ICD-10-CM |
| E1139 | Type 2 diabetes mellitus with other diabetic ophthalmic complication | Diagnosis | ICD-10-CM |
| E1140 | Type 2 diabetes mellitus with diabetic neuropathy, unspecified | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|---|----------------------|------------------|
| E1141 | Type 2 diabetes mellitus with diabetic mononeuropathy | Diagnosis | ICD-10-CM |
| E1142 | Type 2 diabetes mellitus with diabetic polyneuropathy | Diagnosis | ICD-10-CM |
| E1143 | Type 2 diabetes mellitus with diabetic autonomic (poly)neuropathy | Diagnosis | ICD-10-CM |
| E1144 | Type 2 diabetes mellitus with diabetic amyotrophy | Diagnosis | ICD-10-CM |
| E1149 | Type 2 diabetes mellitus with other diabetic neurological complication | Diagnosis | ICD-10-CM |
| E1151 | Type 2 diabetes mellitus with diabetic peripheral angiopathy without gangrene | Diagnosis | ICD-10-CM |
| E1152 | Type 2 diabetes mellitus with diabetic peripheral angiopathy with gangrene | Diagnosis | ICD-10-CM |
| E1159 | Type 2 diabetes mellitus with other circulatory complications | Diagnosis | ICD-10-CM |
| E11610 | Type 2 diabetes mellitus with diabetic neuropathic arthropathy | Diagnosis | ICD-10-CM |
| E11618 | Type 2 diabetes mellitus with other diabetic arthropathy | Diagnosis | ICD-10-CM |
| E11620 | Type 2 diabetes mellitus with diabetic dermatitis | Diagnosis | ICD-10-CM |
| E11621 | Type 2 diabetes mellitus with foot ulcer | Diagnosis | ICD-10-CM |
| E11622 | Type 2 diabetes mellitus with other skin ulcer | Diagnosis | ICD-10-CM |
| E11628 | Type 2 diabetes mellitus with other skin complications | Diagnosis | ICD-10-CM |
| E11630 | Type 2 diabetes mellitus with periodontal disease | Diagnosis | ICD-10-CM |
| E11638 | Type 2 diabetes mellitus with other oral complications | Diagnosis | ICD-10-CM |
| E11641 | Type 2 diabetes mellitus with hypoglycemia with coma | Diagnosis | ICD-10-CM |
| E11649 | Type 2 diabetes mellitus with hypoglycemia without coma | Diagnosis | ICD-10-CM |
| E1165 | Type 2 diabetes mellitus with hyperglycemia | Diagnosis | ICD-10-CM |
| E1169 | Type 2 diabetes mellitus with other specified complication | Diagnosis | ICD-10-CM |
| E118 | Type 2 diabetes mellitus with unspecified complications | Diagnosis | ICD-10-CM |
| E119 | Type 2 diabetes mellitus without complications | Diagnosis | ICD-10-CM |
| E1300 | Other specified diabetes mellitus with hyperosmolarity without nonketotic hyperglycemic-hyperosmolar coma (NKHHC) | Diagnosis | ICD-10-CM |
| E1301 | Other specified diabetes mellitus with hyperosmolarity with coma | Diagnosis | ICD-10-CM |
| E1310 | Other specified diabetes mellitus with ketoacidosis without coma | Diagnosis | ICD-10-CM |
| E1311 | Other specified diabetes mellitus with ketoacidosis with coma | Diagnosis | ICD-10-CM |
| E1321 | Other specified diabetes mellitus with diabetic nephropathy | Diagnosis | ICD-10-CM |
| E1322 | Other specified diabetes mellitus with diabetic chronic kidney disease | Diagnosis | ICD-10-CM |
| E1329 | Other specified diabetes mellitus with other diabetic kidney complication | Diagnosis | ICD-10-CM |
| E13311 | Other specified diabetes mellitus with unspecified diabetic retinopathy with macular edema | Diagnosis | ICD-10-CM |
| E13319 | Other specified diabetes mellitus with unspecified diabetic retinopathy without macular edema | Diagnosis | ICD-10-CM |
| E13321 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema | Diagnosis | ICD-10-CM |
| E133211 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, right eye | Diagnosis | ICD-10-CM |
| E133212 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, left eye | Diagnosis | ICD-10-CM |
| E133213 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, bilateral | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|--|----------------------|------------------|
| E133219 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, unspecified eye | Diagnosis | ICD-10-CM |
| E13329 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema | Diagnosis | ICD-10-CM |
| E133291 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, right eye | Diagnosis | ICD-10-CM |
| E133292 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, left eye | Diagnosis | ICD-10-CM |
| E133293 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, bilateral | Diagnosis | ICD-10-CM |
| E133299 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, unspecified eye | Diagnosis | ICD-10-CM |
| E13331 | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema | Diagnosis | ICD-10-CM |
| E133311 | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, right eye | Diagnosis | ICD-10-CM |
| E133312 | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, left eye | Diagnosis | ICD-10-CM |
| E133313 | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, bilateral | Diagnosis | ICD-10-CM |
| E133319 | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, unspecified eye | Diagnosis | ICD-10-CM |
| E13339 | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema | Diagnosis | ICD-10-CM |
| E133391 | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, right eye | Diagnosis | ICD-10-CM |
| E133392 | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, left eye | Diagnosis | ICD-10-CM |
| E133393 | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, bilateral | Diagnosis | ICD-10-CM |
| E133399 | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, unspecified eye | Diagnosis | ICD-10-CM |
| E13341 | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema | Diagnosis | ICD-10-CM |
| E133411 | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, right eye | Diagnosis | ICD-10-CM |
| E133412 | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, left eye | Diagnosis | ICD-10-CM |
| E133413 | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, bilateral | Diagnosis | ICD-10-CM |
| E133419 | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, unspecified eye | Diagnosis | ICD-10-CM |
| E13349 | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema | Diagnosis | ICD-10-CM |
| E133491 | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, right eye | Diagnosis | ICD-10-CM |
| E133492 | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, left eye | Diagnosis | ICD-10-CM |
| E133493 | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, bilateral | Diagnosis | ICD-10-CM |
| E133499 | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, unspecified eye | Diagnosis | ICD-10-CM |
| E13351 | Other specified diabetes mellitus with proliferative diabetic retinopathy with macular edema | Diagnosis | ICD-10-CM |
| E133511 | Other specified diabetes mellitus with proliferative diabetic retinopathy with macular edema, right eye | Diagnosis | ICD-10-CM |
| E133512 | Other specified diabetes mellitus with proliferative diabetic retinopathy with macular edema, left eye | Diagnosis | ICD-10-CM |
| E133513 | Other specified diabetes mellitus with proliferative diabetic retinopathy with macular edema, bilateral | Diagnosis | ICD-10-CM |
| E133519 | Other specified diabetes mellitus with proliferative diabetic retinopathy with macular edema, unspecified eye | Diagnosis | ICD-10-CM |
| E133521 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, right eye | Diagnosis | ICD-10-CM |
| E133522 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, left eye | Diagnosis | ICD-10-CM |
| E133523 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, bilateral | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code | |
|---------|--|-----------|-----------|
| | | Category | Code Type |
| E133529 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, unspecified eye | Diagnosis | ICD-10-CM |
| E133531 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, right eye | Diagnosis | ICD-10-CM |
| E133532 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, left eye | Diagnosis | ICD-10-CM |
| E133533 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, bilateral | Diagnosis | ICD-10-CM |
| E133539 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, unspecified eye | Diagnosis | ICD-10-CM |
| E133541 | Other specified diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, right eye | Diagnosis | ICD-10-CM |
| E133542 | Other specified diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, left eye | Diagnosis | ICD-10-CM |
| E133543 | Other specified diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, bilateral | Diagnosis | ICD-10-CM |
| E133549 | Other specified diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, unspecified eye | Diagnosis | ICD-10-CM |
| E133551 | Other specified diabetes mellitus with stable proliferative diabetic retinopathy, right eye | Diagnosis | ICD-10-CM |
| E133552 | Other specified diabetes mellitus with stable proliferative diabetic retinopathy, left eye | Diagnosis | ICD-10-CM |
| E133553 | Other specified diabetes mellitus with stable proliferative diabetic retinopathy, bilateral | Diagnosis | ICD-10-CM |
| E133559 | Other specified diabetes mellitus with stable proliferative diabetic retinopathy, unspecified eye | Diagnosis | ICD-10-CM |
| E13359 | Other specified diabetes mellitus with proliferative diabetic retinopathy without macular edema | Diagnosis | ICD-10-CM |
| E1336 | Other specified diabetes mellitus with diabetic cataract | Diagnosis | ICD-10-CM |
| E1339 | Other specified diabetes mellitus with other diabetic ophthalmic complication | Diagnosis | ICD-10-CM |
| E1340 | Other specified diabetes mellitus with diabetic neuropathy, unspecified | Diagnosis | ICD-10-CM |
| E1341 | Other specified diabetes mellitus with diabetic mononeuropathy | Diagnosis | ICD-10-CM |
| E1342 | Other specified diabetes mellitus with diabetic polyneuropathy | Diagnosis | ICD-10-CM |
| E1343 | Other specified diabetes mellitus with diabetic autonomic (poly)neuropathy | Diagnosis | ICD-10-CM |
| E1344 | Other specified diabetes mellitus with diabetic amyotrophy | Diagnosis | ICD-10-CM |
| E1349 | Other specified diabetes mellitus with other diabetic neurological complication | Diagnosis | ICD-10-CM |
| E1351 | Other specified diabetes mellitus with diabetic peripheral angiopathy without gangrene | Diagnosis | ICD-10-CM |
| E1352 | Other specified diabetes mellitus with diabetic peripheral angiopathy with gangrene | Diagnosis | ICD-10-CM |
| E1359 | Other specified diabetes mellitus with other circulatory complications | Diagnosis | ICD-10-CM |
| E13610 | Other specified diabetes mellitus with diabetic neuropathic arthropathy | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|---|----------------------|------------------|
| E13618 | Other specified diabetes mellitus with other diabetic arthropathy | Diagnosis | ICD-10-CM |
| E13620 | Other specified diabetes mellitus with diabetic dermatitis | Diagnosis | ICD-10-CM |
| E13621 | Other specified diabetes mellitus with foot ulcer | Diagnosis | ICD-10-CM |
| E13622 | Other specified diabetes mellitus with other skin ulcer | Diagnosis | ICD-10-CM |
| E13628 | Other specified diabetes mellitus with other skin complications | Diagnosis | ICD-10-CM |
| E13630 | Other specified diabetes mellitus with periodontal disease | Diagnosis | ICD-10-CM |
| E13638 | Other specified diabetes mellitus with other oral complications | Diagnosis | ICD-10-CM |
| E13641 | Other specified diabetes mellitus with hypoglycemia with coma | Diagnosis | ICD-10-CM |
| E13649 | Other specified diabetes mellitus with hypoglycemia without coma | Diagnosis | ICD-10-CM |
| E1365 | Other specified diabetes mellitus with hyperglycemia | Diagnosis | ICD-10-CM |
| E1369 | Other specified diabetes mellitus with other specified complication | Diagnosis | ICD-10-CM |
| E138 | Other specified diabetes mellitus with unspecified complications | Diagnosis | ICD-10-CM |
| E139 | Other specified diabetes mellitus without complications | Diagnosis | ICD-10-CM |
| E080 | Diabetes mellitus due to underlying condition with hyperosmolarity | Diagnosis | ICD-10-CM |
| E081 | Diabetes mellitus due to underlying condition with ketoacidosis | Diagnosis | ICD-10-CM |
| E082 | Diabetes mellitus due to underlying condition with kidney complications | Diagnosis | ICD-10-CM |
| E083 | Diabetes mellitus due to underlying condition with ophthalmic complications | Diagnosis | ICD-10-CM |
| E0831 | Diabetes mellitus due to underlying condition with unspecified diabetic retinopathy | Diagnosis | ICD-10-CM |
| E0832 | Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy | Diagnosis | ICD-10-CM |
| E0833 | Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy | Diagnosis | ICD-10-CM |
| E0834 | Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy | Diagnosis | ICD-10-CM |
| E0835 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy | Diagnosis | ICD-10-CM |
| E08352 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment involving the macula | Diagnosis | ICD-10-CM |
| E08353 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment not involving the macula | Diagnosis | ICD-10-CM |
| E08354 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment | Diagnosis | ICD-10-CM |
| E08355 | Diabetes mellitus due to underlying condition with stable proliferative diabetic retinopathy | Diagnosis | ICD-10-CM |
| E0837 | Diabetes mellitus due to underlying condition with diabetic macular edema, resolved following treatment | Diagnosis | ICD-10-CM |
| E084 | Diabetes mellitus due to underlying condition with neurological complications | Diagnosis | ICD-10-CM |
| E085 | Diabetes mellitus due to underlying condition with circulatory complications | Diagnosis | ICD-10-CM |
| E086 | Diabetes mellitus due to underlying condition with other specified complications | Diagnosis | ICD-10-CM |
| E0861 | Diabetes mellitus due to underlying condition with diabetic arthropathy | Diagnosis | ICD-10-CM |
| E0862 | Diabetes mellitus due to underlying condition with skin complications | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|--|----------------------|------------------|
| E0863 | Diabetes mellitus due to underlying condition with oral complications | Diagnosis | ICD-10-CM |
| E0864 | Diabetes mellitus due to underlying condition with hypoglycemia | Diagnosis | ICD-10-CM |
| E090 | Drug or chemical induced diabetes mellitus with hyperosmolarity | Diagnosis | ICD-10-CM |
| E091 | Drug or chemical induced diabetes mellitus with ketoacidosis | Diagnosis | ICD-10-CM |
| E092 | Drug or chemical induced diabetes mellitus with kidney complications | Diagnosis | ICD-10-CM |
| E093 | Drug or chemical induced diabetes mellitus with ophthalmic complications | Diagnosis | ICD-10-CM |
| E0931 | Drug or chemical induced diabetes mellitus with unspecified diabetic retinopathy | Diagnosis | ICD-10-CM |
| E0932 | Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy | Diagnosis | ICD-10-CM |
| E0933 | Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy | Diagnosis | ICD-10-CM |
| E0934 | Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy | Diagnosis | ICD-10-CM |
| E0935 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy | Diagnosis | ICD-10-CM |
| E09352 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula | Diagnosis | ICD-10-CM |
| E09353 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula | Diagnosis | ICD-10-CM |
| E09354 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment | Diagnosis | ICD-10-CM |
| E09355 | Drug or chemical induced diabetes mellitus with stable proliferative diabetic retinopathy | Diagnosis | ICD-10-CM |
| E0937 | Drug or chemical induced diabetes mellitus with diabetic macular edema, resolved following treatment | Diagnosis | ICD-10-CM |
| E094 | Drug or chemical induced diabetes mellitus with neurological complications | Diagnosis | ICD-10-CM |
| E095 | Drug or chemical induced diabetes mellitus with circulatory complications | Diagnosis | ICD-10-CM |
| E096 | Drug or chemical induced diabetes mellitus with other specified complications | Diagnosis | ICD-10-CM |
| E0961 | Drug or chemical induced diabetes mellitus with diabetic arthropathy | Diagnosis | ICD-10-CM |
| E0962 | Drug or chemical induced diabetes mellitus with skin complications | Diagnosis | ICD-10-CM |
| E0963 | Drug or chemical induced diabetes mellitus with oral complications | Diagnosis | ICD-10-CM |
| E0964 | Drug or chemical induced diabetes mellitus with hypoglycemia | Diagnosis | ICD-10-CM |
| E101 | Type 1 diabetes mellitus with ketoacidosis | Diagnosis | ICD-10-CM |
| E102 | Type 1 diabetes mellitus with kidney complications | Diagnosis | ICD-10-CM |
| E103 | Type 1 diabetes mellitus with ophthalmic complications | Diagnosis | ICD-10-CM |
| E1031 | Type 1 diabetes mellitus with unspecified diabetic retinopathy | Diagnosis | ICD-10-CM |
| E1032 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy | Diagnosis | ICD-10-CM |
| E1033 | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy | Diagnosis | ICD-10-CM |
| E1034 | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy | Diagnosis | ICD-10-CM |
| E1035 | Type 1 diabetes mellitus with proliferative diabetic retinopathy | Diagnosis | ICD-10-CM |
| E10352 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code | |
|---------|---|-----------|-----------|
| | | Category | Code Type |
| E103521 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, right eye | Diagnosis | ICD-10-CM |
| E103522 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, left eye | Diagnosis | ICD-10-CM |
| E103523 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, bilateral | Diagnosis | ICD-10-CM |
| E103529 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, unspecified eye | Diagnosis | ICD-10-CM |
| E10353 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula | Diagnosis | ICD-10-CM |
| E103531 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, right eye | Diagnosis | ICD-10-CM |
| E103532 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, left eye | Diagnosis | ICD-10-CM |
| E103533 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, bilateral | Diagnosis | ICD-10-CM |
| E103539 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, unspecified eye | Diagnosis | ICD-10-CM |
| E10354 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment | Diagnosis | ICD-10-CM |
| E103541 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, right eye | Diagnosis | ICD-10-CM |
| E103542 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, left eye | Diagnosis | ICD-10-CM |
| E103543 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, bilateral | Diagnosis | ICD-10-CM |
| E103549 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, unspecified eye | Diagnosis | ICD-10-CM |
| E10355 | Type 1 diabetes mellitus with stable proliferative diabetic retinopathy | Diagnosis | ICD-10-CM |
| E103551 | Type 1 diabetes mellitus with stable proliferative diabetic retinopathy, right eye | Diagnosis | ICD-10-CM |
| E103552 | Type 1 diabetes mellitus with stable proliferative diabetic retinopathy, left eye | Diagnosis | ICD-10-CM |
| E103553 | Type 1 diabetes mellitus with stable proliferative diabetic retinopathy, bilateral | Diagnosis | ICD-10-CM |
| E103559 | Type 1 diabetes mellitus with stable proliferative diabetic retinopathy, unspecified eye | Diagnosis | ICD-10-CM |
| E103591 | Type 1 diabetes mellitus with proliferative diabetic retinopathy without macular edema, right eye | Diagnosis | ICD-10-CM |
| E103592 | Type 1 diabetes mellitus with proliferative diabetic retinopathy without macular edema, left eye | Diagnosis | ICD-10-CM |
| E103593 | Type 1 diabetes mellitus with proliferative diabetic retinopathy without macular edema, bilateral | Diagnosis | ICD-10-CM |
| E103599 | Type 1 diabetes mellitus with proliferative diabetic retinopathy without macular edema, unspecified eye | Diagnosis | ICD-10-CM |
| E1037 | Type 1 diabetes mellitus with diabetic macular edema, resolved following treatment | Diagnosis | ICD-10-CM |
| E104 | Type 1 diabetes mellitus with neurological complications | Diagnosis | ICD-10-CM |
| E105 | Type 1 diabetes mellitus with circulatory complications | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|--|----------------------|------------------|
| E106 | Type 1 diabetes mellitus with other specified complications | Diagnosis | ICD-10-CM |
| E1061 | Type 1 diabetes mellitus with diabetic arthropathy | Diagnosis | ICD-10-CM |
| E1062 | Type 1 diabetes mellitus with skin complications | Diagnosis | ICD-10-CM |
| E1063 | Type 1 diabetes mellitus with oral complications | Diagnosis | ICD-10-CM |
| E1064 | Type 1 diabetes mellitus with hypoglycemia | Diagnosis | ICD-10-CM |
| E110 | Type 2 diabetes mellitus with hyperosmolarity | Diagnosis | ICD-10-CM |
| E111 | Type 2 diabetes mellitus with ketoacidosis | Diagnosis | ICD-10-CM |
| E112 | Type 2 diabetes mellitus with kidney complications | Diagnosis | ICD-10-CM |
| E113 | Type 2 diabetes mellitus with ophthalmic complications | Diagnosis | ICD-10-CM |
| E1131 | Type 2 diabetes mellitus with unspecified diabetic retinopathy | Diagnosis | ICD-10-CM |
| E1132 | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy | Diagnosis | ICD-10-CM |
| E1133 | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy | Diagnosis | ICD-10-CM |
| E1134 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy | Diagnosis | ICD-10-CM |
| E1135 | Type 2 diabetes mellitus with proliferative diabetic retinopathy | Diagnosis | ICD-10-CM |
| E11352 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula | Diagnosis | ICD-10-CM |
| E11353 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula | Diagnosis | ICD-10-CM |
| E11354 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment | Diagnosis | ICD-10-CM |
| E11355 | Type 2 diabetes mellitus with stable proliferative diabetic retinopathy | Diagnosis | ICD-10-CM |
| E1137 | Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment | Diagnosis | ICD-10-CM |
| E114 | Type 2 diabetes mellitus with neurological complications | Diagnosis | ICD-10-CM |
| E115 | Type 2 diabetes mellitus with circulatory complications | Diagnosis | ICD-10-CM |
| E116 | Type 2 diabetes mellitus with other specified complications | Diagnosis | ICD-10-CM |
| E1161 | Type 2 diabetes mellitus with diabetic arthropathy | Diagnosis | ICD-10-CM |
| E1162 | Type 2 diabetes mellitus with skin complications | Diagnosis | ICD-10-CM |
| E1163 | Type 2 diabetes mellitus with oral complications | Diagnosis | ICD-10-CM |
| E1164 | Type 2 diabetes mellitus with hypoglycemia | Diagnosis | ICD-10-CM |
| E130 | Other specified diabetes mellitus with hyperosmolarity | Diagnosis | ICD-10-CM |
| E131 | Other specified diabetes mellitus with ketoacidosis | Diagnosis | ICD-10-CM |
| E132 | Other specified diabetes mellitus with kidney complications | Diagnosis | ICD-10-CM |
| E133 | Other specified diabetes mellitus with ophthalmic complications | Diagnosis | ICD-10-CM |
| E1331 | Other specified diabetes mellitus with unspecified diabetic retinopathy | Diagnosis | ICD-10-CM |
| E1332 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy | Diagnosis | ICD-10-CM |
| E1333 | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy | Diagnosis | ICD-10-CM |
| E1334 | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|---|----------------------|------------------|
| E1335 | Other specified diabetes mellitus with proliferative diabetic retinopathy | Diagnosis | ICD-10-CM |
| E13352 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula | Diagnosis | ICD-10-CM |
| E13353 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula | Diagnosis | ICD-10-CM |
| E13354 | Other specified diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment | Diagnosis | ICD-10-CM |
| E13355 | Other specified diabetes mellitus with stable proliferative diabetic retinopathy | Diagnosis | ICD-10-CM |
| E133591 | Other specified diabetes mellitus with proliferative diabetic retinopathy without macular edema, right eye | Diagnosis | ICD-10-CM |
| E133592 | Other specified diabetes mellitus with proliferative diabetic retinopathy without macular edema, left eye | Diagnosis | ICD-10-CM |
| E133593 | Other specified diabetes mellitus with proliferative diabetic retinopathy without macular edema, bilateral | Diagnosis | ICD-10-CM |
| E133599 | Other specified diabetes mellitus with proliferative diabetic retinopathy without macular edema, unspecified eye | Diagnosis | ICD-10-CM |
| E1337 | Other specified diabetes mellitus with diabetic macular edema, resolved following treatment | Diagnosis | ICD-10-CM |
| E1337X1 | Other specified diabetes mellitus with diabetic macular edema, resolved following treatment, right eye | Diagnosis | ICD-10-CM |
| E1337X2 | Other specified diabetes mellitus with diabetic macular edema, resolved following treatment, left eye | Diagnosis | ICD-10-CM |
| E1337X3 | Other specified diabetes mellitus with diabetic macular edema, resolved following treatment, bilateral | Diagnosis | ICD-10-CM |
| E1337X9 | Other specified diabetes mellitus with diabetic macular edema, resolved following treatment, unspecified eye | Diagnosis | ICD-10-CM |
| E134 | Other specified diabetes mellitus with neurological complications | Diagnosis | ICD-10-CM |
| E135 | Other specified diabetes mellitus with circulatory complications | Diagnosis | ICD-10-CM |
| E136 | Other specified diabetes mellitus with other specified complications | Diagnosis | ICD-10-CM |
| E1361 | Other specified diabetes mellitus with diabetic arthropathy | Diagnosis | ICD-10-CM |
| E1362 | Other specified diabetes mellitus with skin complications | Diagnosis | ICD-10-CM |
| E1363 | Other specified diabetes mellitus with oral complications | Diagnosis | ICD-10-CM |
| E1364 | Other specified diabetes mellitus with hypoglycemia | Diagnosis | ICD-10-CM |
| O2402 | Pre-existing type 1 diabetes mellitus, in childbirth | Diagnosis | ICD-10-CM |
| O2401 | Pre-existing type 1 diabetes mellitus, in pregnancy | Diagnosis | ICD-10-CM |
| O240 | Pre-existing type 1 diabetes mellitus, in pregnancy, childbirth and the puerperium | Diagnosis | ICD-10-CM |
| O24011 | Pre-existing type 1 diabetes mellitus, in pregnancy, first trimester | Diagnosis | ICD-10-CM |
| O24012 | Pre-existing type 1 diabetes mellitus, in pregnancy, second trimester | Diagnosis | ICD-10-CM |
| O24013 | Pre-existing type 1 diabetes mellitus, in pregnancy, third trimester | Diagnosis | ICD-10-CM |
| O24019 | Pre-existing type 1 diabetes mellitus, in pregnancy, unspecified trimester | Diagnosis | ICD-10-CM |
| O2403 | Pre-existing type 1 diabetes mellitus, in the puerperium | Diagnosis | ICD-10-CM |
| O2432 | Unspecified pre-existing diabetes mellitus in childbirth | Diagnosis | ICD-10-CM |
| O2431 | Unspecified pre-existing diabetes mellitus in pregnancy | Diagnosis | ICD-10-CM |
| O243 | Unspecified pre-existing diabetes mellitus in pregnancy, childbirth and the puerperium | Diagnosis | ICD-10-CM |
| O24311 | Unspecified pre-existing diabetes mellitus in pregnancy, first trimester | Diagnosis | ICD-10-CM |
| O24312 | Unspecified pre-existing diabetes mellitus in pregnancy, second trimester | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|--|----------------------|------------------|
| O24313 | Unspecified pre-existing diabetes mellitus in pregnancy, third trimester | Diagnosis | ICD-10-CM |
| O24319 | Unspecified pre-existing diabetes mellitus in pregnancy, unspecified trimester | Diagnosis | ICD-10-CM |
| O2433 | Unspecified pre-existing diabetes mellitus in the puerperium | Diagnosis | ICD-10-CM |
| O24812 | Other pre-existing diabetes mellitus in pregnancy, second trimester | Diagnosis | ICD-10-CM |
| O2493 | Unspecified diabetes mellitus in the puerperium | Diagnosis | ICD-10-CM |
| O24813 | Other pre-existing diabetes mellitus in pregnancy, third trimester | Diagnosis | ICD-10-CM |
| O24811 | Other pre-existing diabetes mellitus in pregnancy, first trimester | Diagnosis | ICD-10-CM |
| O2491 | Unspecified diabetes mellitus in pregnancy | Diagnosis | ICD-10-CM |
| O24819 | Other pre-existing diabetes mellitus in pregnancy, unspecified trimester | Diagnosis | ICD-10-CM |
| O2492 | Unspecified diabetes mellitus in childbirth | Diagnosis | ICD-10-CM |
| E08 | Diabetes mellitus due to underlying condition | Diagnosis | ICD-10-CM |
| E09 | Drug or chemical induced diabetes mellitus | Diagnosis | ICD-10-CM |
| O240 | Pre-existing type 1 diabetes mellitus, in pregnancy, childbirth and the puerperium | Diagnosis | ICD-10-CM |
| O2401 | Pre-existing type 1 diabetes mellitus, in pregnancy | Diagnosis | ICD-10-CM |
| O241 | Pre-existing type 2 diabetes mellitus, in pregnancy, childbirth and the puerperium | Diagnosis | ICD-10-CM |
| O2411 | Pre-existing type 2 diabetes mellitus, in pregnancy | Diagnosis | ICD-10-CM |
| O243 | Unspecified pre-existing diabetes mellitus in pregnancy, childbirth and the puerperium | Diagnosis | ICD-10-CM |
| O2431 | Unspecified pre-existing diabetes mellitus in pregnancy | Diagnosis | ICD-10-CM |
| O2441 | Gestational diabetes mellitus in pregnancy | Diagnosis | ICD-10-CM |
| O2442 | Gestational diabetes mellitus in childbirth | Diagnosis | ICD-10-CM |
| O2443 | Gestational diabetes mellitus in the puerperium | Diagnosis | ICD-10-CM |
| O249 | Unspecified diabetes mellitus in pregnancy, childbirth and the puerperium | Diagnosis | ICD-10-CM |
| O2491 | Unspecified diabetes mellitus in pregnancy | Diagnosis | ICD-10-CM |
| O24011 | Pre-existing type 1 diabetes mellitus, in pregnancy, first trimester | Diagnosis | ICD-10-CM |
| O24012 | Pre-existing type 1 diabetes mellitus, in pregnancy, second trimester | Diagnosis | ICD-10-CM |
| O24013 | Pre-existing type 1 diabetes mellitus, in pregnancy, third trimester | Diagnosis | ICD-10-CM |
| O24019 | Pre-existing type 1 diabetes mellitus, in pregnancy, unspecified trimester | Diagnosis | ICD-10-CM |
| O2402 | Pre-existing type 1 diabetes mellitus, in childbirth | Diagnosis | ICD-10-CM |
| O2403 | Pre-existing type 1 diabetes mellitus, in the puerperium | Diagnosis | ICD-10-CM |
| O24111 | Pre-existing type 2 diabetes mellitus, in pregnancy, first trimester | Diagnosis | ICD-10-CM |
| O24112 | Pre-existing type 2 diabetes mellitus, in pregnancy, second trimester | Diagnosis | ICD-10-CM |
| O24113 | Pre-existing type 2 diabetes mellitus, in pregnancy, third trimester | Diagnosis | ICD-10-CM |
| O24119 | Pre-existing type 2 diabetes mellitus, in pregnancy, unspecified trimester | Diagnosis | ICD-10-CM |
| O2412 | Pre-existing type 2 diabetes mellitus, in childbirth | Diagnosis | ICD-10-CM |
| O2413 | Pre-existing type 2 diabetes mellitus, in the puerperium | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code | |
|------------------------------------|--|-----------|-----------|
| | | Category | Code Type |
| O24311 | Unspecified pre-existing diabetes mellitus in pregnancy, first trimester | Diagnosis | ICD-10-CM |
| O24312 | Unspecified pre-existing diabetes mellitus in pregnancy, second trimester | Diagnosis | ICD-10-CM |
| O24313 | Unspecified pre-existing diabetes mellitus in pregnancy, third trimester | Diagnosis | ICD-10-CM |
| O24319 | Unspecified pre-existing diabetes mellitus in pregnancy, unspecified trimester | Diagnosis | ICD-10-CM |
| O2432 | Unspecified pre-existing diabetes mellitus in childbirth | Diagnosis | ICD-10-CM |
| O2433 | Unspecified pre-existing diabetes mellitus in the puerperium | Diagnosis | ICD-10-CM |
| O24410 | Gestational diabetes mellitus in pregnancy, diet controlled | Diagnosis | ICD-10-CM |
| O24414 | Gestational diabetes mellitus in pregnancy, insulin controlled | Diagnosis | ICD-10-CM |
| O24415 | Gestational diabetes mellitus in pregnancy, controlled by oral hypoglycemic drugs | Diagnosis | ICD-10-CM |
| O24419 | Gestational diabetes mellitus in pregnancy, unspecified control | Diagnosis | ICD-10-CM |
| O24420 | Gestational diabetes mellitus in childbirth, diet controlled | Diagnosis | ICD-10-CM |
| O24424 | Gestational diabetes mellitus in childbirth, insulin controlled | Diagnosis | ICD-10-CM |
| O24425 | Gestational diabetes mellitus in childbirth, controlled by oral hypoglycemic drugs | Diagnosis | ICD-10-CM |
| O24429 | Gestational diabetes mellitus in childbirth, unspecified control | Diagnosis | ICD-10-CM |
| O24430 | Gestational diabetes mellitus in the puerperium, diet controlled | Diagnosis | ICD-10-CM |
| O24434 | Gestational diabetes mellitus in the puerperium, insulin controlled | Diagnosis | ICD-10-CM |
| O24435 | Gestational diabetes mellitus in puerperium, controlled by oral hypoglycemic drugs | Diagnosis | ICD-10-CM |
| O24439 | Gestational diabetes mellitus in the puerperium, unspecified control | Diagnosis | ICD-10-CM |
| O24811 | Other pre-existing diabetes mellitus in pregnancy, first trimester | Diagnosis | ICD-10-CM |
| O24812 | Other pre-existing diabetes mellitus in pregnancy, second trimester | Diagnosis | ICD-10-CM |
| O24813 | Other pre-existing diabetes mellitus in pregnancy, third trimester | Diagnosis | ICD-10-CM |
| O24819 | Other pre-existing diabetes mellitus in pregnancy, unspecified trimester | Diagnosis | ICD-10-CM |
| O2482 | Other pre-existing diabetes mellitus in childbirth | Diagnosis | ICD-10-CM |
| O2483 | Other pre-existing diabetes mellitus in the puerperium | Diagnosis | ICD-10-CM |
| O24911 | Unspecified diabetes mellitus in pregnancy, first trimester | Diagnosis | ICD-10-CM |
| O24912 | Unspecified diabetes mellitus in pregnancy, second trimester | Diagnosis | ICD-10-CM |
| O24913 | Unspecified diabetes mellitus in pregnancy, third trimester | Diagnosis | ICD-10-CM |
| O24919 | Unspecified diabetes mellitus in pregnancy, unspecified trimester | Diagnosis | ICD-10-CM |
| O2492 | Unspecified diabetes mellitus in childbirth | Diagnosis | ICD-10-CM |
| O2493 | Unspecified diabetes mellitus in the puerperium | Diagnosis | ICD-10-CM |
| Endocrine disorder: Obesity | | | |
| E6601 | Morbid (severe) obesity due to excess calories | Diagnosis | ICD-10-CM |
| E6609 | Other obesity due to excess calories | Diagnosis | ICD-10-CM |
| E661 | Drug-induced obesity | Diagnosis | ICD-10-CM |
| E662 | Morbid (severe) obesity with alveolar hypoventilation | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code | |
|---------|---|-----------|------------|
| | | Category | Code Type |
| E668 | Other obesity | Diagnosis | ICD-10-CM |
| E669 | Obesity, unspecified | Diagnosis | ICD-10-CM |
| K9501 | Infection due to gastric band procedure | Diagnosis | ICD-10-CM |
| K9509 | Other complications of gastric band procedure | Diagnosis | ICD-10-CM |
| K9581 | Infection due to other bariatric procedure | Diagnosis | ICD-10-CM |
| K9589 | Other complications of other bariatric procedure | Diagnosis | ICD-10-CM |
| O99210 | Obesity complicating pregnancy, unspecified trimester | Diagnosis | ICD-10-CM |
| O99211 | Obesity complicating pregnancy, first trimester | Diagnosis | ICD-10-CM |
| O99212 | Obesity complicating pregnancy, second trimester | Diagnosis | ICD-10-CM |
| O99213 | Obesity complicating pregnancy, third trimester | Diagnosis | ICD-10-CM |
| O99214 | Obesity complicating childbirth | Diagnosis | ICD-10-CM |
| O99215 | Obesity complicating the puerperium | Diagnosis | ICD-10-CM |
| O99840 | Bariatric surgery status complicating pregnancy, unspecified trimester | Diagnosis | ICD-10-CM |
| O99841 | Bariatric surgery status complicating pregnancy, first trimester | Diagnosis | ICD-10-CM |
| O99842 | Bariatric surgery status complicating pregnancy, second trimester | Diagnosis | ICD-10-CM |
| O99843 | Bariatric surgery status complicating pregnancy, third trimester | Diagnosis | ICD-10-CM |
| O99844 | Bariatric surgery status complicating childbirth | Diagnosis | ICD-10-CM |
| O99845 | Bariatric surgery status complicating the puerperium | Diagnosis | ICD-10-CM |
| Z6830 | Body mass index (BMI) 30.0-30.9, adult | Diagnosis | ICD-10-CM |
| Z6831 | Body mass index (BMI) 31.0-31.9, adult | Diagnosis | ICD-10-CM |
| Z6832 | Body mass index (BMI) 32.0-32.9, adult | Diagnosis | ICD-10-CM |
| Z6833 | Body mass index (BMI) 33.0-33.9, adult | Diagnosis | ICD-10-CM |
| Z6834 | Body mass index (BMI) 34.0-34.9, adult | Diagnosis | ICD-10-CM |
| Z6835 | Body mass index (BMI) 35.0-35.9, adult | Diagnosis | ICD-10-CM |
| Z6836 | Body mass index (BMI) 36.0-36.9, adult | Diagnosis | ICD-10-CM |
| Z6837 | Body mass index (BMI) 37.0-37.9, adult | Diagnosis | ICD-10-CM |
| Z6838 | Body mass index (BMI) 38.0-38.9, adult | Diagnosis | ICD-10-CM |
| Z6839 | Body mass index (BMI) 39.0-39.9, adult | Diagnosis | ICD-10-CM |
| Z6841 | Body mass index (BMI) 40.0-44.9, adult | Diagnosis | ICD-10-CM |
| Z6842 | Body mass index (BMI) 45.0-49.9, adult | Diagnosis | ICD-10-CM |
| Z6843 | Body mass index (BMI) 50.0-59.9, adult | Diagnosis | ICD-10-CM |
| Z6844 | Body mass index (BMI) 60.0-69.9, adult | Diagnosis | ICD-10-CM |
| Z6845 | Body mass index (BMI) 70 or greater, adult | Diagnosis | ICD-10-CM |
| 0D16079 | Bypass Stomach to Duodenum with Autologous Tissue Substitute, Open Approach | Procedure | ICD-10-PCS |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|--|----------------------|------------------|
| 0D1607A | Bypass Stomach to Jejunum with Autologous Tissue Substitute, Open Approach | Procedure | ICD-10-PCS |
| 0D1607B | Bypass Stomach to Ileum with Autologous Tissue Substitute, Open Approach | Procedure | ICD-10-PCS |
| 0D1607L | Bypass Stomach to Transverse Colon with Autologous Tissue Substitute, Open Approach | Procedure | ICD-10-PCS |
| 0D160J9 | Bypass Stomach to Duodenum with Synthetic Substitute, Open Approach | Procedure | ICD-10-PCS |
| 0D160JA | Bypass Stomach to Jejunum with Synthetic Substitute, Open Approach | Procedure | ICD-10-PCS |
| 0D160JB | Bypass Stomach to Ileum with Synthetic Substitute, Open Approach | Procedure | ICD-10-PCS |
| 0D160JL | Bypass Stomach to Transverse Colon with Synthetic Substitute, Open Approach | Procedure | ICD-10-PCS |
| 0D160K9 | Bypass Stomach to Duodenum with Nonautologous Tissue Substitute, Open Approach | Procedure | ICD-10-PCS |
| 0D160KA | Bypass Stomach to Jejunum with Nonautologous Tissue Substitute, Open Approach | Procedure | ICD-10-PCS |
| 0D160KB | Bypass Stomach to Ileum with Nonautologous Tissue Substitute, Open Approach | Procedure | ICD-10-PCS |
| 0D160KL | Bypass Stomach to Transverse Colon with Nonautologous Tissue Substitute, Open Approach | Procedure | ICD-10-PCS |
| 0D160Z9 | Bypass Stomach to Duodenum, Open Approach | Procedure | ICD-10-PCS |
| 0D160ZA | Bypass Stomach to Jejunum, Open Approach | Procedure | ICD-10-PCS |
| 0D160ZB | Bypass Stomach to Ileum, Open Approach | Procedure | ICD-10-PCS |
| 0D160ZL | Bypass Stomach to Transverse Colon, Open Approach | Procedure | ICD-10-PCS |
| 0D16479 | Bypass Stomach to Duodenum with Autologous Tissue Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0D1647A | Bypass Stomach to Jejunum with Autologous Tissue Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0D1647B | Bypass Stomach to Ileum with Autologous Tissue Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0D1647L | Bypass Stomach to Transverse Colon with Autologous Tissue Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0D164J9 | Bypass Stomach to Duodenum with Synthetic Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0D164JA | Bypass Stomach to Jejunum with Synthetic Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0D164JB | Bypass Stomach to Ileum with Synthetic Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0D164JL | Bypass Stomach to Transverse Colon with Synthetic Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0D164K9 | Bypass Stomach to Duodenum with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0D164KA | Bypass Stomach to Jejunum with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0D164KB | Bypass Stomach to Ileum with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0D164KL | Bypass Stomach to Transverse Colon with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0D164Z9 | Bypass Stomach to Duodenum, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0D164ZA | Bypass Stomach to Jejunum, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0D164ZB | Bypass Stomach to Ileum, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0D164ZL | Bypass Stomach to Transverse Colon, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0D16879 | Bypass Stomach to Duodenum with Autologous Tissue Substitute, Via Natural or Artificial Opening Endoscopic | Procedure | ICD-10-PCS |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code | |
|---------|---|-----------|------------|
| | | Category | Code Type |
| 0D1687A | Bypass Stomach to Jejunum with Autologous Tissue Substitute, Via Natural or Artificial Opening Endoscopic | Procedure | ICD-10-PCS |
| 0D1687B | Bypass Stomach to Ileum with Autologous Tissue Substitute, Via Natural or Artificial Opening Endoscopic | Procedure | ICD-10-PCS |
| 0D1687L | Bypass Stomach to Transverse Colon with Autologous Tissue Substitute, Via Natural or Artificial Opening Endoscopic | Procedure | ICD-10-PCS |
| 0D168J9 | Bypass Stomach to Duodenum with Synthetic Substitute, Via Natural or Artificial Opening Endoscopic | Procedure | ICD-10-PCS |
| 0D168JA | Bypass Stomach to Jejunum with Synthetic Substitute, Via Natural or Artificial Opening Endoscopic | Procedure | ICD-10-PCS |
| 0D168JB | Bypass Stomach to Ileum with Synthetic Substitute, Via Natural or Artificial Opening Endoscopic | Procedure | ICD-10-PCS |
| 0D168JL | Bypass Stomach to Transverse Colon with Synthetic Substitute, Via Natural or Artificial Opening Endoscopic | Procedure | ICD-10-PCS |
| 0D168K9 | Bypass Stomach to Duodenum with Nonautologous Tissue Substitute, Via Natural or Artificial Opening Endoscopic | Procedure | ICD-10-PCS |
| 0D168KA | Bypass Stomach to Jejunum with Nonautologous Tissue Substitute, Via Natural or Artificial Opening Endoscopic | Procedure | ICD-10-PCS |
| 0D168KB | Bypass Stomach to Ileum with Nonautologous Tissue Substitute, Via Natural or Artificial Opening Endoscopic | Procedure | ICD-10-PCS |
| 0D168KL | Bypass Stomach to Transverse Colon with Nonautologous Tissue Substitute, Via Natural or Artificial Opening Endoscopic | Procedure | ICD-10-PCS |
| 0D168Z9 | Bypass Stomach to Duodenum, Via Natural or Artificial Opening Endoscopic | Procedure | ICD-10-PCS |
| 0D168ZA | Bypass Stomach to Jejunum, Via Natural or Artificial Opening Endoscopic | Procedure | ICD-10-PCS |
| 0D168ZB | Bypass Stomach to Ileum, Via Natural or Artificial Opening Endoscopic | Procedure | ICD-10-PCS |
| 0D168ZL | Bypass Stomach to Transverse Colon, Via Natural or Artificial Opening Endoscopic | Procedure | ICD-10-PCS |
| 0D19079 | Bypass Duodenum to Duodenum with Autologous Tissue Substitute, Open Approach | Procedure | ICD-10-PCS |
| 0D1907A | Bypass Duodenum to Jejunum with Autologous Tissue Substitute, Open Approach | Procedure | ICD-10-PCS |
| 0D1907B | Bypass Duodenum to Ileum with Autologous Tissue Substitute, Open Approach | Procedure | ICD-10-PCS |
| 0D190J9 | Bypass Duodenum to Duodenum with Synthetic Substitute, Open Approach | Procedure | ICD-10-PCS |
| 0D190JA | Bypass Duodenum to Jejunum with Synthetic Substitute, Open Approach | Procedure | ICD-10-PCS |
| 0D190JB | Bypass Duodenum to Ileum with Synthetic Substitute, Open Approach | Procedure | ICD-10-PCS |
| 0D190K9 | Bypass Duodenum to Duodenum with Nonautologous Tissue Substitute, Open Approach | Procedure | ICD-10-PCS |
| 0D190KA | Bypass Duodenum to Jejunum with Nonautologous Tissue Substitute, Open Approach | Procedure | ICD-10-PCS |
| 0D190KB | Bypass Duodenum to Ileum with Nonautologous Tissue Substitute, Open Approach | Procedure | ICD-10-PCS |
| 0D190Z9 | Bypass Duodenum to Duodenum, Open Approach | Procedure | ICD-10-PCS |
| 0D190ZA | Bypass Duodenum to Jejunum, Open Approach | Procedure | ICD-10-PCS |
| 0D190ZB | Bypass Duodenum to Ileum, Open Approach | Procedure | ICD-10-PCS |
| 0D19479 | Bypass Duodenum to Duodenum with Autologous Tissue Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0D1947A | Bypass Duodenum to Jejunum with Autologous Tissue Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0D1947B | Bypass Duodenum to Ileum with Autologous Tissue Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0D194J9 | Bypass Duodenum to Duodenum with Synthetic Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0D194JA | Bypass Duodenum to Jejunum with Synthetic Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|--|----------------------|------------------|
| 0D194JB | Bypass Duodenum to Ileum with Synthetic Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0D194K9 | Bypass Duodenum to Duodenum with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0D194KA | Bypass Duodenum to Jejunum with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0D194KB | Bypass Duodenum to Ileum with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0D194Z9 | Bypass Duodenum to Duodenum, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0D194ZA | Bypass Duodenum to Jejunum, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0D194ZB | Bypass Duodenum to Ileum, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0D19879 | Bypass Duodenum to Duodenum with Autologous Tissue Substitute, Via Natural or Artificial Opening Endoscopic | Procedure | ICD-10-PCS |
| 0D1987A | Bypass Duodenum to Jejunum with Autologous Tissue Substitute, Via Natural or Artificial Opening Endoscopic | Procedure | ICD-10-PCS |
| 0D1987B | Bypass Duodenum to Ileum with Autologous Tissue Substitute, Via Natural or Artificial Opening Endoscopic | Procedure | ICD-10-PCS |
| 0D198J9 | Bypass Duodenum to Duodenum with Synthetic Substitute, Via Natural or Artificial Opening Endoscopic | Procedure | ICD-10-PCS |
| 0D198JA | Bypass Duodenum to Jejunum with Synthetic Substitute, Via Natural or Artificial Opening Endoscopic | Procedure | ICD-10-PCS |
| 0D198JB | Bypass Duodenum to Ileum with Synthetic Substitute, Via Natural or Artificial Opening Endoscopic | Procedure | ICD-10-PCS |
| 0D198K9 | Bypass Duodenum to Duodenum with Nonautologous Tissue Substitute, Via Natural or Artificial Opening Endoscopic | Procedure | ICD-10-PCS |
| 0D198KA | Bypass Duodenum to Jejunum with Nonautologous Tissue Substitute, Via Natural or Artificial Opening Endoscopic | Procedure | ICD-10-PCS |
| 0D198KB | Bypass Duodenum to Ileum with Nonautologous Tissue Substitute, Via Natural or Artificial Opening Endoscopic | Procedure | ICD-10-PCS |
| 0D198Z9 | Bypass Duodenum to Duodenum, Via Natural or Artificial Opening Endoscopic | Procedure | ICD-10-PCS |
| 0D198ZA | Bypass Duodenum to Jejunum, Via Natural or Artificial Opening Endoscopic | Procedure | ICD-10-PCS |
| 0D198ZB | Bypass Duodenum to Ileum, Via Natural or Artificial Opening Endoscopic | Procedure | ICD-10-PCS |
| 0D1A07A | Bypass Jejunum to Jejunum with Autologous Tissue Substitute, Open Approach | Procedure | ICD-10-PCS |
| 0D1A07B | Bypass Jejunum to Ileum with Autologous Tissue Substitute, Open Approach | Procedure | ICD-10-PCS |
| 0D1A0JA | Bypass Jejunum to Jejunum with Synthetic Substitute, Open Approach | Procedure | ICD-10-PCS |
| 0D1A0JB | Bypass Jejunum to Ileum with Synthetic Substitute, Open Approach | Procedure | ICD-10-PCS |
| 0D1A0KA | Bypass Jejunum to Jejunum with Nonautologous Tissue Substitute, Open Approach | Procedure | ICD-10-PCS |
| 0D1A0KB | Bypass Jejunum to Ileum with Nonautologous Tissue Substitute, Open Approach | Procedure | ICD-10-PCS |
| 0D1A0ZA | Bypass Jejunum to Jejunum, Open Approach | Procedure | ICD-10-PCS |
| 0D1A0ZB | Bypass Jejunum to Ileum, Open Approach | Procedure | ICD-10-PCS |
| 0D1A47A | Bypass Jejunum to Jejunum with Autologous Tissue Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0D1A47B | Bypass Jejunum to Ileum with Autologous Tissue Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0D1A4JA | Bypass Jejunum to Jejunum with Synthetic Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0D1A4JB | Bypass Jejunum to Ileum with Synthetic Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0D1A4KA | Bypass Jejunum to Jejunum with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0D1A4KB | Bypass Jejunum to Ileum with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|--|----------------------|------------------|
| 0D1A4ZA | Bypass Jejunum to Jejunum, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0D1A4ZB | Bypass Jejunum to Ileum, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0D1A87A | Bypass Jejunum to Jejunum with Autologous Tissue Substitute, Via Natural or Artificial Opening Endoscopic | Procedure | ICD-10-PCS |
| 0D1A87B | Bypass Jejunum to Ileum with Autologous Tissue Substitute, Via Natural or Artificial Opening Endoscopic | Procedure | ICD-10-PCS |
| 0D1A8JA | Bypass Jejunum to Jejunum with Synthetic Substitute, Via Natural or Artificial Opening Endoscopic | Procedure | ICD-10-PCS |
| 0D1A8JB | Bypass Jejunum to Ileum with Synthetic Substitute, Via Natural or Artificial Opening Endoscopic | Procedure | ICD-10-PCS |
| 0D1A8KA | Bypass Jejunum to Jejunum with Nonautologous Tissue Substitute, Via Natural or Artificial Opening Endoscopic | Procedure | ICD-10-PCS |
| 0D1A8KB | Bypass Jejunum to Ileum with Nonautologous Tissue Substitute, Via Natural or Artificial Opening Endoscopic | Procedure | ICD-10-PCS |
| 0D1A8ZA | Bypass Jejunum to Jejunum, Via Natural or Artificial Opening Endoscopic | Procedure | ICD-10-PCS |
| 0D1A8ZB | Bypass Jejunum to Ileum, Via Natural or Artificial Opening Endoscopic | Procedure | ICD-10-PCS |
| 0D1B07B | Bypass Ileum to Ileum with Autologous Tissue Substitute, Open Approach | Procedure | ICD-10-PCS |
| 0D1B0JB | Bypass Ileum to Ileum with Synthetic Substitute, Open Approach | Procedure | ICD-10-PCS |
| 0D1B0KB | Bypass Ileum to Ileum with Nonautologous Tissue Substitute, Open Approach | Procedure | ICD-10-PCS |
| 0D1B0ZB | Bypass Ileum to Ileum, Open Approach | Procedure | ICD-10-PCS |
| 0D1B47B | Bypass Ileum to Ileum with Autologous Tissue Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0D1B4JB | Bypass Ileum to Ileum with Synthetic Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0D1B4KB | Bypass Ileum to Ileum with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0D1B4ZB | Bypass Ileum to Ileum, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |
| 0D1B87B | Bypass Ileum to Ileum with Autologous Tissue Substitute, Via Natural or Artificial Opening Endoscopic | Procedure | ICD-10-PCS |
| 0D1B8JB | Bypass Ileum to Ileum with Synthetic Substitute, Via Natural or Artificial Opening Endoscopic | Procedure | ICD-10-PCS |
| 0D1B8KB | Bypass Ileum to Ileum with Nonautologous Tissue Substitute, Via Natural or Artificial Opening Endoscopic | Procedure | ICD-10-PCS |
| 0D1B8ZB | Bypass Ileum to Ileum, Via Natural or Artificial Opening Endoscopic | Procedure | ICD-10-PCS |
| 0D1B8ZH | Bypass Ileum to Cecum, Via Natural or Artificial Opening Endoscopic | Procedure | ICD-10-PCS |
| 0DB60Z3 | Excision of Stomach, Open Approach, Vertical | Procedure | ICD-10-PCS |
| 0DB60ZZ | Excision of Stomach, Open Approach | Procedure | ICD-10-PCS |
| 0DB63Z3 | Excision of Stomach, Percutaneous Approach, Vertical | Procedure | ICD-10-PCS |
| 0DB63ZZ | Excision of Stomach, Percutaneous Approach | Procedure | ICD-10-PCS |
| 0DB67Z3 | Excision of Stomach, Via Natural or Artificial Opening, Vertical | Procedure | ICD-10-PCS |
| 0DB67ZZ | Excision of Stomach, Via Natural or Artificial Opening | Procedure | ICD-10-PCS |
| 0DB68Z3 | Excision of Stomach, Via Natural or Artificial Opening Endoscopic, Vertical | Procedure | ICD-10-PCS |
| 0DB80ZZ | Excision of Small Intestine, Open Approach | Procedure | ICD-10-PCS |
| 0DBB0ZZ | Excision of Ileum, Open Approach | Procedure | ICD-10-PCS |
| 0DV64CZ | Restriction of Stomach with Extraluminal Device, Percutaneous Endoscopic Approach | Procedure | ICD-10-PCS |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code | |
|---------------------|--|-----------|------------|
| | | Category | Code Type |
| 0F190Z3 | Bypass Common Bile Duct to Duodenum, Open Approach | Procedure | ICD-10-PCS |
| OTRB07Z | Replacement of Bladder with Autologous Tissue Substitute, Open Approach | Procedure | ICD-10-PCS |
| 43645 | Laparoscopy, surgical, gastric restrictive procedure; with gastric bypass and small intestine reconstruction to limit absorption | Procedure | CPT-4 |
| 43644 | Laparoscopy, surgical, gastric restrictive procedure; with gastric bypass and Roux-en-Y gastroenterostomy (roux limb 150 cm or less) | Procedure | CPT-4 |
| 43770 | Laparoscopy, surgical, gastric restrictive procedure; placement of adjustable gastric restrictive device (eg, gastric band and subcutaneous port components) | Procedure | CPT-4 |
| 43842 | Gastric restrictive procedure, without gastric bypass, for morbid obesity; vertical-banded gastroplasty | Procedure | CPT-4 |
| 43843 | Gastric restrictive procedure, without gastric bypass, for morbid obesity; other than vertical-banded gastroplasty | Procedure | CPT-4 |
| 43847 | Gastric restrictive procedure, with gastric bypass for morbid obesity; with small intestine reconstruction to limit absorption | Procedure | CPT-4 |
| 43846 | Gastric restrictive procedure, with gastric bypass for morbid obesity; with short limb (150 cm or less) Roux-en-Y gastroenterostomy | Procedure | CPT-4 |
| 43845 | Gastric restrictive procedure with partial gastrectomy, pylorus-preserving duodenoileostomy and ileoileostomy (50 to 100 cm common channel) to limit absorption (biliopancreatic diversion with duodenal switch) | Procedure | CPT-4 |
| Z9884 | Bariatric surgery status | Diagnosis | ICD-10-CM |
| Hypertension | | | |
| H35031 | Hypertensive retinopathy, right eye | Diagnosis | ICD-10-CM |
| H35032 | Hypertensive retinopathy, left eye | Diagnosis | ICD-10-CM |
| H35033 | Hypertensive retinopathy, bilateral | Diagnosis | ICD-10-CM |
| H35039 | Hypertensive retinopathy, unspecified eye | Diagnosis | ICD-10-CM |
| I10 | Essential (primary) hypertension | Diagnosis | ICD-10-CM |
| I110 | Hypertensive heart disease with heart failure | Diagnosis | ICD-10-CM |
| I119 | Hypertensive heart disease without heart failure | Diagnosis | ICD-10-CM |
| I120 | Hypertensive chronic kidney disease with stage 5 chronic kidney disease or end stage renal disease | Diagnosis | ICD-10-CM |
| I129 | Hypertensive chronic kidney disease with stage 1 through stage 4 chronic kidney disease, or unspecified chronic kidney disease | Diagnosis | ICD-10-CM |
| I130 | Hypertensive heart and chronic kidney disease with heart failure and stage 1 through stage 4 chronic kidney disease, or unspecified chronic kidney disease | Diagnosis | ICD-10-CM |
| I131 | Hypertensive heart and chronic kidney disease without heart failure | Diagnosis | ICD-10-CM |
| I1310 | Hypertensive heart and chronic kidney disease without heart failure, with stage 1 through stage 4 chronic kidney disease, or unspecified chronic kidney disease | Diagnosis | ICD-10-CM |
| I1311 | Hypertensive heart and chronic kidney disease without heart failure, with stage 5 chronic kidney disease, or end stage renal disease | Diagnosis | ICD-10-CM |
| I132 | Hypertensive heart and chronic kidney disease with heart failure and with stage 5 chronic kidney disease, or end stage renal disease | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|--|--|----------------------|------------------|
| I150 | Renovascular hypertension | Diagnosis | ICD-10-CM |
| I151 | Hypertension secondary to other renal disorders | Diagnosis | ICD-10-CM |
| I152 | Hypertension secondary to endocrine disorders | Diagnosis | ICD-10-CM |
| I158 | Other secondary hypertension | Diagnosis | ICD-10-CM |
| I159 | Secondary hypertension, unspecified | Diagnosis | ICD-10-CM |
| I160 | Hypertensive urgency | Diagnosis | ICD-10-CM |
| I161 | Hypertensive emergency | Diagnosis | ICD-10-CM |
| I169 | Hypertensive crisis, unspecified | Diagnosis | ICD-10-CM |
| I674 | Hypertensive encephalopathy | Diagnosis | ICD-10-CM |
| N262 | Page kidney | Diagnosis | ICD-10-CM |
| Immunological disease: Human immunodeficiency virus | | | |
| B20 | Human immunodeficiency virus [HIV] disease | Diagnosis | ICD-10-CM |
| Z21 | Asymptomatic human immunodeficiency virus [HIV] infection status | Diagnosis | ICD-10-CM |
| B9735 | Human immunodeficiency virus, type 2 [HIV 2] as the cause of diseases classified elsewhere | Diagnosis | ICD-10-CM |
| O987 | Human immunodeficiency virus [HIV] disease complicating pregnancy, childbirth and the puerperium | Diagnosis | ICD-10-CM |
| O9871 | Human immunodeficiency virus [HIV] disease complicating pregnancy | Diagnosis | ICD-10-CM |
| O98711 | Human immunodeficiency virus [HIV] disease complicating pregnancy, first trimester | Diagnosis | ICD-10-CM |
| O98712 | Human immunodeficiency virus [HIV] disease complicating pregnancy, second trimester | Diagnosis | ICD-10-CM |
| O98713 | Human immunodeficiency virus [HIV] disease complicating pregnancy, third trimester | Diagnosis | ICD-10-CM |
| O98719 | Human immunodeficiency virus [HIV] disease complicating pregnancy, unspecified trimester | Diagnosis | ICD-10-CM |
| O9872 | Human immunodeficiency virus [HIV] disease complicating childbirth | Diagnosis | ICD-10-CM |
| O9873 | Human immunodeficiency virus [HIV] disease complicating the puerperium | Diagnosis | ICD-10-CM |
| D893 | Immune reconstitution syndrome | Diagnosis | ICD-10-CM |
| Immunological disease: Immunosuppression | | | |
| D808 | Other immunodeficiencies with predominantly antibody defects | Diagnosis | ICD-10-CM |
| D809 | Immunodeficiency with predominantly antibody defects, unspecified | Diagnosis | ICD-10-CM |
| D810 | Severe combined immunodeficiency [SCID] with reticular dysgenesis | Diagnosis | ICD-10-CM |
| D811 | Severe combined immunodeficiency [SCID] with low T- and B-cell numbers | Diagnosis | ICD-10-CM |
| D812 | Severe combined immunodeficiency [SCID] with low or normal B-cell numbers | Diagnosis | ICD-10-CM |
| D814 | Nezelof's syndrome | Diagnosis | ICD-10-CM |
| D816 | Major histocompatibility complex class I deficiency | Diagnosis | ICD-10-CM |
| D817 | Major histocompatibility complex class II deficiency | Diagnosis | ICD-10-CM |
| D8189 | Other combined immunodeficiencies | Diagnosis | ICD-10-CM |
| D819 | Combined immunodeficiency, unspecified | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code | |
|--------|--|-----------|-----------|
| | | Category | Code Type |
| D820 | Wiskott-Aldrich syndrome | Diagnosis | ICD-10-CM |
| D821 | Di George's syndrome | Diagnosis | ICD-10-CM |
| D830 | Common variable immunodeficiency with predominant abnormalities of B-cell numbers and function | Diagnosis | ICD-10-CM |
| D831 | Common variable immunodeficiency with predominant immunoregulatory T-cell disorders | Diagnosis | ICD-10-CM |
| D832 | Common variable immunodeficiency with autoantibodies to B- or T-cells | Diagnosis | ICD-10-CM |
| D838 | Other common variable immunodeficiencies | Diagnosis | ICD-10-CM |
| D839 | Common variable immunodeficiency, unspecified | Diagnosis | ICD-10-CM |
| D848 | Other specified immunodeficiencies | Diagnosis | ICD-10-CM |
| D849 | Immunodeficiency, unspecified | Diagnosis | ICD-10-CM |
| D89810 | Acute graft-versus-host disease | Diagnosis | ICD-10-CM |
| D89811 | Chronic graft-versus-host disease | Diagnosis | ICD-10-CM |
| D89812 | Acute on chronic graft-versus-host disease | Diagnosis | ICD-10-CM |
| D89813 | Graft-versus-host disease, unspecified | Diagnosis | ICD-10-CM |
| D5702 | Hb-SS disease with splenic sequestration | Diagnosis | ICD-10-CM |
| D57212 | Sickle-cell/Hb-C disease with splenic sequestration | Diagnosis | ICD-10-CM |
| D57412 | Sickle-cell thalassemia with splenic sequestration | Diagnosis | ICD-10-CM |
| D57812 | Other sickle-cell disorders with splenic sequestration | Diagnosis | ICD-10-CM |
| D700 | Congenital agranulocytosis | Diagnosis | ICD-10-CM |
| D704 | Cyclic neutropenia | Diagnosis | ICD-10-CM |
| D71 | Functional disorders of polymorphonuclear neutrophils | Diagnosis | ICD-10-CM |
| D761 | Hemophagocytic lymphohistiocytosis | Diagnosis | ICD-10-CM |
| D762 | Hemophagocytic syndrome, infection-associated | Diagnosis | ICD-10-CM |
| D763 | Other histiocytosis syndromes | Diagnosis | ICD-10-CM |
| D800 | Hereditary hypogammaglobulinemia | Diagnosis | ICD-10-CM |
| D801 | Nonfamilial hypogammaglobulinemia | Diagnosis | ICD-10-CM |
| D802 | Selective deficiency of immunoglobulin A [IgA] | Diagnosis | ICD-10-CM |
| D803 | Selective deficiency of immunoglobulin G [IgG] subclasses | Diagnosis | ICD-10-CM |
| D804 | Selective deficiency of immunoglobulin M [IgM] | Diagnosis | ICD-10-CM |
| D805 | Immunodeficiency with increased immunoglobulin M [IgM] | Diagnosis | ICD-10-CM |
| D806 | Antibody deficiency with near-normal immunoglobulins or with hyperimmunoglobulinemia | Diagnosis | ICD-10-CM |
| D808 | Other immunodeficiencies with predominantly antibody defects | Diagnosis | ICD-10-CM |
| D809 | Immunodeficiency with predominantly antibody defects, unspecified | Diagnosis | ICD-10-CM |
| D810 | Severe combined immunodeficiency [SCID] with reticular dysgenesis | Diagnosis | ICD-10-CM |
| D811 | Severe combined immunodeficiency [SCID] with low T- and B-cell numbers | Diagnosis | ICD-10-CM |
| D812 | Severe combined immunodeficiency [SCID] with low or normal B-cell numbers | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|--|----------------------|------------------|
| D813 | Adenosine deaminase [ADA] deficiency | Diagnosis | ICD-10-CM |
| D8130 | Adenosine deaminase deficiency, unspecified | Diagnosis | ICD-10-CM |
| D8131 | Adenosine deaminase deficiency with severe combined immunodeficiency | Diagnosis | ICD-10-CM |
| D8132 | Adenosine deaminase 2 deficiency | Diagnosis | ICD-10-CM |
| D8139 | Other adenosine deaminase deficiency | Diagnosis | ICD-10-CM |
| D814 | Nezelof's syndrome | Diagnosis | ICD-10-CM |
| D815 | Purine nucleoside phosphorylase [PNP] deficiency | Diagnosis | ICD-10-CM |
| D816 | Major histocompatibility complex class I deficiency | Diagnosis | ICD-10-CM |
| D817 | Major histocompatibility complex class II deficiency | Diagnosis | ICD-10-CM |
| D8189 | Other combined immunodeficiencies | Diagnosis | ICD-10-CM |
| D819 | Combined immunodeficiency, unspecified | Diagnosis | ICD-10-CM |
| D820 | Wiskott-Aldrich syndrome | Diagnosis | ICD-10-CM |
| D821 | Di George's syndrome | Diagnosis | ICD-10-CM |
| D822 | Immunodeficiency with short-limbed stature | Diagnosis | ICD-10-CM |
| D823 | Immunodeficiency following hereditary defective response to Epstein-Barr virus | Diagnosis | ICD-10-CM |
| D824 | Hyperimmunoglobulin E [IgE] syndrome | Diagnosis | ICD-10-CM |
| D828 | Immunodeficiency associated with other specified major defects | Diagnosis | ICD-10-CM |
| D829 | Immunodeficiency associated with major defect, unspecified | Diagnosis | ICD-10-CM |
| D830 | Common variable immunodeficiency with predominant abnormalities of B-cell numbers and function | Diagnosis | ICD-10-CM |
| D831 | Common variable immunodeficiency with predominant immunoregulatory T-cell disorders | Diagnosis | ICD-10-CM |
| D832 | Common variable immunodeficiency with autoantibodies to B- or T-cells | Diagnosis | ICD-10-CM |
| D838 | Other common variable immunodeficiencies | Diagnosis | ICD-10-CM |
| D839 | Common variable immunodeficiency, unspecified | Diagnosis | ICD-10-CM |
| D840 | Lymphocyte function antigen-1 [LFA-1] defect | Diagnosis | ICD-10-CM |
| D841 | Defects in the complement system | Diagnosis | ICD-10-CM |
| D848 | Other specified immunodeficiencies | Diagnosis | ICD-10-CM |
| D849 | Immunodeficiency, unspecified | Diagnosis | ICD-10-CM |
| D8982 | Autoimmune lymphoproliferative syndrome [ALPS] | Diagnosis | ICD-10-CM |
| E40 | Kwashiorkor | Diagnosis | ICD-10-CM |
| E41 | Nutritional marasmus | Diagnosis | ICD-10-CM |
| E42 | Marasmic kwashiorkor | Diagnosis | ICD-10-CM |
| E43 | Unspecified severe protein-calorie malnutrition | Diagnosis | ICD-10-CM |
| E803 | Defects of catalase and peroxidase | Diagnosis | ICD-10-CM |
| Q8901 | Asplenia (congenital) | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|------------------------|---|----------------------|------------------|
| Q8909 | Congenital malformations of spleen | Diagnosis | ICD-10-CM |
| Mental disorder | | | |
| F338 | Other recurrent depressive disorders | Diagnosis | ICD-10-CM |
| F4321 | Adjustment disorder with depressed mood | Diagnosis | ICD-10-CM |
| F341 | Dysthymic disorder | Diagnosis | ICD-10-CM |
| F4323 | Adjustment disorder with mixed anxiety and depressed mood | Diagnosis | ICD-10-CM |
| F332 | Major depressive disorder, recurrent severe without psychotic features | Diagnosis | ICD-10-CM |
| F3342 | Major depressive disorder, recurrent, in full remission | Diagnosis | ICD-10-CM |
| F3341 | Major depressive disorder, recurrent, in partial remission | Diagnosis | ICD-10-CM |
| F3340 | Major depressive disorder, recurrent, in remission, unspecified | Diagnosis | ICD-10-CM |
| F330 | Major depressive disorder, recurrent, mild | Diagnosis | ICD-10-CM |
| F331 | Major depressive disorder, recurrent, moderate | Diagnosis | ICD-10-CM |
| F333 | Major depressive disorder, recurrent, severe with psychotic symptoms | Diagnosis | ICD-10-CM |
| F339 | Major depressive disorder, recurrent, unspecified | Diagnosis | ICD-10-CM |
| F325 | Major depressive disorder, single episode, in full remission | Diagnosis | ICD-10-CM |
| F324 | Major depressive disorder, single episode, in partial remission | Diagnosis | ICD-10-CM |
| F320 | Major depressive disorder, single episode, mild | Diagnosis | ICD-10-CM |
| F321 | Major depressive disorder, single episode, moderate | Diagnosis | ICD-10-CM |
| F323 | Major depressive disorder, single episode, severe with psychotic features | Diagnosis | ICD-10-CM |
| F322 | Major depressive disorder, single episode, severe without psychotic features | Diagnosis | ICD-10-CM |
| F329 | Major depressive disorder, single episode, unspecified | Diagnosis | ICD-10-CM |
| F3131 | Bipolar disorder, current episode depressed, mild | Diagnosis | ICD-10-CM |
| F3130 | Bipolar disorder, current episode depressed, mild or moderate severity, unspecified | Diagnosis | ICD-10-CM |
| F3132 | Bipolar disorder, current episode depressed, moderate | Diagnosis | ICD-10-CM |
| F315 | Bipolar disorder, current episode depressed, severe, with psychotic features | Diagnosis | ICD-10-CM |
| F314 | Bipolar disorder, current episode depressed, severe, without psychotic features | Diagnosis | ICD-10-CM |
| F3161 | Bipolar disorder, current episode mixed, mild | Diagnosis | ICD-10-CM |
| F3162 | Bipolar disorder, current episode mixed, moderate | Diagnosis | ICD-10-CM |
| F3164 | Bipolar disorder, current episode mixed, severe, with psychotic features | Diagnosis | ICD-10-CM |
| F3163 | Bipolar disorder, current episode mixed, severe, without psychotic features | Diagnosis | ICD-10-CM |
| F3160 | Bipolar disorder, current episode mixed, unspecified | Diagnosis | ICD-10-CM |
| F3176 | Bipolar disorder, in full remission, most recent episode depressed | Diagnosis | ICD-10-CM |
| F3178 | Bipolar disorder, in full remission, most recent episode mixed | Diagnosis | ICD-10-CM |
| F3175 | Bipolar disorder, in partial remission, most recent episode depressed | Diagnosis | ICD-10-CM |
| F3177 | Bipolar disorder, in partial remission, most recent episode mixed | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code | |
|--|--|-----------|-----------|
| | | Category | Code Type |
| F3181 | Bipolar II disorder | Diagnosis | ICD-10-CM |
| Renal disease: Chronic kidney disease | | | |
| I120 | Hypertensive chronic kidney disease with stage 5 chronic kidney disease or end stage renal disease | Diagnosis | ICD-10-CM |
| I131 | Hypertensive heart and chronic kidney disease without heart failure | Diagnosis | ICD-10-CM |
| N030 | Chronic nephritic syndrome with minor glomerular abnormality | Diagnosis | ICD-10-CM |
| N031 | Chronic nephritic syndrome with focal and segmental glomerular lesions | Diagnosis | ICD-10-CM |
| N032 | Chronic nephritic syndrome with diffuse membranous glomerulonephritis | Diagnosis | ICD-10-CM |
| N033 | Chronic nephritic syndrome with diffuse mesangial proliferative glomerulonephritis | Diagnosis | ICD-10-CM |
| N034 | Chronic nephritic syndrome with diffuse endocapillary proliferative glomerulonephritis | Diagnosis | ICD-10-CM |
| N035 | Chronic nephritic syndrome with diffuse mesangiocapillary glomerulonephritis | Diagnosis | ICD-10-CM |
| N036 | Chronic nephritic syndrome with dense deposit disease | Diagnosis | ICD-10-CM |
| N037 | Chronic nephritic syndrome with diffuse crescentic glomerulonephritis | Diagnosis | ICD-10-CM |
| N038 | Chronic nephritic syndrome with other morphologic changes | Diagnosis | ICD-10-CM |
| N039 | Chronic nephritic syndrome with unspecified morphologic changes | Diagnosis | ICD-10-CM |
| N050 | Unspecified nephritic syndrome with minor glomerular abnormality | Diagnosis | ICD-10-CM |
| N051 | Unspecified nephritic syndrome with focal and segmental glomerular lesions | Diagnosis | ICD-10-CM |
| N052 | Unspecified nephritic syndrome with diffuse membranous glomerulonephritis | Diagnosis | ICD-10-CM |
| N053 | Unspecified nephritic syndrome with diffuse mesangial proliferative glomerulonephritis | Diagnosis | ICD-10-CM |
| N054 | Unspecified nephritic syndrome with diffuse endocapillary proliferative glomerulonephritis | Diagnosis | ICD-10-CM |
| N055 | Unspecified nephritic syndrome with diffuse mesangiocapillary glomerulonephritis | Diagnosis | ICD-10-CM |
| N056 | Unspecified nephritic syndrome with dense deposit disease | Diagnosis | ICD-10-CM |
| N057 | Unspecified nephritic syndrome with diffuse crescentic glomerulonephritis | Diagnosis | ICD-10-CM |
| N058 | Unspecified nephritic syndrome with other morphologic changes | Diagnosis | ICD-10-CM |
| N059 | Unspecified nephritic syndrome with unspecified morphologic changes | Diagnosis | ICD-10-CM |
| N181 | Chronic kidney disease, stage 1 | Diagnosis | ICD-10-CM |
| N182 | Chronic kidney disease, stage 2 (mild) | Diagnosis | ICD-10-CM |
| N183 | Chronic kidney disease, stage 3 (moderate) | Diagnosis | ICD-10-CM |
| N184 | Chronic kidney disease, stage 4 (severe) | Diagnosis | ICD-10-CM |
| N185 | Chronic kidney disease, stage 5 | Diagnosis | ICD-10-CM |
| N186 | End stage renal disease | Diagnosis | ICD-10-CM |
| N189 | Chronic kidney disease, unspecified | Diagnosis | ICD-10-CM |
| N19 | Unspecified kidney failure | Diagnosis | ICD-10-CM |
| N250 | Renal osteodystrophy | Diagnosis | ICD-10-CM |
| Z490 | Preparatory care for renal dialysis | Diagnosis | ICD-10-CM |
| Z4901 | Encounter for fitting and adjustment of extracorporeal dialysis catheter | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code | |
|-------|---|-----------|-----------|
| | | Category | Code Type |
| Z4902 | Encounter for fitting and adjustment of peritoneal dialysis catheter | Diagnosis | ICD-10-CM |
| Z493 | Encounter for adequacy testing for dialysis | Diagnosis | ICD-10-CM |
| Z4931 | Encounter for adequacy testing for hemodialysis | Diagnosis | ICD-10-CM |
| Z4932 | Encounter for adequacy testing for peritoneal dialysis | Diagnosis | ICD-10-CM |
| Z992 | Dependence on renal dialysis | Diagnosis | ICD-10-CM |
| E0822 | Diabetes mellitus due to underlying condition with diabetic chronic kidney disease | Diagnosis | ICD-10-CM |
| E0829 | Diabetes mellitus due to underlying condition with other diabetic kidney complication | Diagnosis | ICD-10-CM |
| E0921 | Drug or chemical induced diabetes mellitus with diabetic nephropathy | Diagnosis | ICD-10-CM |
| E0922 | Drug or chemical induced diabetes mellitus with diabetic chronic kidney disease | Diagnosis | ICD-10-CM |
| E1021 | Type 1 diabetes mellitus with diabetic nephropathy | Diagnosis | ICD-10-CM |
| E1022 | Type 1 diabetes mellitus with diabetic chronic kidney disease | Diagnosis | ICD-10-CM |
| E1121 | Type 2 diabetes mellitus with diabetic nephropathy | Diagnosis | ICD-10-CM |
| E1122 | Type 2 diabetes mellitus with diabetic chronic kidney disease | Diagnosis | ICD-10-CM |
| E1129 | Type 2 diabetes mellitus with other diabetic kidney complication | Diagnosis | ICD-10-CM |
| E1321 | Other specified diabetes mellitus with diabetic nephropathy | Diagnosis | ICD-10-CM |
| E1322 | Other specified diabetes mellitus with diabetic chronic kidney disease | Diagnosis | ICD-10-CM |
| I129 | Hypertensive chronic kidney disease with stage 1 through stage 4 chronic kidney disease, or unspecified chronic kidney disease | Diagnosis | ICD-10-CM |
| I130 | Hypertensive heart and chronic kidney disease with heart failure and stage 1 through stage 4 chronic kidney disease, or unspecified chronic kidney disease | Diagnosis | ICD-10-CM |
| I1310 | Hypertensive heart and chronic kidney disease without heart failure, with stage 1 through stage 4 chronic kidney disease, or unspecified chronic kidney disease | Diagnosis | ICD-10-CM |
| I1311 | Hypertensive heart and chronic kidney disease without heart failure, with stage 5 chronic kidney disease, or end stage renal disease | Diagnosis | ICD-10-CM |
| I132 | Hypertensive heart and chronic kidney disease with heart failure and with stage 5 chronic kidney disease, or end stage renal disease | Diagnosis | ICD-10-CM |
| K767 | Hepatorenal syndrome | Diagnosis | ICD-10-CM |
| M3214 | Glomerular disease in systemic lupus erythematosus | Diagnosis | ICD-10-CM |
| M3215 | Tubulo-interstitial nephropathy in systemic lupus erythematosus | Diagnosis | ICD-10-CM |
| M3504 | Sicca syndrome with tubulo-interstitial nephropathy | Diagnosis | ICD-10-CM |
| N010 | Rapidly progressive nephritic syndrome with minor glomerular abnormality | Diagnosis | ICD-10-CM |
| N011 | Rapidly progressive nephritic syndrome with focal and segmental glomerular lesions | Diagnosis | ICD-10-CM |
| N012 | Rapidly progressive nephritic syndrome with diffuse membranous glomerulonephritis | Diagnosis | ICD-10-CM |
| N013 | Rapidly progressive nephritic syndrome with diffuse mesangial proliferative glomerulonephritis | Diagnosis | ICD-10-CM |
| N014 | Rapidly progressive nephritic syndrome with diffuse endocapillary proliferative glomerulonephritis | Diagnosis | ICD-10-CM |
| N015 | Rapidly progressive nephritic syndrome with diffuse mesangiocapillary glomerulonephritis | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|--|----------------------|------------------|
| N016 | Rapidly progressive nephritic syndrome with dense deposit disease | Diagnosis | ICD-10-CM |
| N017 | Rapidly progressive nephritic syndrome with diffuse crescentic glomerulonephritis | Diagnosis | ICD-10-CM |
| N018 | Rapidly progressive nephritic syndrome with other morphologic changes | Diagnosis | ICD-10-CM |
| N019 | Rapidly progressive nephritic syndrome with unspecified morphologic changes | Diagnosis | ICD-10-CM |
| N020 | Recurrent and persistent hematuria with minor glomerular abnormality | Diagnosis | ICD-10-CM |
| N021 | Recurrent and persistent hematuria with focal and segmental glomerular lesions | Diagnosis | ICD-10-CM |
| N022 | Recurrent and persistent hematuria with diffuse membranous glomerulonephritis | Diagnosis | ICD-10-CM |
| N023 | Recurrent and persistent hematuria with diffuse mesangial proliferative glomerulonephritis | Diagnosis | ICD-10-CM |
| N024 | Recurrent and persistent hematuria with diffuse endocapillary proliferative glomerulonephritis | Diagnosis | ICD-10-CM |
| N025 | Recurrent and persistent hematuria with diffuse mesangiocapillary glomerulonephritis | Diagnosis | ICD-10-CM |
| N026 | Recurrent and persistent hematuria with dense deposit disease | Diagnosis | ICD-10-CM |
| N027 | Recurrent and persistent hematuria with diffuse crescentic glomerulonephritis | Diagnosis | ICD-10-CM |
| N028 | Recurrent and persistent hematuria with other morphologic changes | Diagnosis | ICD-10-CM |
| N029 | Recurrent and persistent hematuria with unspecified morphologic changes | Diagnosis | ICD-10-CM |
| N040 | Nephrotic syndrome with minor glomerular abnormality | Diagnosis | ICD-10-CM |
| N041 | Nephrotic syndrome with focal and segmental glomerular lesions | Diagnosis | ICD-10-CM |
| N042 | Nephrotic syndrome with diffuse membranous glomerulonephritis | Diagnosis | ICD-10-CM |
| N043 | Nephrotic syndrome with diffuse mesangial proliferative glomerulonephritis | Diagnosis | ICD-10-CM |
| N044 | Nephrotic syndrome with diffuse endocapillary proliferative glomerulonephritis | Diagnosis | ICD-10-CM |
| N045 | Nephrotic syndrome with diffuse mesangiocapillary glomerulonephritis | Diagnosis | ICD-10-CM |
| N046 | Nephrotic syndrome with dense deposit disease | Diagnosis | ICD-10-CM |
| N047 | Nephrotic syndrome with diffuse crescentic glomerulonephritis | Diagnosis | ICD-10-CM |
| N048 | Nephrotic syndrome with other morphologic changes | Diagnosis | ICD-10-CM |
| N049 | Nephrotic syndrome with unspecified morphologic changes | Diagnosis | ICD-10-CM |
| N060 | Isolated proteinuria with minor glomerular abnormality | Diagnosis | ICD-10-CM |
| N061 | Isolated proteinuria with focal and segmental glomerular lesions | Diagnosis | ICD-10-CM |
| N062 | Isolated proteinuria with diffuse membranous glomerulonephritis | Diagnosis | ICD-10-CM |
| N063 | Isolated proteinuria with diffuse mesangial proliferative glomerulonephritis | Diagnosis | ICD-10-CM |
| N064 | Isolated proteinuria with diffuse endocapillary proliferative glomerulonephritis | Diagnosis | ICD-10-CM |
| N065 | Isolated proteinuria with diffuse mesangiocapillary glomerulonephritis | Diagnosis | ICD-10-CM |
| N066 | Isolated proteinuria with dense deposit disease | Diagnosis | ICD-10-CM |
| N067 | Isolated proteinuria with diffuse crescentic glomerulonephritis | Diagnosis | ICD-10-CM |
| N068 | Isolated proteinuria with other morphologic lesion | Diagnosis | ICD-10-CM |
| N069 | Isolated proteinuria with unspecified morphologic lesion | Diagnosis | ICD-10-CM |
| N070 | Hereditary nephropathy, not elsewhere classified with minor glomerular abnormality | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|--|----------------------|------------------|
| N071 | Hereditary nephropathy, not elsewhere classified with focal and segmental glomerular lesions | Diagnosis | ICD-10-CM |
| N072 | Hereditary nephropathy, not elsewhere classified with diffuse membranous glomerulonephritis | Diagnosis | ICD-10-CM |
| N073 | Hereditary nephropathy, not elsewhere classified with diffuse mesangial proliferative glomerulonephritis | Diagnosis | ICD-10-CM |
| N074 | Hereditary nephropathy, not elsewhere classified with diffuse endocapillary proliferative glomerulonephritis | Diagnosis | ICD-10-CM |
| N075 | Hereditary nephropathy, not elsewhere classified with diffuse mesangiocapillary glomerulonephritis | Diagnosis | ICD-10-CM |
| N076 | Hereditary nephropathy, not elsewhere classified with dense deposit disease | Diagnosis | ICD-10-CM |
| N077 | Hereditary nephropathy, not elsewhere classified with diffuse crescentic glomerulonephritis | Diagnosis | ICD-10-CM |
| N078 | Hereditary nephropathy, not elsewhere classified with other morphologic lesions | Diagnosis | ICD-10-CM |
| N079 | Hereditary nephropathy, not elsewhere classified with unspecified morphologic lesions | Diagnosis | ICD-10-CM |
| N08 | Glomerular disorders in diseases classified elsewhere | Diagnosis | ICD-10-CM |
| N140 | Analgesic nephropathy | Diagnosis | ICD-10-CM |
| N141 | Nephropathy induced by other drugs, medicaments and biological substances | Diagnosis | ICD-10-CM |
| N142 | Nephropathy induced by unspecified drug, medicament or biological substance | Diagnosis | ICD-10-CM |
| N143 | Nephropathy induced by heavy metals | Diagnosis | ICD-10-CM |
| N144 | Toxic nephropathy, not elsewhere classified | Diagnosis | ICD-10-CM |
| N150 | Balkan nephropathy | Diagnosis | ICD-10-CM |
| N158 | Other specified renal tubulo-interstitial diseases | Diagnosis | ICD-10-CM |
| N159 | Renal tubulo-interstitial disease, unspecified | Diagnosis | ICD-10-CM |
| N16 | Renal tubulo-interstitial disorders in diseases classified elsewhere | Diagnosis | ICD-10-CM |
| N251 | Nephrogenic diabetes insipidus | Diagnosis | ICD-10-CM |
| N2581 | Secondary hyperparathyroidism of renal origin | Diagnosis | ICD-10-CM |
| N2589 | Other disorders resulting from impaired renal tubular function | Diagnosis | ICD-10-CM |
| N259 | Disorder resulting from impaired renal tubular function, unspecified | Diagnosis | ICD-10-CM |
| N261 | Atrophy of kidney (terminal) | Diagnosis | ICD-10-CM |
| N269 | Renal sclerosis, unspecified | Diagnosis | ICD-10-CM |
| Q6102 | Congenital multiple renal cysts | Diagnosis | ICD-10-CM |
| Q6111 | Cystic dilatation of collecting ducts | Diagnosis | ICD-10-CM |
| Q6119 | Other polycystic kidney, infantile type | Diagnosis | ICD-10-CM |
| Q612 | Polycystic kidney, adult type | Diagnosis | ICD-10-CM |
| Q613 | Polycystic kidney, unspecified | Diagnosis | ICD-10-CM |
| Q614 | Renal dysplasia | Diagnosis | ICD-10-CM |
| Q615 | Medullary cystic kidney | Diagnosis | ICD-10-CM |
| Q618 | Other cystic kidney diseases | Diagnosis | ICD-10-CM |
| Q620 | Congenital hydronephrosis | Diagnosis | ICD-10-CM |
| Q6210 | Congenital occlusion of ureter, unspecified | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code | |
|--------|---|-----------|-----------|
| | | Category | Code Type |
| Q6211 | Congenital occlusion of ureteropelvic junction | Diagnosis | ICD-10-CM |
| Q6212 | Congenital occlusion of ureterovesical orifice | Diagnosis | ICD-10-CM |
| Q622 | Congenital megaureter | Diagnosis | ICD-10-CM |
| Q6231 | Congenital ureterocele, orthotopic | Diagnosis | ICD-10-CM |
| Q6232 | Cecoureterocele | Diagnosis | ICD-10-CM |
| Q6239 | Other obstructive defects of renal pelvis and ureter | Diagnosis | ICD-10-CM |
| R944 | Abnormal results of kidney function studies | Diagnosis | ICD-10-CM |
| N110 | Nonobstructive reflux-associated chronic pyelonephritis | Diagnosis | ICD-10-CM |
| N111 | Chronic obstructive pyelonephritis | Diagnosis | ICD-10-CM |
| N118 | Other chronic tubulo-interstitial nephritis | Diagnosis | ICD-10-CM |
| N119 | Chronic tubulo-interstitial nephritis, unspecified | Diagnosis | ICD-10-CM |
| N12 | Tubulo-interstitial nephritis, not specified as acute or chronic | Diagnosis | ICD-10-CM |
| N130 | Hydronephrosis with ureteropelvic junction obstruction | Diagnosis | ICD-10-CM |
| N134 | Hydroureter | Diagnosis | ICD-10-CM |
| N135 | Crossing vessel and stricture of ureter without hydronephrosis | Diagnosis | ICD-10-CM |
| N136 | Pyonephrosis | Diagnosis | ICD-10-CM |
| N1370 | Vesicoureteral-reflux, unspecified | Diagnosis | ICD-10-CM |
| N1371 | Vesicoureteral-reflux without reflux nephropathy | Diagnosis | ICD-10-CM |
| N13721 | Vesicoureteral-reflux with reflux nephropathy without hydroureter, unilateral | Diagnosis | ICD-10-CM |
| N13722 | Vesicoureteral-reflux with reflux nephropathy without hydroureter, bilateral | Diagnosis | ICD-10-CM |
| N13729 | Vesicoureteral-reflux with reflux nephropathy without hydroureter, unspecified | Diagnosis | ICD-10-CM |
| N13731 | Vesicoureteral-reflux with reflux nephropathy with hydroureter, unilateral | Diagnosis | ICD-10-CM |
| N13732 | Vesicoureteral-reflux with reflux nephropathy with hydroureter, bilateral | Diagnosis | ICD-10-CM |
| N13739 | Vesicoureteral-reflux with reflux nephropathy with hydroureter, unspecified | Diagnosis | ICD-10-CM |
| N138 | Other obstructive and reflux uropathy | Diagnosis | ICD-10-CM |
| N139 | Obstructive and reflux uropathy, unspecified | Diagnosis | ICD-10-CM |
| N2889 | Other specified disorders of kidney and ureter | Diagnosis | ICD-10-CM |
| N289 | Disorder of kidney and ureter, unspecified | Diagnosis | ICD-10-CM |
| N29 | Other disorders of kidney and ureter in diseases classified elsewhere | Diagnosis | ICD-10-CM |
| 90999 | Unlisted dialysis procedure, inpatient or outpatient | Procedure | CPT-4 |
| 90935 | Hemodialysis procedure with single evaluation by a physician or other qualified health care professional | Procedure | CPT-4 |
| 90937 | Hemodialysis procedure requiring repeated evaluation(s) with or without substantial revision of dialysis prescription | Procedure | CPT-4 |
| 90940 | Hemodialysis access flow study to determine blood flow in grafts and arteriovenous fistulae by an indicator method | Procedure | CPT-4 |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code | |
|-------|---|-----------|-----------|
| | | Category | Code Type |
| 90951 | End-stage renal disease (ESRD) related services monthly, for patients younger than 2 years of age to include monitoring for the adequacy of nutrition, assessment of growth and development, and counseling of parents; with 4 or more face-to-face visits by a physician or other qualified health care professional per month | Procedure | CPT-4 |
| 90952 | End-stage renal disease (ESRD) related services monthly, for patients younger than 2 years of age to include monitoring for the adequacy of nutrition, assessment of growth and development, and counseling of parents; with 2-3 face-to-face visits by a physician or other qualified health care professional per month | Procedure | CPT-4 |
| 90953 | End-stage renal disease (ESRD) related services monthly, for patients younger than 2 years of age to include monitoring for the adequacy of nutrition, assessment of growth and development, and counseling of parents; with 1 face-to-face visit by a physician or other qualified health care professional per month | Procedure | CPT-4 |
| 90960 | End-stage renal disease (ESRD) related services monthly, for patients 20 years of age and older; with 4 or more face-to-face visits by a physician or other qualified health care professional per month | Procedure | CPT-4 |
| 90961 | End-stage renal disease (ESRD) related services monthly, for patients 20 years of age and older; with 2-3 face-to-face visits by a physician or other qualified health care professional per month | Procedure | CPT-4 |
| 90962 | End-stage renal disease (ESRD) related services monthly, for patients 20 years of age and older; with 1 face-to-face visit by a physician or other qualified health care professional per month | Procedure | CPT-4 |
| 90954 | End-stage renal disease (ESRD) related services monthly, for patients 2-11 years of age to include monitoring for the adequacy of nutrition, assessment of growth and development, and counseling of parents; with 4 or more face-to-face visits by a physician or other qualified health care professional per month | Procedure | CPT-4 |
| 90955 | End-stage renal disease (ESRD) related services monthly, for patients 2-11 years of age to include monitoring for the adequacy of nutrition, assessment of growth and development, and counseling of parents; with 2-3 face-to-face visits by a physician or other qualified health care professional per month | Procedure | CPT-4 |
| 90956 | End-stage renal disease (ESRD) related services monthly, for patients 2-11 years of age to include monitoring for the adequacy of nutrition, assessment of growth and development, and counseling of parents; with 1 face-to-face visit by a physician or other qualified health care professional per month | Procedure | CPT-4 |
| 90957 | End-stage renal disease (ESRD) related services monthly, for patients 12-19 years of age to include monitoring for the adequacy of nutrition, assessment of growth and development, and counseling of parents; with 4 or more face-to-face visits by a physician or other qualified health care professional per month | Procedure | CPT-4 |
| 90958 | End-stage renal disease (ESRD) related services monthly, for patients 12-19 years of age to include monitoring for the adequacy of nutrition, assessment of growth and development, and counseling of parents; with 2-3 face-to-face visits by a physician or other qualified health care professional per month | Procedure | CPT-4 |
| 90959 | End-stage renal disease (ESRD) related services monthly, for patients 12-19 years of age to include monitoring for the adequacy of nutrition, assessment of growth and development, and counseling of parents; with 1 face-to-face visit by a physician or other qualified health care professional per month | Procedure | CPT-4 |
| 90963 | End-stage renal disease (ESRD) related services for home dialysis per full month, for patients younger than 2 years of age to include monitoring for the adequacy of nutrition, assessment of growth and development, and counseling of parents | Procedure | CPT-4 |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code | |
|-------|--|-----------|-----------|
| | | Category | Code Type |
| 90966 | End-stage renal disease (ESRD) related services for home dialysis per full month, for patients 20 years of age and older | Procedure | CPT-4 |
| 90964 | End-stage renal disease (ESRD) related services for home dialysis per full month, for patients 2-11 years of age to include monitoring for the adequacy of nutrition, assessment of growth and development, and counseling of parents | Procedure | CPT-4 |
| 90965 | End-stage renal disease (ESRD) related services for home dialysis per full month, for patients 12-19 years of age to include monitoring for the adequacy of nutrition, assessment of growth and development, and counseling of parents | Procedure | CPT-4 |
| 90967 | End-stage renal disease (ESRD) related services for dialysis less than a full month of service, per day; for patients younger than 2 years of age | Procedure | CPT-4 |
| 90970 | End-stage renal disease (ESRD) related services for dialysis less than a full month of service, per day; for patients 20 years of age and older | Procedure | CPT-4 |
| 90968 | End-stage renal disease (ESRD) related services for dialysis less than a full month of service, per day; for patients 2-11 years of age | Procedure | CPT-4 |
| 90969 | End-stage renal disease (ESRD) related services for dialysis less than a full month of service, per day; for patients 12-19 years of age | Procedure | CPT-4 |
| 90945 | Dialysis procedure other than hemodialysis (eg, peritoneal dialysis, hemofiltration, or other continuous renal replacement therapies), with single evaluation by a physician or other qualified health care professional | Procedure | CPT-4 |
| 90947 | Dialysis procedure other than hemodialysis (eg, peritoneal dialysis, hemofiltration, or other continuous renal replacement therapies) requiring repeated evaluations by a physician or other qualified health care professional, with or without substantial revision of dialysis prescription | Procedure | CPT-4 |
| A4714 | Treated water (deionized, distilled, or reverse osmosis) for peritoneal dialysis, per gallon | Procedure | HCPCS |
| 90994 | Supervision Of Chronic Ambulatory Peritoneal Dialysis (capd), Home Or Out-patient (monthly) | Procedure | CPT-4 |
| E1640 | Replacement components for hemodialysis and/or peritoneal dialysis machines that are owned or being purchased by the patient | Procedure | HCPCS |
| E1630 | Reciprocating peritoneal dialysis system | Procedure | HCPCS |
| 90992 | Peritoneal Dialysis Training And/or Counseling | Procedure | CPT-4 |
| 0507F | Peritoneal dialysis plan of care documented (ESRD) | Procedure | CPT |
| 90976 | Peritoneal Dialysis For End-stage Renal Disease (esrd), | Procedure | CPT-4 |
| 90977 | Peritoneal Dialysis For End-stage Renal Disease (esrd), | Procedure | CPT-4 |
| 90978 | Peritoneal Dialysis For End-stage Renal Disease (esrd), | Procedure | CPT-4 |
| 90979 | Peritoneal Dialysis For End-stage Renal Disease (esrd), | Procedure | CPT-4 |
| 90982 | Peritoneal Dialysis For End-stage Renal Disease (esrd), | Procedure | CPT-4 |
| 90983 | Peritoneal Dialysis For End-stage Renal Disease (esrd), | Procedure | CPT-4 |
| 90984 | Peritoneal Dialysis For End-stage Renal Disease (esrd), | Procedure | CPT-4 |
| 90985 | Peritoneal Dialysis For End-stage Renal Disease (esrd), | Procedure | CPT-4 |
| E1634 | Peritoneal dialysis clamps, each | Procedure | HCPCS |
| K0610 | Peritoneal dialysis clamp, each | Procedure | HCPCS |
| A4653 | Peritoneal dialysis catheter anchoring device, belt, each | Procedure | HCPCS |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code | |
|-------|--|-----------|-----------|
| | | Category | Code Type |
| 4055F | Patient receiving peritoneal dialysis (ESRD) | Procedure | CPT |
| G8727 | Patient receiving hemodialysis, peritoneal dialysis or kidney transplantation | Procedure | HCPCS |
| G9523 | Patient discontinued from hemodialysis or peritoneal dialysis | Procedure | HCPCS |
| A4905 | Intermittent peritoneal dialysis (ipd) supply kit | Procedure | HCPCS |
| S9339 | Home therapy; peritoneal dialysis, administrative services, professional pharmacy services, care coordination and all necessary supplies and equipment (drugs and nursing visits coded separately), per diem | Procedure | HCPCS |
| 99559 | Home infusion of peritoneal dialysis, per visit | Procedure | CPT-4 |
| E1638 | Heating pad, for peritoneal dialysis, any size, each | Procedure | HCPCS |
| A4860 | Disposable catheter tips for peritoneal dialysis, per 10 | Procedure | HCPCS |
| A4721 | Dialysate solution, any concentration of dextrose, fluid volume greater than 999 cc but less than or equal to 1999 cc, for peritoneal dialysis | Procedure | HCPCS |
| A4726 | Dialysate solution, any concentration of dextrose, fluid volume greater than 5999 cc, for peritoneal dialysis | Procedure | HCPCS |
| A4725 | Dialysate solution, any concentration of dextrose, fluid volume greater than 4999 cc but less than or equal to 5999 cc, for peritoneal dialysis | Procedure | HCPCS |
| A4724 | Dialysate solution, any concentration of dextrose, fluid volume greater than 3999 cc but less than or equal to 4999 cc, for peritoneal dialysis | Procedure | HCPCS |
| A4723 | Dialysate solution, any concentration of dextrose, fluid volume greater than 2999 cc but less than or equal to 3999 cc, for peritoneal dialysis | Procedure | HCPCS |
| A4720 | Dialysate solution, any concentration of dextrose, fluid volume greater than 249 cc, but less than or equal to 999 cc, for peritoneal dialysis | Procedure | HCPCS |
| A4722 | Dialysate solution, any concentration of dextrose, fluid volume greater than 1999 cc but less than or equal to 2999 cc, for peritoneal dialysis | Procedure | HCPCS |
| A4760 | Dialysate solution test kit, for peritoneal dialysis, any type, each | Procedure | HCPCS |
| A4766 | Dialysate concentrate, solution, additive for peritoneal dialysis, per 10 ml | Procedure | HCPCS |
| A4765 | Dialysate concentrate, powder, additive for peritoneal dialysis, per packet | Procedure | HCPCS |
| E1594 | Cycler dialysis machine for peritoneal dialysis | Procedure | HCPCS |
| A4901 | Continuous cycling peritoneal dialysis (ccpd) supply kit | Procedure | HCPCS |
| A4900 | Continuous ambulatory peritoneal dialysis (capd) supply kit | Procedure | HCPCS |
| E1592 | Automatic intermittent peritoneal dialysis system | Procedure | HCPCS |
| A4719 | "Y set" tubing for peritoneal dialysis | Procedure | HCPCS |
| E1625 | Water softening system, for hemodialysis | Procedure | HCPCS |
| G0365 | Vessel mapping of vessels for hemodialysis access (services for preoperative vessel mapping prior to creation of hemodialysis access using an autogenous hemodialysis conduit, including arterial inflow and venous outflow) | Procedure | HCPCS |
| A4918 | Venous pressure clamp, for hemodialysis, each | Procedure | HCPCS |
| 93998 | Unlisted noninvasive vascular diagnostic study | Procedure | CPT-4 |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code | |
|-------|--|-----------|-----------|
| | | Category | Code Type |
| E1580 | Unipuncture control system for hemodialysis | Procedure | HCPCS |
| G0393 | Transluminal balloon angioplasty, percutaneous; for maintenance of hemodialysis access, arteriovenous fistula or graft; venous | Procedure | HCPCS |
| G0392 | Transluminal balloon angioplasty, percutaneous; for maintenance of hemodialysis access, arteriovenous fistula or graft; arterial | Procedure | HCPCS |
| 36907 | Transluminal balloon angioplasty, central dialysis segment, performed through dialysis circuit, including all imaging and radiological supervision and interpretation required to perform the angioplasty (List separately in addition to code for primary procedure) | Procedure | CPT-4 |
| E1575 | Transducer protectors/fluid barriers, for hemodialysis, any size, per 10 | Procedure | HCPCS |
| 36908 | Transcatheter placement of intravascular stent(s), central dialysis segment, performed through dialysis circuit, including all imaging and radiological supervision and interpretation required to perform the stenting, and all angioplasty in the central dialysis segment (List separately in addition to code for primary procedure) | Procedure | CPT-4 |
| 35876 | Thrombectomy of arterial or venous graft (other than hemodialysis graft or fistula); with revision of arterial or venous graft | Procedure | CPT-4 |
| 35875 | Thrombectomy of arterial or venous graft (other than hemodialysis graft or fistula); | Procedure | CPT-4 |
| 90988 | Supervision Of Hemodialysis In Hospital Or Other Facility (excluding Home Dialysis), On Monthly Basis | Procedure | CPT-4 |
| E1636 | Sorbent cartridges, for hemodialysis, per 10 | Procedure | HCPCS |
| A4740 | Shunt accessory, for hemodialysis, any type, each | Procedure | HCPCS |
| E1610 | Reverse osmosis water purification system, for hemodialysis | Procedure | HCPCS |
| A4802 | Protamine sulfate, for hemodialysis, per 50 mg | Procedure | HCPCS |
| E1540 | Pressure alarm for hemodialysis, each, replacement | Procedure | HCPCS |
| A4870 | Plumbing and/or electrical work for home hemodialysis equipment | Procedure | HCPCS |
| 36489 | Placement of central venous catheter (subclavian, jugular, or other vein) (eg, for central venous pressure, hyperalimentation, hemodialysis, or chemotherapy); percutaneous, over age 2 | Procedure | CPT-4 |
| 36488 | Placement of central venous catheter (subclavian, jugular, or other vein) (eg, for central venous pressure, hyperalimentation, hemodialysis, or chemotherapy); percutaneous, age 2 years or under | Procedure | CPT-4 |
| 36491 | Placement of central venous catheter (subclavian, jugular, or other vein) (eg, for central venous pressure, hyperalimentation, hemodialysis, or chemotherapy); cutdown, over age 2 | Procedure | CPT-4 |
| 36490 | Placement of central venous catheter (subclavian, jugular, or other vein) (eg, for central venous pressure, hyperalimentation, hemodialysis, or chemotherapy); cutdown, age 2 years or under | Procedure | CPT-4 |
| 36905 | Percutaneous transluminal mechanical thrombectomy and/or infusion for thrombolysis, dialysis circuit, any method, including all imaging and radiological supervision and interpretation, diagnostic angiography, fluoroscopic guidance, catheter placement(s), and intraprocedural pharmacological thrombolytic injection(s); with transluminal balloon angioplasty, peripheral dialysis segment, including all imaging and radiological supervision and interpretation necessary to perform the angioplasty | Procedure | CPT-4 |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code | |
|-------|--|-----------|-----------|
| | | Category | Code Type |
| 36906 | Percutaneous transluminal mechanical thrombectomy and/or infusion for thrombolysis, dialysis circuit, any method, including all imaging and radiological supervision and interpretation, diagnostic angiography, fluoroscopic guidance, catheter placement(s), and intraprocedural pharmacological thrombolytic injection(s); with transcatheter placement of intravascular stent(s), peripheral dialysis segment, including all imaging and radiological supervision and interpretation necessary to perform the stenting, and all angioplasty within the peripheral dialysis circuit | Procedure | CPT-4 |
| 36904 | Percutaneous transluminal mechanical thrombectomy and/or infusion for thrombolysis, dialysis circuit, any method, including all imaging and radiological supervision and interpretation, diagnostic angiography, fluoroscopic guidance, catheter placement(s), and intraprocedural pharmacological thrombolytic injection(s) | Procedure | CPT-4 |
| G9241 | Patient whose mode of vascular access is not a catheter at the time maintenance hemodialysis is initiated | Procedure | HCPCS |
| G9240 | Patient whose mode of vascular access is a catheter at the time maintenance hemodialysis is initiated | Procedure | HCPCS |
| G8956 | Patient receiving maintenance hemodialysis in an outpatient dialysis facility | Procedure | HCPCS |
| G9266 | Patient receiving maintenance hemodialysis for greater than or equal to 90 days without a catheter as the mode of vascular access | Procedure | HCPCS |
| G9265 | Patient receiving maintenance hemodialysis for greater than or equal to 90 days with a catheter as the mode of vascular access | Procedure | HCPCS |
| G8957 | Patient not receiving maintenance hemodialysis in an outpatient dialysis facility | Procedure | HCPCS |
| 37607 | Ligation or banding of angioaccess arteriovenous fistula | Procedure | CPT-4 |
| 36902 | Introduction of needle(s) and/or catheter(s), dialysis circuit, with diagnostic angiography of the dialysis circuit, including all direct puncture(s) and catheter placement(s), injection(s) of contrast, all necessary imaging from the arterial anastomosis and adjacent artery through entire venous outflow including the inferior or superior vena cava, fluoroscopic guidance, radiological supervision and interpretation and image documentation and report; with transluminal balloon angioplasty, peripheral dialysis segment, including all imaging and radiological supervision and interpretation necessary to perform the angioplasty | Procedure | CPT-4 |
| 36903 | Introduction of needle(s) and/or catheter(s), dialysis circuit, with diagnostic angiography of the dialysis circuit, including all direct puncture(s) and catheter placement(s), injection(s) of contrast, all necessary imaging from the arterial anastomosis and adjacent artery through entire venous outflow including the inferior or superior vena cava, fluoroscopic guidance, radiological supervision and interpretation and image documentation and report; with transcatheter placement of intravascular stent(s), peripheral dialysis segment, including all imaging and radiological supervision and interpretation necessary to perform the stenting, and all angioplasty within the peripheral dialysis segment | Procedure | CPT-4 |
| 36901 | Introduction of needle(s) and/or catheter(s), dialysis circuit, with diagnostic angiography of the dialysis circuit, including all direct puncture(s) and catheter placement(s), injection(s) of contrast, all necessary imaging from the arterial anastomosis and adjacent artery through entire venous outflow including the inferior or superior vena cava, fluoroscopic guidance, radiological supervision and interpretation and image documentation and report | Procedure | CPT-4 |
| 36800 | Insertion of cannula for hemodialysis, other purpose (separate procedure); vein to vein | Procedure | CPT-4 |
| 36815 | Insertion of cannula for hemodialysis, other purpose (separate procedure); arteriovenous, external revision, or closure | Procedure | CPT-4 |
| 36810 | Insertion of cannula for hemodialysis, other purpose (separate procedure); arteriovenous, external (Scribner type) | Procedure | CPT-4 |
| 99512 | Home visit for hemodialysis | Procedure | CPT-4 |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code | |
|-------|---|-----------|-----------|
| | | Category | Code Type |
| S9335 | Home therapy, hemodialysis; administrative services, professional pharmacy services, care coordination, and all necessary supplies and equipment (drugs and nursing services coded separately), per diem | Procedure | HCPCS |
| 90991 | Home Hemodialysis Care, Outpatient, For Those Services Either Provided By The Physician Primarily Responsible | Procedure | CPT-4 |
| A4801 | Heparin, any type, for hemodialysis, per 1000 units | Procedure | HCPCS |
| E1520 | Heparin infusion pump for hemodialysis | Procedure | HCPCS |
| 90941 | Hemodialysis, For Acute Renal Failure And Or Intoxication, | Procedure | CPT-4 |
| 90942 | Hemodialysis, For Acute Renal Failure And Or Intoxication, | Procedure | CPT-4 |
| 90943 | Hemodialysis, For Acute Renal Failure And Or Intoxication, | Procedure | CPT-4 |
| 90944 | Hemodialysis, For Acute Renal Failure And Or Intoxication, | Procedure | CPT-4 |
| 4053F | Hemodialysis via functioning arteriovenous (AV) graft (ESRD) | Procedure | CPT |
| 4052F | Hemodialysis via functioning arteriovenous (AV) fistula (ESRD) | Procedure | CPT |
| 4054F | Hemodialysis via catheter (ESRD) | Procedure | CPT |
| G8715 | Hemodialysis treatment performed less than 3 times per week or greater than 3 times per week | Procedure | HCPCS |
| G8714 | Hemodialysis treatment performed exactly 3 times per week > 90 days | Procedure | HCPCS |
| 90990 | Hemodialysis Training And/or Counseling | Procedure | CPT-4 |
| 0505F | Hemodialysis plan of care documented (ESRD, P-ESRD) | Procedure | CPT |
| E1590 | Hemodialysis machine | Procedure | HCPCS |
| A4820 | Hemodialysis kit supplies | Procedure | HCPCS |
| 90939 | Hemodialysis access flow study to determine blood flow in grafts and arteriovenous fistulae by an indicator dilution method, hook-up; transcutaneous measurement and disconnection | Procedure | CPT-4 |
| A4730 | Fistula cannulation set for hemodialysis, each | Procedure | HCPCS |
| G8085 | ESRD patient requiring hemodialysis vascular access was not an eligible candidate for autogenous AV fistula | Procedure | HCPCS |
| G8081 | ESRD patient requiring hemodialysis vascular access documented to have received autogenous AV fistula | Procedure | HCPCS |
| G8082 | ESRD patient requiring hemodialysis documented to have received vascular access other than autogenous AV fistula | Procedure | HCPCS |
| 93990 | Duplex scan of hemodialysis access (including arterial inflow, body of access and venous outflow) | Procedure | CPT-4 |
| 93986 | Duplex scan of arterial inflow and venous outflow for preoperative vessel assessment prior to creation of hemodialysis access; complete unilateral study | Procedure | CPT-4 |
| 93985 | Duplex scan of arterial inflow and venous outflow for preoperative vessel assessment prior to creation of hemodialysis access; complete bilateral study | Procedure | CPT-4 |
| G9239 | Documentation of reasons for patient initiating maintenance hemodialysis with a catheter as the mode of vascular access (e.g., patient has a maturing arteriovenous fistula (AVF)/arteriovenous graft (AVG), time limited trial of hemodialysis, other medical reasons, patient declined AVF/AVG, other patient reasons, patient followed by reporting nephrologist for fewer than 90 days, other system reasons) | Procedure | HCPCS |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code | |
|-------|---|-----------|-----------|
| | | Category | Code Type |
| G9264 | Documentation of patient receiving maintenance hemodialysis for greater than or equal to 90 days with a catheter for documented reasons (e.g., other medical reasons, patient declined arteriovenous fistula (AVF)/arteriovenous graft (AVG), other patient reasons) | Procedure | HCPCS |
| 36838 | Distal revascularization and interval ligation (DRIL), upper extremity hemodialysis access (steal syndrome) | Procedure | CPT-4 |
| A4690 | Dialyzer (artificial kidneys), all types, all sizes, for hemodialysis, each | Procedure | HCPCS |
| 36909 | Dialysis circuit permanent vascular embolization or occlusion (including main circuit or any accessory veins), endovascular, including all imaging and radiological supervision and interpretation necessary to complete the intervention (List separately in addition to code for primary procedure) | Procedure | CPT-4 |
| E1600 | Delivery and/or installation charges for hemodialysis equipment | Procedure | HCPCS |
| E1615 | Deionizer water purification system, for hemodialysis | Procedure | HCPCS |
| 35686 | Creation of distal arteriovenous fistula during lower extremity bypass surgery (non-hemodialysis) (List separately in addition to code for primary procedure) | Procedure | CPT-4 |
| A4890 | Contracts, repair and maintenance, for hemodialysis equipment | Procedure | HCPCS |
| C1751 | Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis) | Procedure | HCPCS |
| C1752 | Catheter, hemodialysis/peritoneal, short-term | Procedure | HCPCS |
| C1750 | Catheter, hemodialysis/peritoneal, long-term | Procedure | HCPCS |
| A4750 | Blood tubing, arterial or venous, for hemodialysis, each | Procedure | HCPCS |
| A4755 | Blood tubing, arterial and venous combined, for hemodialysis, each | Procedure | HCPCS |
| E1620 | Blood pump for hemodialysis, replacement | Procedure | HCPCS |
| E1560 | Blood leak detector for hemodialysis, each, replacement | Procedure | HCPCS |
| A4706 | Bicarbonate concentrate, solution, for hemodialysis, per gallon | Procedure | HCPCS |
| A4707 | Bicarbonate concentrate, powder, for hemodialysis, per packet | Procedure | HCPCS |
| E1550 | Bath conductivity meter for hemodialysis, each | Procedure | HCPCS |
| 36821 | Arteriovenous anastomosis, open; direct, any site (eg, Cimino type) (separate procedure) | Procedure | CPT-4 |
| 36818 | Arteriovenous anastomosis, open; by upper arm cephalic vein transposition | Procedure | CPT-4 |
| 36819 | Arteriovenous anastomosis, open; by upper arm basilic vein transposition | Procedure | CPT-4 |
| 36820 | Arteriovenous anastomosis, open; by forearm vein transposition | Procedure | CPT-4 |
| E1530 | Air bubble detector for hemodialysis, each, replacement | Procedure | HCPCS |
| A4680 | Activated carbon filter for hemodialysis, each | Procedure | HCPCS |
| A4709 | Acid concentrate, solution, for hemodialysis, per gallon | Procedure | HCPCS |
| A4708 | Acetate concentrate solution, for hemodialysis, per gallon | Procedure | HCPCS |
| 49422 | Removal of tunneled intraperitoneal catheter | Procedure | CPT-4 |
| 49325 | Laparoscopy, surgical; with revision of previously placed intraperitoneal cannula or catheter, with removal of intraluminal obstructive material if performed | Procedure | CPT-4 |
| 49324 | Laparoscopy, surgical; with insertion of tunneled intraperitoneal catheter | Procedure | CPT-4 |
| 49419 | Insertion of tunneled intraperitoneal catheter, with subcutaneous port (ie, totally implantable) | Procedure | CPT-4 |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code | |
|---------|---|-----------|-----------|
| | | Category | Code Type |
| 49421 | Insertion of tunneled intraperitoneal catheter for dialysis, open | Procedure | CPT-4 |
| 49418 | Insertion of tunneled intraperitoneal catheter (eg, dialysis, intraperitoneal chemotherapy instillation, management of ascites), complete procedure, including imaging guidance, catheter placement, contrast injection when performed, and radiological supervision and interpretation. percutaneous | Procedure | CPT-4 |
| 49435 | Insertion of subcutaneous extension to intraperitoneal cannula or catheter with remote chest exit site (List separately in addition to code for primary procedure) | Procedure | CPT-4 |
| B50W | Plain Radiography / Dialysis Shunt/Fistula | Diagnosis | ICD-10-CM |
| B50W0ZZ | Plain Radiography of Dialysis Shunt/Fistula using High Osmolar Contrast | Diagnosis | ICD-10-CM |
| B50W1ZZ | Plain Radiography of Dialysis Shunt/Fistula using Low Osmolar Contrast | Diagnosis | ICD-10-CM |
| B50WYZZ | Plain Radiography of Dialysis Shunt/Fistula using Other Contrast | Diagnosis | ICD-10-CM |
| B51W | Fluoroscopy / Dialysis Shunt/Fistula | Diagnosis | ICD-10-CM |
| B51W0ZA | Fluoroscopy of Dialysis Shunt/Fistula using High Osmolar Contrast, Guidance | Diagnosis | ICD-10-CM |
| B51W0ZZ | Fluoroscopy of Dialysis Shunt/Fistula using High Osmolar Contrast | Diagnosis | ICD-10-CM |
| B51W1ZA | Fluoroscopy of Dialysis Shunt/Fistula using Low Osmolar Contrast, Guidance | Diagnosis | ICD-10-CM |
| B51W1ZZ | Fluoroscopy of Dialysis Shunt/Fistula using Low Osmolar Contrast | Diagnosis | ICD-10-CM |
| B51WYZA | Fluoroscopy of Dialysis Shunt/Fistula using Other Contrast, Guidance | Diagnosis | ICD-10-CM |
| B51WYZZ | Fluoroscopy of Dialysis Shunt/Fistula using Other Contrast | Diagnosis | ICD-10-CM |
| B51WZZA | Fluoroscopy of Dialysis Shunt/Fistula, Guidance | Diagnosis | ICD-10-CM |
| B51WZZZ | Fluoroscopy of Dialysis Shunt/Fistula | Diagnosis | ICD-10-CM |
| O1022 | Pre-existing hypertensive chronic kidney disease complicating childbirth | Diagnosis | ICD-10-CM |
| O1021 | Pre-existing hypertensive chronic kidney disease complicating pregnancy | Diagnosis | ICD-10-CM |
| O102 | Pre-existing hypertensive chronic kidney disease complicating pregnancy, childbirth and the puerperium | Diagnosis | ICD-10-CM |
| O10211 | Pre-existing hypertensive chronic kidney disease complicating pregnancy, first trimester | Diagnosis | ICD-10-CM |
| O10212 | Pre-existing hypertensive chronic kidney disease complicating pregnancy, second trimester | Diagnosis | ICD-10-CM |
| O10213 | Pre-existing hypertensive chronic kidney disease complicating pregnancy, third trimester | Diagnosis | ICD-10-CM |
| O10219 | Pre-existing hypertensive chronic kidney disease complicating pregnancy, unspecified trimester | Diagnosis | ICD-10-CM |
| O1023 | Pre-existing hypertensive chronic kidney disease complicating the puerperium | Diagnosis | ICD-10-CM |
| O1032 | Pre-existing hypertensive heart and chronic kidney disease complicating childbirth | Diagnosis | ICD-10-CM |
| O1031 | Pre-existing hypertensive heart and chronic kidney disease complicating pregnancy | Diagnosis | ICD-10-CM |
| O103 | Pre-existing hypertensive heart and chronic kidney disease complicating pregnancy, childbirth and the puerperium | Diagnosis | ICD-10-CM |
| O10311 | Pre-existing hypertensive heart and chronic kidney disease complicating pregnancy, first trimester | Diagnosis | ICD-10-CM |
| O10312 | Pre-existing hypertensive heart and chronic kidney disease complicating pregnancy, second trimester | Diagnosis | ICD-10-CM |
| O10313 | Pre-existing hypertensive heart and chronic kidney disease complicating pregnancy, third trimester | Diagnosis | ICD-10-CM |
| O10319 | Pre-existing hypertensive heart and chronic kidney disease complicating pregnancy, unspecified trimester | Diagnosis | ICD-10-CM |
| O1033 | Pre-existing hypertensive heart and chronic kidney disease complicating the puerperium | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|------------------------------------|--|----------------------|------------------|
| N1830 | Chronic kidney disease, stage 3 unspecified | Diagnosis | ICD-10-CM |
| N1831 | Chronic kidney disease, stage 3a | Diagnosis | ICD-10-CM |
| N1832 | Chronic kidney disease, stage 3b | Diagnosis | ICD-10-CM |
| E0821 | Diabetes mellitus due to underlying condition with diabetic nephropathy | Diagnosis | ICD-10-CM |
| E0929 | Drug or chemical induced diabetes mellitus with other diabetic kidney complication | Diagnosis | ICD-10-CM |
| E1029 | Type 1 diabetes mellitus with other diabetic kidney complication | Diagnosis | ICD-10-CM |
| E1329 | Other specified diabetes mellitus with other diabetic kidney complication | Diagnosis | ICD-10-CM |
| Z9115 | Patient's noncompliance with renal dialysis | Diagnosis | ICD-10-CM |
| Respiratory disease: Asthma | | | |
| J4520 | Mild intermittent asthma, uncomplicated | Diagnosis | ICD-10-CM |
| J4521 | Mild intermittent asthma with (acute) exacerbation | Diagnosis | ICD-10-CM |
| J4522 | Mild intermittent asthma with status asthmaticus | Diagnosis | ICD-10-CM |
| J4530 | Mild persistent asthma, uncomplicated | Diagnosis | ICD-10-CM |
| J4531 | Mild persistent asthma with (acute) exacerbation | Diagnosis | ICD-10-CM |
| J4532 | Mild persistent asthma with status asthmaticus | Diagnosis | ICD-10-CM |
| J4540 | Moderate persistent asthma, uncomplicated | Diagnosis | ICD-10-CM |
| J4541 | Moderate persistent asthma with (acute) exacerbation | Diagnosis | ICD-10-CM |
| J4542 | Moderate persistent asthma with status asthmaticus | Diagnosis | ICD-10-CM |
| J4550 | Severe persistent asthma, uncomplicated | Diagnosis | ICD-10-CM |
| J4551 | Severe persistent asthma with (acute) exacerbation | Diagnosis | ICD-10-CM |
| J4552 | Severe persistent asthma with status asthmaticus | Diagnosis | ICD-10-CM |
| J45901 | Unspecified asthma with (acute) exacerbation | Diagnosis | ICD-10-CM |
| J45902 | Unspecified asthma with status asthmaticus | Diagnosis | ICD-10-CM |
| J45909 | Unspecified asthma, uncomplicated | Diagnosis | ICD-10-CM |
| J45990 | Exercise induced bronchospasm | Diagnosis | ICD-10-CM |
| J45991 | Cough variant asthma | Diagnosis | ICD-10-CM |
| J45998 | Other asthma | Diagnosis | ICD-10-CM |
| J45 | Asthma | Diagnosis | ICD-10-CM |
| J452 | Mild intermittent asthma | Diagnosis | ICD-10-CM |
| J453 | Mild persistent asthma | Diagnosis | ICD-10-CM |
| J454 | Moderate persistent asthma | Diagnosis | ICD-10-CM |
| J455 | Severe persistent asthma | Diagnosis | ICD-10-CM |
| J459 | Other and unspecified asthma | Diagnosis | ICD-10-CM |
| J4590 | Unspecified asthma | Diagnosis | ICD-10-CM |
| J4599 | Other asthma | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|---|--|----------------------|------------------|
| Respiratory disease: Chronic obstructive pulmonary disease | | | |
| J40 | Bronchitis, not specified as acute or chronic | Diagnosis | ICD-10-CM |
| J410 | Simple chronic bronchitis | Diagnosis | ICD-10-CM |
| J411 | Mucopurulent chronic bronchitis | Diagnosis | ICD-10-CM |
| J418 | Mixed simple and mucopurulent chronic bronchitis | Diagnosis | ICD-10-CM |
| J42 | Unspecified chronic bronchitis | Diagnosis | ICD-10-CM |
| J430 | Unilateral pulmonary emphysema [MacLeod's syndrome] | Diagnosis | ICD-10-CM |
| J431 | Panlobular emphysema | Diagnosis | ICD-10-CM |
| J432 | Centrilobular emphysema | Diagnosis | ICD-10-CM |
| J438 | Other emphysema | Diagnosis | ICD-10-CM |
| J439 | Emphysema, unspecified | Diagnosis | ICD-10-CM |
| J440 | Chronic obstructive pulmonary disease with (acute) lower respiratory infection | Diagnosis | ICD-10-CM |
| J441 | Chronic obstructive pulmonary disease with (acute) exacerbation | Diagnosis | ICD-10-CM |
| J449 | Chronic obstructive pulmonary disease, unspecified | Diagnosis | ICD-10-CM |
| J43 | Emphysema | Diagnosis | ICD-10-CM |
| J982 | Interstitial emphysema | Diagnosis | ICD-10-CM |
| J983 | Compensatory emphysema | Diagnosis | ICD-10-CM |
| P25 | Interstitial emphysema and related conditions originating in the perinatal period | Diagnosis | ICD-10-CM |
| P250 | Interstitial emphysema originating in the perinatal period | Diagnosis | ICD-10-CM |
| P258 | Other conditions related to interstitial emphysema originating in the perinatal period | Diagnosis | ICD-10-CM |
| Respiratory disease: Other chronic respiratory disease | | | |
| J470 | Bronchiectasis with acute lower respiratory infection | Diagnosis | ICD-10-CM |
| J471 | Bronchiectasis with (acute) exacerbation | Diagnosis | ICD-10-CM |
| J479 | Bronchiectasis, uncomplicated | Diagnosis | ICD-10-CM |
| B4481 | Allergic bronchopulmonary aspergillosis | Diagnosis | ICD-10-CM |
| G4734 | Idio sleep related nonobstructive alveolar hypoventilation | Diagnosis | ICD-10-CM |
| G4736 | Sleep related hypoventilation in conditions classd elswhr | Diagnosis | ICD-10-CM |
| G4739 | Other sleep apnea | Diagnosis | ICD-10-CM |
| E840 | Cystic fibrosis with pulmonary manifestations | Diagnosis | ICD-10-CM |
| E841 | Cystic fibrosis with intestinal manifestations | Diagnosis | ICD-10-CM |
| E8419 | Cystic fibrosis with other intestinal manifestations | Diagnosis | ICD-10-CM |
| E848 | Cystic fibrosis with other manifestations | Diagnosis | ICD-10-CM |
| J61 | Pneumoconiosis due to asbestos and other mineral fibers | Diagnosis | ICD-10-CM |
| J62 | Pneumoconiosis due to dust containing silica | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code | |
|--------|--|-----------|-----------|
| | | Category | Code Type |
| J628 | Pneumoconiosis due to other dust containing silica | Diagnosis | ICD-10-CM |
| J63 | Pneumoconiosis due to other inorganic dusts | Diagnosis | ICD-10-CM |
| J636 | Pneumoconiosis due to other specified inorganic dusts | Diagnosis | ICD-10-CM |
| J65 | Pneumoconiosis associated with tuberculosis | Diagnosis | ICD-10-CM |
| J70 | Respiratory conditions due to other external agents | Diagnosis | ICD-10-CM |
| J701 | Chronic and other pulmonary manifestations due to radiatio | Diagnosis | ICD-10-CM |
| J703 | Chronic drug-induced interstitial lung disorders | Diagnosis | ICD-10-CM |
| J704 | Drug-induced interstitial lung disorders, unspecified | Diagnosis | ICD-10-CM |
| J705 | Respiratory conditions due to smoke inhalation | Diagnosis | ICD-10-CM |
| J708 | Respiratory conditions due to oth external agents | Diagnosis | ICD-10-CM |
| J709 | Respiratory conditions due to unspecified external agent | Diagnosis | ICD-10-CM |
| J82 | Pulmonary eosinophilia, not elsewhere classified | Diagnosis | ICD-10-CM |
| J828 | Pulmonary eosinophilia, not elsewhere classified | Diagnosis | ICD-10-CM |
| J8289 | Other pulmonary eosinophilia, not elsewhere classified | Diagnosis | ICD-10-CM |
| J84 | Other interstitial pulmonary diseases | Diagnosis | ICD-10-CM |
| J840 | Alveolar and parieto-alveolar conditions | Diagnosis | ICD-10-CM |
| J8409 | Other alveolar and parieto-alveolar conditions | Diagnosis | ICD-10-CM |
| J841 | Other interstitial pulmonary diseases with fibrosis | Diagnosis | ICD-10-CM |
| J8410 | Pulmonary fibrosis, unspecified | Diagnosis | ICD-10-CM |
| J84111 | Idiopathic interstitial pneumonia, not otherwise specified | Diagnosis | ICD-10-CM |
| J84113 | Idiopathic non-specific interstitial pneumonitis | Diagnosis | ICD-10-CM |
| J84115 | Respiratory bronchiolitis interstitial lung disease | Diagnosis | ICD-10-CM |
| J84117 | Desquamative interstitial pneumonia | Diagnosis | ICD-10-CM |
| J8417 | Oth interstit pulmon dis w fibrosis in dis classd elswhr | Diagnosis | ICD-10-CM |
| J84170 | Interstit lung dis w progr fibrotic phenotype dis classd e | Diagnosis | ICD-10-CM |
| J84178 | Oth interstit pulmon dis with fibrosis in dis classd elswh | Diagnosis | ICD-10-CM |
| J848 | Other specified interstitial pulmonary diseases | Diagnosis | ICD-10-CM |
| J8482 | Adult pulmonary Langerhans cell histiocytosis | Diagnosis | ICD-10-CM |
| J8484 | Other interstitial lung diseases of childhood | Diagnosis | ICD-10-CM |
| J84841 | Neuroendocrine cell hyperplasia of infancy | Diagnosis | ICD-10-CM |
| J84842 | Pulmonary interstitial glycogenosis | Diagnosis | ICD-10-CM |
| J84843 | Alveolar capillary dysplasia with vein misalignment | Diagnosis | ICD-10-CM |
| J84848 | Other interstitial lung diseases of childhood | Diagnosis | ICD-10-CM |
| J8489 | Other specified interstitial pulmonary diseases | Diagnosis | ICD-10-CM |
| J849 | Interstitial pulmonary disease, unspecified | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code | |
|--------------------------|---|-----------|-----------|
| | | Category | Code Type |
| J91 | Pleural effusion in conditions classified elsewhere | Diagnosis | ICD-10-CM |
| J920 | Pleural plaque with presence of asbestos | Diagnosis | ICD-10-CM |
| P25 | Interstitial emphysema and related conditions originating in the perinatal period | Diagnosis | ICD-10-CM |
| P27 | Chronic respiratory disease originating in the perinatal period | Diagnosis | ICD-10-CM |
| P270 | Wilson-Mikity syndrome | Diagnosis | ICD-10-CM |
| P271 | Bronchopulmonary dysplasia origin in the perinatal period | Diagnosis | ICD-10-CM |
| P278 | Oth chronic resp diseases origin in the perinatal period | Diagnosis | ICD-10-CM |
| P279 | Unsp chronic resp disease origin in the perinatal period | Diagnosis | ICD-10-CM |
| J40 | Bronchitis, not specified as acute or chronic | Diagnosis | ICD-10-CM |
| J410 | Simple chronic bronchitis | Diagnosis | ICD-10-CM |
| J411 | Mucopurulent chronic bronchitis | Diagnosis | ICD-10-CM |
| J418 | Mixed simple and mucopurulent chronic bronchitis | Diagnosis | ICD-10-CM |
| J43 | Emphysema | Diagnosis | ICD-10-CM |
| J430 | Unilateral pulmonary emphysema [MacLeod's syndrome] | Diagnosis | ICD-10-CM |
| J431 | Panlobular emphysema | Diagnosis | ICD-10-CM |
| J432 | Centrilobular emphysema | Diagnosis | ICD-10-CM |
| J438 | Other emphysema | Diagnosis | ICD-10-CM |
| J439 | Emphysema, unspecified | Diagnosis | ICD-10-CM |
| J44 | Other chronic obstructive pulmonary disease | Diagnosis | ICD-10-CM |
| J982 | Interstitial emphysema | Diagnosis | ICD-10-CM |
| J983 | compensatory emphysema | Diagnosis | ICD-10-CM |
| J984 | other disorders of lung | Diagnosis | ICD-10-CM |
| J989 | Respiratory disease (chronic) NOS | Diagnosis | ICD-10-CM |
| J961 | Chronic respiratory failure | Diagnosis | ICD-10-CM |
| J42 | Unspecified chronic bronchitis | Diagnosis | ICD-10-CM |
| Rheumatic disease | | | |
| M05 | Rheumatoid arthritis with rheumatoid factor | Diagnosis | ICD-10-CM |
| M051 | Rheumatoid lung disease with rheumatoid arthritis | Diagnosis | ICD-10-CM |
| M0510 | Rheumatoid lung disease with rheumatoid arthritis of unspecified site | Diagnosis | ICD-10-CM |
| M0511 | Rheumatoid lung disease with rheumatoid arthritis of shoulder | Diagnosis | ICD-10-CM |
| M05111 | Rheumatoid lung disease with rheumatoid arthritis of right shoulder | Diagnosis | ICD-10-CM |
| M05112 | Rheumatoid lung disease with rheumatoid arthritis of left shoulder | Diagnosis | ICD-10-CM |
| M05119 | Rheumatoid lung disease with rheumatoid arthritis of unspecified shoulder | Diagnosis | ICD-10-CM |
| M0512 | Rheumatoid lung disease with rheumatoid arthritis of elbow | Diagnosis | ICD-10-CM |
| M05121 | Rheumatoid lung disease with rheumatoid arthritis of right elbow | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code | |
|--------|---|-----------|-----------|
| | | Category | Code Type |
| M05122 | Rheumatoid lung disease with rheumatoid arthritis of left elbow | Diagnosis | ICD-10-CM |
| M05129 | Rheumatoid lung disease with rheumatoid arthritis of unspecified elbow | Diagnosis | ICD-10-CM |
| M0513 | Rheumatoid lung disease with rheumatoid arthritis of wrist | Diagnosis | ICD-10-CM |
| M05131 | Rheumatoid lung disease with rheumatoid arthritis of right wrist | Diagnosis | ICD-10-CM |
| M05132 | Rheumatoid lung disease with rheumatoid arthritis of left wrist | Diagnosis | ICD-10-CM |
| M05139 | Rheumatoid lung disease with rheumatoid arthritis of unspecified wrist | Diagnosis | ICD-10-CM |
| M0514 | Rheumatoid lung disease with rheumatoid arthritis of hand | Diagnosis | ICD-10-CM |
| M05141 | Rheumatoid lung disease with rheumatoid arthritis of right hand | Diagnosis | ICD-10-CM |
| M05142 | Rheumatoid lung disease with rheumatoid arthritis of left hand | Diagnosis | ICD-10-CM |
| M05149 | Rheumatoid lung disease with rheumatoid arthritis of unspecified hand | Diagnosis | ICD-10-CM |
| M0515 | Rheumatoid lung disease with rheumatoid arthritis of hip | Diagnosis | ICD-10-CM |
| M05151 | Rheumatoid lung disease with rheumatoid arthritis of right hip | Diagnosis | ICD-10-CM |
| M05152 | Rheumatoid lung disease with rheumatoid arthritis of left hip | Diagnosis | ICD-10-CM |
| M05159 | Rheumatoid lung disease with rheumatoid arthritis of unspecified hip | Diagnosis | ICD-10-CM |
| M0516 | Rheumatoid lung disease with rheumatoid arthritis of knee | Diagnosis | ICD-10-CM |
| M05161 | Rheumatoid lung disease with rheumatoid arthritis of right knee | Diagnosis | ICD-10-CM |
| M05162 | Rheumatoid lung disease with rheumatoid arthritis of left knee | Diagnosis | ICD-10-CM |
| M05169 | Rheumatoid lung disease with rheumatoid arthritis of unspecified knee | Diagnosis | ICD-10-CM |
| M0517 | Rheumatoid lung disease with rheumatoid arthritis of ankle and foot | Diagnosis | ICD-10-CM |
| M05171 | Rheumatoid lung disease with rheumatoid arthritis of right ankle and foot | Diagnosis | ICD-10-CM |
| M05172 | Rheumatoid lung disease with rheumatoid arthritis of left ankle and foot | Diagnosis | ICD-10-CM |
| M05179 | Rheumatoid lung disease with rheumatoid arthritis of unspecified ankle and foot | Diagnosis | ICD-10-CM |
| M0519 | Rheumatoid lung disease with rheumatoid arthritis of multiple sites | Diagnosis | ICD-10-CM |
| M052 | Rheumatoid vasculitis with rheumatoid arthritis | Diagnosis | ICD-10-CM |
| M0520 | Rheumatoid vasculitis with rheumatoid arthritis of unspecified site | Diagnosis | ICD-10-CM |
| M0521 | Rheumatoid vasculitis with rheumatoid arthritis of shoulder | Diagnosis | ICD-10-CM |
| M05211 | Rheumatoid vasculitis with rheumatoid arthritis of right shoulder | Diagnosis | ICD-10-CM |
| M05212 | Rheumatoid vasculitis with rheumatoid arthritis of left shoulder | Diagnosis | ICD-10-CM |
| M05219 | Rheumatoid vasculitis with rheumatoid arthritis of unspecified shoulder | Diagnosis | ICD-10-CM |
| M0522 | Rheumatoid vasculitis with rheumatoid arthritis of elbow | Diagnosis | ICD-10-CM |
| M05221 | Rheumatoid vasculitis with rheumatoid arthritis of right elbow | Diagnosis | ICD-10-CM |
| M05222 | Rheumatoid vasculitis with rheumatoid arthritis of left elbow | Diagnosis | ICD-10-CM |
| M05229 | Rheumatoid vasculitis with rheumatoid arthritis of unspecified elbow | Diagnosis | ICD-10-CM |
| M0523 | Rheumatoid vasculitis with rheumatoid arthritis of wrist | Diagnosis | ICD-10-CM |
| M05231 | Rheumatoid vasculitis with rheumatoid arthritis of right wrist | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|---|----------------------|------------------|
| M05232 | Rheumatoid vasculitis with rheumatoid arthritis of left wrist | Diagnosis | ICD-10-CM |
| M05239 | Rheumatoid vasculitis with rheumatoid arthritis of unspecified wrist | Diagnosis | ICD-10-CM |
| M0524 | Rheumatoid vasculitis with rheumatoid arthritis of hand | Diagnosis | ICD-10-CM |
| M05241 | Rheumatoid vasculitis with rheumatoid arthritis of right hand | Diagnosis | ICD-10-CM |
| M05242 | Rheumatoid vasculitis with rheumatoid arthritis of left hand | Diagnosis | ICD-10-CM |
| M05249 | Rheumatoid vasculitis with rheumatoid arthritis of unspecified hand | Diagnosis | ICD-10-CM |
| M0525 | Rheumatoid vasculitis with rheumatoid arthritis of hip | Diagnosis | ICD-10-CM |
| M05251 | Rheumatoid vasculitis with rheumatoid arthritis of right hip | Diagnosis | ICD-10-CM |
| M05252 | Rheumatoid vasculitis with rheumatoid arthritis of left hip | Diagnosis | ICD-10-CM |
| M05259 | Rheumatoid vasculitis with rheumatoid arthritis of unspecified hip | Diagnosis | ICD-10-CM |
| M0526 | Rheumatoid vasculitis with rheumatoid arthritis of knee | Diagnosis | ICD-10-CM |
| M05261 | Rheumatoid vasculitis with rheumatoid arthritis of right knee | Diagnosis | ICD-10-CM |
| M05262 | Rheumatoid vasculitis with rheumatoid arthritis of left knee | Diagnosis | ICD-10-CM |
| M05269 | Rheumatoid vasculitis with rheumatoid arthritis of unspecified knee | Diagnosis | ICD-10-CM |
| M0527 | Rheumatoid vasculitis with rheumatoid arthritis of ankle and foot | Diagnosis | ICD-10-CM |
| M05271 | Rheumatoid vasculitis with rheumatoid arthritis of right ankle and foot | Diagnosis | ICD-10-CM |
| M05272 | Rheumatoid vasculitis with rheumatoid arthritis of left ankle and foot | Diagnosis | ICD-10-CM |
| M05279 | Rheumatoid vasculitis with rheumatoid arthritis of unspecified ankle and foot | Diagnosis | ICD-10-CM |
| M0529 | Rheumatoid vasculitis with rheumatoid arthritis of multiple sites | Diagnosis | ICD-10-CM |
| M053 | Rheumatoid heart disease with rheumatoid arthritis | Diagnosis | ICD-10-CM |
| M0530 | Rheumatoid heart disease with rheumatoid arthritis of unspecified site | Diagnosis | ICD-10-CM |
| M0531 | Rheumatoid heart disease with rheumatoid arthritis of shoulder | Diagnosis | ICD-10-CM |
| M05311 | Rheumatoid heart disease with rheumatoid arthritis of right shoulder | Diagnosis | ICD-10-CM |
| M05312 | Rheumatoid heart disease with rheumatoid arthritis of left shoulder | Diagnosis | ICD-10-CM |
| M05319 | Rheumatoid heart disease with rheumatoid arthritis of unspecified shoulder | Diagnosis | ICD-10-CM |
| M0532 | Rheumatoid heart disease with rheumatoid arthritis of elbow | Diagnosis | ICD-10-CM |
| M05321 | Rheumatoid heart disease with rheumatoid arthritis of right elbow | Diagnosis | ICD-10-CM |
| M05322 | Rheumatoid heart disease with rheumatoid arthritis of left elbow | Diagnosis | ICD-10-CM |
| M05329 | Rheumatoid heart disease with rheumatoid arthritis of unspecified elbow | Diagnosis | ICD-10-CM |
| M0533 | Rheumatoid heart disease with rheumatoid arthritis of wrist | Diagnosis | ICD-10-CM |
| M05331 | Rheumatoid heart disease with rheumatoid arthritis of right wrist | Diagnosis | ICD-10-CM |
| M05332 | Rheumatoid heart disease with rheumatoid arthritis of left wrist | Diagnosis | ICD-10-CM |
| M05339 | Rheumatoid heart disease with rheumatoid arthritis of unspecified wrist | Diagnosis | ICD-10-CM |
| M0534 | Rheumatoid heart disease with rheumatoid arthritis of hand | Diagnosis | ICD-10-CM |
| M05341 | Rheumatoid heart disease with rheumatoid arthritis of right hand | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|--|----------------------|------------------|
| M05342 | Rheumatoid heart disease with rheumatoid arthritis of left hand | Diagnosis | ICD-10-CM |
| M05349 | Rheumatoid heart disease with rheumatoid arthritis of unspecified hand | Diagnosis | ICD-10-CM |
| M0535 | Rheumatoid heart disease with rheumatoid arthritis of hip | Diagnosis | ICD-10-CM |
| M05351 | Rheumatoid heart disease with rheumatoid arthritis of right hip | Diagnosis | ICD-10-CM |
| M05352 | Rheumatoid heart disease with rheumatoid arthritis of left hip | Diagnosis | ICD-10-CM |
| M05359 | Rheumatoid heart disease with rheumatoid arthritis of unspecified hip | Diagnosis | ICD-10-CM |
| M0536 | Rheumatoid heart disease with rheumatoid arthritis of knee | Diagnosis | ICD-10-CM |
| M05361 | Rheumatoid heart disease with rheumatoid arthritis of right knee | Diagnosis | ICD-10-CM |
| M05362 | Rheumatoid heart disease with rheumatoid arthritis of left knee | Diagnosis | ICD-10-CM |
| M05369 | Rheumatoid heart disease with rheumatoid arthritis of unspecified knee | Diagnosis | ICD-10-CM |
| M0537 | Rheumatoid heart disease with rheumatoid arthritis of ankle and foot | Diagnosis | ICD-10-CM |
| M05371 | Rheumatoid heart disease with rheumatoid arthritis of right ankle and foot | Diagnosis | ICD-10-CM |
| M05372 | Rheumatoid heart disease with rheumatoid arthritis of left ankle and foot | Diagnosis | ICD-10-CM |
| M05379 | Rheumatoid heart disease with rheumatoid arthritis of unspecified ankle and foot | Diagnosis | ICD-10-CM |
| M0539 | Rheumatoid heart disease with rheumatoid arthritis of multiple sites | Diagnosis | ICD-10-CM |
| M054 | Rheumatoid myopathy with rheumatoid arthritis | Diagnosis | ICD-10-CM |
| M0540 | Rheumatoid myopathy with rheumatoid arthritis of unspecified site | Diagnosis | ICD-10-CM |
| M0541 | Rheumatoid myopathy with rheumatoid arthritis of shoulder | Diagnosis | ICD-10-CM |
| M05411 | Rheumatoid myopathy with rheumatoid arthritis of right shoulder | Diagnosis | ICD-10-CM |
| M05412 | Rheumatoid myopathy with rheumatoid arthritis of left shoulder | Diagnosis | ICD-10-CM |
| M05419 | Rheumatoid myopathy with rheumatoid arthritis of unspecified shoulder | Diagnosis | ICD-10-CM |
| M0542 | Rheumatoid myopathy with rheumatoid arthritis of elbow | Diagnosis | ICD-10-CM |
| M05421 | Rheumatoid myopathy with rheumatoid arthritis of right elbow | Diagnosis | ICD-10-CM |
| M05422 | Rheumatoid myopathy with rheumatoid arthritis of left elbow | Diagnosis | ICD-10-CM |
| M05429 | Rheumatoid myopathy with rheumatoid arthritis of unspecified elbow | Diagnosis | ICD-10-CM |
| M0543 | Rheumatoid myopathy with rheumatoid arthritis of wrist | Diagnosis | ICD-10-CM |
| M05431 | Rheumatoid myopathy with rheumatoid arthritis of right wrist | Diagnosis | ICD-10-CM |
| M05432 | Rheumatoid myopathy with rheumatoid arthritis of left wrist | Diagnosis | ICD-10-CM |
| M05439 | Rheumatoid myopathy with rheumatoid arthritis of unspecified wrist | Diagnosis | ICD-10-CM |
| M0544 | Rheumatoid myopathy with rheumatoid arthritis of hand | Diagnosis | ICD-10-CM |
| M05441 | Rheumatoid myopathy with rheumatoid arthritis of right hand | Diagnosis | ICD-10-CM |
| M05442 | Rheumatoid myopathy with rheumatoid arthritis of left hand | Diagnosis | ICD-10-CM |
| M05449 | Rheumatoid myopathy with rheumatoid arthritis of unspecified hand | Diagnosis | ICD-10-CM |
| M0545 | Rheumatoid myopathy with rheumatoid arthritis of hip | Diagnosis | ICD-10-CM |
| M05451 | Rheumatoid myopathy with rheumatoid arthritis of right hip | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code | |
|--------|---|-----------|-----------|
| | | Category | Code Type |
| M05452 | Rheumatoid myopathy with rheumatoid arthritis of left hip | Diagnosis | ICD-10-CM |
| M05459 | Rheumatoid myopathy with rheumatoid arthritis of unspecified hip | Diagnosis | ICD-10-CM |
| M0546 | Rheumatoid myopathy with rheumatoid arthritis of knee | Diagnosis | ICD-10-CM |
| M05461 | Rheumatoid myopathy with rheumatoid arthritis of right knee | Diagnosis | ICD-10-CM |
| M05462 | Rheumatoid myopathy with rheumatoid arthritis of left knee | Diagnosis | ICD-10-CM |
| M05469 | Rheumatoid myopathy with rheumatoid arthritis of unspecified knee | Diagnosis | ICD-10-CM |
| M0547 | Rheumatoid myopathy with rheumatoid arthritis of ankle and foot | Diagnosis | ICD-10-CM |
| M05471 | Rheumatoid myopathy with rheumatoid arthritis of right ankle and foot | Diagnosis | ICD-10-CM |
| M05472 | Rheumatoid myopathy with rheumatoid arthritis of left ankle and foot | Diagnosis | ICD-10-CM |
| M05479 | Rheumatoid myopathy with rheumatoid arthritis of unspecified ankle and foot | Diagnosis | ICD-10-CM |
| M0549 | Rheumatoid myopathy with rheumatoid arthritis of multiple sites | Diagnosis | ICD-10-CM |
| M055 | Rheumatoid polyneuropathy with rheumatoid arthritis | Diagnosis | ICD-10-CM |
| M0550 | Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified site | Diagnosis | ICD-10-CM |
| M0551 | Rheumatoid polyneuropathy with rheumatoid arthritis of shoulder | Diagnosis | ICD-10-CM |
| M05511 | Rheumatoid polyneuropathy with rheumatoid arthritis of right shoulder | Diagnosis | ICD-10-CM |
| M05512 | Rheumatoid polyneuropathy with rheumatoid arthritis of left shoulder | Diagnosis | ICD-10-CM |
| M05519 | Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified shoulder | Diagnosis | ICD-10-CM |
| M0552 | Rheumatoid polyneuropathy with rheumatoid arthritis of elbow | Diagnosis | ICD-10-CM |
| M05521 | Rheumatoid polyneuropathy with rheumatoid arthritis of right elbow | Diagnosis | ICD-10-CM |
| M05522 | Rheumatoid polyneuropathy with rheumatoid arthritis of left elbow | Diagnosis | ICD-10-CM |
| M05529 | Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified elbow | Diagnosis | ICD-10-CM |
| M0553 | Rheumatoid polyneuropathy with rheumatoid arthritis of wrist | Diagnosis | ICD-10-CM |
| M05531 | Rheumatoid polyneuropathy with rheumatoid arthritis of right wrist | Diagnosis | ICD-10-CM |
| M05532 | Rheumatoid polyneuropathy with rheumatoid arthritis of left wrist | Diagnosis | ICD-10-CM |
| M05539 | Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified wrist | Diagnosis | ICD-10-CM |
| M0554 | Rheumatoid polyneuropathy with rheumatoid arthritis of hand | Diagnosis | ICD-10-CM |
| M05541 | Rheumatoid polyneuropathy with rheumatoid arthritis of right hand | Diagnosis | ICD-10-CM |
| M05542 | Rheumatoid polyneuropathy with rheumatoid arthritis of left hand | Diagnosis | ICD-10-CM |
| M05549 | Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified hand | Diagnosis | ICD-10-CM |
| M0555 | Rheumatoid polyneuropathy with rheumatoid arthritis of hip | Diagnosis | ICD-10-CM |
| M05551 | Rheumatoid polyneuropathy with rheumatoid arthritis of right hip | Diagnosis | ICD-10-CM |
| M05552 | Rheumatoid polyneuropathy with rheumatoid arthritis of left hip | Diagnosis | ICD-10-CM |
| M05559 | Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified hip | Diagnosis | ICD-10-CM |
| M0556 | Rheumatoid polyneuropathy with rheumatoid arthritis of knee | Diagnosis | ICD-10-CM |
| M05561 | Rheumatoid polyneuropathy with rheumatoid arthritis of right knee | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|---|----------------------|------------------|
| M05562 | Rheumatoid polyneuropathy with rheumatoid arthritis of left knee | Diagnosis | ICD-10-CM |
| M05569 | Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified knee | Diagnosis | ICD-10-CM |
| M0557 | Rheumatoid polyneuropathy with rheumatoid arthritis of ankle and foot | Diagnosis | ICD-10-CM |
| M05571 | Rheumatoid polyneuropathy with rheumatoid arthritis of right ankle and foot | Diagnosis | ICD-10-CM |
| M05572 | Rheumatoid polyneuropathy with rheumatoid arthritis of left ankle and foot | Diagnosis | ICD-10-CM |
| M05579 | Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified ankle and foot | Diagnosis | ICD-10-CM |
| M0559 | Rheumatoid polyneuropathy with rheumatoid arthritis of multiple sites | Diagnosis | ICD-10-CM |
| M056 | Rheumatoid arthritis with involvement of other organs and systems | Diagnosis | ICD-10-CM |
| M0560 | Rheumatoid arthritis of unspecified site with involvement of other organs and systems | Diagnosis | ICD-10-CM |
| M0561 | Rheumatoid arthritis of shoulder with involvement of other organs and systems | Diagnosis | ICD-10-CM |
| M05611 | Rheumatoid arthritis of right shoulder with involvement of other organs and systems | Diagnosis | ICD-10-CM |
| M05612 | Rheumatoid arthritis of left shoulder with involvement of other organs and systems | Diagnosis | ICD-10-CM |
| M05619 | Rheumatoid arthritis of unspecified shoulder with involvement of other organs and systems | Diagnosis | ICD-10-CM |
| M0562 | Rheumatoid arthritis of elbow with involvement of other organs and systems | Diagnosis | ICD-10-CM |
| M05621 | Rheumatoid arthritis of right elbow with involvement of other organs and systems | Diagnosis | ICD-10-CM |
| M05622 | Rheumatoid arthritis of left elbow with involvement of other organs and systems | Diagnosis | ICD-10-CM |
| M05629 | Rheumatoid arthritis of unspecified elbow with involvement of other organs and systems | Diagnosis | ICD-10-CM |
| M0563 | Rheumatoid arthritis of wrist with involvement of other organs and systems | Diagnosis | ICD-10-CM |
| M05631 | Rheumatoid arthritis of right wrist with involvement of other organs and systems | Diagnosis | ICD-10-CM |
| M05632 | Rheumatoid arthritis of left wrist with involvement of other organs and systems | Diagnosis | ICD-10-CM |
| M05639 | Rheumatoid arthritis of unspecified wrist with involvement of other organs and systems | Diagnosis | ICD-10-CM |
| M0564 | Rheumatoid arthritis of hand with involvement of other organs and systems | Diagnosis | ICD-10-CM |
| M05641 | Rheumatoid arthritis of right hand with involvement of other organs and systems | Diagnosis | ICD-10-CM |
| M05642 | Rheumatoid arthritis of left hand with involvement of other organs and systems | Diagnosis | ICD-10-CM |
| M05649 | Rheumatoid arthritis of unspecified hand with involvement of other organs and systems | Diagnosis | ICD-10-CM |
| M0565 | Rheumatoid arthritis of hip with involvement of other organs and systems | Diagnosis | ICD-10-CM |
| M05651 | Rheumatoid arthritis of right hip with involvement of other organs and systems | Diagnosis | ICD-10-CM |
| M05652 | Rheumatoid arthritis of left hip with involvement of other organs and systems | Diagnosis | ICD-10-CM |
| M05659 | Rheumatoid arthritis of unspecified hip with involvement of other organs and systems | Diagnosis | ICD-10-CM |
| M0566 | Rheumatoid arthritis of knee with involvement of other organs and systems | Diagnosis | ICD-10-CM |
| M05661 | Rheumatoid arthritis of right knee with involvement of other organs and systems | Diagnosis | ICD-10-CM |
| M05662 | Rheumatoid arthritis of left knee with involvement of other organs and systems | Diagnosis | ICD-10-CM |
| M05669 | Rheumatoid arthritis of unspecified knee with involvement of other organs and systems | Diagnosis | ICD-10-CM |
| M0567 | Rheumatoid arthritis of ankle and foot with involvement of other organs and systems | Diagnosis | ICD-10-CM |
| M05671 | Rheumatoid arthritis of right ankle and foot with involvement of other organs and systems | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code | |
|--------|--|-----------|-----------|
| | | Category | Code Type |
| M05672 | Rheumatoid arthritis of left ankle and foot with involvement of other organs and systems | Diagnosis | ICD-10-CM |
| M05679 | Rheumatoid arthritis of unspecified ankle and foot with involvement of other organs and systems | Diagnosis | ICD-10-CM |
| M0569 | Rheumatoid arthritis of multiple sites with involvement of other organs and systems | Diagnosis | ICD-10-CM |
| M057 | Rheumatoid arthritis with rheumatoid factor without organ or systems involvement | Diagnosis | ICD-10-CM |
| M0570 | Rheumatoid arthritis with rheumatoid factor of unspecified site without organ or systems involvement | Diagnosis | ICD-10-CM |
| M0571 | Rheumatoid arthritis with rheumatoid factor of shoulder without organ or systems involvement | Diagnosis | ICD-10-CM |
| M05711 | Rheumatoid arthritis with rheumatoid factor of right shoulder without organ or systems involvement | Diagnosis | ICD-10-CM |
| M05712 | Rheumatoid arthritis with rheumatoid factor of left shoulder without organ or systems involvement | Diagnosis | ICD-10-CM |
| M05719 | Rheumatoid arthritis with rheumatoid factor of unspecified shoulder without organ or systems involvement | Diagnosis | ICD-10-CM |
| M0572 | Rheumatoid arthritis with rheumatoid factor of elbow without organ or systems involvement | Diagnosis | ICD-10-CM |
| M05721 | Rheumatoid arthritis with rheumatoid factor of right elbow without organ or systems involvement | Diagnosis | ICD-10-CM |
| M05722 | Rheumatoid arthritis with rheumatoid factor of left elbow without organ or systems involvement | Diagnosis | ICD-10-CM |
| M05729 | Rheumatoid arthritis with rheumatoid factor of unspecified elbow without organ or systems involvement | Diagnosis | ICD-10-CM |
| M0573 | Rheumatoid arthritis with rheumatoid factor of wrist without organ or systems involvement | Diagnosis | ICD-10-CM |
| M05731 | Rheumatoid arthritis with rheumatoid factor of right wrist without organ or systems involvement | Diagnosis | ICD-10-CM |
| M05732 | Rheumatoid arthritis with rheumatoid factor of left wrist without organ or systems involvement | Diagnosis | ICD-10-CM |
| M05739 | Rheumatoid arthritis with rheumatoid factor of unspecified wrist without organ or systems involvement | Diagnosis | ICD-10-CM |
| M0574 | Rheumatoid arthritis with rheumatoid factor of hand without organ or systems involvement | Diagnosis | ICD-10-CM |
| M05741 | Rheumatoid arthritis with rheumatoid factor of right hand without organ or systems involvement | Diagnosis | ICD-10-CM |
| M05742 | Rheumatoid arthritis with rheumatoid factor of left hand without organ or systems involvement | Diagnosis | ICD-10-CM |
| M05749 | Rheumatoid arthritis with rheumatoid factor of unspecified hand without organ or systems involvement | Diagnosis | ICD-10-CM |
| M0575 | Rheumatoid arthritis with rheumatoid factor of hip without organ or systems involvement | Diagnosis | ICD-10-CM |
| M05751 | Rheumatoid arthritis with rheumatoid factor of right hip without organ or systems involvement | Diagnosis | ICD-10-CM |
| M05752 | Rheumatoid arthritis with rheumatoid factor of left hip without organ or systems involvement | Diagnosis | ICD-10-CM |
| M05759 | Rheumatoid arthritis with rheumatoid factor of unspecified hip without organ or systems involvement | Diagnosis | ICD-10-CM |
| M0576 | Rheumatoid arthritis with rheumatoid factor of knee without organ or systems involvement | Diagnosis | ICD-10-CM |
| M05761 | Rheumatoid arthritis with rheumatoid factor of right knee without organ or systems involvement | Diagnosis | ICD-10-CM |
| M05762 | Rheumatoid arthritis with rheumatoid factor of left knee without organ or systems involvement | Diagnosis | ICD-10-CM |
| M05769 | Rheumatoid arthritis with rheumatoid factor of unspecified knee without organ or systems involvement | Diagnosis | ICD-10-CM |
| M0577 | Rheumatoid arthritis with rheumatoid factor of ankle and foot without organ or systems involvement | Diagnosis | ICD-10-CM |
| M05771 | Rheumatoid arthritis with rheumatoid factor of right ankle and foot without organ or systems involvement | Diagnosis | ICD-10-CM |
| M05772 | Rheumatoid arthritis with rheumatoid factor of left ankle and foot without organ or systems involvement | Diagnosis | ICD-10-CM |
| M05779 | Rheumatoid arthritis with rheumatoid factor of unspecified ankle and foot without organ or systems involvement | Diagnosis | ICD-10-CM |
| M0579 | Rheumatoid arthritis with rheumatoid factor of multiple sites without organ or systems involvement | Diagnosis | ICD-10-CM |
| M058 | Other rheumatoid arthritis with rheumatoid factor | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code | |
|--------|---|-----------|-----------|
| | | Category | Code Type |
| M0580 | Other rheumatoid arthritis with rheumatoid factor of unspecified site | Diagnosis | ICD-10-CM |
| M0581 | Other rheumatoid arthritis with rheumatoid factor of shoulder | Diagnosis | ICD-10-CM |
| M05811 | Other rheumatoid arthritis with rheumatoid factor of right shoulder | Diagnosis | ICD-10-CM |
| M05812 | Other rheumatoid arthritis with rheumatoid factor of left shoulder | Diagnosis | ICD-10-CM |
| M05819 | Other rheumatoid arthritis with rheumatoid factor of unspecified shoulder | Diagnosis | ICD-10-CM |
| M0582 | Other rheumatoid arthritis with rheumatoid factor of elbow | Diagnosis | ICD-10-CM |
| M05821 | Other rheumatoid arthritis with rheumatoid factor of right elbow | Diagnosis | ICD-10-CM |
| M05822 | Other rheumatoid arthritis with rheumatoid factor of left elbow | Diagnosis | ICD-10-CM |
| M05829 | Other rheumatoid arthritis with rheumatoid factor of unspecified elbow | Diagnosis | ICD-10-CM |
| M0583 | Other rheumatoid arthritis with rheumatoid factor of wrist | Diagnosis | ICD-10-CM |
| M05831 | Other rheumatoid arthritis with rheumatoid factor of right wrist | Diagnosis | ICD-10-CM |
| M05832 | Other rheumatoid arthritis with rheumatoid factor of left wrist | Diagnosis | ICD-10-CM |
| M05839 | Other rheumatoid arthritis with rheumatoid factor of unspecified wrist | Diagnosis | ICD-10-CM |
| M0584 | Other rheumatoid arthritis with rheumatoid factor of hand | Diagnosis | ICD-10-CM |
| M05841 | Other rheumatoid arthritis with rheumatoid factor of right hand | Diagnosis | ICD-10-CM |
| M05842 | Other rheumatoid arthritis with rheumatoid factor of left hand | Diagnosis | ICD-10-CM |
| M05849 | Other rheumatoid arthritis with rheumatoid factor of unspecified hand | Diagnosis | ICD-10-CM |
| M0585 | Other rheumatoid arthritis with rheumatoid factor of hip | Diagnosis | ICD-10-CM |
| M05851 | Other rheumatoid arthritis with rheumatoid factor of right hip | Diagnosis | ICD-10-CM |
| M05852 | Other rheumatoid arthritis with rheumatoid factor of left hip | Diagnosis | ICD-10-CM |
| M05859 | Other rheumatoid arthritis with rheumatoid factor of unspecified hip | Diagnosis | ICD-10-CM |
| M0586 | Other rheumatoid arthritis with rheumatoid factor of knee | Diagnosis | ICD-10-CM |
| M05861 | Other rheumatoid arthritis with rheumatoid factor of right knee | Diagnosis | ICD-10-CM |
| M05862 | Other rheumatoid arthritis with rheumatoid factor of left knee | Diagnosis | ICD-10-CM |
| M05869 | Other rheumatoid arthritis with rheumatoid factor of unspecified knee | Diagnosis | ICD-10-CM |
| M0587 | Other rheumatoid arthritis with rheumatoid factor of ankle and foot | Diagnosis | ICD-10-CM |
| M05871 | Other rheumatoid arthritis with rheumatoid factor of right ankle and foot | Diagnosis | ICD-10-CM |
| M05872 | Other rheumatoid arthritis with rheumatoid factor of left ankle and foot | Diagnosis | ICD-10-CM |
| M05879 | Other rheumatoid arthritis with rheumatoid factor of unspecified ankle and foot | Diagnosis | ICD-10-CM |
| M0589 | Other rheumatoid arthritis with rheumatoid factor of multiple sites | Diagnosis | ICD-10-CM |
| M059 | Rheumatoid arthritis with rheumatoid factor, unspecified | Diagnosis | ICD-10-CM |
| M06 | Other rheumatoid arthritis | Diagnosis | ICD-10-CM |
| M060 | Rheumatoid arthritis without rheumatoid factor | Diagnosis | ICD-10-CM |
| M0600 | Rheumatoid arthritis without rheumatoid factor, unspecified site | Diagnosis | ICD-10-CM |
| M0601 | Rheumatoid arthritis without rheumatoid factor, shoulder | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|--|----------------------|------------------|
| M06011 | Rheumatoid arthritis without rheumatoid factor, right shoulder | Diagnosis | ICD-10-CM |
| M06012 | Rheumatoid arthritis without rheumatoid factor, left shoulder | Diagnosis | ICD-10-CM |
| M06019 | Rheumatoid arthritis without rheumatoid factor, unspecified shoulder | Diagnosis | ICD-10-CM |
| M0602 | Rheumatoid arthritis without rheumatoid factor, elbow | Diagnosis | ICD-10-CM |
| M06021 | Rheumatoid arthritis without rheumatoid factor, right elbow | Diagnosis | ICD-10-CM |
| M06022 | Rheumatoid arthritis without rheumatoid factor, left elbow | Diagnosis | ICD-10-CM |
| M06029 | Rheumatoid arthritis without rheumatoid factor, unspecified elbow | Diagnosis | ICD-10-CM |
| M0603 | Rheumatoid arthritis without rheumatoid factor, wrist | Diagnosis | ICD-10-CM |
| M06031 | Rheumatoid arthritis without rheumatoid factor, right wrist | Diagnosis | ICD-10-CM |
| M06032 | Rheumatoid arthritis without rheumatoid factor, left wrist | Diagnosis | ICD-10-CM |
| M06039 | Rheumatoid arthritis without rheumatoid factor, unspecified wrist | Diagnosis | ICD-10-CM |
| M0604 | Rheumatoid arthritis without rheumatoid factor, hand | Diagnosis | ICD-10-CM |
| M06041 | Rheumatoid arthritis without rheumatoid factor, right hand | Diagnosis | ICD-10-CM |
| M06042 | Rheumatoid arthritis without rheumatoid factor, left hand | Diagnosis | ICD-10-CM |
| M06049 | Rheumatoid arthritis without rheumatoid factor, unspecified hand | Diagnosis | ICD-10-CM |
| M0605 | Rheumatoid arthritis without rheumatoid factor, hip | Diagnosis | ICD-10-CM |
| M06051 | Rheumatoid arthritis without rheumatoid factor, right hip | Diagnosis | ICD-10-CM |
| M06052 | Rheumatoid arthritis without rheumatoid factor, left hip | Diagnosis | ICD-10-CM |
| M06059 | Rheumatoid arthritis without rheumatoid factor, unspecified hip | Diagnosis | ICD-10-CM |
| M0606 | Rheumatoid arthritis without rheumatoid factor, knee | Diagnosis | ICD-10-CM |
| M06061 | Rheumatoid arthritis without rheumatoid factor, right knee | Diagnosis | ICD-10-CM |
| M06062 | Rheumatoid arthritis without rheumatoid factor, left knee | Diagnosis | ICD-10-CM |
| M06069 | Rheumatoid arthritis without rheumatoid factor, unspecified knee | Diagnosis | ICD-10-CM |
| M0607 | Rheumatoid arthritis without rheumatoid factor, ankle and foot | Diagnosis | ICD-10-CM |
| M06071 | Rheumatoid arthritis without rheumatoid factor, right ankle and foot | Diagnosis | ICD-10-CM |
| M06072 | Rheumatoid arthritis without rheumatoid factor, left ankle and foot | Diagnosis | ICD-10-CM |
| M06079 | Rheumatoid arthritis without rheumatoid factor, unspecified ankle and foot | Diagnosis | ICD-10-CM |
| M0608 | Rheumatoid arthritis without rheumatoid factor, vertebrae | Diagnosis | ICD-10-CM |
| M0609 | Rheumatoid arthritis without rheumatoid factor, multiple sites | Diagnosis | ICD-10-CM |
| M068 | Other specified rheumatoid arthritis | Diagnosis | ICD-10-CM |
| M0680 | Other specified rheumatoid arthritis, unspecified site | Diagnosis | ICD-10-CM |
| M0681 | Other specified rheumatoid arthritis, shoulder | Diagnosis | ICD-10-CM |
| M06811 | Other specified rheumatoid arthritis, right shoulder | Diagnosis | ICD-10-CM |
| M06812 | Other specified rheumatoid arthritis, left shoulder | Diagnosis | ICD-10-CM |
| M06819 | Other specified rheumatoid arthritis, unspecified shoulder | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code | |
|--------|--|-----------|-----------|
| | | Category | Code Type |
| M0682 | Other specified rheumatoid arthritis, elbow | Diagnosis | ICD-10-CM |
| M06821 | Other specified rheumatoid arthritis, right elbow | Diagnosis | ICD-10-CM |
| M06822 | Other specified rheumatoid arthritis, left elbow | Diagnosis | ICD-10-CM |
| M06829 | Other specified rheumatoid arthritis, unspecified elbow | Diagnosis | ICD-10-CM |
| M0683 | Other specified rheumatoid arthritis, wrist | Diagnosis | ICD-10-CM |
| M06831 | Other specified rheumatoid arthritis, right wrist | Diagnosis | ICD-10-CM |
| M06832 | Other specified rheumatoid arthritis, left wrist | Diagnosis | ICD-10-CM |
| M06839 | Other specified rheumatoid arthritis, unspecified wrist | Diagnosis | ICD-10-CM |
| M0684 | Other specified rheumatoid arthritis, hand | Diagnosis | ICD-10-CM |
| M06841 | Other specified rheumatoid arthritis, right hand | Diagnosis | ICD-10-CM |
| M06842 | Other specified rheumatoid arthritis, left hand | Diagnosis | ICD-10-CM |
| M06849 | Other specified rheumatoid arthritis, unspecified hand | Diagnosis | ICD-10-CM |
| M0685 | Other specified rheumatoid arthritis, hip | Diagnosis | ICD-10-CM |
| M06851 | Other specified rheumatoid arthritis, right hip | Diagnosis | ICD-10-CM |
| M06852 | Other specified rheumatoid arthritis, left hip | Diagnosis | ICD-10-CM |
| M06859 | Other specified rheumatoid arthritis, unspecified hip | Diagnosis | ICD-10-CM |
| M0686 | Other specified rheumatoid arthritis, knee | Diagnosis | ICD-10-CM |
| M06861 | Other specified rheumatoid arthritis, right knee | Diagnosis | ICD-10-CM |
| M06862 | Other specified rheumatoid arthritis, left knee | Diagnosis | ICD-10-CM |
| M06869 | Other specified rheumatoid arthritis, unspecified knee | Diagnosis | ICD-10-CM |
| M0687 | Other specified rheumatoid arthritis, ankle and foot | Diagnosis | ICD-10-CM |
| M06871 | Other specified rheumatoid arthritis, right ankle and foot | Diagnosis | ICD-10-CM |
| M06872 | Other specified rheumatoid arthritis, left ankle and foot | Diagnosis | ICD-10-CM |
| M06879 | Other specified rheumatoid arthritis, unspecified ankle and foot | Diagnosis | ICD-10-CM |
| M0688 | Other specified rheumatoid arthritis, vertebrae | Diagnosis | ICD-10-CM |
| M0689 | Other specified rheumatoid arthritis, multiple sites | Diagnosis | ICD-10-CM |
| M069 | Rheumatoid arthritis, unspecified | Diagnosis | ICD-10-CM |
| M080 | Unspecified juvenile rheumatoid arthritis | Diagnosis | ICD-10-CM |
| M0800 | Unspecified juvenile rheumatoid arthritis of unspecified site | Diagnosis | ICD-10-CM |
| M0801 | Unspecified juvenile rheumatoid arthritis, shoulder | Diagnosis | ICD-10-CM |
| M08011 | Unspecified juvenile rheumatoid arthritis, right shoulder | Diagnosis | ICD-10-CM |
| M08012 | Unspecified juvenile rheumatoid arthritis, left shoulder | Diagnosis | ICD-10-CM |
| M08019 | Unspecified juvenile rheumatoid arthritis, unspecified shoulder | Diagnosis | ICD-10-CM |
| M0802 | Unspecified juvenile rheumatoid arthritis of elbow | Diagnosis | ICD-10-CM |
| M08021 | Unspecified juvenile rheumatoid arthritis, right elbow | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code | |
|--------|---|-----------|-----------|
| | | Category | Code Type |
| M08022 | Unspecified juvenile rheumatoid arthritis, left elbow | Diagnosis | ICD-10-CM |
| M08029 | Unspecified juvenile rheumatoid arthritis, unspecified elbow | Diagnosis | ICD-10-CM |
| M0803 | Unspecified juvenile rheumatoid arthritis, wrist | Diagnosis | ICD-10-CM |
| M08031 | Unspecified juvenile rheumatoid arthritis, right wrist | Diagnosis | ICD-10-CM |
| M08032 | Unspecified juvenile rheumatoid arthritis, left wrist | Diagnosis | ICD-10-CM |
| M08039 | Unspecified juvenile rheumatoid arthritis, unspecified wrist | Diagnosis | ICD-10-CM |
| M0804 | Unspecified juvenile rheumatoid arthritis, hand | Diagnosis | ICD-10-CM |
| M08041 | Unspecified juvenile rheumatoid arthritis, right hand | Diagnosis | ICD-10-CM |
| M08042 | Unspecified juvenile rheumatoid arthritis, left hand | Diagnosis | ICD-10-CM |
| M08049 | Unspecified juvenile rheumatoid arthritis, unspecified hand | Diagnosis | ICD-10-CM |
| M0805 | Unspecified juvenile rheumatoid arthritis, hip | Diagnosis | ICD-10-CM |
| M08051 | Unspecified juvenile rheumatoid arthritis, right hip | Diagnosis | ICD-10-CM |
| M08052 | Unspecified juvenile rheumatoid arthritis, left hip | Diagnosis | ICD-10-CM |
| M08059 | Unspecified juvenile rheumatoid arthritis, unspecified hip | Diagnosis | ICD-10-CM |
| M0806 | Unspecified juvenile rheumatoid arthritis, knee | Diagnosis | ICD-10-CM |
| M08061 | Unspecified juvenile rheumatoid arthritis, right knee | Diagnosis | ICD-10-CM |
| M08062 | Unspecified juvenile rheumatoid arthritis, left knee | Diagnosis | ICD-10-CM |
| M08069 | Unspecified juvenile rheumatoid arthritis, unspecified knee | Diagnosis | ICD-10-CM |
| M0807 | Unspecified juvenile rheumatoid arthritis, ankle and foot | Diagnosis | ICD-10-CM |
| M08071 | Unspecified juvenile rheumatoid arthritis, right ankle and foot | Diagnosis | ICD-10-CM |
| M08072 | Unspecified juvenile rheumatoid arthritis, left ankle and foot | Diagnosis | ICD-10-CM |
| M08079 | Unspecified juvenile rheumatoid arthritis, unspecified ankle and foot | Diagnosis | ICD-10-CM |
| M0808 | Unspecified juvenile rheumatoid arthritis, vertebrae | Diagnosis | ICD-10-CM |
| M0809 | Unspecified juvenile rheumatoid arthritis, multiple sites | Diagnosis | ICD-10-CM |
| M082 | Juvenile rheumatoid arthritis with systemic onset | Diagnosis | ICD-10-CM |
| M0820 | Juvenile rheumatoid arthritis with systemic onset, unspecified site | Diagnosis | ICD-10-CM |
| M0821 | Juvenile rheumatoid arthritis with systemic onset, shoulder | Diagnosis | ICD-10-CM |
| M08211 | Juvenile rheumatoid arthritis with systemic onset, right shoulder | Diagnosis | ICD-10-CM |
| M08212 | Juvenile rheumatoid arthritis with systemic onset, left shoulder | Diagnosis | ICD-10-CM |
| M08219 | Juvenile rheumatoid arthritis with systemic onset, unspecified shoulder | Diagnosis | ICD-10-CM |
| M0822 | Juvenile rheumatoid arthritis with systemic onset, elbow | Diagnosis | ICD-10-CM |
| M08221 | Juvenile rheumatoid arthritis with systemic onset, right elbow | Diagnosis | ICD-10-CM |
| M08222 | Juvenile rheumatoid arthritis with systemic onset, left elbow | Diagnosis | ICD-10-CM |
| M08229 | Juvenile rheumatoid arthritis with systemic onset, unspecified elbow | Diagnosis | ICD-10-CM |
| M0823 | Juvenile rheumatoid arthritis with systemic onset, wrist | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code | |
|--------|---|-----------|-----------|
| | | Category | Code Type |
| M08231 | Juvenile rheumatoid arthritis with systemic onset, right wrist | Diagnosis | ICD-10-CM |
| M08232 | Juvenile rheumatoid arthritis with systemic onset, left wrist | Diagnosis | ICD-10-CM |
| M08239 | Juvenile rheumatoid arthritis with systemic onset, unspecified wrist | Diagnosis | ICD-10-CM |
| M0824 | Juvenile rheumatoid arthritis with systemic onset, hand | Diagnosis | ICD-10-CM |
| M08241 | Juvenile rheumatoid arthritis with systemic onset, right hand | Diagnosis | ICD-10-CM |
| M08242 | Juvenile rheumatoid arthritis with systemic onset, left hand | Diagnosis | ICD-10-CM |
| M08249 | Juvenile rheumatoid arthritis with systemic onset, unspecified hand | Diagnosis | ICD-10-CM |
| M0825 | Juvenile rheumatoid arthritis with systemic onset, hip | Diagnosis | ICD-10-CM |
| M08251 | Juvenile rheumatoid arthritis with systemic onset, right hip | Diagnosis | ICD-10-CM |
| M08252 | Juvenile rheumatoid arthritis with systemic onset, left hip | Diagnosis | ICD-10-CM |
| M08259 | Juvenile rheumatoid arthritis with systemic onset, unspecified hip | Diagnosis | ICD-10-CM |
| M0826 | Juvenile rheumatoid arthritis with systemic onset, knee | Diagnosis | ICD-10-CM |
| M08261 | Juvenile rheumatoid arthritis with systemic onset, right knee | Diagnosis | ICD-10-CM |
| M08262 | Juvenile rheumatoid arthritis with systemic onset, left knee | Diagnosis | ICD-10-CM |
| M08269 | Juvenile rheumatoid arthritis with systemic onset, unspecified knee | Diagnosis | ICD-10-CM |
| M0827 | Juvenile rheumatoid arthritis with systemic onset, ankle and foot | Diagnosis | ICD-10-CM |
| M08271 | Juvenile rheumatoid arthritis with systemic onset, right ankle and foot | Diagnosis | ICD-10-CM |
| M08272 | Juvenile rheumatoid arthritis with systemic onset, left ankle and foot | Diagnosis | ICD-10-CM |
| M08279 | Juvenile rheumatoid arthritis with systemic onset, unspecified ankle and foot | Diagnosis | ICD-10-CM |
| M0828 | Juvenile rheumatoid arthritis with systemic onset, vertebrae | Diagnosis | ICD-10-CM |
| M0829 | Juvenile rheumatoid arthritis with systemic onset, multiple sites | Diagnosis | ICD-10-CM |
| M084 | Pauciarticular juvenile rheumatoid arthritis | Diagnosis | ICD-10-CM |
| M0840 | Pauciarticular juvenile rheumatoid arthritis, unspecified site | Diagnosis | ICD-10-CM |
| M0841 | Pauciarticular juvenile rheumatoid arthritis, shoulder | Diagnosis | ICD-10-CM |
| M08411 | Pauciarticular juvenile rheumatoid arthritis, right shoulder | Diagnosis | ICD-10-CM |
| M08412 | Pauciarticular juvenile rheumatoid arthritis, left shoulder | Diagnosis | ICD-10-CM |
| M08419 | Pauciarticular juvenile rheumatoid arthritis, unspecified shoulder | Diagnosis | ICD-10-CM |
| M0842 | Pauciarticular juvenile rheumatoid arthritis, elbow | Diagnosis | ICD-10-CM |
| M08421 | Pauciarticular juvenile rheumatoid arthritis, right elbow | Diagnosis | ICD-10-CM |
| M08422 | Pauciarticular juvenile rheumatoid arthritis, left elbow | Diagnosis | ICD-10-CM |
| M08429 | Pauciarticular juvenile rheumatoid arthritis, unspecified elbow | Diagnosis | ICD-10-CM |
| M0843 | Pauciarticular juvenile rheumatoid arthritis, wrist | Diagnosis | ICD-10-CM |
| M08431 | Pauciarticular juvenile rheumatoid arthritis, right wrist | Diagnosis | ICD-10-CM |
| M08432 | Pauciarticular juvenile rheumatoid arthritis, left wrist | Diagnosis | ICD-10-CM |
| M08439 | Pauciarticular juvenile rheumatoid arthritis, unspecified wrist | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|--|----------------------|------------------|
| M0844 | Pauciarticular juvenile rheumatoid arthritis, hand | Diagnosis | ICD-10-CM |
| M08441 | Pauciarticular juvenile rheumatoid arthritis, right hand | Diagnosis | ICD-10-CM |
| M08442 | Pauciarticular juvenile rheumatoid arthritis, left hand | Diagnosis | ICD-10-CM |
| M08449 | Pauciarticular juvenile rheumatoid arthritis, unspecified hand | Diagnosis | ICD-10-CM |
| M0845 | Pauciarticular juvenile rheumatoid arthritis, hip | Diagnosis | ICD-10-CM |
| M08451 | Pauciarticular juvenile rheumatoid arthritis, right hip | Diagnosis | ICD-10-CM |
| M08452 | Pauciarticular juvenile rheumatoid arthritis, left hip | Diagnosis | ICD-10-CM |
| M08459 | Pauciarticular juvenile rheumatoid arthritis, unspecified hip | Diagnosis | ICD-10-CM |
| M0846 | Pauciarticular juvenile rheumatoid arthritis, knee | Diagnosis | ICD-10-CM |
| M08461 | Pauciarticular juvenile rheumatoid arthritis, right knee | Diagnosis | ICD-10-CM |
| M08462 | Pauciarticular juvenile rheumatoid arthritis, left knee | Diagnosis | ICD-10-CM |
| M08469 | Pauciarticular juvenile rheumatoid arthritis, unspecified knee | Diagnosis | ICD-10-CM |
| M0847 | Pauciarticular juvenile rheumatoid arthritis, ankle and foot | Diagnosis | ICD-10-CM |
| M08471 | Pauciarticular juvenile rheumatoid arthritis, right ankle and foot | Diagnosis | ICD-10-CM |
| M08472 | Pauciarticular juvenile rheumatoid arthritis, left ankle and foot | Diagnosis | ICD-10-CM |
| M08479 | Pauciarticular juvenile rheumatoid arthritis, unspecified ankle and foot | Diagnosis | ICD-10-CM |
| M0848 | Pauciarticular juvenile rheumatoid arthritis, vertebrae | Diagnosis | ICD-10-CM |
| H0112 | Discoid lupus erythematosus of eyelid | Diagnosis | ICD-10-CM |
| H01121 | Discoid lupus erythematosus of right upper eyelid | Diagnosis | ICD-10-CM |
| H01122 | Discoid lupus erythematosus of right lower eyelid | Diagnosis | ICD-10-CM |
| H01123 | Discoid lupus erythematosus of right eye, unspecified eyelid | Diagnosis | ICD-10-CM |
| H01124 | Discoid lupus erythematosus of left upper eyelid | Diagnosis | ICD-10-CM |
| H01125 | Discoid lupus erythematosus of left lower eyelid | Diagnosis | ICD-10-CM |
| H01126 | Discoid lupus erythematosus of left eye, unspecified eyelid | Diagnosis | ICD-10-CM |
| H01129 | Discoid lupus erythematosus of unspecified eye, unspecified eyelid | Diagnosis | ICD-10-CM |
| L93 | Lupus erythematosus | Diagnosis | ICD-10-CM |
| L930 | Discoid lupus erythematosus | Diagnosis | ICD-10-CM |
| L931 | Subacute cutaneous lupus erythematosus | Diagnosis | ICD-10-CM |
| L932 | Other local lupus erythematosus | Diagnosis | ICD-10-CM |
| M32 | Systemic lupus erythematosus (SLE) | Diagnosis | ICD-10-CM |
| M320 | Drug-induced systemic lupus erythematosus | Diagnosis | ICD-10-CM |
| M321 | Systemic lupus erythematosus with organ or system involvement | Diagnosis | ICD-10-CM |
| M3210 | Systemic lupus erythematosus, organ or system involvement unspecified | Diagnosis | ICD-10-CM |
| M3211 | Endocarditis in systemic lupus erythematosus | Diagnosis | ICD-10-CM |
| M3212 | Pericarditis in systemic lupus erythematosus | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|---|----------------------|------------------|
| M3213 | Lung involvement in systemic lupus erythematosus | Diagnosis | ICD-10-CM |
| M3214 | Glomerular disease in systemic lupus erythematosus | Diagnosis | ICD-10-CM |
| M3215 | Tubulo-interstitial nephropathy in systemic lupus erythematosus | Diagnosis | ICD-10-CM |
| M3219 | Other organ or system involvement in systemic lupus erythematosus | Diagnosis | ICD-10-CM |
| M328 | Other forms of systemic lupus erythematosus | Diagnosis | ICD-10-CM |
| M329 | Systemic lupus erythematosus, unspecified | Diagnosis | ICD-10-CM |
| L40 | Psoriasis | Diagnosis | ICD-10-CM |
| L400 | Psoriasis vulgaris | Diagnosis | ICD-10-CM |
| L401 | Generalized pustular psoriasis | Diagnosis | ICD-10-CM |
| L404 | Guttate psoriasis | Diagnosis | ICD-10-CM |
| L405 | Arthropathic psoriasis | Diagnosis | ICD-10-CM |
| L4050 | Arthropathic psoriasis, unspecified | Diagnosis | ICD-10-CM |
| L408 | Other psoriasis | Diagnosis | ICD-10-CM |
| L409 | Psoriasis, unspecified | Diagnosis | ICD-10-CM |
| L41 | Parapsoriasis | Diagnosis | ICD-10-CM |
| L413 | Small plaque parapsoriasis | Diagnosis | ICD-10-CM |
| L414 | Large plaque parapsoriasis | Diagnosis | ICD-10-CM |
| L415 | Retiform parapsoriasis | Diagnosis | ICD-10-CM |
| L418 | Other parapsoriasis | Diagnosis | ICD-10-CM |
| L419 | Parapsoriasis, unspecified | Diagnosis | ICD-10-CM |
| L4052 | Psoriatic arthritis mutilans | Diagnosis | ICD-10-CM |
| M350 | Sicca syndrome [Sjogren] | Diagnosis | ICD-10-CM |
| M3500 | Sicca syndrome, unspecified | Diagnosis | ICD-10-CM |
| M3501 | Sicca syndrome with keratoconjunctivitis | Diagnosis | ICD-10-CM |
| M3502 | Sicca syndrome with lung involvement | Diagnosis | ICD-10-CM |
| M3503 | Sicca syndrome with myopathy | Diagnosis | ICD-10-CM |
| M3504 | Sicca syndrome with tubulo-interstitial nephropathy | Diagnosis | ICD-10-CM |
| M3509 | Sicca syndrome with other organ involvement | Diagnosis | ICD-10-CM |
| M081 | Juvenile ankylosing spondylitis | Diagnosis | ICD-10-CM |
| M45 | Ankylosing spondylitis | Diagnosis | ICD-10-CM |
| M450 | Ankylosing spondylitis of multiple sites in spine | Diagnosis | ICD-10-CM |
| M451 | Ankylosing spondylitis of occipito-atlanto-axial region | Diagnosis | ICD-10-CM |
| M452 | Ankylosing spondylitis of cervical region | Diagnosis | ICD-10-CM |
| M453 | Ankylosing spondylitis of cervicothoracic region | Diagnosis | ICD-10-CM |
| M454 | Ankylosing spondylitis of thoracic region | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|---|----------------------|------------------|
| M455 | Ankylosing spondylitis of thoracolumbar region | Diagnosis | ICD-10-CM |
| M456 | Ankylosing spondylitis lumbar region | Diagnosis | ICD-10-CM |
| M457 | Ankylosing spondylitis of lumbosacral region | Diagnosis | ICD-10-CM |
| M458 | Ankylosing spondylitis sacral and sacrococcygeal region | Diagnosis | ICD-10-CM |
| M459 | Ankylosing spondylitis of unspecified sites in spine | Diagnosis | ICD-10-CM |
| L940 | Localized scleroderma [morphea] | Diagnosis | ICD-10-CM |
| L941 | Linear scleroderma | Diagnosis | ICD-10-CM |
| M34 | Systemic sclerosis [scleroderma] | Diagnosis | ICD-10-CM |
| M08 | Juvenile arthritis | Diagnosis | ICD-10-CM |
| M088 | Other juvenile arthritis | Diagnosis | ICD-10-CM |
| M0880 | Other juvenile arthritis, unspecified site | Diagnosis | ICD-10-CM |
| M0881 | Other juvenile arthritis, shoulder | Diagnosis | ICD-10-CM |
| M08811 | Other juvenile arthritis, right shoulder | Diagnosis | ICD-10-CM |
| M08812 | Other juvenile arthritis, left shoulder | Diagnosis | ICD-10-CM |
| M08819 | Other juvenile arthritis, unspecified shoulder | Diagnosis | ICD-10-CM |
| M0882 | Other juvenile arthritis, elbow | Diagnosis | ICD-10-CM |
| M08821 | Other juvenile arthritis, right elbow | Diagnosis | ICD-10-CM |
| M08822 | Other juvenile arthritis, left elbow | Diagnosis | ICD-10-CM |
| M08829 | Other juvenile arthritis, unspecified elbow | Diagnosis | ICD-10-CM |
| M0883 | Other juvenile arthritis, wrist | Diagnosis | ICD-10-CM |
| M08831 | Other juvenile arthritis, right wrist | Diagnosis | ICD-10-CM |
| M08832 | Other juvenile arthritis, left wrist | Diagnosis | ICD-10-CM |
| M08839 | Other juvenile arthritis, unspecified wrist | Diagnosis | ICD-10-CM |
| M0884 | Other juvenile arthritis, hand | Diagnosis | ICD-10-CM |
| M08841 | Other juvenile arthritis, right hand | Diagnosis | ICD-10-CM |
| M08842 | Other juvenile arthritis, left hand | Diagnosis | ICD-10-CM |
| M08849 | Other juvenile arthritis, unspecified hand | Diagnosis | ICD-10-CM |
| M0885 | Other juvenile arthritis, hip | Diagnosis | ICD-10-CM |
| M08851 | Other juvenile arthritis, right hip | Diagnosis | ICD-10-CM |
| M08852 | Other juvenile arthritis, left hip | Diagnosis | ICD-10-CM |
| M08859 | Other juvenile arthritis, unspecified hip | Diagnosis | ICD-10-CM |
| M0886 | Other juvenile arthritis, knee | Diagnosis | ICD-10-CM |
| M08861 | Other juvenile arthritis, right knee | Diagnosis | ICD-10-CM |
| M08862 | Other juvenile arthritis, left knee | Diagnosis | ICD-10-CM |
| M08869 | Other juvenile arthritis, unspecified knee | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code | |
|--------|---|-----------|-----------|
| | | Category | Code Type |
| M0887 | Other juvenile arthritis, ankle and foot | Diagnosis | ICD-10-CM |
| M08871 | Other juvenile arthritis, right ankle and foot | Diagnosis | ICD-10-CM |
| M08872 | Other juvenile arthritis, left ankle and foot | Diagnosis | ICD-10-CM |
| M08879 | Other juvenile arthritis, unspecified ankle and foot | Diagnosis | ICD-10-CM |
| M0888 | Other juvenile arthritis, other specified site | Diagnosis | ICD-10-CM |
| M0889 | Other juvenile arthritis, multiple sites | Diagnosis | ICD-10-CM |
| M089 | Juvenile arthritis, unspecified | Diagnosis | ICD-10-CM |
| M0890 | Juvenile arthritis, unspecified, unspecified site | Diagnosis | ICD-10-CM |
| M0891 | Juvenile arthritis, unspecified, shoulder | Diagnosis | ICD-10-CM |
| M08911 | Juvenile arthritis, unspecified, right shoulder | Diagnosis | ICD-10-CM |
| M08912 | Juvenile arthritis, unspecified, left shoulder | Diagnosis | ICD-10-CM |
| M08919 | Juvenile arthritis, unspecified, unspecified shoulder | Diagnosis | ICD-10-CM |
| M0892 | Juvenile arthritis, unspecified, elbow | Diagnosis | ICD-10-CM |
| M08921 | Juvenile arthritis, unspecified, right elbow | Diagnosis | ICD-10-CM |
| M08922 | Juvenile arthritis, unspecified, left elbow | Diagnosis | ICD-10-CM |
| M08929 | Juvenile arthritis, unspecified, unspecified elbow | Diagnosis | ICD-10-CM |
| M0893 | Juvenile arthritis, unspecified, wrist | Diagnosis | ICD-10-CM |
| M08931 | Juvenile arthritis, unspecified, right wrist | Diagnosis | ICD-10-CM |
| M08932 | Juvenile arthritis, unspecified, left wrist | Diagnosis | ICD-10-CM |
| M08939 | Juvenile arthritis, unspecified, unspecified wrist | Diagnosis | ICD-10-CM |
| M0894 | Juvenile arthritis, unspecified, hand | Diagnosis | ICD-10-CM |
| M08941 | Juvenile arthritis, unspecified, right hand | Diagnosis | ICD-10-CM |
| M08942 | Juvenile arthritis, unspecified, left hand | Diagnosis | ICD-10-CM |
| M08949 | Juvenile arthritis, unspecified, unspecified hand | Diagnosis | ICD-10-CM |
| M0895 | Juvenile arthritis, unspecified, hip | Diagnosis | ICD-10-CM |
| M08951 | Juvenile arthritis, unspecified, right hip | Diagnosis | ICD-10-CM |
| M08952 | Juvenile arthritis, unspecified, left hip | Diagnosis | ICD-10-CM |
| M08959 | Juvenile arthritis, unspecified, unspecified hip | Diagnosis | ICD-10-CM |
| M0896 | Juvenile arthritis, unspecified, knee | Diagnosis | ICD-10-CM |
| M08961 | Juvenile arthritis, unspecified, right knee | Diagnosis | ICD-10-CM |
| M08962 | Juvenile arthritis, unspecified, left knee | Diagnosis | ICD-10-CM |
| M08969 | Juvenile arthritis, unspecified, unspecified knee | Diagnosis | ICD-10-CM |
| M0897 | Juvenile arthritis, unspecified, ankle and foot | Diagnosis | ICD-10-CM |
| M08971 | Juvenile arthritis, unspecified, right ankle and foot | Diagnosis | ICD-10-CM |
| M08972 | Juvenile arthritis, unspecified, left ankle and foot | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code | |
|--------|--|-----------|-----------|
| | | Category | Code Type |
| M08979 | Juvenile arthritis, unspecified, unspecified ankle and foot | Diagnosis | ICD-10-CM |
| M0898 | Juvenile arthritis, unspecified, vertebrae | Diagnosis | ICD-10-CM |
| M0899 | Juvenile arthritis, unspecified, multiple sites | Diagnosis | ICD-10-CM |
| D860 | Sarcoidosis of lung | Diagnosis | ICD-10-CM |
| D861 | Sarcoidosis of lymph nodes | Diagnosis | ICD-10-CM |
| D862 | Sarcoidosis of lung with sarcoidosis of lymph nodes | Diagnosis | ICD-10-CM |
| D863 | Sarcoidosis of skin | Diagnosis | ICD-10-CM |
| D8681 | Sarcoid meningitis | Diagnosis | ICD-10-CM |
| D8682 | Multiple cranial nerve palsies in sarcoidosis | Diagnosis | ICD-10-CM |
| D8683 | Sarcoid iridocyclitis | Diagnosis | ICD-10-CM |
| D8684 | Sarcoid pyelonephritis | Diagnosis | ICD-10-CM |
| D8685 | Sarcoid myocarditis | Diagnosis | ICD-10-CM |
| D8686 | Sarcoid arthropathy | Diagnosis | ICD-10-CM |
| D8687 | Sarcoid myositis | Diagnosis | ICD-10-CM |
| D8689 | Sarcoidosis of other sites | Diagnosis | ICD-10-CM |
| D869 | Sarcoidosis, unspecified | Diagnosis | ICD-10-CM |
| E850 | Non-neuropathic hereditary amyloidosis | Diagnosis | ICD-10-CM |
| E851 | Neuropathic hereditary amyloidosis | Diagnosis | ICD-10-CM |
| E852 | Hereditary amyloidosis, unspecified | Diagnosis | ICD-10-CM |
| E853 | Secondary systemic amyloidosis | Diagnosis | ICD-10-CM |
| E854 | Organ-limited amyloidosis | Diagnosis | ICD-10-CM |
| E8581 | Light chain (AL) amyloidosis | Diagnosis | ICD-10-CM |
| E8582 | Wild-type transthyretin-related (ATTR) amyloidosis | Diagnosis | ICD-10-CM |
| E8589 | Other amyloidosis | Diagnosis | ICD-10-CM |
| E859 | Amyloidosis, unspecified | Diagnosis | ICD-10-CM |
| G35 | Multiple sclerosis | Diagnosis | ICD-10-CM |
| G360 | Neuromyelitis optica [Devic] | Diagnosis | ICD-10-CM |
| G370 | Diffuse sclerosis of central nervous system | Diagnosis | ICD-10-CM |
| G371 | Central demyelination of corpus callosum | Diagnosis | ICD-10-CM |
| G372 | Central pontine myelinolysis | Diagnosis | ICD-10-CM |
| G373 | Acute transverse myelitis in demyelinating disease of central nervous system | Diagnosis | ICD-10-CM |
| G374 | Subacute necrotizing myelitis of central nervous system | Diagnosis | ICD-10-CM |
| G375 | Concentric sclerosis [Balo] of central nervous system | Diagnosis | ICD-10-CM |
| G378 | Other specified demyelinating diseases of central nervous system | Diagnosis | ICD-10-CM |
| G6181 | Chronic inflammatory demyelinating polyneuritis | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|---|----------------------|------------------|
| G6182 | Multifocal motor neuropathies (inflammatory) | Diagnosis | ICD-10-CM |
| G6189 | Other inflammatory polyneuropathies | Diagnosis | ICD-10-CM |
| G619 | Inflammatory polyneuropathy, unspecified | Diagnosis | ICD-10-CM |
| G622 | Polyneuropathy due to other toxic agents | Diagnosis | ICD-10-CM |
| G6281 | Critical illness polyneuropathy | Diagnosis | ICD-10-CM |
| G63 | Polyneuropathy in diseases classified elsewhere | Diagnosis | ICD-10-CM |
| I408 | Other acute myocarditis | Diagnosis | ICD-10-CM |
| I409 | Acute myocarditis, unspecified | Diagnosis | ICD-10-CM |
| I41 | Myocarditis in diseases classified elsewhere | Diagnosis | ICD-10-CM |
| J679 | Hypersensitivity pneumonitis due to unspecified organic dust | Diagnosis | ICD-10-CM |
| J8401 | Alveolar proteinosis | Diagnosis | ICD-10-CM |
| J8402 | Pulmonary alveolar microlithiasis | Diagnosis | ICD-10-CM |
| J8409 | Other alveolar and parieto-alveolar conditions | Diagnosis | ICD-10-CM |
| J84111 | Idiopathic interstitial pneumonia, not otherwise specified | Diagnosis | ICD-10-CM |
| J84112 | Idiopathic pulmonary fibrosis | Diagnosis | ICD-10-CM |
| J84113 | Idiopathic non-specific interstitial pneumonitis | Diagnosis | ICD-10-CM |
| J84114 | Acute interstitial pneumonitis | Diagnosis | ICD-10-CM |
| J84115 | Respiratory bronchiolitis interstitial lung disease | Diagnosis | ICD-10-CM |
| J84116 | Cryptogenic organizing pneumonia | Diagnosis | ICD-10-CM |
| J84117 | Desquamative interstitial pneumonia | Diagnosis | ICD-10-CM |
| J842 | Lymphoid interstitial pneumonia | Diagnosis | ICD-10-CM |
| J8481 | Lymphangioleiomyomatosis | Diagnosis | ICD-10-CM |
| J8482 | Adult pulmonary Langerhans cell histiocytosis | Diagnosis | ICD-10-CM |
| J8483 | Surfactant mutations of the lung | Diagnosis | ICD-10-CM |
| J84841 | Neuroendocrine cell hyperplasia of infancy | Diagnosis | ICD-10-CM |
| J84842 | Pulmonary interstitial glycogenosis | Diagnosis | ICD-10-CM |
| J84843 | Alveolar capillary dysplasia with vein misalignment | Diagnosis | ICD-10-CM |
| J84848 | Other interstitial lung diseases of childhood | Diagnosis | ICD-10-CM |
| K5000 | Crohn's disease of small intestine without complications | Diagnosis | ICD-10-CM |
| K50011 | Crohn's disease of small intestine with rectal bleeding | Diagnosis | ICD-10-CM |
| K50012 | Crohn's disease of small intestine with intestinal obstruction | Diagnosis | ICD-10-CM |
| K50013 | Crohn's disease of small intestine with fistula | Diagnosis | ICD-10-CM |
| K50014 | Crohn's disease of small intestine with abscess | Diagnosis | ICD-10-CM |
| K50018 | Crohn's disease of small intestine with other complication | Diagnosis | ICD-10-CM |
| K50019 | Crohn's disease of small intestine with unspecified complications | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|--|----------------------|------------------|
| K5010 | Crohn's disease of large intestine without complications | Diagnosis | ICD-10-CM |
| K50111 | Crohn's disease of large intestine with rectal bleeding | Diagnosis | ICD-10-CM |
| K50112 | Crohn's disease of large intestine with intestinal obstruction | Diagnosis | ICD-10-CM |
| K50113 | Crohn's disease of large intestine with fistula | Diagnosis | ICD-10-CM |
| K50114 | Crohn's disease of large intestine with abscess | Diagnosis | ICD-10-CM |
| K50118 | Crohn's disease of large intestine with other complication | Diagnosis | ICD-10-CM |
| K50119 | Crohn's disease of large intestine with unspecified complications | Diagnosis | ICD-10-CM |
| K5080 | Crohn's disease of both small and large intestine without complications | Diagnosis | ICD-10-CM |
| K50811 | Crohn's disease of both small and large intestine with rectal bleeding | Diagnosis | ICD-10-CM |
| K50812 | Crohn's disease of both small and large intestine with intestinal obstruction | Diagnosis | ICD-10-CM |
| K50813 | Crohn's disease of both small and large intestine with fistula | Diagnosis | ICD-10-CM |
| K50814 | Crohn's disease of both small and large intestine with abscess | Diagnosis | ICD-10-CM |
| K50818 | Crohn's disease of both small and large intestine with other complication | Diagnosis | ICD-10-CM |
| K50819 | Crohn's disease of both small and large intestine with unspecified complications | Diagnosis | ICD-10-CM |
| K5090 | Crohn's disease, unspecified, without complications | Diagnosis | ICD-10-CM |
| K50911 | Crohn's disease, unspecified, with rectal bleeding | Diagnosis | ICD-10-CM |
| K50912 | Crohn's disease, unspecified, with intestinal obstruction | Diagnosis | ICD-10-CM |
| K50913 | Crohn's disease, unspecified, with fistula | Diagnosis | ICD-10-CM |
| K50914 | Crohn's disease, unspecified, with abscess | Diagnosis | ICD-10-CM |
| K50918 | Crohn's disease, unspecified, with other complication | Diagnosis | ICD-10-CM |
| K50919 | Crohn's disease, unspecified, with unspecified complications | Diagnosis | ICD-10-CM |
| K5100 | Ulcerative (chronic) pancolitis without complications | Diagnosis | ICD-10-CM |
| K51011 | Ulcerative (chronic) pancolitis with rectal bleeding | Diagnosis | ICD-10-CM |
| K51012 | Ulcerative (chronic) pancolitis with intestinal obstruction | Diagnosis | ICD-10-CM |
| K51013 | Ulcerative (chronic) pancolitis with fistula | Diagnosis | ICD-10-CM |
| K51014 | Ulcerative (chronic) pancolitis with abscess | Diagnosis | ICD-10-CM |
| K51018 | Ulcerative (chronic) pancolitis with other complication | Diagnosis | ICD-10-CM |
| K51019 | Ulcerative (chronic) pancolitis with unspecified complications | Diagnosis | ICD-10-CM |
| K5120 | Ulcerative (chronic) proctitis without complications | Diagnosis | ICD-10-CM |
| K51211 | Ulcerative (chronic) proctitis with rectal bleeding | Diagnosis | ICD-10-CM |
| K51212 | Ulcerative (chronic) proctitis with intestinal obstruction | Diagnosis | ICD-10-CM |
| K51213 | Ulcerative (chronic) proctitis with fistula | Diagnosis | ICD-10-CM |
| K51214 | Ulcerative (chronic) proctitis with abscess | Diagnosis | ICD-10-CM |
| K51218 | Ulcerative (chronic) proctitis with other complication | Diagnosis | ICD-10-CM |
| K51219 | Ulcerative (chronic) proctitis with unspecified complications | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code | |
|--------|--|-----------|-----------|
| | | Category | Code Type |
| K5130 | Ulcerative (chronic) rectosigmoiditis without complications | Diagnosis | ICD-10-CM |
| K51311 | Ulcerative (chronic) rectosigmoiditis with rectal bleeding | Diagnosis | ICD-10-CM |
| K51312 | Ulcerative (chronic) rectosigmoiditis with intestinal obstruction | Diagnosis | ICD-10-CM |
| K51313 | Ulcerative (chronic) rectosigmoiditis with fistula | Diagnosis | ICD-10-CM |
| K51314 | Ulcerative (chronic) rectosigmoiditis with abscess | Diagnosis | ICD-10-CM |
| K51318 | Ulcerative (chronic) rectosigmoiditis with other complication | Diagnosis | ICD-10-CM |
| K51319 | Ulcerative (chronic) rectosigmoiditis with unspecified complications | Diagnosis | ICD-10-CM |
| K5140 | Inflammatory polyps of colon without complications | Diagnosis | ICD-10-CM |
| K51411 | Inflammatory polyps of colon with rectal bleeding | Diagnosis | ICD-10-CM |
| K51412 | Inflammatory polyps of colon with intestinal obstruction | Diagnosis | ICD-10-CM |
| K51413 | Inflammatory polyps of colon with fistula | Diagnosis | ICD-10-CM |
| K51414 | Inflammatory polyps of colon with abscess | Diagnosis | ICD-10-CM |
| K51418 | Inflammatory polyps of colon with other complication | Diagnosis | ICD-10-CM |
| K51419 | Inflammatory polyps of colon with unspecified complications | Diagnosis | ICD-10-CM |
| K5150 | Left sided colitis without complications | Diagnosis | ICD-10-CM |
| K51511 | Left sided colitis with rectal bleeding | Diagnosis | ICD-10-CM |
| K51512 | Left sided colitis with intestinal obstruction | Diagnosis | ICD-10-CM |
| K51513 | Left sided colitis with fistula | Diagnosis | ICD-10-CM |
| K51514 | Left sided colitis with abscess | Diagnosis | ICD-10-CM |
| K51518 | Left sided colitis with other complication | Diagnosis | ICD-10-CM |
| K51519 | Left sided colitis with unspecified complications | Diagnosis | ICD-10-CM |
| K5180 | Other ulcerative colitis without complications | Diagnosis | ICD-10-CM |
| K51811 | Other ulcerative colitis with rectal bleeding | Diagnosis | ICD-10-CM |
| K51812 | Other ulcerative colitis with intestinal obstruction | Diagnosis | ICD-10-CM |
| K51813 | Other ulcerative colitis with fistula | Diagnosis | ICD-10-CM |
| K51814 | Other ulcerative colitis with abscess | Diagnosis | ICD-10-CM |
| K51818 | Other ulcerative colitis with other complication | Diagnosis | ICD-10-CM |
| K51819 | Other ulcerative colitis with unspecified complications | Diagnosis | ICD-10-CM |
| K5190 | Ulcerative colitis, unspecified, without complications | Diagnosis | ICD-10-CM |
| K51911 | Ulcerative colitis, unspecified with rectal bleeding | Diagnosis | ICD-10-CM |
| K51912 | Ulcerative colitis, unspecified with intestinal obstruction | Diagnosis | ICD-10-CM |
| K51913 | Ulcerative colitis, unspecified with fistula | Diagnosis | ICD-10-CM |
| K51914 | Ulcerative colitis, unspecified with abscess | Diagnosis | ICD-10-CM |
| K51918 | Ulcerative colitis, unspecified with other complication | Diagnosis | ICD-10-CM |
| K51919 | Ulcerative colitis, unspecified with unspecified complications | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code | |
|--------|---|-----------|-----------|
| | | Category | Code Type |
| K520 | Gastroenteritis and colitis due to radiation | Diagnosis | ICD-10-CM |
| K521 | Toxic gastroenteritis and colitis | Diagnosis | ICD-10-CM |
| K5221 | Allergic and dietetic gastroenteritis and colitis ,Food protein-induced enterocolitis syndrome | Diagnosis | ICD-10-CM |
| K5222 | Allergic and dietetic gastroenteritis and colitis,Food protein-induced enteropathy | Diagnosis | ICD-10-CM |
| K5229 | Allergic and dietetic gastroenteritis and colitis,Other allergic and dietetic gastroenteritis and colitis | Diagnosis | ICD-10-CM |
| K5281 | Eosinophilic gastritis or gastroenteritis | Diagnosis | ICD-10-CM |
| K5282 | Eosinophilic colitis | Diagnosis | ICD-10-CM |
| K5289 | Other specified noninfective gastroenteritis and colitis | Diagnosis | ICD-10-CM |
| K529 | Noninfective gastroenteritis and colitis, unspecified | Diagnosis | ICD-10-CM |
| K55011 | Acute (reversible) ischemia of small intestine,Focal (segmental) acute (reversible) ischemia of small intestine | Diagnosis | ICD-10-CM |
| K55012 | Acute (reversible) ischemia of small intestine,Diffuse acute (reversible) ischemia of small intestine | Diagnosis | ICD-10-CM |
| K55019 | Acute (reversible) ischemia of small intestine,extent unspecified | Diagnosis | ICD-10-CM |
| K551 | Chronic vascular disorders of intestine | Diagnosis | ICD-10-CM |
| K559 | Vascular disorder of intestine, unspecified | Diagnosis | ICD-10-CM |
| I400 | Infective myocarditis | Diagnosis | ICD-10-CM |
| I401 | Isolated myocarditis | Diagnosis | ICD-10-CM |
| L930 | Discoid lupus erythematosus | Diagnosis | ICD-10-CM |
| M02 | Postinfective and reactive arthropathies | Diagnosis | ICD-10-CM |
| M020 | Arthropathy following intestinal bypass | Diagnosis | ICD-10-CM |
| M0200 | Arthropathy following intestinal bypass, unspecified site | Diagnosis | ICD-10-CM |
| M0201 | Arthropathy following intestinal bypass, shoulder | Diagnosis | ICD-10-CM |
| M02011 | Arthropathy following intestinal bypass, right shoulder | Diagnosis | ICD-10-CM |
| M02012 | Arthropathy following intestinal bypass, left shoulder | Diagnosis | ICD-10-CM |
| M02019 | Arthropathy following intestinal bypass, unspecified shoulder | Diagnosis | ICD-10-CM |
| M0202 | Arthropathy following intestinal bypass, elbow | Diagnosis | ICD-10-CM |
| M02021 | Arthropathy following intestinal bypass, right elbow | Diagnosis | ICD-10-CM |
| M02022 | Arthropathy following intestinal bypass, left elbow | Diagnosis | ICD-10-CM |
| M02029 | Arthropathy following intestinal bypass, unspecified elbow | Diagnosis | ICD-10-CM |
| M0203 | Arthropathy following intestinal bypass, wrist | Diagnosis | ICD-10-CM |
| M02031 | Arthropathy following intestinal bypass, right wrist | Diagnosis | ICD-10-CM |
| M02032 | Arthropathy following intestinal bypass, left wrist | Diagnosis | ICD-10-CM |
| M02039 | Arthropathy following intestinal bypass, unspecified wrist | Diagnosis | ICD-10-CM |
| M0204 | Arthropathy following intestinal bypass, hand | Diagnosis | ICD-10-CM |
| M02041 | Arthropathy following intestinal bypass, right hand | Diagnosis | ICD-10-CM |
| M02042 | Arthropathy following intestinal bypass, left hand | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|---|----------------------|------------------|
| M02049 | Arthropathy following intestinal bypass, unspecified hand | Diagnosis | ICD-10-CM |
| M0205 | Arthropathy following intestinal bypass, hip | Diagnosis | ICD-10-CM |
| M02051 | Arthropathy following intestinal bypass, right hip | Diagnosis | ICD-10-CM |
| M02052 | Arthropathy following intestinal bypass, left hip | Diagnosis | ICD-10-CM |
| M02059 | Arthropathy following intestinal bypass, unspecified hip | Diagnosis | ICD-10-CM |
| M0206 | Arthropathy following intestinal bypass, knee | Diagnosis | ICD-10-CM |
| M02061 | Arthropathy following intestinal bypass, right knee | Diagnosis | ICD-10-CM |
| M02062 | Arthropathy following intestinal bypass, left knee | Diagnosis | ICD-10-CM |
| M02069 | Arthropathy following intestinal bypass, unspecified knee | Diagnosis | ICD-10-CM |
| M0207 | Arthropathy following intestinal bypass, ankle and foot | Diagnosis | ICD-10-CM |
| M02071 | Arthropathy following intestinal bypass, right ankle and foot | Diagnosis | ICD-10-CM |
| M02072 | Arthropathy following intestinal bypass, left ankle and foot | Diagnosis | ICD-10-CM |
| M02079 | Arthropathy following intestinal bypass, unspecified ankle and foot | Diagnosis | ICD-10-CM |
| M0208 | Arthropathy following intestinal bypass, vertebrae | Diagnosis | ICD-10-CM |
| M0209 | Arthropathy following intestinal bypass, multiple sites | Diagnosis | ICD-10-CM |
| M021 | Postdysenteric arthropathy | Diagnosis | ICD-10-CM |
| M0210 | Postdysenteric arthropathy, unspecified site | Diagnosis | ICD-10-CM |
| M0211 | Postdysenteric arthropathy, shoulder | Diagnosis | ICD-10-CM |
| M02111 | Postdysenteric arthropathy, right shoulder | Diagnosis | ICD-10-CM |
| M02112 | Postdysenteric arthropathy, left shoulder | Diagnosis | ICD-10-CM |
| M02119 | Postdysenteric arthropathy, unspecified shoulder | Diagnosis | ICD-10-CM |
| M0212 | Postdysenteric arthropathy, elbow | Diagnosis | ICD-10-CM |
| M02121 | Postdysenteric arthropathy, right elbow | Diagnosis | ICD-10-CM |
| M02122 | Postdysenteric arthropathy, left elbow | Diagnosis | ICD-10-CM |
| M02129 | Postdysenteric arthropathy, unspecified elbow | Diagnosis | ICD-10-CM |
| M0213 | Postdysenteric arthropathy, wrist | Diagnosis | ICD-10-CM |
| M02131 | Postdysenteric arthropathy, right wrist | Diagnosis | ICD-10-CM |
| M02132 | Postdysenteric arthropathy, left wrist | Diagnosis | ICD-10-CM |
| M02139 | Postdysenteric arthropathy, unspecified wrist | Diagnosis | ICD-10-CM |
| M0214 | Postdysenteric arthropathy, hand | Diagnosis | ICD-10-CM |
| M02141 | Postdysenteric arthropathy, right hand | Diagnosis | ICD-10-CM |
| M02142 | Postdysenteric arthropathy, left hand | Diagnosis | ICD-10-CM |
| M02149 | Postdysenteric arthropathy, unspecified hand | Diagnosis | ICD-10-CM |
| M0215 | Postdysenteric arthropathy, hip | Diagnosis | ICD-10-CM |
| M02151 | Postdysenteric arthropathy, right hip | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|--|----------------------|------------------|
| M02152 | Postdysenteric arthropathy, left hip | Diagnosis | ICD-10-CM |
| M02159 | Postdysenteric arthropathy, unspecified hip | Diagnosis | ICD-10-CM |
| M0216 | Postdysenteric arthropathy, knee | Diagnosis | ICD-10-CM |
| M02161 | Postdysenteric arthropathy, right knee | Diagnosis | ICD-10-CM |
| M02162 | Postdysenteric arthropathy, left knee | Diagnosis | ICD-10-CM |
| M02169 | Postdysenteric arthropathy, unspecified knee | Diagnosis | ICD-10-CM |
| M0217 | Postdysenteric arthropathy, ankle and foot | Diagnosis | ICD-10-CM |
| M02171 | Postdysenteric arthropathy, right ankle and foot | Diagnosis | ICD-10-CM |
| M02172 | Postdysenteric arthropathy, left ankle and foot | Diagnosis | ICD-10-CM |
| M02179 | Postdysenteric arthropathy, unspecified ankle and foot | Diagnosis | ICD-10-CM |
| M0218 | Postdysenteric arthropathy, vertebrae | Diagnosis | ICD-10-CM |
| M0219 | Postdysenteric arthropathy, multiple sites | Diagnosis | ICD-10-CM |
| M022 | Postimmunization arthropathy | Diagnosis | ICD-10-CM |
| M0220 | Postimmunization arthropathy, unspecified site | Diagnosis | ICD-10-CM |
| M0221 | Postimmunization arthropathy, shoulder | Diagnosis | ICD-10-CM |
| M02211 | Postimmunization arthropathy, right shoulder | Diagnosis | ICD-10-CM |
| M02212 | Postimmunization arthropathy, left shoulder | Diagnosis | ICD-10-CM |
| M02219 | Postimmunization arthropathy, unspecified shoulder | Diagnosis | ICD-10-CM |
| M0222 | Postimmunization arthropathy, elbow | Diagnosis | ICD-10-CM |
| M02221 | Postimmunization arthropathy, right elbow | Diagnosis | ICD-10-CM |
| M02222 | Postimmunization arthropathy, left elbow | Diagnosis | ICD-10-CM |
| M02229 | Postimmunization arthropathy, unspecified elbow | Diagnosis | ICD-10-CM |
| M0223 | Postimmunization arthropathy, wrist | Diagnosis | ICD-10-CM |
| M02231 | Postimmunization arthropathy, right wrist | Diagnosis | ICD-10-CM |
| M02232 | Postimmunization arthropathy, left wrist | Diagnosis | ICD-10-CM |
| M02239 | Postimmunization arthropathy, unspecified wrist | Diagnosis | ICD-10-CM |
| M0224 | Postimmunization arthropathy, hand | Diagnosis | ICD-10-CM |
| M02241 | Postimmunization arthropathy, right hand | Diagnosis | ICD-10-CM |
| M02242 | Postimmunization arthropathy, left hand | Diagnosis | ICD-10-CM |
| M02249 | Postimmunization arthropathy, unspecified hand | Diagnosis | ICD-10-CM |
| M0225 | Postimmunization arthropathy, hip | Diagnosis | ICD-10-CM |
| M02251 | Postimmunization arthropathy, right hip | Diagnosis | ICD-10-CM |
| M02252 | Postimmunization arthropathy, left hip | Diagnosis | ICD-10-CM |
| M02259 | Postimmunization arthropathy, unspecified hip | Diagnosis | ICD-10-CM |
| M0226 | Postimmunization arthropathy, knee | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|--|----------------------|------------------|
| M02261 | Postimmunization arthropathy, right knee | Diagnosis | ICD-10-CM |
| M02262 | Postimmunization arthropathy, left knee | Diagnosis | ICD-10-CM |
| M02269 | Postimmunization arthropathy, unspecified knee | Diagnosis | ICD-10-CM |
| M0227 | Postimmunization arthropathy, ankle and foot | Diagnosis | ICD-10-CM |
| M02271 | Postimmunization arthropathy, right ankle and foot | Diagnosis | ICD-10-CM |
| M02272 | Postimmunization arthropathy, left ankle and foot | Diagnosis | ICD-10-CM |
| M02279 | Postimmunization arthropathy, unspecified ankle and foot | Diagnosis | ICD-10-CM |
| M0228 | Postimmunization arthropathy, vertebrae | Diagnosis | ICD-10-CM |
| M0229 | Postimmunization arthropathy, multiple sites | Diagnosis | ICD-10-CM |
| M023 | Reiter's disease | Diagnosis | ICD-10-CM |
| M0230 | Reiter's disease, unspecified site | Diagnosis | ICD-10-CM |
| M0231 | Reiter's disease, shoulder | Diagnosis | ICD-10-CM |
| M02311 | Reiter's disease, right shoulder | Diagnosis | ICD-10-CM |
| M02312 | Reiter's disease, left shoulder | Diagnosis | ICD-10-CM |
| M02319 | Reiter's disease, unspecified shoulder | Diagnosis | ICD-10-CM |
| M0232 | Reiter's disease, elbow | Diagnosis | ICD-10-CM |
| M02321 | Reiter's disease, right elbow | Diagnosis | ICD-10-CM |
| M02322 | Reiter's disease, left elbow | Diagnosis | ICD-10-CM |
| M02329 | Reiter's disease, unspecified elbow | Diagnosis | ICD-10-CM |
| M0233 | Reiter's disease, wrist | Diagnosis | ICD-10-CM |
| M02331 | Reiter's disease, right wrist | Diagnosis | ICD-10-CM |
| M02332 | Reiter's disease, left wrist | Diagnosis | ICD-10-CM |
| M02339 | Reiter's disease, unspecified wrist | Diagnosis | ICD-10-CM |
| M0234 | Reiter's disease, hand | Diagnosis | ICD-10-CM |
| M02341 | Reiter's disease, right hand | Diagnosis | ICD-10-CM |
| M02342 | Reiter's disease, left hand | Diagnosis | ICD-10-CM |
| M02349 | Reiter's disease, unspecified hand | Diagnosis | ICD-10-CM |
| M0235 | Reiter's disease, hip | Diagnosis | ICD-10-CM |
| M02351 | Reiter's disease, right hip | Diagnosis | ICD-10-CM |
| M02352 | Reiter's disease, left hip | Diagnosis | ICD-10-CM |
| M02359 | Reiter's disease, unspecified hip | Diagnosis | ICD-10-CM |
| M0236 | Reiter's disease, knee | Diagnosis | ICD-10-CM |
| M02361 | Reiter's disease, right knee | Diagnosis | ICD-10-CM |
| M02362 | Reiter's disease, left knee | Diagnosis | ICD-10-CM |
| M02369 | Reiter's disease, unspecified knee | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code | |
|--------|--|-----------|-----------|
| | | Category | Code Type |
| M0237 | Reiter's disease, ankle and foot | Diagnosis | ICD-10-CM |
| M02371 | Reiter's disease, right ankle and foot | Diagnosis | ICD-10-CM |
| M02372 | Reiter's disease, left ankle and foot | Diagnosis | ICD-10-CM |
| M02379 | Reiter's disease, unspecified ankle and foot | Diagnosis | ICD-10-CM |
| M0238 | Reiter's disease, vertebrae | Diagnosis | ICD-10-CM |
| M0239 | Reiter's disease, multiple sites | Diagnosis | ICD-10-CM |
| M028 | Other reactive arthropathies | Diagnosis | ICD-10-CM |
| M0280 | Other reactive arthropathies, unspecified site | Diagnosis | ICD-10-CM |
| M0281 | Other reactive arthropathies, shoulder | Diagnosis | ICD-10-CM |
| M02811 | Other reactive arthropathies, right shoulder | Diagnosis | ICD-10-CM |
| M02812 | Other reactive arthropathies, left shoulder | Diagnosis | ICD-10-CM |
| M02819 | Other reactive arthropathies, unspecified shoulder | Diagnosis | ICD-10-CM |
| M0282 | Other reactive arthropathies, elbow | Diagnosis | ICD-10-CM |
| M02821 | Other reactive arthropathies, right elbow | Diagnosis | ICD-10-CM |
| M02822 | Other reactive arthropathies, left elbow | Diagnosis | ICD-10-CM |
| M02829 | Other reactive arthropathies, unspecified elbow | Diagnosis | ICD-10-CM |
| M0283 | Other reactive arthropathies, wrist | Diagnosis | ICD-10-CM |
| M02831 | Other reactive arthropathies, right wrist | Diagnosis | ICD-10-CM |
| M02832 | Other reactive arthropathies, left wrist | Diagnosis | ICD-10-CM |
| M02839 | Other reactive arthropathies, unspecified wrist | Diagnosis | ICD-10-CM |
| M0284 | Other reactive arthropathies, hand | Diagnosis | ICD-10-CM |
| M02841 | Other reactive arthropathies, right hand | Diagnosis | ICD-10-CM |
| M02842 | Other reactive arthropathies, left hand | Diagnosis | ICD-10-CM |
| M02849 | Other reactive arthropathies, unspecified hand | Diagnosis | ICD-10-CM |
| M0285 | Other reactive arthropathies, hip | Diagnosis | ICD-10-CM |
| M02851 | Other reactive arthropathies, right hip | Diagnosis | ICD-10-CM |
| M02852 | Other reactive arthropathies, left hip | Diagnosis | ICD-10-CM |
| M02859 | Other reactive arthropathies, unspecified hip | Diagnosis | ICD-10-CM |
| M0286 | Other reactive arthropathies, knee | Diagnosis | ICD-10-CM |
| M02861 | Other reactive arthropathies, right knee | Diagnosis | ICD-10-CM |
| M02862 | Other reactive arthropathies, left knee | Diagnosis | ICD-10-CM |
| M02869 | Other reactive arthropathies, unspecified knee | Diagnosis | ICD-10-CM |
| M0287 | Other reactive arthropathies, ankle and foot | Diagnosis | ICD-10-CM |
| M02871 | Other reactive arthropathies, right ankle and foot | Diagnosis | ICD-10-CM |
| M02872 | Other reactive arthropathies, left ankle and foot | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code | |
|--------|--|-----------|-----------|
| | | Category | Code Type |
| M02879 | Other reactive arthropathies, unspecified ankle and foot | Diagnosis | ICD-10-CM |
| M0288 | Other reactive arthropathies, vertebrae | Diagnosis | ICD-10-CM |
| M0289 | Other reactive arthropathies, multiple sites | Diagnosis | ICD-10-CM |
| M029 | Reactive arthropathy, unspecified | Diagnosis | ICD-10-CM |
| M04 | Autoinflammatory syndromes | Diagnosis | ICD-10-CM |
| M041 | Periodic fever syndromes | Diagnosis | ICD-10-CM |
| M042 | Cryopyrin-associated periodic syndromes | Diagnosis | ICD-10-CM |
| M048 | Other autoinflammatory syndromes | Diagnosis | ICD-10-CM |
| M049 | Autoinflammatory syndrome, unspecified | Diagnosis | ICD-10-CM |
| M050 | Felty's syndrome | Diagnosis | ICD-10-CM |
| M0500 | Felty's syndrome, unspecified site | Diagnosis | ICD-10-CM |
| M0501 | Felty's syndrome, shoulder | Diagnosis | ICD-10-CM |
| M05011 | Felty's syndrome, right shoulder | Diagnosis | ICD-10-CM |
| M05012 | Felty's syndrome, left shoulder | Diagnosis | ICD-10-CM |
| M05019 | Felty's syndrome, unspecified shoulder | Diagnosis | ICD-10-CM |
| M0502 | Felty's syndrome, elbow | Diagnosis | ICD-10-CM |
| M05021 | Felty's syndrome, right elbow | Diagnosis | ICD-10-CM |
| M05022 | Felty's syndrome, left elbow | Diagnosis | ICD-10-CM |
| M05029 | Felty's syndrome, unspecified elbow | Diagnosis | ICD-10-CM |
| M0503 | Felty's syndrome, wrist | Diagnosis | ICD-10-CM |
| M05031 | Felty's syndrome, right wrist | Diagnosis | ICD-10-CM |
| M05032 | Felty's syndrome, left wrist | Diagnosis | ICD-10-CM |
| M05039 | Felty's syndrome, unspecified wrist | Diagnosis | ICD-10-CM |
| M0504 | Felty's syndrome, hand | Diagnosis | ICD-10-CM |
| M05041 | Felty's syndrome, right hand | Diagnosis | ICD-10-CM |
| M05042 | Felty's syndrome, left hand | Diagnosis | ICD-10-CM |
| M05049 | Felty's syndrome, unspecified hand | Diagnosis | ICD-10-CM |
| M0505 | Felty's syndrome, hip | Diagnosis | ICD-10-CM |
| M05051 | Felty's syndrome, right hip | Diagnosis | ICD-10-CM |
| M05052 | Felty's syndrome, left hip | Diagnosis | ICD-10-CM |
| M05059 | Felty's syndrome, unspecified hip | Diagnosis | ICD-10-CM |
| M0506 | Felty's syndrome, knee | Diagnosis | ICD-10-CM |
| M05061 | Felty's syndrome, right knee | Diagnosis | ICD-10-CM |
| M05062 | Felty's syndrome, left knee | Diagnosis | ICD-10-CM |
| M05069 | Felty's syndrome, unspecified knee | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|--|----------------------|------------------|
| M0507 | Felty's syndrome, ankle and foot | Diagnosis | ICD-10-CM |
| M05071 | Felty's syndrome, right ankle and foot | Diagnosis | ICD-10-CM |
| M05072 | Felty's syndrome, left ankle and foot | Diagnosis | ICD-10-CM |
| M05079 | Felty's syndrome, unspecified ankle and foot | Diagnosis | ICD-10-CM |
| M0509 | Felty's syndrome, multiple sites | Diagnosis | ICD-10-CM |
| M061 | Adult-onset Still's disease | Diagnosis | ICD-10-CM |
| M062 | Rheumatoid bursitis | Diagnosis | ICD-10-CM |
| M0620 | Rheumatoid bursitis, unspecified site | Diagnosis | ICD-10-CM |
| M0621 | Rheumatoid bursitis, shoulder | Diagnosis | ICD-10-CM |
| M06211 | Rheumatoid bursitis, right shoulder | Diagnosis | ICD-10-CM |
| M06212 | Rheumatoid bursitis, left shoulder | Diagnosis | ICD-10-CM |
| M06219 | Rheumatoid bursitis, unspecified shoulder | Diagnosis | ICD-10-CM |
| M0622 | Rheumatoid bursitis, elbow | Diagnosis | ICD-10-CM |
| M06221 | Rheumatoid bursitis, right elbow | Diagnosis | ICD-10-CM |
| M06222 | Rheumatoid bursitis, left elbow | Diagnosis | ICD-10-CM |
| M06229 | Rheumatoid bursitis, unspecified elbow | Diagnosis | ICD-10-CM |
| M0623 | Rheumatoid bursitis, wrist | Diagnosis | ICD-10-CM |
| M06231 | Rheumatoid bursitis, right wrist | Diagnosis | ICD-10-CM |
| M06232 | Rheumatoid bursitis, left wrist | Diagnosis | ICD-10-CM |
| M06239 | Rheumatoid bursitis, unspecified wrist | Diagnosis | ICD-10-CM |
| M0624 | Rheumatoid bursitis, hand | Diagnosis | ICD-10-CM |
| M06241 | Rheumatoid bursitis, right hand | Diagnosis | ICD-10-CM |
| M06242 | Rheumatoid bursitis, left hand | Diagnosis | ICD-10-CM |
| M06249 | Rheumatoid bursitis, unspecified hand | Diagnosis | ICD-10-CM |
| M0625 | Rheumatoid bursitis, hip | Diagnosis | ICD-10-CM |
| M06251 | Rheumatoid bursitis, right hip | Diagnosis | ICD-10-CM |
| M06252 | Rheumatoid bursitis, left hip | Diagnosis | ICD-10-CM |
| M06259 | Rheumatoid bursitis, unspecified hip | Diagnosis | ICD-10-CM |
| M0626 | Rheumatoid bursitis, knee | Diagnosis | ICD-10-CM |
| M06261 | Rheumatoid bursitis, right knee | Diagnosis | ICD-10-CM |
| M06262 | Rheumatoid bursitis, left knee | Diagnosis | ICD-10-CM |
| M06269 | Rheumatoid bursitis, unspecified knee | Diagnosis | ICD-10-CM |
| M0627 | Rheumatoid bursitis, ankle and foot | Diagnosis | ICD-10-CM |
| M06271 | Rheumatoid bursitis, right ankle and foot | Diagnosis | ICD-10-CM |
| M06272 | Rheumatoid bursitis, left ankle and foot | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|-------------|---|----------------------|------------------|
| M06279 | Rheumatoid bursitis, unspecified ankle and foot | Diagnosis | ICD-10-CM |
| M0628 | Rheumatoid bursitis, vertebrae | Diagnosis | ICD-10-CM |
| M0629 | Rheumatoid bursitis, multiple sites | Diagnosis | ICD-10-CM |
| M063 | Rheumatoid nodule | Diagnosis | ICD-10-CM |
| M0630 | Rheumatoid nodule, unspecified site | Diagnosis | ICD-10-CM |
| M0631 | Rheumatoid nodule, shoulder | Diagnosis | ICD-10-CM |
| M06311 | Rheumatoid nodule, right shoulder | Diagnosis | ICD-10-CM |
| M06312 | Rheumatoid nodule, left shoulder | Diagnosis | ICD-10-CM |
| M06319 | Rheumatoid nodule, unspecified shoulder | Diagnosis | ICD-10-CM |
| M0632 | Rheumatoid nodule, elbow | Diagnosis | ICD-10-CM |
| M06321 | Rheumatoid nodule, right elbow | Diagnosis | ICD-10-CM |
| M06322 | Rheumatoid nodule, left elbow | Diagnosis | ICD-10-CM |
| M06329 | Rheumatoid nodule, unspecified elbow | Diagnosis | ICD-10-CM |
| M0633 | Rheumatoid nodule, wrist | Diagnosis | ICD-10-CM |
| M06331 | Rheumatoid nodule, right wrist | Diagnosis | ICD-10-CM |
| M06332 | Rheumatoid nodule, left wrist | Diagnosis | ICD-10-CM |
| M06339 | Rheumatoid nodule, unspecified wrist | Diagnosis | ICD-10-CM |
| M0634 | Rheumatoid nodule, hand | Diagnosis | ICD-10-CM |
| M06341 | Rheumatoid nodule, right hand | Diagnosis | ICD-10-CM |
| M06342 | Rheumatoid nodule, left hand | Diagnosis | ICD-10-CM |
| M06349 | Rheumatoid nodule, unspecified hand | Diagnosis | ICD-10-CM |
| M0635 | Rheumatoid nodule, hip | Diagnosis | ICD-10-CM |
| M06351 | Rheumatoid nodule, right hip | Diagnosis | ICD-10-CM |
| M06352 | Rheumatoid nodule, left hip | Diagnosis | ICD-10-CM |
| M06359 | Rheumatoid nodule, unspecified hip | Diagnosis | ICD-10-CM |
| M0636 | Rheumatoid nodule, knee | Diagnosis | ICD-10-CM |
| M06361 | Rheumatoid nodule, right knee | Diagnosis | ICD-10-CM |
| M06362 | Rheumatoid nodule, left knee | Diagnosis | ICD-10-CM |
| M06369 | Rheumatoid nodule, unspecified knee | Diagnosis | ICD-10-CM |
| M0637 | Rheumatoid nodule, ankle and foot | Diagnosis | ICD-10-CM |
| M06371 | Rheumatoid nodule, right ankle and foot | Diagnosis | ICD-10-CM |
| M06372 | Rheumatoid nodule, left ankle and foot | Diagnosis | ICD-10-CM |
| M06379 | Rheumatoid nodule, unspecified ankle and foot | Diagnosis | ICD-10-CM |
| M0638 | Rheumatoid nodule, vertebrae | Diagnosis | ICD-10-CM |
| M0639 | Rheumatoid nodule, multiple sites | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code | |
|-------|---|-----------|-----------|
| | | Category | Code Type |
| M064 | Inflammatory polyarthropathy | Diagnosis | ICD-10-CM |
| M083 | Juvenile rheumatoid polyarthritis (seronegative) | Diagnosis | ICD-10-CM |
| M1200 | Chronic postrheumatic arthropathy [Jaccoud], unspecified site | Diagnosis | ICD-10-CM |
| M300 | Polyarteritis nodosa | Diagnosis | ICD-10-CM |
| M301 | Polyarteritis with lung involvement [Churg-Strauss] | Diagnosis | ICD-10-CM |
| M302 | Juvenile polyarteritis | Diagnosis | ICD-10-CM |
| M303 | Mucocutaneous lymph node syndrome [Kawasaki] | Diagnosis | ICD-10-CM |
| M308 | Other conditions related to polyarteritis nodosa | Diagnosis | ICD-10-CM |
| M310 | Hypersensitivity angiitis | Diagnosis | ICD-10-CM |
| M311 | Thrombotic microangiopathy | Diagnosis | ICD-10-CM |
| M312 | Lethal midline granuloma | Diagnosis | ICD-10-CM |
| M3130 | Wegener's granulomatosis without renal involvement | Diagnosis | ICD-10-CM |
| M3131 | Wegener's granulomatosis with renal involvement | Diagnosis | ICD-10-CM |
| M314 | Aortic arch syndrome [Takayasu] | Diagnosis | ICD-10-CM |
| M315 | Giant cell arteritis with polymyalgia rheumatica | Diagnosis | ICD-10-CM |
| M316 | Other giant cell arteritis | Diagnosis | ICD-10-CM |
| M317 | Microscopic polyangiitis | Diagnosis | ICD-10-CM |
| M318 | Other specified necrotizing vasculopathies | Diagnosis | ICD-10-CM |
| M319 | Necrotizing vasculopathy, unspecified | Diagnosis | ICD-10-CM |
| M3300 | Juvenile dermatopolymyositis, organ involvement unspecified | Diagnosis | ICD-10-CM |
| M3301 | Juvenile dermatopolymyositis with respiratory involvement | Diagnosis | ICD-10-CM |
| M3302 | Juvenile dermatopolymyositis with myopathy | Diagnosis | ICD-10-CM |
| M3309 | Juvenile dermatopolymyositis with other organ involvement | Diagnosis | ICD-10-CM |
| M3310 | Other dermatopolymyositis, organ involvement unspecified | Diagnosis | ICD-10-CM |
| M3311 | Other dermatopolymyositis with respiratory involvement | Diagnosis | ICD-10-CM |
| M3312 | Other dermatopolymyositis with myopathy | Diagnosis | ICD-10-CM |
| M3313 | Other dermatomyositis without myopathy | Diagnosis | ICD-10-CM |
| M3319 | Other dermatopolymyositis with other organ involvement | Diagnosis | ICD-10-CM |
| M3320 | Polymyositis, organ involvement unspecified | Diagnosis | ICD-10-CM |
| M3321 | Polymyositis with respiratory involvement | Diagnosis | ICD-10-CM |
| M3322 | Polymyositis with myopathy | Diagnosis | ICD-10-CM |
| M3329 | Polymyositis with other organ involvement | Diagnosis | ICD-10-CM |
| M3390 | Dermatopolymyositis, unspecified, organ involvement unspecified | Diagnosis | ICD-10-CM |
| M3391 | Dermatopolymyositis, unspecified with respiratory involvement | Diagnosis | ICD-10-CM |
| M3392 | Dermatopolymyositis, unspecified with myopathy | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|----------------------------|--|----------------------|------------------|
| M3393 | Dermatopolymyositis, unspecified without myopathy | Diagnosis | ICD-10-CM |
| M3399 | Dermatopolymyositis, unspecified with other organ involvement | Diagnosis | ICD-10-CM |
| M340 | Systemic sclerosis [scleroderma], Progressive systemic sclerosis | Diagnosis | ICD-10-CM |
| M341 | Systemic sclerosis [scleroderma] , CR(E)ST syndrome | Diagnosis | ICD-10-CM |
| M342 | Systemic sclerosis induced by drug and chemical | Diagnosis | ICD-10-CM |
| M3481 | Systemic sclerosis with lung involvement | Diagnosis | ICD-10-CM |
| M3482 | Systemic sclerosis with myopathy | Diagnosis | ICD-10-CM |
| M3483 | Systemic sclerosis with polyneuropathy | Diagnosis | ICD-10-CM |
| M3489 | Other systemic sclerosis | Diagnosis | ICD-10-CM |
| M349 | Systemic sclerosis, unspecified | Diagnosis | ICD-10-CM |
| M351 | Other overlap syndromes | Diagnosis | ICD-10-CM |
| M352 | Behcet's disease | Diagnosis | ICD-10-CM |
| M353 | Polymyalgia rheumatica | Diagnosis | ICD-10-CM |
| M354 | Diffuse (eosinophilic) fasciitis | Diagnosis | ICD-10-CM |
| M355 | Multifocal fibrosclerosis | Diagnosis | ICD-10-CM |
| M356 | Relapsing panniculitis [weber-christian] | Diagnosis | ICD-10-CM |
| M358 | Other specified systemic involvement of connective tissue | Diagnosis | ICD-10-CM |
| M359 | Systemic involvement of connective tissue, unspecified | Diagnosis | ICD-10-CM |
| M360 | Dermato(poly)myositis in neoplastic disease | Diagnosis | ICD-10-CM |
| M368 | Systemic disorders of connective tissue in other diseases classified elsewhere | Diagnosis | ICD-10-CM |
| M4600 | Spinal enthesopathy, site unspecified | Diagnosis | ICD-10-CM |
| M4601 | Spinal enthesopathy, occipito-atlanto-axial region | Diagnosis | ICD-10-CM |
| M4602 | Spinal enthesopathy, cervical region | Diagnosis | ICD-10-CM |
| M4603 | Spinal enthesopathy, cervicothoracic region | Diagnosis | ICD-10-CM |
| M4604 | Spinal enthesopathy, thoracic region | Diagnosis | ICD-10-CM |
| M4605 | Spinal enthesopathy, thoracolumbar region | Diagnosis | ICD-10-CM |
| M4606 | Spinal enthesopathy, lumbar region | Diagnosis | ICD-10-CM |
| M4607 | Spinal enthesopathy, lumbosacral region | Diagnosis | ICD-10-CM |
| M4608 | Spinal enthesopathy, sacral and sacrococcygeal region | Diagnosis | ICD-10-CM |
| M4609 | Spinal enthesopathy, multiple sites in spine | Diagnosis | ICD-10-CM |
| M461 | Sacroiliitis, not elsewhere classified | Diagnosis | ICD-10-CM |
| Sickle cell disease | | | |
| D57 | Sickle-cell disorders | Diagnosis | ICD-10-CM |
| D570 | Hb-SS disease with crisis | Diagnosis | ICD-10-CM |
| D5700 | Hb-SS disease with crisis, unspecified | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code | |
|--------|--|-----------|-----------|
| | | Category | Code Type |
| D5701 | Hb-SS disease with acute chest syndrome | Diagnosis | ICD-10-CM |
| D5702 | Hb-SS disease with splenic sequestration | Diagnosis | ICD-10-CM |
| D571 | Sickle-cell disease without crisis | Diagnosis | ICD-10-CM |
| D572 | Sickle-cell/Hb-C disease | Diagnosis | ICD-10-CM |
| D5720 | Sickle-cell/Hb-C disease without crisis | Diagnosis | ICD-10-CM |
| D5721 | Sickle-cell/Hb-C disease with crisis | Diagnosis | ICD-10-CM |
| D57211 | Sickle-cell/Hb-C disease with acute chest syndrome | Diagnosis | ICD-10-CM |
| D57212 | Sickle-cell/Hb-C disease with splenic sequestration | Diagnosis | ICD-10-CM |
| D57219 | Sickle-cell/Hb-C disease with crisis, unspecified | Diagnosis | ICD-10-CM |
| D573 | Sickle-cell trait | Diagnosis | ICD-10-CM |
| D574 | Sickle-cell thalassemia | Diagnosis | ICD-10-CM |
| D5740 | Sickle-cell thalassemia without crisis | Diagnosis | ICD-10-CM |
| D5741 | Sickle-cell thalassemia with crisis | Diagnosis | ICD-10-CM |
| D57411 | Sickle-cell thalassemia with acute chest syndrome | Diagnosis | ICD-10-CM |
| D57412 | Sickle-cell thalassemia with splenic sequestration | Diagnosis | ICD-10-CM |
| D57419 | Sickle-cell thalassemia with crisis, unspecified | Diagnosis | ICD-10-CM |
| D578 | Other sickle-cell disorders | Diagnosis | ICD-10-CM |
| D5780 | Other sickle-cell disorders without crisis | Diagnosis | ICD-10-CM |
| D5781 | Other sickle-cell disorders with crisis | Diagnosis | ICD-10-CM |
| D57811 | Other sickle-cell disorders with acute chest syndrome | Diagnosis | ICD-10-CM |
| D57812 | Other sickle-cell disorders with splenic sequestration | Diagnosis | ICD-10-CM |
| D57819 | Other sickle-cell disorders with crisis, unspecified | Diagnosis | ICD-10-CM |
| D5703 | Hb-SS disease with cerebral vascular involvement | Diagnosis | ICD-10-CM |
| D5709 | Hb-SS disease with crisis with other specified complication | Diagnosis | ICD-10-CM |
| D57213 | Sickle-cell/Hb-C disease with cerebral vascular involvement | Diagnosis | ICD-10-CM |
| D57218 | Sickle-cell/Hb-C disease with crisis with other specified complication | Diagnosis | ICD-10-CM |
| D57413 | Sickle-cell thalassemia with cerebral vascular involvement | Diagnosis | ICD-10-CM |
| D57418 | Sickle-cell thalassemia with crisis with other specified complication | Diagnosis | ICD-10-CM |
| D5742 | Sickle-cell thalassemia beta zero without crisis | Diagnosis | ICD-10-CM |
| D57431 | Sickle-cell thalassemia beta zero with acute chest syndrome | Diagnosis | ICD-10-CM |
| D57432 | Sickle-cell thalassemia beta zero with splenic sequestration | Diagnosis | ICD-10-CM |
| D57433 | Sickle-cell thalassemia beta zero with cereb vascular invl | Diagnosis | ICD-10-CM |
| D57438 | Sickle-cell thalassemia beta zero with crisis with oth comp | Diagnosis | ICD-10-CM |
| D57439 | Sickle-cell thalassemia beta zero with crisis, unspecified | Diagnosis | ICD-10-CM |
| D5744 | Sickle-cell thalassemia beta plus without crisis | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code Category | Code Type |
|----------------|---|----------------------|------------------|
| D57451 | Sickle-cell thalassemia beta plus with acute chest syndrome | Diagnosis | ICD-10-CM |
| D57452 | Sickle-cell thalassemia beta plus with splenic sequestration | Diagnosis | ICD-10-CM |
| D57453 | Sickle-cell thalassemia beta plus with cereb vascular invl | Diagnosis | ICD-10-CM |
| D57458 | Sickle-cell thalassemia beta plus with crisis with oth comp | Diagnosis | ICD-10-CM |
| D57459 | Sickle-cell thalassemia beta plus with crisis, unspecified | Diagnosis | ICD-10-CM |
| D578 | Other sickle-cell disorders | Diagnosis | ICD-10-CM |
| D5781 | Other sickle-cell disorders with crisis | Diagnosis | ICD-10-CM |
| D57813 | Other sickle-cell disorders with cerebral vascular invl | Diagnosis | ICD-10-CM |
| D57818 | Other sickle cell disorders with crisis with other specified complication | Diagnosis | ICD-10-CM |
| J0791 | Injection, crizanlizumab-tmca, 5 mg | Procedure | HCPCS |
| Smoking | | | |
| F17200 | Nicotine dependence, unspecified, uncomplicated | Diagnosis | ICD-10-CM |
| F17201 | Nicotine dependence, unspecified, in remission | Diagnosis | ICD-10-CM |
| F1721 | Nicotine dependence, cigarettes | Diagnosis | ICD-10-CM |
| F17210 | Nicotine dependence, cigarettes, uncomplicated | Diagnosis | ICD-10-CM |
| F17211 | Nicotine dependence, cigarettes, in remission | Diagnosis | ICD-10-CM |
| F17213 | Nicotine dependence, cigarettes, with withdrawal | Diagnosis | ICD-10-CM |
| F17218 | Nicotine dependence, cigarettes, with other nicotine-induced disorders | Diagnosis | ICD-10-CM |
| F17219 | Nicotine dependence, cigarettes, with unspecified nicotine-induced disorders | Diagnosis | ICD-10-CM |
| F1722 | Nicotine dependence, chewing tobacco | Diagnosis | ICD-10-CM |
| F17220 | Nicotine dependence, chewing tobacco, uncomplicated | Diagnosis | ICD-10-CM |
| F17221 | Nicotine dependence, chewing tobacco, in remission | Diagnosis | ICD-10-CM |
| F17223 | Nicotine dependence, chewing tobacco, with withdrawal | Diagnosis | ICD-10-CM |
| F17228 | Nicotine dependence, chewing tobacco, with other nicotine-induced disorders | Diagnosis | ICD-10-CM |
| F17229 | Nicotine dependence, chewing tobacco, with unspecified nicotine-induced disorders | Diagnosis | ICD-10-CM |
| F1729 | Nicotine dependence, other tobacco product | Diagnosis | ICD-10-CM |
| F17290 | Nicotine dependence, other tobacco product, uncomplicated | Diagnosis | ICD-10-CM |
| F17291 | Nicotine dependence, other tobacco product, in remission | Diagnosis | ICD-10-CM |
| F17293 | Nicotine dependence, other tobacco product, with withdrawal | Diagnosis | ICD-10-CM |
| F17298 | Nicotine dependence, other tobacco product, with other nicotine-induced disorders | Diagnosis | ICD-10-CM |
| F17299 | Nicotine dependence, other tobacco product, with unspecified nicotine-induced disorders | Diagnosis | ICD-10-CM |
| O99330 | Smoking (tobacco) complicating pregnancy, unspecified trimester | Diagnosis | ICD-10-CM |
| O99331 | Smoking (tobacco) complicating pregnancy, first trimester | Diagnosis | ICD-10-CM |
| O99332 | Smoking (tobacco) complicating pregnancy, second trimester | Diagnosis | ICD-10-CM |
| O99333 | Smoking (tobacco) complicating pregnancy, third trimester | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code | |
|---------|---|-----------|--------------------|
| | | Category | Code Type |
| O99334 | Smoking (tobacco) complicating childbirth | Diagnosis | ICD-10-CM |
| O99335 | Smoking (tobacco) complicating the puerperium | Diagnosis | ICD-10-CM |
| T6521 | Toxic effect of chewing tobacco | Diagnosis | ICD-10-CM |
| T65211 | Toxic effect of chewing tobacco, accidental (unintentional) | Diagnosis | ICD-10-CM |
| T65212 | Toxic effect of chewing tobacco, intentional self-harm | Diagnosis | ICD-10-CM |
| T65213 | Toxic effect of chewing tobacco, assault | Diagnosis | ICD-10-CM |
| T65214 | Toxic effect of chewing tobacco, undetermined | Diagnosis | ICD-10-CM |
| Z716 | Tobacco abuse counseling | Diagnosis | ICD-10-CM |
| Z720 | Tobacco use | Diagnosis | ICD-10-CM |
| Z87891 | Personal history of nicotine dependence | Diagnosis | ICD-10-CM |
| 4001F | Tobacco use cessation intervention, pharmacologic therapy (COPD, CAD, CAP, PV, Asthma) (DM) (PV) | Procedure | CPT |
| S4995 | Smoking cessation gum | Procedure | HCPCS |
| G9016 | Smoking cessation counseling, individual, in the absence of or in addition to any other evaluation and management service, per session (6-10 minutes) [demo project code only] | Procedure | HCPCS |
| S9453 | Smoking cessation classes, nonphysician provider, per session | Procedure | HCPCS |
| 99406 | Smoking and tobacco use cessation counseling visit; intermediate, greater than 3 minutes up to 10 minutes | Procedure | CPT-4 |
| 99407 | Smoking and tobacco use cessation counseling visit; intensive, greater than 10 minutes | Procedure | CPT-4 |
| G0436 | Smoking and tobacco cessation counseling visit for the asymptomatic patient; intermediate, greater than 3 minutes, up to 10 minutes | Procedure | HCPCS |
| 4004F | Patient screened for tobacco use and received tobacco cessation intervention (counseling, pharmacotherapy, or both), if identified as a tobacco user (PV, CAD) | Procedure | CPT Category II |
| G9458 | Patient documented as tobacco user and received tobacco cessation intervention (must include at least one of the following: advice given to quit smoking or tobacco use, counseling on the benefits of quitting smoking or tobacco use, assistance with or referral to external smoking or tobacco cessation support programs, or current enrollment in smoking or tobacco use cessation program) if identified as a tobacco user | Procedure | HCPCS |
| G9276 | Documentation that patient is a current tobacco user | Procedure | HCPCS |
| 1034F | Current tobacco smoker (CAD, CAP, COPD, PV) (DM) | Procedure | CPT |
| T65211A | Toxic effect of chewing tobacco, accidental (unintentional), initial encounter | Diagnosis | ICD-10-CM |
| T65212A | Toxic effect of chewing tobacco, intentional self-harm, initial encounter | Diagnosis | ICD-10-CM |
| T65213A | Toxic effect of chewing tobacco, assault, initial encounter | Diagnosis | ICD-10-CM |
| T65214A | Toxic effect of chewing tobacco, undetermined, initial encounter | Diagnosis | ICD-10-CM |
| T65221A | Toxic effect of tobacco cigarettes, accidental (unintentional), initial encounter | Diagnosis | ICD-10-CM |
| T65222A | Toxic effect of tobacco cigarettes, intentional self-harm, initial encounter | Diagnosis | ICD-10-CM |
| T65223A | Toxic effect of tobacco cigarettes, assault, initial encounter | Diagnosis | ICD-10-CM |
| T65224A | Toxic effect of tobacco cigarettes, undetermined, initial encounter | Diagnosis | ICD-10-CM |

Appendix H. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Pre-existing or At-risk Medical Conditions

| Code | Description | Code | |
|---------|---|-----------|-----------|
| | | Category | Code Type |
| T65291A | Toxic effect of other tobacco and nicotine, accidental (unintentional), initial encounter | Diagnosis | ICD-10-CM |
| T65292A | Toxic effect of other tobacco and nicotine, intentional self-harm, initial encounter | Diagnosis | ICD-10-CM |
| T65293A | Toxic effect of other tobacco and nicotine, assault, initial encounter | Diagnosis | ICD-10-CM |
| T65294A | Toxic effect of other tobacco and nicotine, undetermined, initial encounter | Diagnosis | ICD-10-CM |
| S9075 | Smoking cessation treatment | Procedure | HCPCS |

Appendix I. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), Healthcare Common Procedure Coding System (HCPCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Obstetric Conditions

| Code | Description | Care Setting | Code | |
|--------------------------------------|--|--|-----------|-----------|
| | | | Category | Code Type |
| Obstetric conditions, overall | | | | |
| O102 | Pre-existing hypertensive chronic kidney disease complicating pregnancy, childbirth and the puerperium | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O1021 | Pre-existing hypertensive chronic kidney disease complicating pregnancy | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O10211 | Pre-existing hypertensive chronic kidney disease complicating pregnancy, first trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O10212 | Pre-existing hypertensive chronic kidney disease complicating pregnancy, second trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O10213 | Pre-existing hypertensive chronic kidney disease complicating pregnancy, third trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O10219 | Pre-existing hypertensive chronic kidney disease complicating pregnancy, unspecified trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O1022 | Pre-existing hypertensive chronic kidney disease complicating childbirth | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O1023 | Pre-existing hypertensive chronic kidney disease complicating the puerperium | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O103 | Pre-existing hypertensive heart and chronic kidney disease complicating pregnancy, childbirth and the puerperium | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O1031 | Pre-existing hypertensive heart and chronic kidney disease complicating pregnancy | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O10311 | Pre-existing hypertensive heart and chronic kidney disease complicating pregnancy, first trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O10312 | Pre-existing hypertensive heart and chronic kidney disease complicating pregnancy, second trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O10313 | Pre-existing hypertensive heart and chronic kidney disease complicating pregnancy, third trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O10319 | Pre-existing hypertensive heart and chronic kidney disease complicating pregnancy, unspecified trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O1032 | Pre-existing hypertensive heart and chronic kidney disease complicating childbirth | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O1033 | Pre-existing hypertensive heart and chronic kidney disease complicating the puerperium | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O131 | Gestational [pregnancy-induced] hypertension without significant proteinuria, first trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |

Appendix I. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), Healthcare Common Procedure Coding System (HCPCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Obstetric Conditions

| Code | Description | Care Setting | Code Category | Code Type |
|-------------|---|--|----------------------|------------------|
| O132 | Gestational [pregnancy-induced] hypertension without significant proteinuria, second trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O133 | Gestational [pregnancy-induced] hypertension without significant proteinuria, third trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O134 | Gestational [pregnancy-induced] hypertension without significant proteinuria, complicating childbirth | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O135 | Gestational [pregnancy-induced] hypertension without significant proteinuria, complicating the puerperium | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O139 | Gestational [pregnancy-induced] hypertension without significant proteinuria, unspecified trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O142 | HELLP syndrome | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O1420 | HELLP syndrome (HELLP), unspecified trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O1422 | HELLP syndrome (HELLP), second trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O1423 | HELLP syndrome (HELLP), third trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O1424 | HELLP syndrome, complicating childbirth | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O1425 | HELLP syndrome, complicating the puerperium | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O210 | Mild hyperemesis gravidarum | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O211 | Hyperemesis gravidarum with metabolic disturbance | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O23 | Infections of genitourinary tract in pregnancy | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O230 | Infections of kidney in pregnancy | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O2300 | Infections of kidney in pregnancy, unspecified trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O2301 | Infections of kidney in pregnancy, first trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |

Appendix I. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), Healthcare Common Procedure Coding System (HCPCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Obstetric Conditions

| Code | Description | Care Setting | Code Category | Code Type |
|-------------|--|--|----------------------|------------------|
| O2302 | Infections of kidney in pregnancy, second trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O2303 | Infections of kidney in pregnancy, third trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O231 | Infections of bladder in pregnancy | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O2310 | Infections of bladder in pregnancy, unspecified trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O2311 | Infections of bladder in pregnancy, first trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O2312 | Infections of bladder in pregnancy, second trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O2313 | Infections of bladder in pregnancy, third trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O232 | Infections of urethra in pregnancy | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O2320 | Infections of urethra in pregnancy, unspecified trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O2321 | Infections of urethra in pregnancy, first trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O2322 | Infections of urethra in pregnancy, second trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O2323 | Infections of urethra in pregnancy, third trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O233 | Infections of other parts of urinary tract in pregnancy | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O2330 | Infections of other parts of urinary tract in pregnancy, unspecified trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O2331 | Infections of other parts of urinary tract in pregnancy, first trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O2332 | Infections of other parts of urinary tract in pregnancy, second trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O2333 | Infections of other parts of urinary tract in pregnancy, third trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |

Appendix I. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), Healthcare Common Procedure Coding System (HCPCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Obstetric Conditions

| Code | Description | Care Setting | Code Category | Code Type |
|-------------|--|--|----------------------|------------------|
| O234 | Unspecified infection of urinary tract in pregnancy | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O2340 | Unspecified infection of urinary tract in pregnancy, unspecified trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O2341 | Unspecified infection of urinary tract in pregnancy, first trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O2342 | Unspecified infection of urinary tract in pregnancy, second trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O2343 | Unspecified infection of urinary tract in pregnancy, third trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O235 | Infections of the genital tract in pregnancy | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O2351 | Infection of cervix in pregnancy | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O23511 | Infections of cervix in pregnancy, first trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O23512 | Infections of cervix in pregnancy, second trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O23513 | Infections of cervix in pregnancy, third trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O23519 | Infections of cervix in pregnancy, unspecified trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O2352 | Salpingo-oophoritis in pregnancy | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O23521 | Salpingo-oophoritis in pregnancy, first trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O23522 | Salpingo-oophoritis in pregnancy, second trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O23523 | Salpingo-oophoritis in pregnancy, third trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O23529 | Salpingo-oophoritis in pregnancy, unspecified trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O2359 | Infection of other part of genital tract in pregnancy | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |

Appendix I. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), Healthcare Common Procedure Coding System (HCPCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Obstetric Conditions

| Code | Description | Care Setting | Code Category | Code Type |
|-------------|---|--|----------------------|------------------|
| O23591 | Infection of other part of genital tract in pregnancy, first trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O23592 | Infection of other part of genital tract in pregnancy, second trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O23593 | Infection of other part of genital tract in pregnancy, third trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O23599 | Infection of other part of genital tract in pregnancy, unspecified trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O239 | Unspecified genitourinary tract infection in pregnancy | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O2390 | Unspecified genitourinary tract infection in pregnancy, unspecified trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O2391 | Unspecified genitourinary tract infection in pregnancy, first trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O2392 | Unspecified genitourinary tract infection in pregnancy, second trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O2393 | Unspecified genitourinary tract infection in pregnancy, third trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O4201 | Preterm premature rupture of membranes, onset of labor within 24 hours of rupture | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O42011 | Preterm premature rupture of membranes, onset of labor within 24 hours of rupture, first trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O42012 | Preterm premature rupture of membranes, onset of labor within 24 hours of rupture, second trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O42013 | Preterm premature rupture of membranes, onset of labor within 24 hours of rupture, third trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O42019 | Preterm premature rupture of membranes, onset of labor within 24 hours of rupture, unspecified trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O4211 | Preterm premature rupture of membranes, onset of labor more than 24 hours following rupture | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O42111 | Preterm premature rupture of membranes, onset of labor more than 24 hours following | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O42112 | Preterm premature rupture of membranes, onset of labor more than 24 hours following rupture, second trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O42113 | Preterm premature rupture of membranes, onset of labor more than 24 hours following rupture, third trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |

Appendix I. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), Healthcare Common Procedure Coding System (HCPCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Obstetric Conditions

| Code | Description | Care Setting | Code Category | Code Type |
|-------------|--|--|----------------------|------------------|
| O42119 | Preterm premature rupture of membranes, onset of labor more than 24 hours following rupture. unspecified trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O4291 | Preterm premature rupture of membranes, unspecified as to length of time between | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O42911 | Preterm premature rupture of membranes, unspecified as to length of time between rupture and onset of labor. first trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O42912 | Preterm premature rupture of membranes, unspecified as to length of time between rupture and onset of labor. second trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O42913 | Preterm premature rupture of membranes, unspecified as to length of time between rupture and onset of labor. third trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O42919 | Preterm premature rupture of membranes, unspecified as to length of time between rupture and onset of labor. unspecified trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O450 | Premature separation of placenta with coagulation defect | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O4500 | Premature separation of placenta with coagulation defect, unspecified | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O45001 | Premature separation of placenta with coagulation defect, unspecified, first trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O45002 | Premature separation of placenta with coagulation defect, unspecified, second trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O45003 | Premature separation of placenta with coagulation defect, unspecified, third trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O45009 | Premature separation of placenta with coagulation defect, unspecified, unspecified trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O4501 | Premature separation of placenta with afibrinogenemia | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O45011 | Premature separation of placenta with afibrinogenemia, first trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O45012 | Premature separation of placenta with afibrinogenemia, second trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O45013 | Premature separation of placenta with afibrinogenemia, third trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O45019 | Premature separation of placenta with afibrinogenemia, unspecified trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O4502 | Premature separation of placenta with disseminated intravascular coagulation | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |

Appendix I. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), Healthcare Common Procedure Coding System (HCPCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Obstetric Conditions

| Code | Description | Care Setting | Code Category | Code Type |
|-------------|---|--|----------------------|------------------|
| O45021 | Premature separation of placenta with disseminated intravascular coagulation, first trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O45022 | Premature separation of placenta with disseminated intravascular coagulation, second trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O45023 | Premature separation of placenta with disseminated intravascular coagulation, third trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O45029 | Premature separation of placenta with disseminated intravascular coagulation, unspecified trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O4509 | Premature separation of placenta with other coagulation defect | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O45091 | Premature separation of placenta with other coagulation defect, first trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O45092 | Premature separation of placenta with other coagulation defect, second trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O45093 | Premature separation of placenta with other coagulation defect, third trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O45099 | Premature separation of placenta with other coagulation defect, unspecified trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O458 | Other premature separation of placenta | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O458X | Other premature separation of placenta | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O458X1 | Other premature separation of placenta, first trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O458X2 | Other premature separation of placenta, second trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O458X3 | Other premature separation of placenta, third trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O458X9 | Other premature separation of placenta, unspecified trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O459 | Premature separation of placenta, unspecified | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O4590 | Premature separation of placenta, unspecified, unspecified trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |

Appendix I. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), Healthcare Common Procedure Coding System (HCPCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Obstetric Conditions

| Code | Description | Care Setting | Code Category | Code Type |
|-------------|--|--|----------------------|------------------|
| O4591 | Premature separation of placenta, unspecified, first trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O4592 | Premature separation of placenta, unspecified, second trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O4593 | Premature separation of placenta, unspecified, third trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O46 | Antepartum hemorrhage, not elsewhere classified | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O460 | Antepartum hemorrhage with coagulation defect | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O4600 | Antepartum hemorrhage with coagulation defect, unspecified | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O46001 | Antepartum hemorrhage with coagulation defect, unspecified, first trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O46002 | Antepartum hemorrhage with coagulation defect, unspecified, second trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O46003 | Antepartum hemorrhage with coagulation defect, unspecified, third trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O46009 | Antepartum hemorrhage with coagulation defect, unspecified, unspecified trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O4601 | Antepartum hemorrhage with afibrinogenemia | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O46011 | Antepartum hemorrhage with afibrinogenemia, first trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O46012 | Antepartum hemorrhage with afibrinogenemia, second trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O46013 | Antepartum hemorrhage with afibrinogenemia, third trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O46019 | Antepartum hemorrhage with afibrinogenemia, unspecified trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O4602 | Antepartum hemorrhage with disseminated intravascular coagulation | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O46021 | Antepartum hemorrhage with disseminated intravascular coagulation, first trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |

Appendix I. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), Healthcare Common Procedure Coding System (HCPCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Obstetric Conditions

| Code | Description | Care Setting | Code Category | Code Type |
|-------------|--|--|----------------------|------------------|
| O46022 | Antepartum hemorrhage with disseminated intravascular coagulation, second trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O46023 | Antepartum hemorrhage with disseminated intravascular coagulation, third trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O46029 | Antepartum hemorrhage with disseminated intravascular coagulation, unspecified trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O4609 | Antepartum hemorrhage with other coagulation defect | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O46091 | Antepartum hemorrhage with other coagulation defect, first trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O46092 | Antepartum hemorrhage with other coagulation defect, second trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O46093 | Antepartum hemorrhage with other coagulation defect, third trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O46099 | Antepartum hemorrhage with other coagulation defect, unspecified trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O468 | Other antepartum hemorrhage | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O468X | Other antepartum hemorrhage | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O468X1 | Other antepartum hemorrhage, first trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O468X2 | Other antepartum hemorrhage, second trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O468X3 | Other antepartum hemorrhage, third trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O468X9 | Other antepartum hemorrhage, unspecified trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O469 | Antepartum hemorrhage, unspecified | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O4690 | Antepartum hemorrhage, unspecified, unspecified trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O4691 | Antepartum hemorrhage, unspecified, first trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |

Appendix I. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), Healthcare Common Procedure Coding System (HCPCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Obstetric Conditions

| Code | Description | Care Setting | Code Category | Code Type |
|-------------|--|--|----------------------|------------------|
| O4692 | Antepartum hemorrhage, unspecified, second trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O4693 | Antepartum hemorrhage, unspecified, third trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O600 | Preterm labor without delivery | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O6000 | Preterm labor without delivery, unspecified trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O6002 | Preterm labor without delivery, second trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O6003 | Preterm labor without delivery, third trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O6012X0 | Preterm labor second trimester with preterm delivery second trimester, not applicable or unspecified | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O6012X1 | Preterm labor second trimester with preterm delivery second trimester, fetus 1 | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O6012X2 | Preterm labor second trimester with preterm delivery second trimester, fetus 2 | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O6012X3 | Preterm labor second trimester with preterm delivery second trimester, fetus 3 | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O6012X4 | Preterm labor second trimester with preterm delivery second trimester, fetus 4 | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O6012X5 | Preterm labor second trimester with preterm delivery second trimester, fetus 5 | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O6012X9 | Preterm labor second trimester with preterm delivery second trimester, other fetus | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O6013X0 | Preterm labor second trimester with preterm delivery third trimester, not applicable or unspecified | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O6013X1 | Preterm labor second trimester with preterm delivery third trimester, fetus 1 | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O6013X2 | Preterm labor second trimester with preterm delivery third trimester, fetus 2 | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O6013X3 | Preterm labor second trimester with preterm delivery third trimester, fetus 3 | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |

Appendix I. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), Healthcare Common Procedure Coding System (HCPCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Obstetric Conditions

| Code | Description | Care Setting | Code Category | Code Type |
|-------------|--|--|----------------------|------------------|
| O6013X4 | Preterm labor second trimester with preterm delivery third trimester, fetus 4 | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O6013X5 | Preterm labor second trimester with preterm delivery third trimester, fetus 5 | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O6013X9 | Preterm labor second trimester with preterm delivery third trimester, other fetus | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O6014X0 | Preterm labor third trimester with preterm delivery third trimester, not applicable or unspecified | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O6014X1 | Preterm labor third trimester with preterm delivery third trimester, fetus 1 | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O6014X2 | Preterm labor third trimester with preterm delivery third trimester, fetus 2 | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O6014X3 | Preterm labor third trimester with preterm delivery third trimester, fetus 3 | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O6014X4 | Preterm labor third trimester with preterm delivery third trimester, fetus 4 | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O6014X5 | Preterm labor third trimester with preterm delivery third trimester, fetus 5 | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O6014X9 | Preterm labor third trimester with preterm delivery third trimester, other fetus | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O670 | Intrapartum hemorrhage with coagulation defect | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O723 | Postpartum coagulation defects | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| P0720 | Extreme immaturity of newborn, unspecified weeks of gestation | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| P0721 | Extreme immaturity of newborn, gestational age less than 23 completed weeks | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| P0722 | Extreme immaturity of newborn, gestational age 23 completed weeks | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| P0723 | Extreme immaturity of newborn, gestational age 24 completed weeks | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| P0724 | Extreme immaturity of newborn, gestational age 25 completed weeks | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |

Appendix I. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), Healthcare Common Procedure Coding System (HCPCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Obstetric Conditions

| Code | Description | Care Setting | Code Category | Code Type |
|-------------|---|--|----------------------|------------------|
| P0725 | Extreme immaturity of newborn, gestational age 26 completed weeks | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| P0726 | Extreme immaturity of newborn, gestational age 27 completed weeks | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| P0730 | Preterm newborn, unspecified weeks of gestation | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| P0731 | Preterm newborn, gestational age 28 completed weeks | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| P0732 | Preterm newborn, gestational age 29 completed weeks | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| P0733 | Preterm newborn, gestational age 30 completed weeks | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| P0734 | Preterm newborn, gestational age 31 completed weeks | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| P0735 | Preterm newborn, gestational age 32 completed weeks | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| P0736 | Preterm newborn, gestational age 33 completed weeks | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| P0737 | Preterm newborn, gestational age 34 completed weeks | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| P0738 | Preterm newborn, gestational age 35 completed weeks | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| P0739 | Preterm newborn, gestational age 36 completed weeks | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| R10 | Abdominal and pelvic pain | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| Z3A20 | 20 weeks gestation of pregnancy | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| Z3A21 | 21 weeks gestation of pregnancy | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| Z3A22 | 22 weeks gestation of pregnancy | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| Z3A23 | 23 weeks gestation of pregnancy | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |

Appendix I. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), Healthcare Common Procedure Coding System (HCPCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Obstetric Conditions

| Code | Description | Care Setting | Code Category | Code Type |
|-------------|--|--|----------------------|------------------|
| Z3A24 | 24 weeks gestation of pregnancy | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| Z3A25 | 25 weeks gestation of pregnancy | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| Z3A26 | 26 weeks gestation of pregnancy | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| Z3A27 | 27 weeks gestation of pregnancy | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| Z3A28 | 28 weeks gestation of pregnancy | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| Z3A29 | 29 weeks gestation of pregnancy | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| Z3A30 | 30 weeks gestation of pregnancy | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| Z3A31 | 31 weeks gestation of pregnancy | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| Z3A32 | 32 weeks gestation of pregnancy | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| Z3A33 | 33 weeks gestation of pregnancy | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| Z3A34 | 34 weeks gestation of pregnancy | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| Z3A35 | 35 weeks gestation of pregnancy | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O4590 | Premature separation of placenta, unspecified, unspecified trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O4591 | Premature separation of placenta, unspecified, first trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O4592 | Premature separation of placenta, unspecified, second trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O4593 | Premature separation of placenta, unspecified, third trimester | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| O670 | Intrapartum hemorrhage with coagulation defect | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |

Appendix I. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), Healthcare Common Procedure Coding System (HCPCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Obstetric Conditions

| Code | Description | Care Setting | Code Category | Code Type |
|--|---|--|----------------------|------------------|
| 0723 | Postpartum coagulation defects | Inpatient or Institutional Stay, any diagnostic position | Diagnosis | ICD-10-CM |
| Spontaneous abortion (up to 20 weeks gestation) | | | | |
| 59821 | Treatment of missed abortion, completed surgically; second trimester | Any | Procedure | CPT-4 |
| 59820 | Treatment of missed abortion, completed surgically; first trimester | Any | Procedure | CPT-4 |
| 59812 | Treatment of incomplete abortion, any trimester, completed surgically | Any | Procedure | CPT-4 |
| 01965 | Anesthesia for incomplete or missed abortion procedures | Any | Procedure | CPT-4 |
| 0021 | Missed abortion | Any | Diagnosis | ICD-10-CM |
| 0030 | Genital tract and pelvic infection following incomplete spontaneous abortion | Any | Diagnosis | ICD-10-CM |
| 00337 | Sepsis following incomplete spontaneous abortion | Any | Diagnosis | ICD-10-CM |
| 0035 | Genital tract and pelvic infection following complete or unspecified spontaneous abortion | Any | Diagnosis | ICD-10-CM |
| 00387 | Sepsis following complete or unspecified spontaneous abortion | Any | Diagnosis | ICD-10-CM |
| 0031 | Delayed or excessive hemorrhage following incomplete spontaneous abortion | Any | Diagnosis | ICD-10-CM |
| 0036 | Delayed or excessive hemorrhage following complete or unspecified spontaneous abortion | Any | Diagnosis | ICD-10-CM |
| 00334 | Damage to pelvic organs following incomplete spontaneous abortion | Any | Diagnosis | ICD-10-CM |
| 00384 | Damage to pelvic organs following complete or unspecified spontaneous abortion | Any | Diagnosis | ICD-10-CM |
| 00332 | Renal failure following incomplete spontaneous abortion | Any | Diagnosis | ICD-10-CM |
| 00382 | Renal failure following complete or unspecified spontaneous abortion | Any | Diagnosis | ICD-10-CM |
| 00333 | Metabolic disorder following incomplete spontaneous abortion | Any | Diagnosis | ICD-10-CM |
| 00383 | Metabolic disorder following complete or unspecified spontaneous abortion | Any | Diagnosis | ICD-10-CM |
| 00331 | Shock following incomplete spontaneous abortion | Any | Diagnosis | ICD-10-CM |
| 00381 | Shock following complete or unspecified spontaneous abortion | Any | Diagnosis | ICD-10-CM |
| 0032 | Embolism following incomplete spontaneous abortion | Any | Diagnosis | ICD-10-CM |
| 0037 | Embolism following complete or unspecified spontaneous abortion | Any | Diagnosis | ICD-10-CM |
| 00339 | Incomplete spontaneous abortion with other complications | Any | Diagnosis | ICD-10-CM |
| 00385 | Other venous complications following complete or unspecified spontaneous abortion | Any | Diagnosis | ICD-10-CM |
| 00386 | Cardiac arrest following complete or unspecified spontaneous abortion | Any | Diagnosis | ICD-10-CM |
| 00388 | Urinary tract infection following complete or unspecified spontaneous abortion | Any | Diagnosis | ICD-10-CM |
| 00389 | Complete or unspecified spontaneous abortion with other complications | Any | Diagnosis | ICD-10-CM |
| 00335 | Other venous complications following incomplete spontaneous abortion | Any | Diagnosis | ICD-10-CM |
| 00336 | Cardiac arrest following incomplete spontaneous abortion | Any | Diagnosis | ICD-10-CM |
| 00338 | Urinary tract infection following incomplete spontaneous abortion | Any | Diagnosis | ICD-10-CM |
| 0039 | Complete or unspecified spontaneous abortion without complication | Any | Diagnosis | ICD-10-CM |

Appendix I. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), Healthcare Common Procedure Coding System (HCPCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Obstetric Conditions

| Code | Description | Care Setting | Code Category | Code Type |
|-------------|--|---------------------|----------------------|------------------|
| O3113X0 | Continuing pregnancy after spontaneous abortion of one fetus or more, third trimester, not applicable or unspecified | Any | Diagnosis | ICD-10-CM |
| O3111X1 | Continuing pregnancy after spontaneous abortion of one fetus or more, first trimester, fetus 1 | Any | Diagnosis | ICD-10-CM |
| O3111X2 | Continuing pregnancy after spontaneous abortion of one fetus or more, first trimester, fetus 2 | Any | Diagnosis | ICD-10-CM |
| O3111X3 | Continuing pregnancy after spontaneous abortion of one fetus or more, first trimester, fetus 3 | Any | Diagnosis | ICD-10-CM |
| O3111X4 | Continuing pregnancy after spontaneous abortion of one fetus or more, first trimester, fetus 4 | Any | Diagnosis | ICD-10-CM |
| O3111X5 | Continuing pregnancy after spontaneous abortion of one fetus or more, first trimester, fetus 5 | Any | Diagnosis | ICD-10-CM |
| O3112X1 | Continuing pregnancy after spontaneous abortion of one fetus or more, second trimester, fetus 1 | Any | Diagnosis | ICD-10-CM |
| O3112X2 | Continuing pregnancy after spontaneous abortion of one fetus or more, second trimester, fetus 2 | Any | Diagnosis | ICD-10-CM |
| O3112X3 | Continuing pregnancy after spontaneous abortion of one fetus or more, second trimester, fetus 3 | Any | Diagnosis | ICD-10-CM |
| O3112X4 | Continuing pregnancy after spontaneous abortion of one fetus or more, second trimester, fetus 4 | Any | Diagnosis | ICD-10-CM |
| O3112X5 | Continuing pregnancy after spontaneous abortion of one fetus or more, second trimester, fetus 5 | Any | Diagnosis | ICD-10-CM |
| O3112 | Continuing pregnancy after spontaneous abortion of one fetus or more, second trimester | Any | Diagnosis | ICD-10-CM |
| O3113X1 | Continuing pregnancy after spontaneous abortion of one fetus or more, third trimester, fetus 1 | Any | Diagnosis | ICD-10-CM |
| O3113X2 | Continuing pregnancy after spontaneous abortion of one fetus or more, third trimester, fetus 2 | Any | Diagnosis | ICD-10-CM |
| O3113X3 | Continuing pregnancy after spontaneous abortion of one fetus or more, third trimester, fetus 3 | Any | Diagnosis | ICD-10-CM |
| O3113X4 | Continuing pregnancy after spontaneous abortion of one fetus or more, third trimester, fetus 4 | Any | Diagnosis | ICD-10-CM |
| O3113X5 | Continuing pregnancy after spontaneous abortion of one fetus or more, third trimester, fetus 5 | Any | Diagnosis | ICD-10-CM |
| O3113 | Continuing pregnancy after spontaneous abortion of one fetus or more, third trimester | Any | Diagnosis | ICD-10-CM |

Appendix I. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), Healthcare Common Procedure Coding System (HCPCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Obstetric Conditions

| Code | Description | Care Setting | Code | |
|---------|--|--------------|-----------|-----------|
| | | | Category | Code Type |
| O3110X1 | Continuing pregnancy after spontaneous abortion of one fetus or more, unspecified trimester, fetus 1 | Any | Diagnosis | ICD-10-CM |
| O3110X2 | Continuing pregnancy after spontaneous abortion of one fetus or more, unspecified trimester, fetus 2 | Any | Diagnosis | ICD-10-CM |
| O3110X3 | Continuing pregnancy after spontaneous abortion of one fetus or more, unspecified trimester, fetus 3 | Any | Diagnosis | ICD-10-CM |
| O3110X4 | Continuing pregnancy after spontaneous abortion of one fetus or more, unspecified trimester, fetus 4 | Any | Diagnosis | ICD-10-CM |
| O3110X5 | Continuing pregnancy after spontaneous abortion of one fetus or more, unspecified trimester, fetus 5 | Any | Diagnosis | ICD-10-CM |
| O3111 | Continuing pregnancy after spontaneous abortion of one fetus or more, first trimester | Any | Diagnosis | ICD-10-CM |
| O3110 | Continuing pregnancy after spontaneous abortion of one fetus or more, unspecified trimester | Any | Diagnosis | ICD-10-CM |
| O311 | Continuing pregnancy after spontaneous abortion of one fetus or more | Any | Diagnosis | ICD-10-CM |
| O3111X9 | Continuing pregnancy after spontaneous abortion of one fetus or more, first trimester, other fetus | Any | Diagnosis | ICD-10-CM |
| O3112X9 | Continuing pregnancy after spontaneous abortion of one fetus or more, second trimester, other fetus | Any | Diagnosis | ICD-10-CM |
| O3113X9 | Continuing pregnancy after spontaneous abortion of one fetus or more, third trimester, other fetus | Any | Diagnosis | ICD-10-CM |
| O3110X9 | Continuing pregnancy after spontaneous abortion of one fetus or more, unspecified trimester, other fetus | Any | Diagnosis | ICD-10-CM |
| O3111X0 | Continuing pregnancy after spontaneous abortion of one fetus or more, first trimester, not applicable or unspecified | Any | Diagnosis | ICD-10-CM |
| O3112X0 | Continuing pregnancy after spontaneous abortion of one fetus or more, second trimester, not applicable or unspecified | Any | Diagnosis | ICD-10-CM |
| O3110X0 | Continuing pregnancy after spontaneous abortion of one fetus or more, unspecified trimester, not applicable or unspecified | Any | Diagnosis | ICD-10-CM |
| O034 | Incomplete spontaneous abortion without complication | Any | Diagnosis | ICD-10-CM |
| O038 | Other and unspecified complications following complete or unspecified spontaneous abortion | Any | Diagnosis | ICD-10-CM |
| O033 | Other and unspecified complications following incomplete spontaneous abortion | Any | Diagnosis | ICD-10-CM |
| O03 | Spontaneous abortion | Any | Diagnosis | ICD-10-CM |
| O0380 | Unspecified complication following complete or unspecified spontaneous abortion | Any | Diagnosis | ICD-10-CM |
| O0330 | Unspecified complication following incomplete spontaneous abortion | Any | Diagnosis | ICD-10-CM |

Appendix I. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), Healthcare Common Procedure Coding System (HCPCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Obstetric Conditions

| Code | Description | Care Setting | Code | |
|----------------------------|---|--------------|-----------|-----------|
| | | | Category | Code Type |
| Stillbirth delivery | | | | |
| O3100X0 | Papyraceous fetus, unspecified trimester, not applicable or unspecified | Any | Diagnosis | ICD-10-CM |
| O3100X1 | Papyraceous fetus, unspecified trimester, fetus 1 | Any | Diagnosis | ICD-10-CM |
| O3100X2 | Papyraceous fetus, unspecified trimester, fetus 2 | Any | Diagnosis | ICD-10-CM |
| O3100X3 | Papyraceous fetus, unspecified trimester, fetus 3 | Any | Diagnosis | ICD-10-CM |
| O3100X4 | Papyraceous fetus, unspecified trimester, fetus 4 | Any | Diagnosis | ICD-10-CM |
| O3100X5 | Papyraceous fetus, unspecified trimester, fetus 5 | Any | Diagnosis | ICD-10-CM |
| O3100X9 | Papyraceous fetus, unspecified trimester, other fetus | Any | Diagnosis | ICD-10-CM |
| O3102X0 | Papyraceous fetus, second trimester, not applicable or unspecified | Any | Diagnosis | ICD-10-CM |
| O3102X1 | Papyraceous fetus, second trimester, fetus 1 | Any | Diagnosis | ICD-10-CM |
| O3102X2 | Papyraceous fetus, second trimester, fetus 2 | Any | Diagnosis | ICD-10-CM |
| O3102X3 | Papyraceous fetus, second trimester, fetus 3 | Any | Diagnosis | ICD-10-CM |
| O3102X4 | Papyraceous fetus, second trimester, fetus 4 | Any | Diagnosis | ICD-10-CM |
| O3102X5 | Papyraceous fetus, second trimester, fetus 5 | Any | Diagnosis | ICD-10-CM |
| O3102X9 | Papyraceous fetus, second trimester, other fetus | Any | Diagnosis | ICD-10-CM |
| O3103X0 | Papyraceous fetus, third trimester, not applicable or unspecified | Any | Diagnosis | ICD-10-CM |
| O3103X1 | Papyraceous fetus, third trimester, fetus 1 | Any | Diagnosis | ICD-10-CM |
| O3103X2 | Papyraceous fetus, third trimester, fetus 2 | Any | Diagnosis | ICD-10-CM |
| O3103X3 | Papyraceous fetus, third trimester, fetus 3 | Any | Diagnosis | ICD-10-CM |
| O3103X4 | Papyraceous fetus, third trimester, fetus 4 | Any | Diagnosis | ICD-10-CM |
| O3103X5 | Papyraceous fetus, third trimester, fetus 5 | Any | Diagnosis | ICD-10-CM |
| O3103X9 | Papyraceous fetus, third trimester, other fetus | Any | Diagnosis | ICD-10-CM |
| O364 | Maternal care for intrauterine death | Any | Diagnosis | ICD-10-CM |
| O364XX0 | Maternal care for intrauterine death, not applicable or unspecified | Any | Diagnosis | ICD-10-CM |
| O364XX1 | Maternal care for intrauterine death, fetus 1 | Any | Diagnosis | ICD-10-CM |
| O364XX2 | Maternal care for intrauterine death, fetus 2 | Any | Diagnosis | ICD-10-CM |
| O364XX3 | Maternal care for intrauterine death, fetus 3 | Any | Diagnosis | ICD-10-CM |
| O364XX4 | Maternal care for intrauterine death, fetus 4 | Any | Diagnosis | ICD-10-CM |
| O364XX5 | Maternal care for intrauterine death, fetus 5 | Any | Diagnosis | ICD-10-CM |
| O364XX9 | Maternal care for intrauterine death, other fetus | Any | Diagnosis | ICD-10-CM |
| P95 | Stillbirth (may be on newborn record, not mother's) | Any | Diagnosis | ICD-10-CM |
| Z371 | Single stillbirth | Any | Diagnosis | ICD-10-CM |
| Z373 | Twins, one liveborn and one stillborn, pregnancy resulting from both spontaneous ovulation and conception | Any | Diagnosis | ICD-10-CM |
| Z374 | Twins, both stillborn | Any | Diagnosis | ICD-10-CM |

Appendix I. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), Healthcare Common Procedure Coding System (HCPCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Obstetric Conditions

| Code | Description | Care Setting | Code | |
|---------------------------|---|--------------|-----------|-----------|
| | | | Category | Code Type |
| Z376 | Other multiple births, some liveborn | Any | Diagnosis | ICD-10-CM |
| Z3760 | Multiple births, unspecified, some liveborn | Any | Diagnosis | ICD-10-CM |
| Z3761 | Triplets, some liveborn | Any | Diagnosis | ICD-10-CM |
| Z3762 | Quadruplets, some liveborn | Any | Diagnosis | ICD-10-CM |
| Z3763 | Quintuplets, some liveborn | Any | Diagnosis | ICD-10-CM |
| Z3764 | Sextuplets, some liveborn | Any | Diagnosis | ICD-10-CM |
| Z377 | Other multiple births, all stillborn | Any | Diagnosis | ICD-10-CM |
| Z3769 | Other multiple births, some liveborn | Any | Diagnosis | ICD-10-CM |
| Congenital anomaly | | | | |
| E7871 | Barth syndrome | Any | Diagnosis | ICD-10-CM |
| E7872 | Smith-Lemli-Opitz syndrome | Any | Diagnosis | ICD-10-CM |
| G901 | Familial dysautonomia [Riley-Day] | Any | Diagnosis | ICD-10-CM |
| I2783 | Eisenmenger's syndrome | Any | Diagnosis | ICD-10-CM |
| P2930 | Pulmonary hypertension of newborn | Any | Diagnosis | ICD-10-CM |
| P2938 | Other persistent fetal circulation | Any | Diagnosis | ICD-10-CM |
| Q000 | Anencephaly | Any | Diagnosis | ICD-10-CM |
| Q001 | Craniorachischisis | Any | Diagnosis | ICD-10-CM |
| Q002 | Iniencephaly | Any | Diagnosis | ICD-10-CM |
| Q010 | Frontal encephalocele | Any | Diagnosis | ICD-10-CM |
| Q011 | Nasofrontal encephalocele | Any | Diagnosis | ICD-10-CM |
| Q012 | Occipital encephalocele | Any | Diagnosis | ICD-10-CM |
| Q018 | Encephalocele of other sites | Any | Diagnosis | ICD-10-CM |
| Q019 | Encephalocele, unspecified | Any | Diagnosis | ICD-10-CM |
| Q02 | Microcephaly | Any | Diagnosis | ICD-10-CM |
| Q030 | Malformations of aqueduct of Sylvius | Any | Diagnosis | ICD-10-CM |
| Q031 | Atresia of foramina of Magendie and Luschka | Any | Diagnosis | ICD-10-CM |
| Q038 | Other congenital hydrocephalus | Any | Diagnosis | ICD-10-CM |
| Q039 | Congenital hydrocephalus, unspecified | Any | Diagnosis | ICD-10-CM |
| Q040 | Congenital malformations of corpus callosum | Any | Diagnosis | ICD-10-CM |
| Q041 | Arhinencephaly | Any | Diagnosis | ICD-10-CM |
| Q042 | Holoprosencephaly | Any | Diagnosis | ICD-10-CM |
| Q043 | Other reduction deformities of brain | Any | Diagnosis | ICD-10-CM |
| Q044 | Septo-optic dysplasia of brain | Any | Diagnosis | ICD-10-CM |
| Q045 | Megalencephaly | Any | Diagnosis | ICD-10-CM |
| Q046 | Congenital cerebral cysts | Any | Diagnosis | ICD-10-CM |

Appendix I. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), Healthcare Common Procedure Coding System (HCPCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Obstetric Conditions

| Code | Description | Care Setting | Code | Code Type |
|-------------|--|---------------------|-----------------|------------------|
| | | | Category | |
| Q048 | Other specified congenital malformations of brain | Any | Diagnosis | ICD-10-CM |
| Q049 | Congenital malformation of brain, unspecified | Any | Diagnosis | ICD-10-CM |
| Q050 | Cervical spina bifida with hydrocephalus | Any | Diagnosis | ICD-10-CM |
| Q051 | Thoracic spina bifida with hydrocephalus | Any | Diagnosis | ICD-10-CM |
| Q052 | Lumbar spina bifida with hydrocephalus | Any | Diagnosis | ICD-10-CM |
| Q053 | Sacral spina bifida with hydrocephalus | Any | Diagnosis | ICD-10-CM |
| Q054 | Unspecified spina bifida with hydrocephalus | Any | Diagnosis | ICD-10-CM |
| Q055 | Cervical spina bifida without hydrocephalus | Any | Diagnosis | ICD-10-CM |
| Q056 | Thoracic spina bifida without hydrocephalus | Any | Diagnosis | ICD-10-CM |
| Q057 | Lumbar spina bifida without hydrocephalus | Any | Diagnosis | ICD-10-CM |
| Q058 | Sacral spina bifida without hydrocephalus | Any | Diagnosis | ICD-10-CM |
| Q059 | Spina bifida, unspecified | Any | Diagnosis | ICD-10-CM |
| Q060 | Amyelia | Any | Diagnosis | ICD-10-CM |
| Q061 | Hypoplasia and dysplasia of spinal cord | Any | Diagnosis | ICD-10-CM |
| Q062 | Diastematomyelia | Any | Diagnosis | ICD-10-CM |
| Q063 | Other congenital cauda equina malformations | Any | Diagnosis | ICD-10-CM |
| Q064 | Hydromyelia | Any | Diagnosis | ICD-10-CM |
| Q068 | Other specified congenital malformations of spinal cord | Any | Diagnosis | ICD-10-CM |
| Q069 | Congenital malformation of spinal cord, unspecified | Any | Diagnosis | ICD-10-CM |
| Q0700 | Arnold-Chiari syndrome without spina bifida or hydrocephalus | Any | Diagnosis | ICD-10-CM |
| Q0701 | Arnold-Chiari syndrome with spina bifida | Any | Diagnosis | ICD-10-CM |
| Q0702 | Arnold-Chiari syndrome with hydrocephalus | Any | Diagnosis | ICD-10-CM |
| Q0703 | Arnold-Chiari syndrome with spina bifida and hydrocephalus | Any | Diagnosis | ICD-10-CM |
| Q078 | Other specified congenital malformations of nervous system | Any | Diagnosis | ICD-10-CM |
| Q079 | Congenital malformation of nervous system, unspecified | Any | Diagnosis | ICD-10-CM |
| Q100 | Congenital ptosis | Any | Diagnosis | ICD-10-CM |
| Q101 | Congenital ectropion | Any | Diagnosis | ICD-10-CM |
| Q102 | Congenital entropion | Any | Diagnosis | ICD-10-CM |
| Q103 | Other congenital malformations of eyelid | Any | Diagnosis | ICD-10-CM |
| Q104 | Absence and agenesis of lacrimal apparatus | Any | Diagnosis | ICD-10-CM |
| Q105 | Congenital stenosis and stricture of lacrimal duct | Any | Diagnosis | ICD-10-CM |
| Q106 | Other congenital malformations of lacrimal apparatus | Any | Diagnosis | ICD-10-CM |
| Q107 | Congenital malformation of orbit | Any | Diagnosis | ICD-10-CM |
| Q110 | Cystic eyeball | Any | Diagnosis | ICD-10-CM |
| Q111 | Other anophthalmos | Any | Diagnosis | ICD-10-CM |

Appendix I. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), Healthcare Common Procedure Coding System (HCPCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Obstetric Conditions

| Code | Description | Care Setting | Code | |
|-------|---|--------------|-----------|-----------|
| | | | Category | Code Type |
| Q112 | Microphthalmos | Any | Diagnosis | ICD-10-CM |
| Q113 | Macrophthalmos | Any | Diagnosis | ICD-10-CM |
| Q120 | Congenital cataract | Any | Diagnosis | ICD-10-CM |
| Q121 | Congenital displaced lens | Any | Diagnosis | ICD-10-CM |
| Q122 | Coloboma of lens | Any | Diagnosis | ICD-10-CM |
| Q123 | Congenital aphakia | Any | Diagnosis | ICD-10-CM |
| Q124 | Spherophakia | Any | Diagnosis | ICD-10-CM |
| Q128 | Other congenital lens malformations | Any | Diagnosis | ICD-10-CM |
| Q129 | Congenital lens malformation, unspecified | Any | Diagnosis | ICD-10-CM |
| Q130 | Coloboma of iris | Any | Diagnosis | ICD-10-CM |
| Q131 | Absence of iris | Any | Diagnosis | ICD-10-CM |
| Q132 | Other congenital malformations of iris | Any | Diagnosis | ICD-10-CM |
| Q133 | Congenital corneal opacity | Any | Diagnosis | ICD-10-CM |
| Q134 | Other congenital corneal malformations | Any | Diagnosis | ICD-10-CM |
| Q135 | Blue sclera | Any | Diagnosis | ICD-10-CM |
| Q1381 | Rieger's anomaly | Any | Diagnosis | ICD-10-CM |
| Q1389 | Other congenital malformations of anterior segment of eye | Any | Diagnosis | ICD-10-CM |
| Q139 | Congenital malformation of anterior segment of eye, unspecified | Any | Diagnosis | ICD-10-CM |
| Q140 | Congenital malformation of vitreous humor | Any | Diagnosis | ICD-10-CM |
| Q141 | Congenital malformation of retina | Any | Diagnosis | ICD-10-CM |
| Q142 | Congenital malformation of optic disc | Any | Diagnosis | ICD-10-CM |
| Q143 | Congenital malformation of choroid | Any | Diagnosis | ICD-10-CM |
| Q148 | Other congenital malformations of posterior segment of eye | Any | Diagnosis | ICD-10-CM |
| Q149 | Congenital malformation of posterior segment of eye, unspecified | Any | Diagnosis | ICD-10-CM |
| Q150 | Congenital glaucoma | Any | Diagnosis | ICD-10-CM |
| Q158 | Other specified congenital malformations of eye | Any | Diagnosis | ICD-10-CM |
| Q159 | Congenital malformation of eye, unspecified | Any | Diagnosis | ICD-10-CM |
| Q160 | Congenital absence of (ear) auricle | Any | Diagnosis | ICD-10-CM |
| Q161 | Congenital absence, atresia and stricture of auditory canal (external) | Any | Diagnosis | ICD-10-CM |
| Q162 | Absence of eustachian tube | Any | Diagnosis | ICD-10-CM |
| Q163 | Congenital malformation of ear ossicles | Any | Diagnosis | ICD-10-CM |
| Q164 | Other congenital malformations of middle ear | Any | Diagnosis | ICD-10-CM |
| Q165 | Congenital malformation of inner ear | Any | Diagnosis | ICD-10-CM |
| Q169 | Congenital malformation of ear causing impairment of hearing, unspecified | Any | Diagnosis | ICD-10-CM |
| Q170 | Accessory auricle | Any | Diagnosis | ICD-10-CM |

Appendix I. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), Healthcare Common Procedure Coding System (HCPCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Obstetric Conditions

| Code | Description | Care Setting | Code | |
|------|--|--------------|-----------|-----------|
| | | | Category | Code Type |
| Q171 | Macrotia | Any | Diagnosis | ICD-10-CM |
| Q172 | Microtia | Any | Diagnosis | ICD-10-CM |
| Q173 | Other misshapen ear | Any | Diagnosis | ICD-10-CM |
| Q174 | Misplaced ear | Any | Diagnosis | ICD-10-CM |
| Q175 | Prominent ear | Any | Diagnosis | ICD-10-CM |
| Q178 | Other specified congenital malformations of ear | Any | Diagnosis | ICD-10-CM |
| Q179 | Congenital malformation of ear, unspecified | Any | Diagnosis | ICD-10-CM |
| Q180 | Sinus, fistula and cyst of branchial cleft | Any | Diagnosis | ICD-10-CM |
| Q181 | Preauricular sinus and cyst | Any | Diagnosis | ICD-10-CM |
| Q182 | Other branchial cleft malformations | Any | Diagnosis | ICD-10-CM |
| Q183 | Webbing of neck | Any | Diagnosis | ICD-10-CM |
| Q184 | Macrostomia | Any | Diagnosis | ICD-10-CM |
| Q185 | Microstomia | Any | Diagnosis | ICD-10-CM |
| Q186 | Macrocheilia | Any | Diagnosis | ICD-10-CM |
| Q187 | Microcheilia | Any | Diagnosis | ICD-10-CM |
| Q188 | Other specified congenital malformations of face and neck | Any | Diagnosis | ICD-10-CM |
| Q189 | Congenital malformation of face and neck, unspecified | Any | Diagnosis | ICD-10-CM |
| Q200 | Common arterial trunk | Any | Diagnosis | ICD-10-CM |
| Q201 | Double outlet right ventricle | Any | Diagnosis | ICD-10-CM |
| Q202 | Double outlet left ventricle | Any | Diagnosis | ICD-10-CM |
| Q203 | Discordant ventriculoarterial connection | Any | Diagnosis | ICD-10-CM |
| Q204 | Double inlet ventricle | Any | Diagnosis | ICD-10-CM |
| Q205 | Discordant atrioventricular connection | Any | Diagnosis | ICD-10-CM |
| Q206 | Isomerism of atrial appendages | Any | Diagnosis | ICD-10-CM |
| Q208 | Other congenital malformations of cardiac chambers and connections | Any | Diagnosis | ICD-10-CM |
| Q209 | Congenital malformation of cardiac chambers and connections, unspecified | Any | Diagnosis | ICD-10-CM |
| Q210 | Ventricular septal defect | Any | Diagnosis | ICD-10-CM |
| Q211 | Atrial septal defect | Any | Diagnosis | ICD-10-CM |
| Q212 | Atrioventricular septal defect | Any | Diagnosis | ICD-10-CM |
| Q213 | Tetralogy of Fallot | Any | Diagnosis | ICD-10-CM |
| Q214 | Aortopulmonary septal defect | Any | Diagnosis | ICD-10-CM |
| Q218 | Other congenital malformations of cardiac septa | Any | Diagnosis | ICD-10-CM |
| Q219 | Congenital malformation of cardiac septum, unspecified | Any | Diagnosis | ICD-10-CM |
| Q220 | Pulmonary valve atresia | Any | Diagnosis | ICD-10-CM |
| Q221 | Congenital pulmonary valve stenosis | Any | Diagnosis | ICD-10-CM |

Appendix I. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), Healthcare Common Procedure Coding System (HCPCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Obstetric Conditions

| Code | Description | Care Setting | Code | Code Type |
|-------------|--|---------------------|-----------------|------------------|
| | | | Category | |
| Q222 | Congenital pulmonary valve insufficiency | Any | Diagnosis | ICD-10-CM |
| Q223 | Other congenital malformations of pulmonary valve | Any | Diagnosis | ICD-10-CM |
| Q224 | Congenital tricuspid stenosis | Any | Diagnosis | ICD-10-CM |
| Q225 | Ebstein's anomaly | Any | Diagnosis | ICD-10-CM |
| Q226 | Hypoplastic right heart syndrome | Any | Diagnosis | ICD-10-CM |
| Q228 | Other congenital malformations of tricuspid valve | Any | Diagnosis | ICD-10-CM |
| Q229 | Congenital malformation of tricuspid valve, unspecified | Any | Diagnosis | ICD-10-CM |
| Q230 | Congenital stenosis of aortic valve | Any | Diagnosis | ICD-10-CM |
| Q231 | Congenital insufficiency of aortic valve | Any | Diagnosis | ICD-10-CM |
| Q232 | Congenital mitral stenosis | Any | Diagnosis | ICD-10-CM |
| Q233 | Congenital mitral insufficiency | Any | Diagnosis | ICD-10-CM |
| Q234 | Hypoplastic left heart syndrome | Any | Diagnosis | ICD-10-CM |
| Q238 | Other congenital malformations of aortic and mitral valves | Any | Diagnosis | ICD-10-CM |
| Q239 | Congenital malformation of aortic and mitral valves, unspecified | Any | Diagnosis | ICD-10-CM |
| Q240 | Dextrocardia | Any | Diagnosis | ICD-10-CM |
| Q241 | Levocardia | Any | Diagnosis | ICD-10-CM |
| Q242 | Cor triatriatum | Any | Diagnosis | ICD-10-CM |
| Q243 | Pulmonary infundibular stenosis | Any | Diagnosis | ICD-10-CM |
| Q244 | Congenital subaortic stenosis | Any | Diagnosis | ICD-10-CM |
| Q245 | Malformation of coronary vessels | Any | Diagnosis | ICD-10-CM |
| Q246 | Congenital heart block | Any | Diagnosis | ICD-10-CM |
| Q248 | Other specified congenital malformations of heart | Any | Diagnosis | ICD-10-CM |
| Q249 | Congenital malformation of heart, unspecified | Any | Diagnosis | ICD-10-CM |
| Q250 | Patent ductus arteriosus | Any | Diagnosis | ICD-10-CM |
| Q251 | Coarctation of aorta | Any | Diagnosis | ICD-10-CM |
| Q2521 | Interruption of aortic arch | Any | Diagnosis | ICD-10-CM |
| Q2529 | Other atresia of aorta | Any | Diagnosis | ICD-10-CM |
| Q253 | Supravalvular aortic stenosis | Any | Diagnosis | ICD-10-CM |
| Q2540 | Congenital malformation of aorta unspecified | Any | Diagnosis | ICD-10-CM |
| Q2541 | Absence and aplasia of aorta | Any | Diagnosis | ICD-10-CM |
| Q2542 | Hypoplasia of aorta | Any | Diagnosis | ICD-10-CM |
| Q2543 | Congenital aneurysm of aorta | Any | Diagnosis | ICD-10-CM |
| Q2544 | Congenital dilation of aorta | Any | Diagnosis | ICD-10-CM |
| Q2545 | Double aortic arch | Any | Diagnosis | ICD-10-CM |
| Q2546 | Tortuous aortic arch | Any | Diagnosis | ICD-10-CM |

Appendix I. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), Healthcare Common Procedure Coding System (HCPCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Obstetric Conditions

| Code | Description | Care Setting | Code | |
|-------|--|--------------|-----------|-----------|
| | | | Category | Code Type |
| Q2547 | Right aortic arch | Any | Diagnosis | ICD-10-CM |
| Q2548 | Anomalous origin of subclavian artery | Any | Diagnosis | ICD-10-CM |
| Q2549 | Other congenital malformations of aorta | Any | Diagnosis | ICD-10-CM |
| Q255 | Atresia of pulmonary artery | Any | Diagnosis | ICD-10-CM |
| Q256 | Stenosis of pulmonary artery | Any | Diagnosis | ICD-10-CM |
| Q2571 | Coarctation of pulmonary artery | Any | Diagnosis | ICD-10-CM |
| Q2572 | Congenital pulmonary arteriovenous malformation | Any | Diagnosis | ICD-10-CM |
| Q2579 | Other congenital malformations of pulmonary artery | Any | Diagnosis | ICD-10-CM |
| Q258 | Other congenital malformations of other great arteries | Any | Diagnosis | ICD-10-CM |
| Q259 | Congenital malformation of great arteries, unspecified | Any | Diagnosis | ICD-10-CM |
| Q260 | Congenital stenosis of vena cava | Any | Diagnosis | ICD-10-CM |
| Q261 | Persistent left superior vena cava | Any | Diagnosis | ICD-10-CM |
| Q262 | Total anomalous pulmonary venous connection | Any | Diagnosis | ICD-10-CM |
| Q263 | Partial anomalous pulmonary venous connection | Any | Diagnosis | ICD-10-CM |
| Q264 | Anomalous pulmonary venous connection, unspecified | Any | Diagnosis | ICD-10-CM |
| Q265 | Anomalous portal venous connection | Any | Diagnosis | ICD-10-CM |
| Q266 | Portal vein-hepatic artery fistula | Any | Diagnosis | ICD-10-CM |
| Q268 | Other congenital malformations of great veins | Any | Diagnosis | ICD-10-CM |
| Q269 | Congenital malformation of great vein, unspecified | Any | Diagnosis | ICD-10-CM |
| Q270 | Congenital absence and hypoplasia of umbilical artery | Any | Diagnosis | ICD-10-CM |
| Q271 | Congenital renal artery stenosis | Any | Diagnosis | ICD-10-CM |
| Q272 | Other congenital malformations of renal artery | Any | Diagnosis | ICD-10-CM |
| Q2730 | Arteriovenous malformation, site unspecified | Any | Diagnosis | ICD-10-CM |
| Q2731 | Arteriovenous malformation of vessel of upper limb | Any | Diagnosis | ICD-10-CM |
| Q2732 | Arteriovenous malformation of vessel of lower limb | Any | Diagnosis | ICD-10-CM |
| Q2733 | Arteriovenous malformation of digestive system vessel | Any | Diagnosis | ICD-10-CM |
| Q2734 | Arteriovenous malformation of renal vessel | Any | Diagnosis | ICD-10-CM |
| Q2739 | Arteriovenous malformation, other site | Any | Diagnosis | ICD-10-CM |
| Q274 | Congenital phlebectasia | Any | Diagnosis | ICD-10-CM |
| Q278 | Other specified congenital malformations of peripheral vascular system | Any | Diagnosis | ICD-10-CM |
| Q279 | Congenital malformation of peripheral vascular system, unspecified | Any | Diagnosis | ICD-10-CM |
| Q280 | Arteriovenous malformation of precerebral vessels | Any | Diagnosis | ICD-10-CM |
| Q281 | Other malformations of precerebral vessels | Any | Diagnosis | ICD-10-CM |
| Q282 | Arteriovenous malformation of cerebral vessels | Any | Diagnosis | ICD-10-CM |
| Q283 | Other malformations of cerebral vessels | Any | Diagnosis | ICD-10-CM |

Appendix I. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), Healthcare Common Procedure Coding System (HCPCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Obstetric Conditions

| Code | Description | Care Setting | Code | |
|------|--|--------------|-----------|-----------|
| | | | Category | Code Type |
| Q288 | Other specified congenital malformations of circulatory system | Any | Diagnosis | ICD-10-CM |
| Q289 | Congenital malformation of circulatory system, unspecified | Any | Diagnosis | ICD-10-CM |
| Q300 | Choanal atresia | Any | Diagnosis | ICD-10-CM |
| Q301 | Agenesis and underdevelopment of nose | Any | Diagnosis | ICD-10-CM |
| Q302 | Fissured, notched and cleft nose | Any | Diagnosis | ICD-10-CM |
| Q303 | Congenital perforated nasal septum | Any | Diagnosis | ICD-10-CM |
| Q308 | Other congenital malformations of nose | Any | Diagnosis | ICD-10-CM |
| Q309 | Congenital malformation of nose, unspecified | Any | Diagnosis | ICD-10-CM |
| Q310 | Web of larynx | Any | Diagnosis | ICD-10-CM |
| Q311 | Congenital subglottic stenosis | Any | Diagnosis | ICD-10-CM |
| Q312 | Laryngeal hypoplasia | Any | Diagnosis | ICD-10-CM |
| Q313 | Laryngocele | Any | Diagnosis | ICD-10-CM |
| Q315 | Congenital laryngomalacia | Any | Diagnosis | ICD-10-CM |
| Q318 | Other congenital malformations of larynx | Any | Diagnosis | ICD-10-CM |
| Q319 | Congenital malformation of larynx, unspecified | Any | Diagnosis | ICD-10-CM |
| Q320 | Congenital tracheomalacia | Any | Diagnosis | ICD-10-CM |
| Q321 | Other congenital malformations of trachea | Any | Diagnosis | ICD-10-CM |
| Q322 | Congenital bronchomalacia | Any | Diagnosis | ICD-10-CM |
| Q323 | Congenital stenosis of bronchus | Any | Diagnosis | ICD-10-CM |
| Q324 | Other congenital malformations of bronchus | Any | Diagnosis | ICD-10-CM |
| Q330 | Congenital cystic lung | Any | Diagnosis | ICD-10-CM |
| Q331 | Accessory lobe of lung | Any | Diagnosis | ICD-10-CM |
| Q332 | Sequestration of lung | Any | Diagnosis | ICD-10-CM |
| Q333 | Agenesis of lung | Any | Diagnosis | ICD-10-CM |
| Q334 | Congenital bronchiectasis | Any | Diagnosis | ICD-10-CM |
| Q335 | Ectopic tissue in lung | Any | Diagnosis | ICD-10-CM |
| Q336 | Congenital hypoplasia and dysplasia of lung | Any | Diagnosis | ICD-10-CM |
| Q338 | Other congenital malformations of lung | Any | Diagnosis | ICD-10-CM |
| Q339 | Congenital malformation of lung, unspecified | Any | Diagnosis | ICD-10-CM |
| Q340 | Anomaly of pleura | Any | Diagnosis | ICD-10-CM |
| Q341 | Congenital cyst of mediastinum | Any | Diagnosis | ICD-10-CM |
| Q348 | Other specified congenital malformations of respiratory system | Any | Diagnosis | ICD-10-CM |
| Q349 | Congenital malformation of respiratory system, unspecified | Any | Diagnosis | ICD-10-CM |
| Q351 | Cleft hard palate | Any | Diagnosis | ICD-10-CM |
| Q353 | Cleft soft palate | Any | Diagnosis | ICD-10-CM |

Appendix I. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), Healthcare Common Procedure Coding System (HCPCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Obstetric Conditions

| Code | Description | Care Setting | Code | |
|------|--|--------------|-----------|-----------|
| | | | Category | Code Type |
| Q355 | Cleft hard palate with cleft soft palate | Any | Diagnosis | ICD-10-CM |
| Q357 | Cleft uvula | Any | Diagnosis | ICD-10-CM |
| Q359 | Cleft palate, unspecified | Any | Diagnosis | ICD-10-CM |
| Q360 | Cleft lip, bilateral | Any | Diagnosis | ICD-10-CM |
| Q361 | Cleft lip, median | Any | Diagnosis | ICD-10-CM |
| Q369 | Cleft lip, unilateral | Any | Diagnosis | ICD-10-CM |
| Q370 | Cleft hard palate with bilateral cleft lip | Any | Diagnosis | ICD-10-CM |
| Q371 | Cleft hard palate with unilateral cleft lip | Any | Diagnosis | ICD-10-CM |
| Q372 | Cleft soft palate with bilateral cleft lip | Any | Diagnosis | ICD-10-CM |
| Q373 | Cleft soft palate with unilateral cleft lip | Any | Diagnosis | ICD-10-CM |
| Q374 | Cleft hard and soft palate with bilateral cleft lip | Any | Diagnosis | ICD-10-CM |
| Q375 | Cleft hard and soft palate with unilateral cleft lip | Any | Diagnosis | ICD-10-CM |
| Q378 | Unspecified cleft palate with bilateral cleft lip | Any | Diagnosis | ICD-10-CM |
| Q379 | Unspecified cleft palate with unilateral cleft lip | Any | Diagnosis | ICD-10-CM |
| Q380 | Congenital malformations of lips, not elsewhere classified | Any | Diagnosis | ICD-10-CM |
| Q381 | Ankyloglossia | Any | Diagnosis | ICD-10-CM |
| Q382 | Macroglossia | Any | Diagnosis | ICD-10-CM |
| Q383 | Other congenital malformations of tongue | Any | Diagnosis | ICD-10-CM |
| Q384 | Congenital malformations of salivary glands and ducts | Any | Diagnosis | ICD-10-CM |
| Q385 | Congenital malformations of palate, not elsewhere classified | Any | Diagnosis | ICD-10-CM |
| Q386 | Other congenital malformations of mouth | Any | Diagnosis | ICD-10-CM |
| Q387 | Congenital pharyngeal pouch | Any | Diagnosis | ICD-10-CM |
| Q388 | Other congenital malformations of pharynx | Any | Diagnosis | ICD-10-CM |
| Q390 | Atresia of esophagus without fistula | Any | Diagnosis | ICD-10-CM |
| Q391 | Atresia of esophagus with tracheo-esophageal fistula | Any | Diagnosis | ICD-10-CM |
| Q392 | Congenital tracheo-esophageal fistula without atresia | Any | Diagnosis | ICD-10-CM |
| Q393 | Congenital stenosis and stricture of esophagus | Any | Diagnosis | ICD-10-CM |
| Q394 | Esophageal web | Any | Diagnosis | ICD-10-CM |
| Q395 | Congenital dilatation of esophagus | Any | Diagnosis | ICD-10-CM |
| Q396 | Congenital diverticulum of esophagus | Any | Diagnosis | ICD-10-CM |
| Q398 | Other congenital malformations of esophagus | Any | Diagnosis | ICD-10-CM |
| Q399 | Congenital malformation of esophagus, unspecified | Any | Diagnosis | ICD-10-CM |
| Q400 | Congenital hypertrophic pyloric stenosis | Any | Diagnosis | ICD-10-CM |
| Q401 | Congenital hiatus hernia | Any | Diagnosis | ICD-10-CM |
| Q402 | Other specified congenital malformations of stomach | Any | Diagnosis | ICD-10-CM |

Appendix I. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), Healthcare Common Procedure Coding System (HCPCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Obstetric Conditions

| Code | Description | Care Setting | Code | |
|------|--|--------------|-----------|-----------|
| | | | Category | Code Type |
| Q403 | Congenital malformation of stomach, unspecified | Any | Diagnosis | ICD-10-CM |
| Q408 | Other specified congenital malformations of upper alimentary tract | Any | Diagnosis | ICD-10-CM |
| Q409 | Congenital malformation of upper alimentary tract, unspecified | Any | Diagnosis | ICD-10-CM |
| Q410 | Congenital absence, atresia and stenosis of duodenum | Any | Diagnosis | ICD-10-CM |
| Q411 | Congenital absence, atresia and stenosis of jejunum | Any | Diagnosis | ICD-10-CM |
| Q412 | Congenital absence, atresia and stenosis of ileum | Any | Diagnosis | ICD-10-CM |
| Q418 | Congenital absence, atresia and stenosis of other specified parts of small intestine | Any | Diagnosis | ICD-10-CM |
| Q419 | Congenital absence, atresia and stenosis of small intestine, part unspecified | Any | Diagnosis | ICD-10-CM |
| Q420 | Congenital absence, atresia and stenosis of rectum with fistula | Any | Diagnosis | ICD-10-CM |
| Q421 | Congenital absence, atresia and stenosis of rectum without fistula | Any | Diagnosis | ICD-10-CM |
| Q422 | Congenital absence, atresia and stenosis of anus with fistula | Any | Diagnosis | ICD-10-CM |
| Q423 | Congenital absence, atresia and stenosis of anus without fistula | Any | Diagnosis | ICD-10-CM |
| Q428 | Congenital absence, atresia and stenosis of other parts of large intestine | Any | Diagnosis | ICD-10-CM |
| Q429 | Congenital absence, atresia and stenosis of large intestine, part unspecified | Any | Diagnosis | ICD-10-CM |
| Q430 | Meckel's diverticulum (displaced) (hypertrophic) | Any | Diagnosis | ICD-10-CM |
| Q431 | Hirschsprung's disease | Any | Diagnosis | ICD-10-CM |
| Q432 | Other congenital functional disorders of colon | Any | Diagnosis | ICD-10-CM |
| Q433 | Congenital malformations of intestinal fixation | Any | Diagnosis | ICD-10-CM |
| Q434 | Duplication of intestine | Any | Diagnosis | ICD-10-CM |
| Q435 | Ectopic anus | Any | Diagnosis | ICD-10-CM |
| Q436 | Congenital fistula of rectum and anus | Any | Diagnosis | ICD-10-CM |
| Q437 | Persistent cloaca | Any | Diagnosis | ICD-10-CM |
| Q438 | Other specified congenital malformations of intestine | Any | Diagnosis | ICD-10-CM |
| Q439 | Congenital malformation of intestine, unspecified | Any | Diagnosis | ICD-10-CM |
| Q440 | Agenesis, aplasia and hypoplasia of gallbladder | Any | Diagnosis | ICD-10-CM |
| Q441 | Other congenital malformations of gallbladder | Any | Diagnosis | ICD-10-CM |
| Q442 | Atresia of bile ducts | Any | Diagnosis | ICD-10-CM |
| Q443 | Congenital stenosis and stricture of bile ducts | Any | Diagnosis | ICD-10-CM |
| Q444 | Choledochal cyst | Any | Diagnosis | ICD-10-CM |
| Q445 | Other congenital malformations of bile ducts | Any | Diagnosis | ICD-10-CM |
| Q446 | Cystic disease of liver | Any | Diagnosis | ICD-10-CM |
| Q447 | Other congenital malformations of liver | Any | Diagnosis | ICD-10-CM |
| Q450 | Agenesis, aplasia and hypoplasia of pancreas | Any | Diagnosis | ICD-10-CM |
| Q451 | Annular pancreas | Any | Diagnosis | ICD-10-CM |
| Q452 | Congenital pancreatic cyst | Any | Diagnosis | ICD-10-CM |

Appendix I. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), Healthcare Common Procedure Coding System (HCPCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Obstetric Conditions

| Code | Description | Care Setting | Code | |
|--------|---|--------------|-----------|-----------|
| | | | Category | Code Type |
| Q453 | Other congenital malformations of pancreas and pancreatic duct | Any | Diagnosis | ICD-10-CM |
| Q458 | Other specified congenital malformations of digestive system | Any | Diagnosis | ICD-10-CM |
| Q459 | Congenital malformation of digestive system, unspecified | Any | Diagnosis | ICD-10-CM |
| Q5001 | Congenital absence of ovary, unilateral | Any | Diagnosis | ICD-10-CM |
| Q5002 | Congenital absence of ovary, bilateral | Any | Diagnosis | ICD-10-CM |
| Q501 | Developmental ovarian cyst | Any | Diagnosis | ICD-10-CM |
| Q502 | Congenital torsion of ovary | Any | Diagnosis | ICD-10-CM |
| Q5031 | Accessory ovary | Any | Diagnosis | ICD-10-CM |
| Q5032 | Ovarian streak | Any | Diagnosis | ICD-10-CM |
| Q5039 | Other congenital malformation of ovary | Any | Diagnosis | ICD-10-CM |
| Q504 | Embryonic cyst of fallopian tube | Any | Diagnosis | ICD-10-CM |
| Q505 | Embryonic cyst of broad ligament | Any | Diagnosis | ICD-10-CM |
| Q506 | Other congenital malformations of fallopian tube and broad ligament | Any | Diagnosis | ICD-10-CM |
| Q510 | Agenesis and aplasia of uterus | Any | Diagnosis | ICD-10-CM |
| Q5110 | Doubling of uterus with doubling of cervix and vagina without obstruction | Any | Diagnosis | ICD-10-CM |
| Q5111 | Doubling of uterus with doubling of cervix and vagina with obstruction | Any | Diagnosis | ICD-10-CM |
| Q512 | Other doubling of uterus | Any | Diagnosis | ICD-10-CM |
| Q513 | Bicornate uterus | Any | Diagnosis | ICD-10-CM |
| Q514 | Unicornate uterus | Any | Diagnosis | ICD-10-CM |
| Q515 | Agenesis and aplasia of cervix | Any | Diagnosis | ICD-10-CM |
| Q516 | Embryonic cyst of cervix | Any | Diagnosis | ICD-10-CM |
| Q517 | Congenital fistulae between uterus and digestive and urinary tracts | Any | Diagnosis | ICD-10-CM |
| Q51810 | Arcuate uterus | Any | Diagnosis | ICD-10-CM |
| Q51811 | Hypoplasia of uterus | Any | Diagnosis | ICD-10-CM |
| Q51818 | Other congenital malformations of uterus | Any | Diagnosis | ICD-10-CM |
| Q51820 | Cervical duplication | Any | Diagnosis | ICD-10-CM |
| Q51821 | Hypoplasia of cervix | Any | Diagnosis | ICD-10-CM |
| Q51828 | Other congenital malformations of cervix | Any | Diagnosis | ICD-10-CM |
| Q519 | Congenital malformation of uterus and cervix, unspecified | Any | Diagnosis | ICD-10-CM |
| Q520 | Congenital absence of vagina | Any | Diagnosis | ICD-10-CM |
| Q5210 | Doubling of vagina, unspecified | Any | Diagnosis | ICD-10-CM |
| Q5211 | Transverse vaginal septum | Any | Diagnosis | ICD-10-CM |
| Q52120 | Longitudinal vaginal septum, nonobstructing | Any | Diagnosis | ICD-10-CM |
| Q52121 | Longitudinal vaginal septum, obstructing, right side | Any | Diagnosis | ICD-10-CM |
| Q52122 | Longitudinal vaginal septum, obstructing, left side | Any | Diagnosis | ICD-10-CM |

Appendix I. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), Healthcare Common Procedure Coding System (HCPCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Obstetric Conditions

| Code | Description | Care Setting | Code | Code Type |
|-------------|--|---------------------|-----------------|------------------|
| | | | Category | |
| Q52123 | Longitudinal vaginal septum, microperforate, right side | Any | Diagnosis | ICD-10-CM |
| Q52124 | Longitudinal vaginal septum, microperforate, left side | Any | Diagnosis | ICD-10-CM |
| Q52129 | Other and unspecified longitudinal vaginal septum | Any | Diagnosis | ICD-10-CM |
| Q522 | Congenital rectovaginal fistula | Any | Diagnosis | ICD-10-CM |
| Q523 | Imperforate hymen | Any | Diagnosis | ICD-10-CM |
| Q524 | Other congenital malformations of vagina | Any | Diagnosis | ICD-10-CM |
| Q525 | Fusion of labia | Any | Diagnosis | ICD-10-CM |
| Q526 | Congenital malformation of clitoris | Any | Diagnosis | ICD-10-CM |
| Q5270 | Unspecified congenital malformations of vulva | Any | Diagnosis | ICD-10-CM |
| Q5271 | Congenital absence of vulva | Any | Diagnosis | ICD-10-CM |
| Q5279 | Other congenital malformations of vulva | Any | Diagnosis | ICD-10-CM |
| Q528 | Other specified congenital malformations of female genitalia | Any | Diagnosis | ICD-10-CM |
| Q529 | Congenital malformation of female genitalia, unspecified | Any | Diagnosis | ICD-10-CM |
| Q5300 | Ectopic testis, unspecified | Any | Diagnosis | ICD-10-CM |
| Q5301 | Ectopic testis, unilateral | Any | Diagnosis | ICD-10-CM |
| Q5302 | Ectopic testes, bilateral | Any | Diagnosis | ICD-10-CM |
| Q5310 | Unspecified undescended testicle, unilateral | Any | Diagnosis | ICD-10-CM |
| Q53111 | Unilateral intraabdominal testis | Any | Diagnosis | ICD-10-CM |
| Q53112 | Unilateral inguinal testis | Any | Diagnosis | ICD-10-CM |
| Q5312 | Ectopic perineal testis, unilateral | Any | Diagnosis | ICD-10-CM |
| Q5313 | Unilateral high scrotal testis | Any | Diagnosis | ICD-10-CM |
| Q5320 | Undescended testicle, unspecified, bilateral | Any | Diagnosis | ICD-10-CM |
| Q53211 | Bilateral intraabdominal testes | Any | Diagnosis | ICD-10-CM |
| Q53212 | Bilateral inguinal testes | Any | Diagnosis | ICD-10-CM |
| Q5322 | Ectopic perineal testis, bilateral | Any | Diagnosis | ICD-10-CM |
| Q5323 | Bilateral high scrotal testes | Any | Diagnosis | ICD-10-CM |
| Q539 | Undescended testicle, unspecified | Any | Diagnosis | ICD-10-CM |
| Q540 | Hypospadias, balanic | Any | Diagnosis | ICD-10-CM |
| Q541 | Hypospadias, penile | Any | Diagnosis | ICD-10-CM |
| Q542 | Hypospadias, penoscrotal | Any | Diagnosis | ICD-10-CM |
| Q543 | Hypospadias, perineal | Any | Diagnosis | ICD-10-CM |
| Q544 | Congenital chordee | Any | Diagnosis | ICD-10-CM |
| Q548 | Other hypospadias | Any | Diagnosis | ICD-10-CM |
| Q549 | Hypospadias, unspecified | Any | Diagnosis | ICD-10-CM |
| Q550 | Absence and aplasia of testis | Any | Diagnosis | ICD-10-CM |

Appendix I. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), Healthcare Common Procedure Coding System (HCPCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Obstetric Conditions

| Code | Description | Care Setting | Code | |
|-------|---|--------------|-----------|-----------|
| | | | Category | Code Type |
| Q551 | Hypoplasia of testis and scrotum | Any | Diagnosis | ICD-10-CM |
| Q5520 | Unspecified congenital malformations of testis and scrotum | Any | Diagnosis | ICD-10-CM |
| Q5521 | Polyorchism | Any | Diagnosis | ICD-10-CM |
| Q5522 | Retractile testis | Any | Diagnosis | ICD-10-CM |
| Q5523 | Scrotal transposition | Any | Diagnosis | ICD-10-CM |
| Q5529 | Other congenital malformations of testis and scrotum | Any | Diagnosis | ICD-10-CM |
| Q553 | Atresia of vas deferens | Any | Diagnosis | ICD-10-CM |
| Q554 | Other congenital malformations of vas deferens, epididymis, seminal vesicles and prostate | Any | Diagnosis | ICD-10-CM |
| Q555 | Congenital absence and aplasia of penis | Any | Diagnosis | ICD-10-CM |
| Q5561 | Curvature of penis (lateral) | Any | Diagnosis | ICD-10-CM |
| Q5562 | Hypoplasia of penis | Any | Diagnosis | ICD-10-CM |
| Q5563 | Congenital torsion of penis | Any | Diagnosis | ICD-10-CM |
| Q5564 | Hidden penis | Any | Diagnosis | ICD-10-CM |
| Q5569 | Other congenital malformation of penis | Any | Diagnosis | ICD-10-CM |
| Q557 | Congenital vasocutaneous fistula | Any | Diagnosis | ICD-10-CM |
| Q558 | Other specified congenital malformations of male genital organs | Any | Diagnosis | ICD-10-CM |
| Q559 | Congenital malformation of male genital organ, unspecified | Any | Diagnosis | ICD-10-CM |
| Q560 | Hermaphroditism, not elsewhere classified | Any | Diagnosis | ICD-10-CM |
| Q561 | Male pseudohermaphroditism, not elsewhere classified | Any | Diagnosis | ICD-10-CM |
| Q562 | Female pseudohermaphroditism, not elsewhere classified | Any | Diagnosis | ICD-10-CM |
| Q563 | Pseudohermaphroditism, unspecified | Any | Diagnosis | ICD-10-CM |
| Q564 | Indeterminate sex, unspecified | Any | Diagnosis | ICD-10-CM |
| Q600 | Renal agenesis, unilateral | Any | Diagnosis | ICD-10-CM |
| Q601 | Renal agenesis, bilateral | Any | Diagnosis | ICD-10-CM |
| Q602 | Renal agenesis, unspecified | Any | Diagnosis | ICD-10-CM |
| Q603 | Renal hypoplasia, unilateral | Any | Diagnosis | ICD-10-CM |
| Q604 | Renal hypoplasia, bilateral | Any | Diagnosis | ICD-10-CM |
| Q605 | Renal hypoplasia, unspecified | Any | Diagnosis | ICD-10-CM |
| Q606 | Potter's syndrome | Any | Diagnosis | ICD-10-CM |
| Q6100 | Congenital renal cyst, unspecified | Any | Diagnosis | ICD-10-CM |
| Q6101 | Congenital single renal cyst | Any | Diagnosis | ICD-10-CM |
| Q6102 | Congenital multiple renal cysts | Any | Diagnosis | ICD-10-CM |
| Q6111 | Cystic dilatation of collecting ducts | Any | Diagnosis | ICD-10-CM |
| Q6119 | Other polycystic kidney, infantile type | Any | Diagnosis | ICD-10-CM |

Appendix I. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), Healthcare Common Procedure Coding System (HCPCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Obstetric Conditions

| Code | Description | Care Setting | Code | |
|-------|--|--------------|-----------|-----------|
| | | | Category | Code Type |
| Q612 | Polycystic kidney, adult type | Any | Diagnosis | ICD-10-CM |
| Q613 | Polycystic kidney, unspecified | Any | Diagnosis | ICD-10-CM |
| Q614 | Renal dysplasia | Any | Diagnosis | ICD-10-CM |
| Q615 | Medullary cystic kidney | Any | Diagnosis | ICD-10-CM |
| Q618 | Other cystic kidney diseases | Any | Diagnosis | ICD-10-CM |
| Q619 | Cystic kidney disease, unspecified | Any | Diagnosis | ICD-10-CM |
| Q620 | Congenital hydronephrosis | Any | Diagnosis | ICD-10-CM |
| Q6210 | Congenital occlusion of ureter, unspecified | Any | Diagnosis | ICD-10-CM |
| Q6211 | Congenital occlusion of ureteropelvic junction | Any | Diagnosis | ICD-10-CM |
| Q6212 | Congenital occlusion of ureterovesical orifice | Any | Diagnosis | ICD-10-CM |
| Q622 | Congenital megaureter | Any | Diagnosis | ICD-10-CM |
| Q6231 | Congenital ureterocele, orthotopic | Any | Diagnosis | ICD-10-CM |
| Q6232 | Cecoureterocele | Any | Diagnosis | ICD-10-CM |
| Q6239 | Other obstructive defects of renal pelvis and ureter | Any | Diagnosis | ICD-10-CM |
| Q624 | Agenesis of ureter | Any | Diagnosis | ICD-10-CM |
| Q625 | Duplication of ureter | Any | Diagnosis | ICD-10-CM |
| Q6260 | Malposition of ureter, unspecified | Any | Diagnosis | ICD-10-CM |
| Q6261 | Deviation of ureter | Any | Diagnosis | ICD-10-CM |
| Q6262 | Displacement of ureter | Any | Diagnosis | ICD-10-CM |
| Q6263 | Anomalous implantation of ureter | Any | Diagnosis | ICD-10-CM |
| Q6269 | Other malposition of ureter | Any | Diagnosis | ICD-10-CM |
| Q627 | Congenital vesico-uretero-renal reflux | Any | Diagnosis | ICD-10-CM |
| Q628 | Other congenital malformations of ureter | Any | Diagnosis | ICD-10-CM |
| Q630 | Accessory kidney | Any | Diagnosis | ICD-10-CM |
| Q631 | Lobulated, fused and horseshoe kidney | Any | Diagnosis | ICD-10-CM |
| Q632 | Ectopic kidney | Any | Diagnosis | ICD-10-CM |
| Q633 | Hyperplastic and giant kidney | Any | Diagnosis | ICD-10-CM |
| Q638 | Other specified congenital malformations of kidney | Any | Diagnosis | ICD-10-CM |
| Q639 | Congenital malformation of kidney, unspecified | Any | Diagnosis | ICD-10-CM |
| Q640 | Epispadias | Any | Diagnosis | ICD-10-CM |
| Q6410 | Exstrophy of urinary bladder, unspecified | Any | Diagnosis | ICD-10-CM |
| Q6411 | Supravesical fissure of urinary bladder | Any | Diagnosis | ICD-10-CM |
| Q6412 | Cloacal exstrophy of urinary bladder | Any | Diagnosis | ICD-10-CM |
| Q6419 | Other exstrophy of urinary bladder | Any | Diagnosis | ICD-10-CM |
| Q642 | Congenital posterior urethral valves | Any | Diagnosis | ICD-10-CM |

Appendix I. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), Healthcare Common Procedure Coding System (HCPCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Obstetric Conditions

| Code | Description | Care Setting | Code | |
|-------|---|--------------|-----------|-----------|
| | | | Category | Code Type |
| Q6431 | Congenital bladder neck obstruction | Any | Diagnosis | ICD-10-CM |
| Q6432 | Congenital stricture of urethra | Any | Diagnosis | ICD-10-CM |
| Q6433 | Congenital stricture of urinary meatus | Any | Diagnosis | ICD-10-CM |
| Q6439 | Other atresia and stenosis of urethra and bladder neck | Any | Diagnosis | ICD-10-CM |
| Q644 | Malformation of urachus | Any | Diagnosis | ICD-10-CM |
| Q645 | Congenital absence of bladder and urethra | Any | Diagnosis | ICD-10-CM |
| Q646 | Congenital diverticulum of bladder | Any | Diagnosis | ICD-10-CM |
| Q6470 | Unspecified congenital malformation of bladder and urethra | Any | Diagnosis | ICD-10-CM |
| Q6471 | Congenital prolapse of urethra | Any | Diagnosis | ICD-10-CM |
| Q6472 | Congenital prolapse of urinary meatus | Any | Diagnosis | ICD-10-CM |
| Q6473 | Congenital urethrorectal fistula | Any | Diagnosis | ICD-10-CM |
| Q6474 | Double urethra | Any | Diagnosis | ICD-10-CM |
| Q6475 | Double urinary meatus | Any | Diagnosis | ICD-10-CM |
| Q6479 | Other congenital malformations of bladder and urethra | Any | Diagnosis | ICD-10-CM |
| Q648 | Other specified congenital malformations of urinary system | Any | Diagnosis | ICD-10-CM |
| Q649 | Congenital malformation of urinary system, unspecified | Any | Diagnosis | ICD-10-CM |
| Q6500 | Congenital dislocation of unspecified hip, unilateral | Any | Diagnosis | ICD-10-CM |
| Q6501 | Congenital dislocation of right hip, unilateral | Any | Diagnosis | ICD-10-CM |
| Q6502 | Congenital dislocation of left hip, unilateral | Any | Diagnosis | ICD-10-CM |
| Q651 | Congenital dislocation of hip, bilateral | Any | Diagnosis | ICD-10-CM |
| Q652 | Congenital dislocation of hip, unspecified | Any | Diagnosis | ICD-10-CM |
| Q6530 | Congenital partial dislocation of unspecified hip, unilateral | Any | Diagnosis | ICD-10-CM |
| Q6531 | Congenital partial dislocation of right hip, unilateral | Any | Diagnosis | ICD-10-CM |
| Q6532 | Congenital partial dislocation of left hip, unilateral | Any | Diagnosis | ICD-10-CM |
| Q654 | Congenital partial dislocation of hip, bilateral | Any | Diagnosis | ICD-10-CM |
| Q655 | Congenital partial dislocation of hip, unspecified | Any | Diagnosis | ICD-10-CM |
| Q656 | Congenital unstable hip | Any | Diagnosis | ICD-10-CM |
| Q6581 | Congenital coxa valga | Any | Diagnosis | ICD-10-CM |
| Q6582 | Congenital coxa vara | Any | Diagnosis | ICD-10-CM |
| Q6589 | Other specified congenital deformities of hip | Any | Diagnosis | ICD-10-CM |
| Q659 | Congenital deformity of hip, unspecified | Any | Diagnosis | ICD-10-CM |
| Q660 | Congenital talipes equinovarus | Any | Diagnosis | ICD-10-CM |
| Q661 | Congenital talipes calcaneovarus | Any | Diagnosis | ICD-10-CM |
| Q6621 | Congenital metatarsus primus varus | Any | Diagnosis | ICD-10-CM |
| Q6622 | Congenital metatarsus adductus | Any | Diagnosis | ICD-10-CM |

Appendix I. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), Healthcare Common Procedure Coding System (HCPCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Obstetric Conditions

| Code | Description | Care Setting | Code | |
|-------|--|--------------|-----------|-----------|
| | | | Category | Code Type |
| Q663 | Other congenital varus deformities of feet | Any | Diagnosis | ICD-10-CM |
| Q664 | Congenital talipes calcaneovalgus | Any | Diagnosis | ICD-10-CM |
| Q6650 | Congenital pes planus, unspecified foot | Any | Diagnosis | ICD-10-CM |
| Q6651 | Congenital pes planus, right foot | Any | Diagnosis | ICD-10-CM |
| Q6652 | Congenital pes planus, left foot | Any | Diagnosis | ICD-10-CM |
| Q666 | Other congenital valgus deformities of feet | Any | Diagnosis | ICD-10-CM |
| Q667 | Congenital pes cavus | Any | Diagnosis | ICD-10-CM |
| Q6680 | Congenital vertical talus deformity, unspecified foot | Any | Diagnosis | ICD-10-CM |
| Q6681 | Congenital vertical talus deformity, right foot | Any | Diagnosis | ICD-10-CM |
| Q6682 | Congenital vertical talus deformity, left foot | Any | Diagnosis | ICD-10-CM |
| Q6689 | Other specified congenital deformities of feet | Any | Diagnosis | ICD-10-CM |
| Q669 | Congenital deformity of feet, unspecified | Any | Diagnosis | ICD-10-CM |
| Q670 | Congenital facial asymmetry | Any | Diagnosis | ICD-10-CM |
| Q671 | Congenital compression facies | Any | Diagnosis | ICD-10-CM |
| Q672 | Dolichocephaly | Any | Diagnosis | ICD-10-CM |
| Q673 | Plagiocephaly | Any | Diagnosis | ICD-10-CM |
| Q674 | Other congenital deformities of skull, face and jaw | Any | Diagnosis | ICD-10-CM |
| Q675 | Congenital deformity of spine | Any | Diagnosis | ICD-10-CM |
| Q676 | Pectus excavatum | Any | Diagnosis | ICD-10-CM |
| Q677 | Pectus carinatum | Any | Diagnosis | ICD-10-CM |
| Q678 | Other congenital deformities of chest | Any | Diagnosis | ICD-10-CM |
| Q680 | Congenital deformity of sternocleidomastoid muscle | Any | Diagnosis | ICD-10-CM |
| Q681 | Congenital deformity of finger(s) and hand | Any | Diagnosis | ICD-10-CM |
| Q682 | Congenital deformity of knee | Any | Diagnosis | ICD-10-CM |
| Q683 | Congenital bowing of femur | Any | Diagnosis | ICD-10-CM |
| Q684 | Congenital bowing of tibia and fibula | Any | Diagnosis | ICD-10-CM |
| Q685 | Congenital bowing of long bones of leg, unspecified | Any | Diagnosis | ICD-10-CM |
| Q688 | Other specified congenital musculoskeletal deformities | Any | Diagnosis | ICD-10-CM |
| Q690 | Accessory finger(s) | Any | Diagnosis | ICD-10-CM |
| Q691 | Accessory thumb(s) | Any | Diagnosis | ICD-10-CM |
| Q692 | Accessory toe(s) | Any | Diagnosis | ICD-10-CM |
| Q699 | Polydactyly, unspecified | Any | Diagnosis | ICD-10-CM |
| Q7000 | Fused fingers, unspecified hand | Any | Diagnosis | ICD-10-CM |
| Q7001 | Fused fingers, right hand | Any | Diagnosis | ICD-10-CM |
| Q7002 | Fused fingers, left hand | Any | Diagnosis | ICD-10-CM |

Appendix I. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), Healthcare Common Procedure Coding System (HCPCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Obstetric Conditions

| Code | Description | Care Setting | Code | Code Type |
|-------------|---|---------------------|-----------------|------------------|
| | | | Category | |
| Q7003 | Fused fingers, bilateral | Any | Diagnosis | ICD-10-CM |
| Q7010 | Webbed fingers, unspecified hand | Any | Diagnosis | ICD-10-CM |
| Q7011 | Webbed fingers, right hand | Any | Diagnosis | ICD-10-CM |
| Q7012 | Webbed fingers, left hand | Any | Diagnosis | ICD-10-CM |
| Q7013 | Webbed fingers, bilateral | Any | Diagnosis | ICD-10-CM |
| Q7020 | Fused toes, unspecified foot | Any | Diagnosis | ICD-10-CM |
| Q7021 | Fused toes, right foot | Any | Diagnosis | ICD-10-CM |
| Q7022 | Fused toes, left foot | Any | Diagnosis | ICD-10-CM |
| Q7023 | Fused toes, bilateral | Any | Diagnosis | ICD-10-CM |
| Q7030 | Webbed toes, unspecified foot | Any | Diagnosis | ICD-10-CM |
| Q7031 | Webbed toes, right foot | Any | Diagnosis | ICD-10-CM |
| Q7032 | Webbed toes, left foot | Any | Diagnosis | ICD-10-CM |
| Q7033 | Webbed toes, bilateral | Any | Diagnosis | ICD-10-CM |
| Q704 | Polysyndactyly, unspecified | Any | Diagnosis | ICD-10-CM |
| Q709 | Syndactyly, unspecified | Any | Diagnosis | ICD-10-CM |
| Q7100 | Congenital complete absence of unspecified upper limb | Any | Diagnosis | ICD-10-CM |
| Q7101 | Congenital complete absence of right upper limb | Any | Diagnosis | ICD-10-CM |
| Q7102 | Congenital complete absence of left upper limb | Any | Diagnosis | ICD-10-CM |
| Q7103 | Congenital complete absence of upper limb, bilateral | Any | Diagnosis | ICD-10-CM |
| Q7110 | Congenital absence of unspecified upper arm and forearm with hand present | Any | Diagnosis | ICD-10-CM |
| Q7111 | Congenital absence of right upper arm and forearm with hand present | Any | Diagnosis | ICD-10-CM |
| Q7112 | Congenital absence of left upper arm and forearm with hand present | Any | Diagnosis | ICD-10-CM |
| Q7113 | Congenital absence of upper arm and forearm with hand present, bilateral | Any | Diagnosis | ICD-10-CM |
| Q7120 | Congenital absence of both forearm and hand, unspecified upper limb | Any | Diagnosis | ICD-10-CM |
| Q7121 | Congenital absence of both forearm and hand, right upper limb | Any | Diagnosis | ICD-10-CM |
| Q7122 | Congenital absence of both forearm and hand, left upper limb | Any | Diagnosis | ICD-10-CM |
| Q7123 | Congenital absence of both forearm and hand, bilateral | Any | Diagnosis | ICD-10-CM |
| Q7130 | Congenital absence of unspecified hand and finger | Any | Diagnosis | ICD-10-CM |
| Q7131 | Congenital absence of right hand and finger | Any | Diagnosis | ICD-10-CM |
| Q7132 | Congenital absence of left hand and finger | Any | Diagnosis | ICD-10-CM |
| Q7133 | Congenital absence of hand and finger, bilateral | Any | Diagnosis | ICD-10-CM |
| Q7140 | Longitudinal reduction defect of unspecified radius | Any | Diagnosis | ICD-10-CM |
| Q7141 | Longitudinal reduction defect of right radius | Any | Diagnosis | ICD-10-CM |
| Q7142 | Longitudinal reduction defect of left radius | Any | Diagnosis | ICD-10-CM |
| Q7143 | Longitudinal reduction defect of radius, bilateral | Any | Diagnosis | ICD-10-CM |

Appendix I. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), Healthcare Common Procedure Coding System (HCPCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Obstetric Conditions

| Code | Description | Care Setting | Code | Code Type |
|-------------|---|---------------------|-----------------|------------------|
| | | | Category | |
| Q7150 | Longitudinal reduction defect of unspecified ulna | Any | Diagnosis | ICD-10-CM |
| Q7151 | Longitudinal reduction defect of right ulna | Any | Diagnosis | ICD-10-CM |
| Q7152 | Longitudinal reduction defect of left ulna | Any | Diagnosis | ICD-10-CM |
| Q7153 | Longitudinal reduction defect of ulna, bilateral | Any | Diagnosis | ICD-10-CM |
| Q7160 | Lobster-claw hand, unspecified hand | Any | Diagnosis | ICD-10-CM |
| Q7161 | Lobster-claw right hand | Any | Diagnosis | ICD-10-CM |
| Q7162 | Lobster-claw left hand | Any | Diagnosis | ICD-10-CM |
| Q7163 | Lobster-claw hand, bilateral | Any | Diagnosis | ICD-10-CM |
| Q71811 | Congenital shortening of right upper limb | Any | Diagnosis | ICD-10-CM |
| Q71812 | Congenital shortening of left upper limb | Any | Diagnosis | ICD-10-CM |
| Q71813 | Congenital shortening of upper limb, bilateral | Any | Diagnosis | ICD-10-CM |
| Q71819 | Congenital shortening of unspecified upper limb | Any | Diagnosis | ICD-10-CM |
| Q71891 | Other reduction defects of right upper limb | Any | Diagnosis | ICD-10-CM |
| Q71892 | Other reduction defects of left upper limb | Any | Diagnosis | ICD-10-CM |
| Q71893 | Other reduction defects of upper limb, bilateral | Any | Diagnosis | ICD-10-CM |
| Q71899 | Other reduction defects of unspecified upper limb | Any | Diagnosis | ICD-10-CM |
| Q7190 | Unspecified reduction defect of unspecified upper limb | Any | Diagnosis | ICD-10-CM |
| Q7191 | Unspecified reduction defect of right upper limb | Any | Diagnosis | ICD-10-CM |
| Q7192 | Unspecified reduction defect of left upper limb | Any | Diagnosis | ICD-10-CM |
| Q7193 | Unspecified reduction defect of upper limb, bilateral | Any | Diagnosis | ICD-10-CM |
| Q7200 | Congenital complete absence of unspecified lower limb | Any | Diagnosis | ICD-10-CM |
| Q7201 | Congenital complete absence of right lower limb | Any | Diagnosis | ICD-10-CM |
| Q7202 | Congenital complete absence of left lower limb | Any | Diagnosis | ICD-10-CM |
| Q7203 | Congenital complete absence of lower limb, bilateral | Any | Diagnosis | ICD-10-CM |
| Q7210 | Congenital absence of unspecified thigh and lower leg with foot present | Any | Diagnosis | ICD-10-CM |
| Q7211 | Congenital absence of right thigh and lower leg with foot present | Any | Diagnosis | ICD-10-CM |
| Q7212 | Congenital absence of left thigh and lower leg with foot present | Any | Diagnosis | ICD-10-CM |
| Q7213 | Congenital absence of thigh and lower leg with foot present, bilateral | Any | Diagnosis | ICD-10-CM |
| Q7220 | Congenital absence of both lower leg and foot, unspecified lower limb | Any | Diagnosis | ICD-10-CM |
| Q7221 | Congenital absence of both lower leg and foot, right lower limb | Any | Diagnosis | ICD-10-CM |
| Q7222 | Congenital absence of both lower leg and foot, left lower limb | Any | Diagnosis | ICD-10-CM |
| Q7223 | Congenital absence of both lower leg and foot, bilateral | Any | Diagnosis | ICD-10-CM |
| Q7230 | Congenital absence of unspecified foot and toe(s) | Any | Diagnosis | ICD-10-CM |
| Q7231 | Congenital absence of right foot and toe(s) | Any | Diagnosis | ICD-10-CM |
| Q7232 | Congenital absence of left foot and toe(s) | Any | Diagnosis | ICD-10-CM |

Appendix I. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), Healthcare Common Procedure Coding System (HCPCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Obstetric Conditions

| Code | Description | Care Setting | Code | Code Type |
|-------------|--|---------------------|-----------------|------------------|
| | | | Category | |
| Q7233 | Congenital absence of foot and toe(s), bilateral | Any | Diagnosis | ICD-10-CM |
| Q7240 | Longitudinal reduction defect of unspecified femur | Any | Diagnosis | ICD-10-CM |
| Q7241 | Longitudinal reduction defect of right femur | Any | Diagnosis | ICD-10-CM |
| Q7242 | Longitudinal reduction defect of left femur | Any | Diagnosis | ICD-10-CM |
| Q7243 | Longitudinal reduction defect of femur, bilateral | Any | Diagnosis | ICD-10-CM |
| Q7250 | Longitudinal reduction defect of unspecified tibia | Any | Diagnosis | ICD-10-CM |
| Q7251 | Longitudinal reduction defect of right tibia | Any | Diagnosis | ICD-10-CM |
| Q7252 | Longitudinal reduction defect of left tibia | Any | Diagnosis | ICD-10-CM |
| Q7253 | Longitudinal reduction defect of tibia, bilateral | Any | Diagnosis | ICD-10-CM |
| Q7260 | Longitudinal reduction defect of unspecified fibula | Any | Diagnosis | ICD-10-CM |
| Q7261 | Longitudinal reduction defect of right fibula | Any | Diagnosis | ICD-10-CM |
| Q7262 | Longitudinal reduction defect of left fibula | Any | Diagnosis | ICD-10-CM |
| Q7263 | Longitudinal reduction defect of fibula, bilateral | Any | Diagnosis | ICD-10-CM |
| Q7270 | Split foot, unspecified lower limb | Any | Diagnosis | ICD-10-CM |
| Q7271 | Split foot, right lower limb | Any | Diagnosis | ICD-10-CM |
| Q7272 | Split foot, left lower limb | Any | Diagnosis | ICD-10-CM |
| Q7273 | Split foot, bilateral | Any | Diagnosis | ICD-10-CM |
| Q72811 | Congenital shortening of right lower limb | Any | Diagnosis | ICD-10-CM |
| Q72812 | Congenital shortening of left lower limb | Any | Diagnosis | ICD-10-CM |
| Q72813 | Congenital shortening of lower limb, bilateral | Any | Diagnosis | ICD-10-CM |
| Q72819 | Congenital shortening of unspecified lower limb | Any | Diagnosis | ICD-10-CM |
| Q72891 | Other reduction defects of right lower limb | Any | Diagnosis | ICD-10-CM |
| Q72892 | Other reduction defects of left lower limb | Any | Diagnosis | ICD-10-CM |
| Q72893 | Other reduction defects of lower limb, bilateral | Any | Diagnosis | ICD-10-CM |
| Q72899 | Other reduction defects of unspecified lower limb | Any | Diagnosis | ICD-10-CM |
| Q7290 | Unspecified reduction defect of unspecified lower limb | Any | Diagnosis | ICD-10-CM |
| Q7291 | Unspecified reduction defect of right lower limb | Any | Diagnosis | ICD-10-CM |
| Q7292 | Unspecified reduction defect of left lower limb | Any | Diagnosis | ICD-10-CM |
| Q7293 | Unspecified reduction defect of lower limb, bilateral | Any | Diagnosis | ICD-10-CM |
| Q730 | Congenital absence of unspecified limb(s) | Any | Diagnosis | ICD-10-CM |
| Q731 | Phocomelia, unspecified limb(s) | Any | Diagnosis | ICD-10-CM |
| Q738 | Other reduction defects of unspecified limb(s) | Any | Diagnosis | ICD-10-CM |
| Q740 | Other congenital malformations of upper limb(s), including shoulder girdle | Any | Diagnosis | ICD-10-CM |
| Q741 | Congenital malformation of knee | Any | Diagnosis | ICD-10-CM |
| Q742 | Other congenital malformations of lower limb(s), including pelvic girdle | Any | Diagnosis | ICD-10-CM |

Appendix I. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), Healthcare Common Procedure Coding System (HCPCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Obstetric Conditions

| Code | Description | Care Setting | Code | |
|--------|--|--------------|-----------|-----------|
| | | | Category | Code Type |
| Q743 | Arthrogryposis multiplex congenita | Any | Diagnosis | ICD-10-CM |
| Q748 | Other specified congenital malformations of limb(s) | Any | Diagnosis | ICD-10-CM |
| Q749 | Unspecified congenital malformation of limb(s) | Any | Diagnosis | ICD-10-CM |
| Q750 | Craniosynostosis | Any | Diagnosis | ICD-10-CM |
| Q751 | Craniofacial dysostosis | Any | Diagnosis | ICD-10-CM |
| Q752 | Hypertelorism | Any | Diagnosis | ICD-10-CM |
| Q753 | Macrocephaly | Any | Diagnosis | ICD-10-CM |
| Q754 | Mandibulofacial dysostosis | Any | Diagnosis | ICD-10-CM |
| Q755 | Oculomandibular dysostosis | Any | Diagnosis | ICD-10-CM |
| Q758 | Other specified congenital malformations of skull and face bones | Any | Diagnosis | ICD-10-CM |
| Q759 | Congenital malformation of skull and face bones, unspecified | Any | Diagnosis | ICD-10-CM |
| Q760 | Spina bifida occulta | Any | Diagnosis | ICD-10-CM |
| Q761 | Klippel-Feil syndrome | Any | Diagnosis | ICD-10-CM |
| Q762 | Congenital spondylolisthesis | Any | Diagnosis | ICD-10-CM |
| Q763 | Congenital scoliosis due to congenital bony malformation | Any | Diagnosis | ICD-10-CM |
| Q76411 | Congenital kyphosis, occipito-atlanto-axial region | Any | Diagnosis | ICD-10-CM |
| Q76412 | Congenital kyphosis, cervical region | Any | Diagnosis | ICD-10-CM |
| Q76413 | Congenital kyphosis, cervicothoracic region | Any | Diagnosis | ICD-10-CM |
| Q76414 | Congenital kyphosis, thoracic region | Any | Diagnosis | ICD-10-CM |
| Q76415 | Congenital kyphosis, thoracolumbar region | Any | Diagnosis | ICD-10-CM |
| Q76419 | Congenital kyphosis, unspecified region | Any | Diagnosis | ICD-10-CM |
| Q76425 | Congenital lordosis, thoracolumbar region | Any | Diagnosis | ICD-10-CM |
| Q76426 | Congenital lordosis, lumbar region | Any | Diagnosis | ICD-10-CM |
| Q76427 | Congenital lordosis, lumbosacral region | Any | Diagnosis | ICD-10-CM |
| Q76428 | Congenital lordosis, sacral and sacrococcygeal region | Any | Diagnosis | ICD-10-CM |
| Q76429 | Congenital lordosis, unspecified region | Any | Diagnosis | ICD-10-CM |
| Q7649 | Other congenital malformations of spine, not associated with scoliosis | Any | Diagnosis | ICD-10-CM |
| Q765 | Cervical rib | Any | Diagnosis | ICD-10-CM |
| Q766 | Other congenital malformations of ribs | Any | Diagnosis | ICD-10-CM |
| Q767 | Congenital malformation of sternum | Any | Diagnosis | ICD-10-CM |
| Q768 | Other congenital malformations of bony thorax | Any | Diagnosis | ICD-10-CM |
| Q769 | Congenital malformation of bony thorax, unspecified | Any | Diagnosis | ICD-10-CM |
| Q770 | Achondrogenesis | Any | Diagnosis | ICD-10-CM |
| Q771 | Thanatophoric short stature | Any | Diagnosis | ICD-10-CM |
| Q772 | Short rib syndrome | Any | Diagnosis | ICD-10-CM |

Appendix I. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), Healthcare Common Procedure Coding System (HCPCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Obstetric Conditions

| Code | Description | Care Setting | Code | |
|-------|--|--------------|-----------|-----------|
| | | | Category | Code Type |
| Q773 | Chondrodysplasia punctata | Any | Diagnosis | ICD-10-CM |
| Q774 | Achondroplasia | Any | Diagnosis | ICD-10-CM |
| Q775 | Diastrophic dysplasia | Any | Diagnosis | ICD-10-CM |
| Q776 | Chondroectodermal dysplasia | Any | Diagnosis | ICD-10-CM |
| Q777 | Spondyloepiphyseal dysplasia | Any | Diagnosis | ICD-10-CM |
| Q778 | Other osteochondrodysplasia with defects of growth of tubular bones and spine | Any | Diagnosis | ICD-10-CM |
| Q779 | Osteochondrodysplasia with defects of growth of tubular bones and spine, unspecified | Any | Diagnosis | ICD-10-CM |
| Q780 | Osteogenesis imperfecta | Any | Diagnosis | ICD-10-CM |
| Q781 | Polyostotic fibrous dysplasia | Any | Diagnosis | ICD-10-CM |
| Q782 | Osteopetrosis | Any | Diagnosis | ICD-10-CM |
| Q783 | Progressive diaphyseal dysplasia | Any | Diagnosis | ICD-10-CM |
| Q784 | Enchondromatosis | Any | Diagnosis | ICD-10-CM |
| Q785 | Metaphyseal dysplasia | Any | Diagnosis | ICD-10-CM |
| Q786 | Multiple congenital exostoses | Any | Diagnosis | ICD-10-CM |
| Q788 | Other specified osteochondrodysplasias | Any | Diagnosis | ICD-10-CM |
| Q789 | Osteochondrodysplasia, unspecified | Any | Diagnosis | ICD-10-CM |
| Q790 | Congenital diaphragmatic hernia | Any | Diagnosis | ICD-10-CM |
| Q791 | Other congenital malformations of diaphragm | Any | Diagnosis | ICD-10-CM |
| Q792 | Exomphalos | Any | Diagnosis | ICD-10-CM |
| Q793 | Gastroschisis | Any | Diagnosis | ICD-10-CM |
| Q794 | Prune belly syndrome | Any | Diagnosis | ICD-10-CM |
| Q7951 | Congenital hernia of bladder | Any | Diagnosis | ICD-10-CM |
| Q7959 | Other congenital malformations of abdominal wall | Any | Diagnosis | ICD-10-CM |
| Q796 | Ehlers-Danlos syndrome | Any | Diagnosis | ICD-10-CM |
| Q798 | Other congenital malformations of musculoskeletal system | Any | Diagnosis | ICD-10-CM |
| Q799 | Congenital malformation of musculoskeletal system, unspecified | Any | Diagnosis | ICD-10-CM |
| Q800 | Ichthyosis vulgaris | Any | Diagnosis | ICD-10-CM |
| Q801 | X-linked ichthyosis | Any | Diagnosis | ICD-10-CM |
| Q802 | Lamellar ichthyosis | Any | Diagnosis | ICD-10-CM |
| Q803 | Congenital bullous ichthyosiform erythroderma | Any | Diagnosis | ICD-10-CM |
| Q804 | Harlequin fetus | Any | Diagnosis | ICD-10-CM |
| Q808 | Other congenital ichthyosis | Any | Diagnosis | ICD-10-CM |
| Q809 | Congenital ichthyosis, unspecified | Any | Diagnosis | ICD-10-CM |
| Q810 | Epidermolysis bullosa simplex | Any | Diagnosis | ICD-10-CM |
| Q811 | Epidermolysis bullosa letalis | Any | Diagnosis | ICD-10-CM |

Appendix I. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), Healthcare Common Procedure Coding System (HCPCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Obstetric Conditions

| Code | Description | Care Setting | Code | |
|-------|---|--------------|-----------|-----------|
| | | | Category | Code Type |
| Q812 | Epidermolysis bullosa dystrophica | Any | Diagnosis | ICD-10-CM |
| Q818 | Other epidermolysis bullosa | Any | Diagnosis | ICD-10-CM |
| Q819 | Epidermolysis bullosa, unspecified | Any | Diagnosis | ICD-10-CM |
| Q820 | Hereditary lymphedema | Any | Diagnosis | ICD-10-CM |
| Q821 | Xeroderma pigmentosum | Any | Diagnosis | ICD-10-CM |
| Q822 | Congenital cutaneous mastocytosis | Any | Diagnosis | ICD-10-CM |
| Q823 | Incontinentia pigmenti | Any | Diagnosis | ICD-10-CM |
| Q824 | Ectodermal dysplasia (anhidrotic) | Any | Diagnosis | ICD-10-CM |
| Q825 | Congenital non-neoplastic nevus | Any | Diagnosis | ICD-10-CM |
| Q826 | Congenital sacral dimple | Any | Diagnosis | ICD-10-CM |
| Q828 | Other specified congenital malformations of skin | Any | Diagnosis | ICD-10-CM |
| Q829 | Congenital malformation of skin, unspecified | Any | Diagnosis | ICD-10-CM |
| Q830 | Congenital absence of breast with absent nipple | Any | Diagnosis | ICD-10-CM |
| Q831 | Accessory breast | Any | Diagnosis | ICD-10-CM |
| Q832 | Absent nipple | Any | Diagnosis | ICD-10-CM |
| Q833 | Accessory nipple | Any | Diagnosis | ICD-10-CM |
| Q838 | Other congenital malformations of breast | Any | Diagnosis | ICD-10-CM |
| Q839 | Congenital malformation of breast, unspecified | Any | Diagnosis | ICD-10-CM |
| Q840 | Congenital alopecia | Any | Diagnosis | ICD-10-CM |
| Q841 | Congenital morphological disturbances of hair, not elsewhere classified | Any | Diagnosis | ICD-10-CM |
| Q842 | Other congenital malformations of hair | Any | Diagnosis | ICD-10-CM |
| Q843 | Anonychia | Any | Diagnosis | ICD-10-CM |
| Q844 | Congenital leukonychia | Any | Diagnosis | ICD-10-CM |
| Q845 | Enlarged and hypertrophic nails | Any | Diagnosis | ICD-10-CM |
| Q846 | Other congenital malformations of nails | Any | Diagnosis | ICD-10-CM |
| Q848 | Other specified congenital malformations of integument | Any | Diagnosis | ICD-10-CM |
| Q849 | Congenital malformation of integument, unspecified | Any | Diagnosis | ICD-10-CM |
| Q851 | Tuberous sclerosis | Any | Diagnosis | ICD-10-CM |
| Q858 | Other phakomatoses, not elsewhere classified | Any | Diagnosis | ICD-10-CM |
| Q859 | Phakomatosis, unspecified | Any | Diagnosis | ICD-10-CM |
| Q870 | Congenital malformation syndromes predominantly affecting facial appearance | Any | Diagnosis | ICD-10-CM |
| Q871 | Congenital malformation syndromes predominantly associated with short stature | Any | Diagnosis | ICD-10-CM |
| Q872 | Congenital malformation syndromes predominantly involving limbs | Any | Diagnosis | ICD-10-CM |
| Q873 | Congenital malformation syndromes involving early overgrowth | Any | Diagnosis | ICD-10-CM |
| Q8740 | Marfan's syndrome, unspecified | Any | Diagnosis | ICD-10-CM |

Appendix I. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), Healthcare Common Procedure Coding System (HCPCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Obstetric Conditions

| Code | Description | Care Setting | Code | |
|--------|---|--------------|-----------|-----------|
| | | | Category | Code Type |
| Q87410 | Marfan's syndrome with aortic dilation | Any | Diagnosis | ICD-10-CM |
| Q87418 | Marfan's syndrome with other cardiovascular manifestations | Any | Diagnosis | ICD-10-CM |
| Q8742 | Marfan's syndrome with ocular manifestations | Any | Diagnosis | ICD-10-CM |
| Q8743 | Marfan's syndrome with skeletal manifestation | Any | Diagnosis | ICD-10-CM |
| Q875 | Other congenital malformation syndromes with other skeletal changes | Any | Diagnosis | ICD-10-CM |
| Q8781 | Alport syndrome | Any | Diagnosis | ICD-10-CM |
| Q8782 | Arterial tortuosity syndrome | Any | Diagnosis | ICD-10-CM |
| Q8789 | Other specified congenital malformation syndromes, not elsewhere classified | Any | Diagnosis | ICD-10-CM |
| Q8901 | Asplenia (congenital) | Any | Diagnosis | ICD-10-CM |
| Q8909 | Congenital malformations of spleen | Any | Diagnosis | ICD-10-CM |
| Q891 | Congenital malformations of adrenal gland | Any | Diagnosis | ICD-10-CM |
| Q892 | Congenital malformations of other endocrine glands | Any | Diagnosis | ICD-10-CM |
| Q893 | Situs inversus | Any | Diagnosis | ICD-10-CM |
| Q894 | Conjoined twins | Any | Diagnosis | ICD-10-CM |
| Q897 | Multiple congenital malformations, not elsewhere classified | Any | Diagnosis | ICD-10-CM |
| Q898 | Other specified congenital malformations | Any | Diagnosis | ICD-10-CM |
| Q899 | Congenital malformation, unspecified | Any | Diagnosis | ICD-10-CM |
| Q900 | Trisomy 21, nonmosaicism (meiotic nondisjunction) | Any | Diagnosis | ICD-10-CM |
| Q901 | Trisomy 21, mosaicism (mitotic nondisjunction) | Any | Diagnosis | ICD-10-CM |
| Q902 | Trisomy 21, translocation | Any | Diagnosis | ICD-10-CM |
| Q909 | Down syndrome, unspecified | Any | Diagnosis | ICD-10-CM |
| Q910 | Trisomy 18, nonmosaicism (meiotic nondisjunction) | Any | Diagnosis | ICD-10-CM |
| Q911 | Trisomy 18, mosaicism (mitotic nondisjunction) | Any | Diagnosis | ICD-10-CM |
| Q912 | Trisomy 18, translocation | Any | Diagnosis | ICD-10-CM |
| Q913 | Trisomy 18, unspecified | Any | Diagnosis | ICD-10-CM |
| Q914 | Trisomy 13, nonmosaicism (meiotic nondisjunction) | Any | Diagnosis | ICD-10-CM |
| Q915 | Trisomy 13, mosaicism (mitotic nondisjunction) | Any | Diagnosis | ICD-10-CM |
| Q916 | Trisomy 13, translocation | Any | Diagnosis | ICD-10-CM |
| Q917 | Trisomy 13, unspecified | Any | Diagnosis | ICD-10-CM |
| Q920 | Whole chromosome trisomy, nonmosaicism (meiotic nondisjunction) | Any | Diagnosis | ICD-10-CM |
| Q921 | Whole chromosome trisomy, mosaicism (mitotic nondisjunction) | Any | Diagnosis | ICD-10-CM |
| Q922 | Partial trisomy | Any | Diagnosis | ICD-10-CM |
| Q925 | Duplications with other complex rearrangements | Any | Diagnosis | ICD-10-CM |
| Q9261 | Marker chromosomes in normal individual | Any | Diagnosis | ICD-10-CM |
| Q9262 | Marker chromosomes in abnormal individual | Any | Diagnosis | ICD-10-CM |

Appendix I. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), Healthcare Common Procedure Coding System (HCPCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Obstetric Conditions

| Code | Description | Care Setting | Code | |
|-------|--|--------------|-----------|-----------|
| | | | Category | Code Type |
| Q927 | Triploidy and polyploidy | Any | Diagnosis | ICD-10-CM |
| Q928 | Other specified trisomies and partial trisomies of autosomes | Any | Diagnosis | ICD-10-CM |
| Q929 | Trisomy and partial trisomy of autosomes, unspecified | Any | Diagnosis | ICD-10-CM |
| Q930 | Whole chromosome monosomy, nonmosaicism (meiotic nondisjunction) | Any | Diagnosis | ICD-10-CM |
| Q931 | Whole chromosome monosomy, mosaicism (mitotic nondisjunction) | Any | Diagnosis | ICD-10-CM |
| Q932 | Chromosome replaced with ring, dicentric or isochromosome | Any | Diagnosis | ICD-10-CM |
| Q933 | Deletion of short arm of chromosome 4 | Any | Diagnosis | ICD-10-CM |
| Q934 | Deletion of short arm of chromosome 5 | Any | Diagnosis | ICD-10-CM |
| Q935 | Other deletions of part of a chromosome | Any | Diagnosis | ICD-10-CM |
| Q937 | Deletions with other complex rearrangements | Any | Diagnosis | ICD-10-CM |
| Q9381 | Velo-cardio-facial syndrome | Any | Diagnosis | ICD-10-CM |
| Q9388 | Other microdeletions | Any | Diagnosis | ICD-10-CM |
| Q9389 | Other deletions from the autosomes | Any | Diagnosis | ICD-10-CM |
| Q939 | Deletion from autosomes, unspecified | Any | Diagnosis | ICD-10-CM |
| Q950 | Balanced translocation and insertion in normal individual | Any | Diagnosis | ICD-10-CM |
| Q951 | Chromosome inversion in normal individual | Any | Diagnosis | ICD-10-CM |
| Q952 | Balanced autosomal rearrangement in abnormal individual | Any | Diagnosis | ICD-10-CM |
| Q953 | Balanced sex/autosomal rearrangement in abnormal individual | Any | Diagnosis | ICD-10-CM |
| Q955 | Individual with autosomal fragile site | Any | Diagnosis | ICD-10-CM |
| Q958 | Other balanced rearrangements and structural markers | Any | Diagnosis | ICD-10-CM |
| Q959 | Balanced rearrangement and structural marker, unspecified | Any | Diagnosis | ICD-10-CM |
| Q960 | Karyotype 45, X | Any | Diagnosis | ICD-10-CM |
| Q961 | Karyotype 46, X iso (Xq) | Any | Diagnosis | ICD-10-CM |
| Q962 | Karyotype 46, X with abnormal sex chromosome, except iso (Xq) | Any | Diagnosis | ICD-10-CM |
| Q963 | Mosaicism, 45, X/46, XX or XY | Any | Diagnosis | ICD-10-CM |
| Q964 | Mosaicism, 45, X/other cell line(s) with abnormal sex chromosome | Any | Diagnosis | ICD-10-CM |
| Q968 | Other variants of Turner's syndrome | Any | Diagnosis | ICD-10-CM |
| Q969 | Turner's syndrome, unspecified | Any | Diagnosis | ICD-10-CM |
| Q970 | Karyotype 47, XXX | Any | Diagnosis | ICD-10-CM |
| Q971 | Female with more than three X chromosomes | Any | Diagnosis | ICD-10-CM |
| Q972 | Mosaicism, lines with various numbers of X chromosomes | Any | Diagnosis | ICD-10-CM |
| Q973 | Female with 46, XY karyotype | Any | Diagnosis | ICD-10-CM |
| Q978 | Other specified sex chromosome abnormalities, female phenotype | Any | Diagnosis | ICD-10-CM |
| Q979 | Sex chromosome abnormality, female phenotype, unspecified | Any | Diagnosis | ICD-10-CM |
| Q980 | Klinefelter syndrome karyotype 47, XXY | Any | Diagnosis | ICD-10-CM |

Appendix I. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), Healthcare Common Procedure Coding System (HCPCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Obstetric Conditions

| Code | Description | Care Setting | Code | |
|----------------------------------|---|--------------|-----------|-----------|
| | | | Category | Code Type |
| Q981 | Klinefelter syndrome, male with more than two X chromosomes | Any | Diagnosis | ICD-10-CM |
| Q983 | Other male with 46, XX karyotype | Any | Diagnosis | ICD-10-CM |
| Q984 | Klinefelter syndrome, unspecified | Any | Diagnosis | ICD-10-CM |
| Q985 | Karyotype 47, XYY | Any | Diagnosis | ICD-10-CM |
| Q986 | Male with structurally abnormal sex chromosome | Any | Diagnosis | ICD-10-CM |
| Q987 | Male with sex chromosome mosaicism | Any | Diagnosis | ICD-10-CM |
| Q988 | Other specified sex chromosome abnormalities, male phenotype | Any | Diagnosis | ICD-10-CM |
| Q989 | Sex chromosome abnormality, male phenotype, unspecified | Any | Diagnosis | ICD-10-CM |
| Q990 | Chimera 46, XX/46, XY | Any | Diagnosis | ICD-10-CM |
| Q991 | 46, XX true hermaphrodite | Any | Diagnosis | ICD-10-CM |
| Q992 | Fragile X chromosome | Any | Diagnosis | ICD-10-CM |
| Q998 | Other specified chromosome abnormalities | Any | Diagnosis | ICD-10-CM |
| Q999 | Chromosomal abnormality, unspecified | Any | Diagnosis | ICD-10-CM |
| Eclampsia or preeclampsia | | | | |
| O15 | Eclampsia | Any | Diagnosis | ICD-10-CM |
| O1500 | Eclampsia complicating pregnancy, unspecified trimester | Any | Diagnosis | ICD-10-CM |
| O1502 | Eclampsia complicating pregnancy, second trimester | Any | Diagnosis | ICD-10-CM |
| O1503 | Eclampsia complicating pregnancy, third trimester | Any | Diagnosis | ICD-10-CM |
| O151 | Eclampsia complicating labor | Any | Diagnosis | ICD-10-CM |
| O152 | Eclampsia complicating the puerperium | Any | Diagnosis | ICD-10-CM |
| O159 | Eclampsia, unspecified as to time period | Any | Diagnosis | ICD-10-CM |
| O11 | Pre-existing hypertension with pre-eclampsia | Any | Diagnosis | ICD-10-CM |
| O111 | Pre-existing hypertension with pre-eclampsia, first trimester | Any | Diagnosis | ICD-10-CM |
| O112 | Pre-existing hypertension with pre-eclampsia, second trimester | Any | Diagnosis | ICD-10-CM |
| O113 | Pre-existing hypertension with pre-eclampsia, third trimester | Any | Diagnosis | ICD-10-CM |
| O114 | Pre-existing hypertension with pre-eclampsia, complicating childbirth | Any | Diagnosis | ICD-10-CM |
| O115 | Pre-existing hypertension with pre-eclampsia, complicating the puerperium | Any | Diagnosis | ICD-10-CM |
| O119 | Pre-existing hypertension with pre-eclampsia, unspecified trimester | Any | Diagnosis | ICD-10-CM |
| O14 | Pre-eclampsia | Any | Diagnosis | ICD-10-CM |
| O140 | Mild to moderate pre-eclampsia | Any | Diagnosis | ICD-10-CM |
| O1400 | Mild to moderate pre-eclampsia, unspecified trimester | Any | Diagnosis | ICD-10-CM |
| O1402 | Mild to moderate pre-eclampsia, second trimester | Any | Diagnosis | ICD-10-CM |
| O1403 | Mild to moderate pre-eclampsia, third trimester | Any | Diagnosis | ICD-10-CM |
| O1404 | Mild to moderate pre-eclampsia, complicating childbirth | Any | Diagnosis | ICD-10-CM |
| O1405 | Mild to moderate pre-eclampsia, complicating the puerperium | Any | Diagnosis | ICD-10-CM |

Appendix I. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), Healthcare Common Procedure Coding System (HCPCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Obstetric Conditions

| Code | Description | Care Setting | Code | |
|-----------------------------|--|--------------|-----------|-----------|
| | | | Category | Code Type |
| O141 | Severe pre-eclampsia | Any | Diagnosis | ICD-10-CM |
| O1410 | Severe pre-eclampsia, unspecified trimester | Any | Diagnosis | ICD-10-CM |
| O1412 | Severe pre-eclampsia, second trimester | Any | Diagnosis | ICD-10-CM |
| O1413 | Severe pre-eclampsia, third trimester | Any | Diagnosis | ICD-10-CM |
| O1414 | Severe pre-eclampsia complicating childbirth | Any | Diagnosis | ICD-10-CM |
| O1415 | Severe pre-eclampsia, complicating the puerperium | Any | Diagnosis | ICD-10-CM |
| O1420 | HELLP syndrome (HELLP), unspecified trimester | Any | Diagnosis | ICD-10-CM |
| O1422 | HELLP syndrome (HELLP), second trimester | Any | Diagnosis | ICD-10-CM |
| O1423 | HELLP syndrome (HELLP), third trimester | Any | Diagnosis | ICD-10-CM |
| O1424 | HELLP syndrome, complicating childbirth | Any | Diagnosis | ICD-10-CM |
| O1425 | HELLP syndrome, complicating the puerperium | Any | Diagnosis | ICD-10-CM |
| O149 | Unspecified pre-eclampsia | Any | Diagnosis | ICD-10-CM |
| O1490 | Unspecified pre-eclampsia, unspecified trimester | Any | Diagnosis | ICD-10-CM |
| O1492 | Unspecified pre-eclampsia, second trimester | Any | Diagnosis | ICD-10-CM |
| O1493 | Unspecified pre-eclampsia, third trimester | Any | Diagnosis | ICD-10-CM |
| O1494 | Unspecified pre-eclampsia, complicating childbirth | Any | Diagnosis | ICD-10-CM |
| O1495 | Unspecified pre-eclampsia, complicating the puerperium | Any | Diagnosis | ICD-10-CM |
| Gestational diabetes | | | | |
| O244 | Gestational diabetes mellitus | Any | Diagnosis | ICD-10-CM |
| O2441 | Gestational diabetes mellitus in pregnancy | Any | Diagnosis | ICD-10-CM |
| O24410 | Gestational diabetes mellitus in pregnancy, diet controlled | Any | Diagnosis | ICD-10-CM |
| O24414 | Gestational diabetes mellitus in pregnancy, insulin controlled | Any | Diagnosis | ICD-10-CM |
| O24415 | Gestational diabetes mellitus in pregnancy, controlled by oral hypoglycemic drugs | Any | Diagnosis | ICD-10-CM |
| O24419 | Gestational diabetes mellitus in pregnancy, unspecified control | Any | Diagnosis | ICD-10-CM |
| O2442 | Gestational diabetes mellitus in childbirth | Any | Diagnosis | ICD-10-CM |
| O24420 | Gestational diabetes mellitus in childbirth, diet controlled | Any | Diagnosis | ICD-10-CM |
| O24424 | Gestational diabetes mellitus in childbirth, insulin controlled | Any | Diagnosis | ICD-10-CM |
| O24425 | Gestational diabetes mellitus in childbirth, controlled by oral hypoglycemic drugs | Any | Diagnosis | ICD-10-CM |
| O24429 | Gestational diabetes mellitus in childbirth, unspecified control | Any | Diagnosis | ICD-10-CM |
| O2443 | Gestational diabetes mellitus in the puerperium | Any | Diagnosis | ICD-10-CM |
| O24430 | Gestational diabetes mellitus in the puerperium, diet controlled | Any | Diagnosis | ICD-10-CM |
| O24434 | Gestational diabetes mellitus in the puerperium, insulin controlled | Any | Diagnosis | ICD-10-CM |
| O24435 | Gestational diabetes mellitus in puerperium, controlled by oral hypoglycemic drugs | Any | Diagnosis | ICD-10-CM |
| O24439 | Gestational diabetes mellitus in the puerperium, unspecified control | Any | Diagnosis | ICD-10-CM |

Appendix I. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), Healthcare Common Procedure Coding System (HCPCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Obstetric Conditions

| Code | Description | Care Setting | Code | |
|--|---|--------------|-----------|-----------|
| | | | Category | Code Type |
| 6488 | Abnormal maternal glucose tolerance, complicating pregnancy, childbirth, or the puerperium | Any | Diagnosis | ICD-10-CM |
| 64880 | Abnormal maternal glucose tolerance, complicating pregnancy, childbirth, or the puerperium, unspecified as to episode of care | Any | Diagnosis | ICD-10-CM |
| 64881 | Abnormal maternal glucose tolerance, with delivery | Any | Diagnosis | ICD-10-CM |
| 64882 | Abnormal maternal glucose tolerance, with delivery, with current postpartum complication | Any | Diagnosis | ICD-10-CM |
| 64883 | Abnormal maternal glucose tolerance, antepartum | Any | Diagnosis | ICD-10-CM |
| 64884 | Abnormal maternal glucose tolerance complicating pregnancy, childbirth, or the puerperium, postpartum condition or complication | Any | Diagnosis | ICD-10-CM |
| Gestational hypertension | | | | |
| O131 | Gestational [pregnancy-induced] hypertension without significant proteinuria, first trimester | Any | Diagnosis | ICD-10-CM |
| O132 | Gestational [pregnancy-induced] hypertension without significant proteinuria, second trimester | Any | Diagnosis | ICD-10-CM |
| O133 | Gestational [pregnancy-induced] hypertension without significant proteinuria, third trimester | Any | Diagnosis | ICD-10-CM |
| O134 | Gestational [pregnancy-induced] hypertension without significant proteinuria, complicating childbirth | Any | Diagnosis | ICD-10-CM |
| O135 | Gestational [pregnancy-induced] hypertension without significant proteinuria, complicating the puerperium | Any | Diagnosis | ICD-10-CM |
| O139 | Gestational [pregnancy-induced] hypertension without significant proteinuria, unspecified trimester | Any | Diagnosis | ICD-10-CM |
| 6423 | Transient hypertension of pregnancy | Any | Diagnosis | ICD-10-CM |
| 64230 | Transient hypertension of pregnancy, unspecified as to episode of care | Any | Diagnosis | ICD-10-CM |
| 64231 | Transient hypertension of pregnancy, with delivery | Any | Diagnosis | ICD-10-CM |
| 64232 | Transient hypertension of pregnancy, with delivery, with current postpartum complication | Any | Diagnosis | ICD-10-CM |
| 64233 | Transient hypertension of pregnancy, antepartum | Any | Diagnosis | ICD-10-CM |
| 64234 | Transient hypertension of pregnancy, postpartum condition or complication | Any | Diagnosis | ICD-10-CM |
| Intrauterine growth restriction | | | | |
| Z364 | Encounter for antenatal screening for fetal growth retardation | Any | Diagnosis | ICD-10-CM |
| P052 | Newborn affected by fetal (intrauterine) malnutrition not light or small for gestational age | Any | Diagnosis | ICD-10-CM |
| P059 | Newborn affected by slow intrauterine growth, unspecified | Any | Diagnosis | ICD-10-CM |

Appendix I. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), Healthcare Common Procedure Coding System (HCPCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Obstetric Conditions

| Code | Description | Care Setting | Code | |
|---------|--|--------------|-----------|-----------|
| | | | Category | Code Type |
| O365 | Maternal care for known or suspected poor fetal growth | Any | Diagnosis | ICD-10-CM |
| O3659 | Maternal care for other known or suspected poor fetal growth | Any | Diagnosis | ICD-10-CM |
| O36591 | Maternal care for other known or suspected poor fetal growth, first trimester | Any | Diagnosis | ICD-10-CM |
| O365910 | Maternal care for other known or suspected poor fetal growth, first trimester, not applicable or unspecified | Any | Diagnosis | ICD-10-CM |
| O365911 | Maternal care for other known or suspected poor fetal growth, first trimester, fetus 1 | Any | Diagnosis | ICD-10-CM |
| O365912 | Maternal care for other known or suspected poor fetal growth, first trimester, fetus 2 | Any | Diagnosis | ICD-10-CM |
| O365913 | Maternal care for other known or suspected poor fetal growth, first trimester, fetus 3 | Any | Diagnosis | ICD-10-CM |
| O365914 | Maternal care for other known or suspected poor fetal growth, first trimester, fetus 4 | Any | Diagnosis | ICD-10-CM |
| O365915 | Maternal care for other known or suspected poor fetal growth, first trimester, fetus 5 | Any | Diagnosis | ICD-10-CM |
| O365919 | Maternal care for other known or suspected poor fetal growth, first trimester, other fetus | Any | Diagnosis | ICD-10-CM |
| O36592 | Maternal care for other known or suspected poor fetal growth, second trimester | Any | Diagnosis | ICD-10-CM |
| O365920 | Maternal care for other known or suspected poor fetal growth, second trimester, not applicable or unspecified | Any | Diagnosis | ICD-10-CM |
| O365921 | Maternal care for other known or suspected poor fetal growth, second trimester, fetus 1 | Any | Diagnosis | ICD-10-CM |
| O365922 | Maternal care for other known or suspected poor fetal growth, second trimester, fetus 2 | Any | Diagnosis | ICD-10-CM |
| O365923 | Maternal care for other known or suspected poor fetal growth, second trimester, fetus 3 | Any | Diagnosis | ICD-10-CM |
| O365924 | Maternal care for other known or suspected poor fetal growth, second trimester, fetus 4 | Any | Diagnosis | ICD-10-CM |
| O365925 | Maternal care for other known or suspected poor fetal growth, second trimester, fetus 5 | Any | Diagnosis | ICD-10-CM |
| O365929 | Maternal care for other known or suspected poor fetal growth, second trimester, other fetus | Any | Diagnosis | ICD-10-CM |
| O36593 | Maternal care for other known or suspected poor fetal growth, third trimester | Any | Diagnosis | ICD-10-CM |
| O365930 | Maternal care for other known or suspected poor fetal growth, third trimester, not applicable or unspecified | Any | Diagnosis | ICD-10-CM |
| O365931 | Maternal care for other known or suspected poor fetal growth, third trimester, fetus 1 | Any | Diagnosis | ICD-10-CM |
| O365932 | Maternal care for other known or suspected poor fetal growth, third trimester, fetus 2 | Any | Diagnosis | ICD-10-CM |
| O365933 | Maternal care for other known or suspected poor fetal growth, third trimester, fetus 3 | Any | Diagnosis | ICD-10-CM |
| O365934 | Maternal care for other known or suspected poor fetal growth, third trimester, fetus 4 | Any | Diagnosis | ICD-10-CM |
| O365935 | Maternal care for other known or suspected poor fetal growth, third trimester, fetus 5 | Any | Diagnosis | ICD-10-CM |
| O365939 | Maternal care for other known or suspected poor fetal growth, third trimester, other fetus | Any | Diagnosis | ICD-10-CM |
| O36599 | Maternal care for other known or suspected poor fetal growth, unspecified trimester | Any | Diagnosis | ICD-10-CM |
| O365990 | Maternal care for other known or suspected poor fetal growth, unspecified trimester, not applicable or unspecified | Any | Diagnosis | ICD-10-CM |

Appendix I. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), Healthcare Common Procedure Coding System (HCPCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Obstetric Conditions

| Code | Description | Care Setting | Code | |
|---|---|--------------|-----------|-----------|
| | | | Category | Code Type |
| O365991 | Maternal care for other known or suspected poor fetal growth, unspecified trimester, fetus 1 | Any | Diagnosis | ICD-10-CM |
| O365992 | Maternal care for other known or suspected poor fetal growth, unspecified trimester, fetus 2 | Any | Diagnosis | ICD-10-CM |
| O365993 | Maternal care for other known or suspected poor fetal growth, unspecified trimester, fetus 3 | Any | Diagnosis | ICD-10-CM |
| O365994 | Maternal care for other known or suspected poor fetal growth, unspecified trimester, fetus 4 | Any | Diagnosis | ICD-10-CM |
| O365995 | Maternal care for other known or suspected poor fetal growth, unspecified trimester, fetus 5 | Any | Diagnosis | ICD-10-CM |
| O365999 | Maternal care for other known or suspected poor fetal growth, unspecified trimester, other fetus | Any | Diagnosis | ICD-10-CM |
| Assisted reproductive technology | | | | |
| 58321 | ARTIFICIAL INSEMINATION; INTRA-CERVICAL | Any | Procedure | CPT-4 |
| 58322 | ARTIFICIAL INSEMINATION | Any | Procedure | CPT-4 |
| 58974 | TRANSFER OF EMBRYO | Any | Procedure | CPT-4 |
| 58976 | Gamete, zygote, or embryo intrafallopian transfer | Any | Procedure | CPT-4 |
| S4011 | IN VITRO FERTILIZATION; | Any | Procedure | HCPCS |
| S4013 | COMPLETE CYCLE GIFT CASE RATE | Any | Procedure | HCPCS |
| S4014 | COMPLETE CYCLE ZIFT CASE RATE | Any | Procedure | HCPCS |
| S4015 | COMPLETE IVF CYCLE CASE RATE NOS | Any | Procedure | HCPCS |
| S4016 | FROZEN IVF CYCLE CASE RATE | Any | Procedure | HCPCS |
| S4035 | STIMULATED INTRAUTERINE INSEMINATION (IUI), CASE RATE | Any | Procedure | HCPCS |
| S4037 | Cryopreserved embryo transfer, case rate | Any | Procedure | HCPCS |
| Caesarean section | | | | |
| O82 | Encounter for cesarean delivery without indication | Any | Diagnosis | ICD-10-CM |
| P034 | Newborn affected by Cesarean delivery | Any | Diagnosis | ICD-10-CM |
| O7582 | Onset (spontaneous) of labor after 37 completed weeks of gestation but before 39 completed weeks gestation, with delivery by (planned) cesarean section | Any | Diagnosis | ICD-10-CM |
| Z3869 | Other multiple liveborn infant, delivered by cesarean | Any | Diagnosis | ICD-10-CM |
| Z3864 | Quadruplet liveborn infant, delivered by cesarean | Any | Diagnosis | ICD-10-CM |
| Z3866 | Quintuplet liveborn infant, delivered by cesarean | Any | Diagnosis | ICD-10-CM |
| Z3801 | Single liveborn infant, delivered by cesarean | Any | Diagnosis | ICD-10-CM |
| Z3862 | Triplet liveborn infant, delivered by cesarean | Any | Diagnosis | ICD-10-CM |

Appendix I. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), Healthcare Common Procedure Coding System (HCPCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Obstetric Conditions

| Code | Description | Care Setting | Code | |
|-------------------------|--|--------------|-----------|-----------|
| | | | Category | Code Type |
| Z3831 | Twin liveborn infant, delivered by cesarean | Any | Diagnosis | ICD-10-CM |
| 59620 | Cesarean delivery only, following attempted vaginal delivery after previous cesarean | Any | Procedure | CPT-4 |
| 59514 | Cesarean delivery only; | Any | Procedure | CPT-4 |
| 59515 | Cesarean delivery only; including postpartum care | Any | Procedure | CPT-4 |
| 59622 | Cesarean delivery only, following attempted vaginal delivery after previous cesarean | Any | Procedure | CPT-4 |
| | deliverv; including postpartum care | | | |
| 59500 | Cesarean Section, Low Cervical, Including In-hospital | Any | Procedure | CPT-4 |
| 59501 | Cesarean Section, Low Cervical, Including In-hospital | Any | Procedure | CPT-4 |
| 59540 | Cesarean Section, Extraperitoneal, Including In-hospital | Any | Procedure | CPT-4 |
| 59541 | Cesarean Section, Extraperitoneal, Including In-hospital | Any | Procedure | CPT-4 |
| 59560 | Cesarean Section With Hysterectomy, Subtotal, Including | Any | Procedure | CPT-4 |
| 59561 | Cesarean Section With Hysterectomy, Subtotal, Including | Any | Procedure | CPT-4 |
| 59580 | Cesarean Section With Hysterectomy, Total, Including | Any | Procedure | CPT-4 |
| 59581 | Cesarean Section With Hysterectomy, Total, Including | Any | Procedure | CPT-4 |
| Low birth weight | | | | |
| P07 | Disorders of newborn related to short gestation and low birth weight, not elsewhere classified | Any | Diagnosis | ICD-10-CM |
| P070 | Extremely low birth weight newborn | Any | Diagnosis | ICD-10-CM |
| P0701 | Extremely low birth weight newborn, less than 500 grams | Any | Diagnosis | ICD-10-CM |
| P0702 | Extremely low birth weight newborn, 500-749 grams | Any | Diagnosis | ICD-10-CM |
| P0703 | Extremely low birth weight newborn, 750-999 grams | Any | Diagnosis | ICD-10-CM |
| P0700 | Extremely low birth weight newborn, unspecified weight | Any | Diagnosis | ICD-10-CM |
| P071 | Other low birth weight newborn | Any | Diagnosis | ICD-10-CM |
| P0714 | Other low birth weight newborn, 1000-1249 grams | Any | Diagnosis | ICD-10-CM |
| P0715 | Other low birth weight newborn, 1250-1499 grams | Any | Diagnosis | ICD-10-CM |
| P0716 | Other low birth weight newborn, 1500-1749 grams | Any | Diagnosis | ICD-10-CM |
| P0717 | Other low birth weight newborn, 1750-1999 grams | Any | Diagnosis | ICD-10-CM |
| P0718 | Other low birth weight newborn, 2000-2499 grams | Any | Diagnosis | ICD-10-CM |
| P0710 | Other low birth weight newborn, unspecified weight | Any | Diagnosis | ICD-10-CM |
| Preterm birth | | | | |
| O6012X0 | Preterm labor second trimester with preterm delivery second trimester, not applicable or unspecified | Any | Diagnosis | ICD-10-CM |
| O6012X1 | Preterm labor second trimester with preterm delivery second trimester, fetus 1 | Any | Diagnosis | ICD-10-CM |
| O6012X2 | Preterm labor second trimester with preterm delivery second trimester, fetus 2 | Any | Diagnosis | ICD-10-CM |

Appendix I. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), Healthcare Common Procedure Coding System (HCPCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Obstetric Conditions

| Code | Description | Care Setting | Code | |
|---------|---|--------------|-----------|-----------|
| | | | Category | Code Type |
| O6012X3 | Preterm labor second trimester with preterm delivery second trimester, fetus 3 | Any | Diagnosis | ICD-10-CM |
| O6012X4 | Preterm labor second trimester with preterm delivery second trimester, fetus 4 | Any | Diagnosis | ICD-10-CM |
| O6012X5 | Preterm labor second trimester with preterm delivery second trimester, fetus 5 | Any | Diagnosis | ICD-10-CM |
| O6012X9 | Preterm labor second trimester with preterm delivery second trimester, other fetus | Any | Diagnosis | ICD-10-CM |
| O6013X0 | Preterm labor second trimester with preterm delivery third trimester, not applicable or unspecified | Any | Diagnosis | ICD-10-CM |
| O6013X1 | Preterm labor second trimester with preterm delivery third trimester, fetus 1 | Any | Diagnosis | ICD-10-CM |
| O6013X2 | Preterm labor second trimester with preterm delivery third trimester, fetus 2 | Any | Diagnosis | ICD-10-CM |
| O6013X3 | Preterm labor second trimester with preterm delivery third trimester, fetus 3 | Any | Diagnosis | ICD-10-CM |
| O6013X4 | Preterm labor second trimester with preterm delivery third trimester, fetus 4 | Any | Diagnosis | ICD-10-CM |
| O6013X5 | Preterm labor second trimester with preterm delivery third trimester, fetus 5 | Any | Diagnosis | ICD-10-CM |
| O6013X9 | Preterm labor second trimester with preterm delivery third trimester, other fetus | Any | Diagnosis | ICD-10-CM |
| O6014X0 | Preterm labor third trimester with preterm delivery third trimester, not applicable or unspecified | Any | Diagnosis | ICD-10-CM |
| O6014X1 | Preterm labor third trimester with preterm delivery third trimester, fetus 1 | Any | Diagnosis | ICD-10-CM |
| O6014X2 | Preterm labor third trimester with preterm delivery third trimester, fetus 2 | Any | Diagnosis | ICD-10-CM |
| O6014X3 | Preterm labor third trimester with preterm delivery third trimester, fetus 3 | Any | Diagnosis | ICD-10-CM |
| O6014X4 | Preterm labor third trimester with preterm delivery third trimester, fetus 4 | Any | Diagnosis | ICD-10-CM |
| O6014X5 | Preterm labor third trimester with preterm delivery third trimester, fetus 5 | Any | Diagnosis | ICD-10-CM |
| O6014X9 | Preterm labor third trimester with preterm delivery third trimester, other fetus | Any | Diagnosis | ICD-10-CM |
| P0720 | Extreme immaturity of newborn, unspecified weeks of gestation | Any | Diagnosis | ICD-10-CM |
| P0721 | Extreme immaturity of newborn, gestational age less than 23 completed weeks | Any | Diagnosis | ICD-10-CM |
| P0722 | Extreme immaturity of newborn, gestational age 23 completed weeks | Any | Diagnosis | ICD-10-CM |
| P0723 | Extreme immaturity of newborn, gestational age 24 completed weeks | Any | Diagnosis | ICD-10-CM |
| P0724 | Extreme immaturity of newborn, gestational age 25 completed weeks | Any | Diagnosis | ICD-10-CM |
| P0725 | Extreme immaturity of newborn, gestational age 26 completed weeks | Any | Diagnosis | ICD-10-CM |
| P0726 | Extreme immaturity of newborn, gestational age 27 completed weeks | Any | Diagnosis | ICD-10-CM |
| P0730 | Preterm newborn, unspecified weeks of gestation | Any | Diagnosis | ICD-10-CM |
| P0731 | Preterm newborn, gestational age 28 completed weeks | Any | Diagnosis | ICD-10-CM |
| P0732 | Preterm newborn, gestational age 29 completed weeks | Any | Diagnosis | ICD-10-CM |
| P0733 | Preterm newborn, gestational age 30 completed weeks | Any | Diagnosis | ICD-10-CM |
| P0734 | Preterm newborn, gestational age 31 completed weeks | Any | Diagnosis | ICD-10-CM |
| P0735 | Preterm newborn, gestational age 32 completed weeks | Any | Diagnosis | ICD-10-CM |
| P0736 | Preterm newborn, gestational age 33 completed weeks | Any | Diagnosis | ICD-10-CM |
| P0737 | Preterm newborn, gestational age 34 completed weeks | Any | Diagnosis | ICD-10-CM |

Appendix I. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), Healthcare Common Procedure Coding System (HCPCS), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Maternal Obstetric Conditions

| Code | Description | Care Setting | Code | |
|----------------------------------|---|--------------|-----------|-----------|
| | | | Category | Code Type |
| P0738 | Preterm newborn, gestational age 35 completed weeks | Any | Diagnosis | ICD-10-CM |
| P0739 | Preterm newborn, gestational age 36 completed weeks | Any | Diagnosis | ICD-10-CM |
| Z3A20 | 20 weeks gestation of pregnancy | Any | Diagnosis | ICD-10-CM |
| Z3A21 | 21 weeks gestation of pregnancy | Any | Diagnosis | ICD-10-CM |
| Z3A22 | 22 weeks gestation of pregnancy | Any | Diagnosis | ICD-10-CM |
| Z3A23 | 23 weeks gestation of pregnancy | Any | Diagnosis | ICD-10-CM |
| Z3A24 | 24 weeks gestation of pregnancy | Any | Diagnosis | ICD-10-CM |
| Z3A25 | 25 weeks gestation of pregnancy | Any | Diagnosis | ICD-10-CM |
| Z3A26 | 26 weeks gestation of pregnancy | Any | Diagnosis | ICD-10-CM |
| Z3A27 | 27 weeks gestation of pregnancy | Any | Diagnosis | ICD-10-CM |
| Z3A28 | 28 weeks gestation of pregnancy | Any | Diagnosis | ICD-10-CM |
| Z3A29 | 29 weeks gestation of pregnancy | Any | Diagnosis | ICD-10-CM |
| Z3A30 | 30 weeks gestation of pregnancy | Any | Diagnosis | ICD-10-CM |
| Z3A31 | 31 weeks gestation of pregnancy | Any | Diagnosis | ICD-10-CM |
| Z3A32 | 32 weeks gestation of pregnancy | Any | Diagnosis | ICD-10-CM |
| Z3A33 | 33 weeks gestation of pregnancy | Any | Diagnosis | ICD-10-CM |
| Z3A34 | 34 weeks gestation of pregnancy | Any | Diagnosis | ICD-10-CM |
| Z3A35 | 35 weeks gestation of pregnancy | Any | Diagnosis | ICD-10-CM |
| Z3A36 | 36 weeks gestation of pregnancy | Any | Diagnosis | ICD-10-CM |
| Z3A49 | Greater than 42 weeks gestation of pregnancy | Any | Diagnosis | ICD-10-CM |
| O6012 | Preterm labor second trimester with preterm delivery second trimester | Any | Diagnosis | ICD-10-CM |
| O6013 | Preterm labor second trimester with preterm delivery third trimester | Any | Diagnosis | ICD-10-CM |
| O6014 | Preterm labor third trimester with preterm delivery third trimester | Any | Diagnosis | ICD-10-CM |
| Small for gestational age | | | | |
| P051 | Newborn small for gestational age | Any | Diagnosis | ICD-10-CM |
| P0510 | Newborn small for gestational age, unspecified weight | Any | Diagnosis | ICD-10-CM |
| P0511 | Newborn small for gestational age, less than 500 grams | Any | Diagnosis | ICD-10-CM |
| P0512 | Newborn small for gestational age, 500-749 grams | Any | Diagnosis | ICD-10-CM |
| P0513 | Newborn small for gestational age, 750-999 grams | Any | Diagnosis | ICD-10-CM |
| P0514 | Newborn small for gestational age, 1000-1249 grams | Any | Diagnosis | ICD-10-CM |
| P0515 | Newborn small for gestational age, 1250-1499 grams | Any | Diagnosis | ICD-10-CM |
| P0516 | Newborn small for gestational age, 1500-1749 grams | Any | Diagnosis | ICD-10-CM |
| P0517 | Newborn small for gestational age, 1750-1999 grams | Any | Diagnosis | ICD-10-CM |
| P0518 | Newborn small for gestational age, 2000-2499 grams | Any | Diagnosis | ICD-10-CM |
| P0519 | Newborn small for gestational age, other | Any | Diagnosis | ICD-10-CM |

Appendix J. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Bateman Obstetric Comorbidity Index

| Code | Description | Code Category | Code Type |
|----------------------|--|----------------------|------------------|
| Alcohol abuse | | | |
| F1010 | Alcohol abuse, uncomplicated | Diagnosis | ICD-10-CM |
| F1011 | Alcohol abuse, in remission | Diagnosis | ICD-10-CM |
| F10120 | Alcohol abuse with intoxication, uncomplicated | Diagnosis | ICD-10-CM |
| F10121 | Alcohol abuse with intoxication delirium | Diagnosis | ICD-10-CM |
| F10129 | Alcohol abuse with intoxication, unspecified | Diagnosis | ICD-10-CM |
| F1014 | Alcohol abuse with alcohol-induced mood disorder | Diagnosis | ICD-10-CM |
| F10150 | Alcohol abuse with alcohol-induced psychotic disorder with delusions | Diagnosis | ICD-10-CM |
| F10151 | Alcohol abuse with alcohol-induced psychotic disorder with hallucinations | Diagnosis | ICD-10-CM |
| F10159 | Alcohol abuse with alcohol-induced psychotic disorder, unspecified | Diagnosis | ICD-10-CM |
| F10180 | Alcohol abuse with alcohol-induced anxiety disorder | Diagnosis | ICD-10-CM |
| F10181 | Alcohol abuse with alcohol-induced sexual dysfunction | Diagnosis | ICD-10-CM |
| F10182 | Alcohol abuse with alcohol-induced sleep disorder | Diagnosis | ICD-10-CM |
| F10188 | Alcohol abuse with other alcohol-induced disorder | Diagnosis | ICD-10-CM |
| F1019 | Alcohol abuse with unspecified alcohol-induced disorder | Diagnosis | ICD-10-CM |
| F1020 | Alcohol dependence, uncomplicated | Diagnosis | ICD-10-CM |
| F1021 | Alcohol dependence, in remission | Diagnosis | ICD-10-CM |
| F10220 | Alcohol dependence with intoxication, uncomplicated | Diagnosis | ICD-10-CM |
| F10221 | Alcohol dependence with intoxication delirium | Diagnosis | ICD-10-CM |
| F10229 | Alcohol dependence with intoxication, unspecified | Diagnosis | ICD-10-CM |
| F10230 | Alcohol dependence with withdrawal, uncomplicated | Diagnosis | ICD-10-CM |
| F10231 | Alcohol dependence with withdrawal delirium | Diagnosis | ICD-10-CM |
| F10232 | Alcohol dependence with withdrawal with perceptual disturbance | Diagnosis | ICD-10-CM |
| F10239 | Alcohol dependence with withdrawal, unspecified | Diagnosis | ICD-10-CM |
| F1024 | Alcohol dependence with alcohol-induced mood disorder | Diagnosis | ICD-10-CM |
| F10250 | Alcohol dependence with alcohol-induced psychotic disorder with delusions | Diagnosis | ICD-10-CM |
| F10251 | Alcohol dependence with alcohol-induced psychotic disorder with hallucinations | Diagnosis | ICD-10-CM |
| F10259 | Alcohol dependence with alcohol-induced psychotic disorder, unspecified | Diagnosis | ICD-10-CM |
| F1026 | Alcohol dependence with alcohol-induced persisting amnesic disorder | Diagnosis | ICD-10-CM |
| F1027 | Alcohol dependence with alcohol-induced persisting dementia | Diagnosis | ICD-10-CM |
| F10280 | Alcohol dependence with alcohol-induced anxiety disorder | Diagnosis | ICD-10-CM |
| F10281 | Alcohol dependence with alcohol-induced sexual dysfunction | Diagnosis | ICD-10-CM |
| F10282 | Alcohol dependence with alcohol-induced sleep disorder | Diagnosis | ICD-10-CM |
| F10288 | Alcohol dependence with other alcohol-induced disorder | Diagnosis | ICD-10-CM |
| F1029 | Alcohol dependence with unspecified alcohol-induced disorder | Diagnosis | ICD-10-CM |
| F10920 | Alcohol use, unspecified with intoxication, uncomplicated | Diagnosis | ICD-10-CM |
| F10921 | Alcohol use, unspecified with intoxication delirium | Diagnosis | ICD-10-CM |
| F10929 | Alcohol use, unspecified with intoxication, unspecified | Diagnosis | ICD-10-CM |
| F1094 | Alcohol use, unspecified with alcohol-induced mood disorder | Diagnosis | ICD-10-CM |
| F10950 | Alcohol use, unspecified with alcohol-induced psychotic disorder with delusions | Diagnosis | ICD-10-CM |
| F10951 | Alcohol use, unspecified with alcohol-induced psychotic disorder with hallucinations | Diagnosis | ICD-10-CM |
| F10959 | Alcohol use, unspecified with alcohol-induced psychotic disorder, unspecified | Diagnosis | ICD-10-CM |
| F1096 | Alcohol use, unspecified with alcohol-induced persisting amnesic disorder | Diagnosis | ICD-10-CM |
| F1097 | Alcohol use, unspecified with alcohol-induced persisting dementia | Diagnosis | ICD-10-CM |
| F10980 | Alcohol use, unspecified with alcohol-induced anxiety disorder | Diagnosis | ICD-10-CM |
| F10981 | Alcohol use, unspecified with alcohol-induced sexual dysfunction | Diagnosis | ICD-10-CM |
| F10982 | Alcohol use, unspecified with alcohol-induced sleep disorder | Diagnosis | ICD-10-CM |
| F10988 | Alcohol use, unspecified with other alcohol-induced disorder | Diagnosis | ICD-10-CM |
| F1099 | Alcohol use, unspecified with unspecified alcohol-induced disorder | Diagnosis | ICD-10-CM |
| Asthma | | | |

Appendix J. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Bateman Obstetric Comorbidity Index

| Code | Description | Code | |
|---------------------------------|--|-----------|-----------|
| | | Category | Code Type |
| J440 | Chronic obstructive pulmonary disease with (acute) lower respiratory infection | Diagnosis | ICD-10-CM |
| J441 | Chronic obstructive pulmonary disease with (acute) exacerbation | Diagnosis | ICD-10-CM |
| J449 | Chronic obstructive pulmonary disease, unspecified | Diagnosis | ICD-10-CM |
| J4520 | Mild intermittent asthma, uncomplicated | Diagnosis | ICD-10-CM |
| J4521 | Mild intermittent asthma with (acute) exacerbation | Diagnosis | ICD-10-CM |
| J4522 | Mild intermittent asthma with status asthmaticus | Diagnosis | ICD-10-CM |
| J4530 | Mild persistent asthma, uncomplicated | Diagnosis | ICD-10-CM |
| J4531 | Mild persistent asthma with (acute) exacerbation | Diagnosis | ICD-10-CM |
| J4532 | Mild persistent asthma with status asthmaticus | Diagnosis | ICD-10-CM |
| J4540 | Moderate persistent asthma, uncomplicated | Diagnosis | ICD-10-CM |
| J4541 | Moderate persistent asthma with (acute) exacerbation | Diagnosis | ICD-10-CM |
| J4542 | Moderate persistent asthma with status asthmaticus | Diagnosis | ICD-10-CM |
| J4550 | Severe persistent asthma, uncomplicated | Diagnosis | ICD-10-CM |
| J4551 | Severe persistent asthma with (acute) exacerbation | Diagnosis | ICD-10-CM |
| J4552 | Severe persistent asthma with status asthmaticus | Diagnosis | ICD-10-CM |
| J45901 | Unspecified asthma with (acute) exacerbation | Diagnosis | ICD-10-CM |
| J45902 | Unspecified asthma with status asthmaticus | Diagnosis | ICD-10-CM |
| J45909 | Unspecified asthma, uncomplicated | Diagnosis | ICD-10-CM |
| J45990 | Exercise induced bronchospasm | Diagnosis | ICD-10-CM |
| J45991 | Cough variant asthma | Diagnosis | ICD-10-CM |
| J45998 | Other asthma | Diagnosis | ICD-10-CM |
| Cardiac valvular disease | | | |
| A1884 | Tuberculosis of heart | Diagnosis | ICD-10-CM |
| I050 | Rheumatic mitral stenosis | Diagnosis | ICD-10-CM |
| I051 | Rheumatic mitral insufficiency | Diagnosis | ICD-10-CM |
| I052 | Rheumatic mitral stenosis with insufficiency | Diagnosis | ICD-10-CM |
| I058 | Other rheumatic mitral valve diseases | Diagnosis | ICD-10-CM |
| I059 | Rheumatic mitral valve disease, unspecified | Diagnosis | ICD-10-CM |
| I060 | Rheumatic aortic stenosis | Diagnosis | ICD-10-CM |
| I061 | Rheumatic aortic insufficiency | Diagnosis | ICD-10-CM |
| I062 | Rheumatic aortic stenosis with insufficiency | Diagnosis | ICD-10-CM |
| I068 | Other rheumatic aortic valve diseases | Diagnosis | ICD-10-CM |
| I069 | Rheumatic aortic valve disease, unspecified | Diagnosis | ICD-10-CM |
| I070 | Rheumatic tricuspid stenosis | Diagnosis | ICD-10-CM |
| I071 | Rheumatic tricuspid insufficiency | Diagnosis | ICD-10-CM |
| I072 | Rheumatic tricuspid stenosis and insufficiency | Diagnosis | ICD-10-CM |
| I078 | Other rheumatic tricuspid valve diseases | Diagnosis | ICD-10-CM |
| I079 | Rheumatic tricuspid valve disease, unspecified | Diagnosis | ICD-10-CM |
| I080 | Rheumatic disorders of both mitral and aortic valves | Diagnosis | ICD-10-CM |
| I081 | Rheumatic disorders of both mitral and tricuspid valves | Diagnosis | ICD-10-CM |
| I082 | Rheumatic disorders of both aortic and tricuspid valves | Diagnosis | ICD-10-CM |
| I083 | Combined rheumatic disorders of mitral, aortic and tricuspid valves | Diagnosis | ICD-10-CM |
| I088 | Other rheumatic multiple valve diseases | Diagnosis | ICD-10-CM |
| I089 | Rheumatic multiple valve disease, unspecified | Diagnosis | ICD-10-CM |
| I091 | Rheumatic diseases of endocardium, valve unspecified | Diagnosis | ICD-10-CM |
| I0989 | Other specified rheumatic heart diseases | Diagnosis | ICD-10-CM |
| I340 | Nonrheumatic mitral (valve) insufficiency | Diagnosis | ICD-10-CM |
| I341 | Nonrheumatic mitral (valve) prolapse | Diagnosis | ICD-10-CM |
| I342 | Nonrheumatic mitral (valve) stenosis | Diagnosis | ICD-10-CM |
| I348 | Other nonrheumatic mitral valve disorders | Diagnosis | ICD-10-CM |

Appendix J. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Bateman Obstetric Comorbidity Index

| Code | Description | Code | |
|---|---|-----------|-----------|
| | | Category | Code Type |
| I349 | Nonrheumatic mitral valve disorder, unspecified | Diagnosis | ICD-10-CM |
| I350 | Nonrheumatic aortic (valve) stenosis | Diagnosis | ICD-10-CM |
| I351 | Nonrheumatic aortic (valve) insufficiency | Diagnosis | ICD-10-CM |
| I352 | Nonrheumatic aortic (valve) stenosis with insufficiency | Diagnosis | ICD-10-CM |
| I358 | Other nonrheumatic aortic valve disorders | Diagnosis | ICD-10-CM |
| I359 | Nonrheumatic aortic valve disorder, unspecified | Diagnosis | ICD-10-CM |
| I360 | Nonrheumatic tricuspid (valve) stenosis | Diagnosis | ICD-10-CM |
| I361 | Nonrheumatic tricuspid (valve) insufficiency | Diagnosis | ICD-10-CM |
| I362 | Nonrheumatic tricuspid (valve) stenosis with insufficiency | Diagnosis | ICD-10-CM |
| I368 | Other nonrheumatic tricuspid valve disorders | Diagnosis | ICD-10-CM |
| I369 | Nonrheumatic tricuspid valve disorder, unspecified | Diagnosis | ICD-10-CM |
| I370 | Nonrheumatic pulmonary valve stenosis | Diagnosis | ICD-10-CM |
| I371 | Nonrheumatic pulmonary valve insufficiency | Diagnosis | ICD-10-CM |
| I372 | Nonrheumatic pulmonary valve stenosis with insufficiency | Diagnosis | ICD-10-CM |
| I378 | Other nonrheumatic pulmonary valve disorders | Diagnosis | ICD-10-CM |
| I379 | Nonrheumatic pulmonary valve disorder, unspecified | Diagnosis | ICD-10-CM |
| I38 | Endocarditis, valve unspecified | Diagnosis | ICD-10-CM |
| I39 | Endocarditis and heart valve disorders in diseases classified elsewhere | Diagnosis | ICD-10-CM |
| M3211 | Endocarditis in systemic lupus erythematosus | Diagnosis | ICD-10-CM |
| Chronic congestive heart failure | | | |
| I5022 | Chronic systolic (congestive) heart failure | Diagnosis | ICD-10-CM |
| I5023 | Acute on chronic systolic (congestive) heart failure | Diagnosis | ICD-10-CM |
| I5032 | Chronic diastolic (congestive) heart failure | Diagnosis | ICD-10-CM |
| I5033 | Acute on chronic diastolic (congestive) heart failure | Diagnosis | ICD-10-CM |
| I5042 | Chronic combined systolic (congestive) and diastolic (congestive) heart failure | Diagnosis | ICD-10-CM |
| I5043 | Acute on chronic combined systolic (congestive) and diastolic (congestive) heart failure | Diagnosis | ICD-10-CM |
| Chronic ischemic heart disease | | | |
| I201 | Angina pectoris with documented spasm | Diagnosis | ICD-10-CM |
| I208 | Other forms of angina pectoris | Diagnosis | ICD-10-CM |
| I209 | Angina pectoris, unspecified | Diagnosis | ICD-10-CM |
| I2510 | Atherosclerotic heart disease of native coronary artery without angina pectoris | Diagnosis | ICD-10-CM |
| I25110 | Atherosclerotic heart disease of native coronary artery with unstable angina pectoris | Diagnosis | ICD-10-CM |
| I25111 | Atherosclerotic heart disease of native coronary artery with angina pectoris with documented spasm | Diagnosis | ICD-10-CM |
| I25118 | Atherosclerotic heart disease of native coronary artery with other forms of angina pectoris | Diagnosis | ICD-10-CM |
| I25119 | Atherosclerotic heart disease of native coronary artery with unspecified angina pectoris | Diagnosis | ICD-10-CM |
| I253 | Aneurysm of heart | Diagnosis | ICD-10-CM |
| I2541 | Coronary artery aneurysm | Diagnosis | ICD-10-CM |
| I2542 | Coronary artery dissection | Diagnosis | ICD-10-CM |
| I255 | Ischemic cardiomyopathy | Diagnosis | ICD-10-CM |
| I256 | Silent myocardial ischemia | Diagnosis | ICD-10-CM |
| I25700 | Atherosclerosis of coronary artery bypass graft(s), unspecified, with unstable angina pectoris | Diagnosis | ICD-10-CM |
| I25701 | Atherosclerosis of coronary artery bypass graft(s), unspecified, with angina pectoris with documented spasm | Diagnosis | ICD-10-CM |
| I25708 | Atherosclerosis of coronary artery bypass graft(s), unspecified, with other forms of angina pectoris | Diagnosis | ICD-10-CM |
| I25709 | Atherosclerosis of coronary artery bypass graft(s), unspecified, with unspecified angina pectoris | Diagnosis | ICD-10-CM |

Appendix J. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Bateman Obstetric Comorbidity Index

| Code | Description | Code | |
|--------|--|-----------|-----------|
| | | Category | Code Type |
| I25710 | Atherosclerosis of autologous vein coronary artery bypass graft(s) with unstable angina pectoris | Diagnosis | ICD-10-CM |
| I25711 | Atherosclerosis of autologous vein coronary artery bypass graft(s) with angina pectoris with documented spasm | Diagnosis | ICD-10-CM |
| I25718 | Atherosclerosis of autologous vein coronary artery bypass graft(s) with other forms of angina pectoris | Diagnosis | ICD-10-CM |
| I25719 | Atherosclerosis of autologous vein coronary artery bypass graft(s) with unspecified angina pectoris | Diagnosis | ICD-10-CM |
| I25720 | Atherosclerosis of autologous artery coronary artery bypass graft(s) with unstable angina pectoris | Diagnosis | ICD-10-CM |
| I25721 | Atherosclerosis of autologous artery coronary artery bypass graft(s) with angina pectoris with documented spasm | Diagnosis | ICD-10-CM |
| I25728 | Atherosclerosis of autologous artery coronary artery bypass graft(s) with other forms of angina pectoris | Diagnosis | ICD-10-CM |
| I25729 | Atherosclerosis of autologous artery coronary artery bypass graft(s) with unspecified angina pectoris | Diagnosis | ICD-10-CM |
| I25730 | Atherosclerosis of nonautologous biological coronary artery bypass graft(s) with unstable angina pectoris | Diagnosis | ICD-10-CM |
| I25731 | Atherosclerosis of nonautologous biological coronary artery bypass graft(s) with angina pectoris with documented spasm | Diagnosis | ICD-10-CM |
| I25738 | Atherosclerosis of nonautologous biological coronary artery bypass graft(s) with other forms of angina pectoris | Diagnosis | ICD-10-CM |
| I25739 | Atherosclerosis of nonautologous biological coronary artery bypass graft(s) with unspecified angina pectoris | Diagnosis | ICD-10-CM |
| I25750 | Atherosclerosis of native coronary artery of transplanted heart with unstable angina | Diagnosis | ICD-10-CM |
| I25751 | Atherosclerosis of native coronary artery of transplanted heart with angina pectoris with documented spasm | Diagnosis | ICD-10-CM |
| I25758 | Atherosclerosis of native coronary artery of transplanted heart with other forms of angina pectoris | Diagnosis | ICD-10-CM |
| I25759 | Atherosclerosis of native coronary artery of transplanted heart with unspecified angina pectoris | Diagnosis | ICD-10-CM |
| I25760 | Atherosclerosis of bypass graft of coronary artery of transplanted heart with unstable angina | Diagnosis | ICD-10-CM |
| I25761 | Atherosclerosis of bypass graft of coronary artery of transplanted heart with angina pectoris with documented spasm | Diagnosis | ICD-10-CM |
| I25768 | Atherosclerosis of bypass graft of coronary artery of transplanted heart with other forms of angina pectoris | Diagnosis | ICD-10-CM |
| I25769 | Atherosclerosis of bypass graft of coronary artery of transplanted heart with unspecified angina pectoris | Diagnosis | ICD-10-CM |
| I25790 | Atherosclerosis of other coronary artery bypass graft(s) with unstable angina pectoris | Diagnosis | ICD-10-CM |
| I25791 | Atherosclerosis of other coronary artery bypass graft(s) with angina pectoris with documented spasm | Diagnosis | ICD-10-CM |
| I25798 | Atherosclerosis of other coronary artery bypass graft(s) with other forms of angina pectoris | Diagnosis | ICD-10-CM |
| I25799 | Atherosclerosis of other coronary artery bypass graft(s) with unspecified angina pectoris | Diagnosis | ICD-10-CM |
| I25810 | Atherosclerosis of coronary artery bypass graft(s) without angina pectoris | Diagnosis | ICD-10-CM |
| I25811 | Atherosclerosis of native coronary artery of transplanted heart without angina pectoris | Diagnosis | ICD-10-CM |
| I25812 | Atherosclerosis of bypass graft of coronary artery of transplanted heart without angina pectoris | Diagnosis | ICD-10-CM |
| I2582 | Chronic total occlusion of coronary artery | Diagnosis | ICD-10-CM |
| I2583 | Coronary atherosclerosis due to lipid rich plaque | Diagnosis | ICD-10-CM |

Appendix J. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Bateman Obstetric Comorbidity Index

| Code | Description | Code Category | Code Type |
|------------------------------|--|----------------------|------------------|
| I2584 | Coronary atherosclerosis due to calcified coronary lesion | Diagnosis | ICD-10-CM |
| I2589 | Other forms of chronic ischemic heart disease | Diagnosis | ICD-10-CM |
| I259 | Chronic ischemic heart disease, unspecified | Diagnosis | ICD-10-CM |
| Chronic renal disease | | | |
| B520 | Plasmodium malariae malaria with nephropathy | Diagnosis | ICD-10-CM |
| E0821 | Diabetes mellitus due to underlying condition with diabetic nephropathy | Diagnosis | ICD-10-CM |
| E0822 | Diabetes mellitus due to underlying condition with diabetic chronic kidney disease | Diagnosis | ICD-10-CM |
| E0829 | Diabetes mellitus due to underlying condition with other diabetic kidney complication | Diagnosis | ICD-10-CM |
| E0921 | Drug or chemical induced diabetes mellitus with diabetic nephropathy | Diagnosis | ICD-10-CM |
| E0922 | Drug or chemical induced diabetes mellitus with diabetic chronic kidney disease | Diagnosis | ICD-10-CM |
| E0929 | Drug or chemical induced diabetes mellitus with other diabetic kidney complication | Diagnosis | ICD-10-CM |
| M3214 | Glomerular disease in systemic lupus erythematosus | Diagnosis | ICD-10-CM |
| M3215 | Tubulo-interstitial nephropathy in systemic lupus erythematosus | Diagnosis | ICD-10-CM |
| M3504 | Sicca syndrome with tubulo-interstitial nephropathy | Diagnosis | ICD-10-CM |
| N020 | Recurrent and persistent hematuria with minor glomerular abnormality | Diagnosis | ICD-10-CM |
| N021 | Recurrent and persistent hematuria with focal and segmental glomerular lesions | Diagnosis | ICD-10-CM |
| N022 | Recurrent and persistent hematuria with diffuse membranous glomerulonephritis | Diagnosis | ICD-10-CM |
| N023 | Recurrent and persistent hematuria with diffuse mesangial proliferative glomerulonephritis | Diagnosis | ICD-10-CM |
| N024 | Recurrent and persistent hematuria with diffuse endocapillary proliferative glomerulonephritis | Diagnosis | ICD-10-CM |
| N025 | Recurrent and persistent hematuria with diffuse mesangiocapillary glomerulonephritis | Diagnosis | ICD-10-CM |
| N026 | Recurrent and persistent hematuria with dense deposit disease | Diagnosis | ICD-10-CM |
| N027 | Recurrent and persistent hematuria with diffuse crescentic glomerulonephritis | Diagnosis | ICD-10-CM |
| N028 | Recurrent and persistent hematuria with other morphologic changes | Diagnosis | ICD-10-CM |
| N029 | Recurrent and persistent hematuria with unspecified morphologic changes | Diagnosis | ICD-10-CM |
| N030 | Chronic nephritic syndrome with minor glomerular abnormality | Diagnosis | ICD-10-CM |
| N031 | Chronic nephritic syndrome with focal and segmental glomerular lesions | Diagnosis | ICD-10-CM |
| N032 | Chronic nephritic syndrome with diffuse membranous glomerulonephritis | Diagnosis | ICD-10-CM |
| N033 | Chronic nephritic syndrome with diffuse mesangial proliferative glomerulonephritis | Diagnosis | ICD-10-CM |
| N034 | Chronic nephritic syndrome with diffuse endocapillary proliferative glomerulonephritis | Diagnosis | ICD-10-CM |
| N035 | Chronic nephritic syndrome with diffuse mesangiocapillary glomerulonephritis | Diagnosis | ICD-10-CM |
| N036 | Chronic nephritic syndrome with dense deposit disease | Diagnosis | ICD-10-CM |
| N037 | Chronic nephritic syndrome with diffuse crescentic glomerulonephritis | Diagnosis | ICD-10-CM |
| N038 | Chronic nephritic syndrome with other morphologic changes | Diagnosis | ICD-10-CM |
| N039 | Chronic nephritic syndrome with unspecified morphologic changes | Diagnosis | ICD-10-CM |
| N040 | Nephrotic syndrome with minor glomerular abnormality | Diagnosis | ICD-10-CM |
| N041 | Nephrotic syndrome with focal and segmental glomerular lesions | Diagnosis | ICD-10-CM |
| N042 | Nephrotic syndrome with diffuse membranous glomerulonephritis | Diagnosis | ICD-10-CM |
| N043 | Nephrotic syndrome with diffuse mesangial proliferative glomerulonephritis | Diagnosis | ICD-10-CM |
| N044 | Nephrotic syndrome with diffuse endocapillary proliferative glomerulonephritis | Diagnosis | ICD-10-CM |
| N045 | Nephrotic syndrome with diffuse mesangiocapillary glomerulonephritis | Diagnosis | ICD-10-CM |
| N046 | Nephrotic syndrome with dense deposit disease | Diagnosis | ICD-10-CM |
| N047 | Nephrotic syndrome with diffuse crescentic glomerulonephritis | Diagnosis | ICD-10-CM |
| N048 | Nephrotic syndrome with other morphologic changes | Diagnosis | ICD-10-CM |
| N049 | Nephrotic syndrome with unspecified morphologic changes | Diagnosis | ICD-10-CM |
| N050 | Unspecified nephritic syndrome with minor glomerular abnormality | Diagnosis | ICD-10-CM |
| N051 | Unspecified nephritic syndrome with focal and segmental glomerular lesions | Diagnosis | ICD-10-CM |
| N052 | Unspecified nephritic syndrome with diffuse membranous glomerulonephritis | Diagnosis | ICD-10-CM |
| N053 | Unspecified nephritic syndrome with diffuse mesangial proliferative glomerulonephritis | Diagnosis | ICD-10-CM |

Appendix J. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Bateman Obstetric Comorbidity Index

| Code | Description | Code | |
|------|--|-----------|-----------|
| | | Category | Code Type |
| N054 | Unspecified nephritic syndrome with diffuse endocapillary proliferative glomerulonephritis | Diagnosis | ICD-10-CM |
| N055 | Unspecified nephritic syndrome with diffuse mesangiocapillary glomerulonephritis | Diagnosis | ICD-10-CM |
| N056 | Unspecified nephritic syndrome with dense deposit disease | Diagnosis | ICD-10-CM |
| N057 | Unspecified nephritic syndrome with diffuse crescentic glomerulonephritis | Diagnosis | ICD-10-CM |
| N058 | Unspecified nephritic syndrome with other morphologic changes | Diagnosis | ICD-10-CM |
| N059 | Unspecified nephritic syndrome with unspecified morphologic changes | Diagnosis | ICD-10-CM |
| N060 | Isolated proteinuria with minor glomerular abnormality | Diagnosis | ICD-10-CM |
| N061 | Isolated proteinuria with focal and segmental glomerular lesions | Diagnosis | ICD-10-CM |
| N062 | Isolated proteinuria with diffuse membranous glomerulonephritis | Diagnosis | ICD-10-CM |
| N063 | Isolated proteinuria with diffuse mesangial proliferative glomerulonephritis | Diagnosis | ICD-10-CM |
| N064 | Isolated proteinuria with diffuse endocapillary proliferative glomerulonephritis | Diagnosis | ICD-10-CM |
| N065 | Isolated proteinuria with diffuse mesangiocapillary glomerulonephritis | Diagnosis | ICD-10-CM |
| N066 | Isolated proteinuria with dense deposit disease | Diagnosis | ICD-10-CM |
| N067 | Isolated proteinuria with diffuse crescentic glomerulonephritis | Diagnosis | ICD-10-CM |
| N068 | Isolated proteinuria with other morphologic lesion | Diagnosis | ICD-10-CM |
| N069 | Isolated proteinuria with unspecified morphologic lesion | Diagnosis | ICD-10-CM |
| N070 | Hereditary nephropathy, not elsewhere classified with minor glomerular abnormality | Diagnosis | ICD-10-CM |
| N071 | Hereditary nephropathy, not elsewhere classified with focal and segmental glomerular lesions | Diagnosis | ICD-10-CM |
| N072 | Hereditary nephropathy, not elsewhere classified with diffuse membranous glomerulonephritis | Diagnosis | ICD-10-CM |
| N073 | Hereditary nephropathy, not elsewhere classified with diffuse mesangial proliferative glomerulonephritis | Diagnosis | ICD-10-CM |
| N074 | Hereditary nephropathy, not elsewhere classified with diffuse endocapillary proliferative glomerulonephritis | Diagnosis | ICD-10-CM |
| N075 | Hereditary nephropathy, not elsewhere classified with diffuse mesangiocapillary glomerulonephritis | Diagnosis | ICD-10-CM |
| N076 | Hereditary nephropathy, not elsewhere classified with dense deposit disease | Diagnosis | ICD-10-CM |
| N077 | Hereditary nephropathy, not elsewhere classified with diffuse crescentic glomerulonephritis | Diagnosis | ICD-10-CM |
| N078 | Hereditary nephropathy, not elsewhere classified with other morphologic lesions | Diagnosis | ICD-10-CM |
| N079 | Hereditary nephropathy, not elsewhere classified with unspecified morphologic lesions | Diagnosis | ICD-10-CM |
| N08 | Glomerular disorders in diseases classified elsewhere | Diagnosis | ICD-10-CM |
| N140 | Analgesic nephropathy | Diagnosis | ICD-10-CM |
| N141 | Nephropathy induced by other drugs, medicaments and biological substances | Diagnosis | ICD-10-CM |
| N142 | Nephropathy induced by unspecified drug, medicament or biological substance | Diagnosis | ICD-10-CM |
| N143 | Nephropathy induced by heavy metals | Diagnosis | ICD-10-CM |
| N144 | Toxic nephropathy, not elsewhere classified | Diagnosis | ICD-10-CM |
| N150 | Balkan nephropathy | Diagnosis | ICD-10-CM |
| N158 | Other specified renal tubulo-interstitial diseases | Diagnosis | ICD-10-CM |
| N159 | Renal tubulo-interstitial disease, unspecified | Diagnosis | ICD-10-CM |
| N16 | Renal tubulo-interstitial disorders in diseases classified elsewhere | Diagnosis | ICD-10-CM |
| N171 | Acute kidney failure with acute cortical necrosis | Diagnosis | ICD-10-CM |
| N172 | Acute kidney failure with medullary necrosis | Diagnosis | ICD-10-CM |
| N181 | Chronic kidney disease, stage 1 | Diagnosis | ICD-10-CM |
| N182 | Chronic kidney disease, stage 2 (mild) | Diagnosis | ICD-10-CM |
| N183 | Chronic kidney disease, stage 3 (moderate) | Diagnosis | ICD-10-CM |
| N184 | Chronic kidney disease, stage 4 (severe) | Diagnosis | ICD-10-CM |
| N185 | Chronic kidney disease, stage 5 | Diagnosis | ICD-10-CM |

Appendix J. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Bateman Obstetric Comorbidity Index

| Code | Description | Code | |
|---------------------------------|--|-----------|-----------|
| | | Category | Code Type |
| N186 | End stage renal disease | Diagnosis | ICD-10-CM |
| N189 | Chronic kidney disease, unspecified | Diagnosis | ICD-10-CM |
| N250 | Renal osteodystrophy | Diagnosis | ICD-10-CM |
| N251 | Nephrogenic diabetes insipidus | Diagnosis | ICD-10-CM |
| N2581 | Secondary hyperparathyroidism of renal origin | Diagnosis | ICD-10-CM |
| N2589 | Other disorders resulting from impaired renal tubular function | Diagnosis | ICD-10-CM |
| N259 | Disorder resulting from impaired renal tubular function, unspecified | Diagnosis | ICD-10-CM |
| N261 | Atrophy of kidney (terminal) | Diagnosis | ICD-10-CM |
| N269 | Renal sclerosis, unspecified | Diagnosis | ICD-10-CM |
| O1210 | Gestational proteinuria, unspecified trimester | Diagnosis | ICD-10-CM |
| O1211 | Gestational proteinuria, first trimester | Diagnosis | ICD-10-CM |
| O1212 | Gestational proteinuria, second trimester | Diagnosis | ICD-10-CM |
| O1213 | Gestational proteinuria, third trimester | Diagnosis | ICD-10-CM |
| O1214 | Gestational proteinuria, complicating childbirth | Diagnosis | ICD-10-CM |
| O1215 | Gestational proteinuria, complicating the puerperium | Diagnosis | ICD-10-CM |
| O1220 | Gestational edema with proteinuria, unspecified trimester | Diagnosis | ICD-10-CM |
| O1221 | Gestational edema with proteinuria, first trimester | Diagnosis | ICD-10-CM |
| O1222 | Gestational edema with proteinuria, second trimester | Diagnosis | ICD-10-CM |
| O1223 | Gestational edema with proteinuria, third trimester | Diagnosis | ICD-10-CM |
| O1224 | Gestational edema with proteinuria, complicating childbirth | Diagnosis | ICD-10-CM |
| O1225 | Gestational edema with proteinuria, complicating the puerperium | Diagnosis | ICD-10-CM |
| O26831 | Pregnancy related renal disease, first trimester | Diagnosis | ICD-10-CM |
| O26832 | Pregnancy related renal disease, second trimester | Diagnosis | ICD-10-CM |
| O26833 | Pregnancy related renal disease, third trimester | Diagnosis | ICD-10-CM |
| O26839 | Pregnancy related renal disease, unspecified trimester | Diagnosis | ICD-10-CM |
| O9089 | Other complications of the puerperium, not elsewhere classified | Diagnosis | ICD-10-CM |
| Congenital heart disease | | | |
| I2783 | Eisenmenger's syndrome | Diagnosis | ICD-10-CM |
| O99411 | Diseases of the circulatory system complicating pregnancy, first trimester | Diagnosis | ICD-10-CM |
| O99412 | Diseases of the circulatory system complicating pregnancy, second trimester | Diagnosis | ICD-10-CM |
| O99413 | Diseases of the circulatory system complicating pregnancy, third trimester | Diagnosis | ICD-10-CM |
| O99419 | Diseases of the circulatory system complicating pregnancy, unspecified trimester | Diagnosis | ICD-10-CM |
| O9942 | Diseases of the circulatory system complicating childbirth | Diagnosis | ICD-10-CM |
| O9943 | Diseases of the circulatory system complicating the puerperium | Diagnosis | ICD-10-CM |
| Q200 | Common arterial trunk | Diagnosis | ICD-10-CM |
| Q201 | Double outlet right ventricle | Diagnosis | ICD-10-CM |
| Q202 | Double outlet left ventricle | Diagnosis | ICD-10-CM |
| Q203 | Discordant ventriculoarterial connection | Diagnosis | ICD-10-CM |
| Q204 | Double inlet ventricle | Diagnosis | ICD-10-CM |
| Q205 | Discordant atrioventricular connection | Diagnosis | ICD-10-CM |
| Q206 | Isomerism of atrial appendages | Diagnosis | ICD-10-CM |
| Q208 | Other congenital malformations of cardiac chambers and connections | Diagnosis | ICD-10-CM |
| Q209 | Congenital malformation of cardiac chambers and connections, unspecified | Diagnosis | ICD-10-CM |
| Q210 | Ventricular septal defect | Diagnosis | ICD-10-CM |
| Q211 | Atrial septal defect | Diagnosis | ICD-10-CM |
| Q212 | Atrioventricular septal defect | Diagnosis | ICD-10-CM |
| Q213 | Tetralogy of Fallot | Diagnosis | ICD-10-CM |
| Q214 | Aortopulmonary septal defect | Diagnosis | ICD-10-CM |
| Q218 | Other congenital malformations of cardiac septa | Diagnosis | ICD-10-CM |
| Q219 | Congenital malformation of cardiac septum, unspecified | Diagnosis | ICD-10-CM |

Appendix J. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Bateman Obstetric Comorbidity Index

| Code | Description | Code | |
|-------|--|-----------|-----------|
| | | Category | Code Type |
| Q220 | Pulmonary valve atresia | Diagnosis | ICD-10-CM |
| Q221 | Congenital pulmonary valve stenosis | Diagnosis | ICD-10-CM |
| Q222 | Congenital pulmonary valve insufficiency | Diagnosis | ICD-10-CM |
| Q223 | Other congenital malformations of pulmonary valve | Diagnosis | ICD-10-CM |
| Q224 | Congenital tricuspid stenosis | Diagnosis | ICD-10-CM |
| Q225 | Ebstein's anomaly | Diagnosis | ICD-10-CM |
| Q226 | Hypoplastic right heart syndrome | Diagnosis | ICD-10-CM |
| Q228 | Other congenital malformations of tricuspid valve | Diagnosis | ICD-10-CM |
| Q229 | Congenital malformation of tricuspid valve, unspecified | Diagnosis | ICD-10-CM |
| Q230 | Congenital stenosis of aortic valve | Diagnosis | ICD-10-CM |
| Q231 | Congenital insufficiency of aortic valve | Diagnosis | ICD-10-CM |
| Q232 | Congenital mitral stenosis | Diagnosis | ICD-10-CM |
| Q233 | Congenital mitral insufficiency | Diagnosis | ICD-10-CM |
| Q234 | Hypoplastic left heart syndrome | Diagnosis | ICD-10-CM |
| Q238 | Other congenital malformations of aortic and mitral valves | Diagnosis | ICD-10-CM |
| Q239 | Congenital malformation of aortic and mitral valves, unspecified | Diagnosis | ICD-10-CM |
| Q240 | Dextrocardia | Diagnosis | ICD-10-CM |
| Q241 | Levocardia | Diagnosis | ICD-10-CM |
| Q242 | Cor triatriatum | Diagnosis | ICD-10-CM |
| Q243 | Pulmonary infundibular stenosis | Diagnosis | ICD-10-CM |
| Q244 | Congenital subaortic stenosis | Diagnosis | ICD-10-CM |
| Q245 | Malformation of coronary vessels | Diagnosis | ICD-10-CM |
| Q246 | Congenital heart block | Diagnosis | ICD-10-CM |
| Q248 | Other specified congenital malformations of heart | Diagnosis | ICD-10-CM |
| Q249 | Congenital malformation of heart, unspecified | Diagnosis | ICD-10-CM |
| Q250 | Patent ductus arteriosus | Diagnosis | ICD-10-CM |
| Q251 | Coarctation of aorta | Diagnosis | ICD-10-CM |
| Q2521 | Interruption of aortic arch | Diagnosis | ICD-10-CM |
| Q2529 | Other atresia of aorta | Diagnosis | ICD-10-CM |
| Q253 | Supravalvular aortic stenosis | Diagnosis | ICD-10-CM |
| Q2540 | Congenital malformation of aorta unspecified | Diagnosis | ICD-10-CM |
| Q2541 | Absence and aplasia of aorta | Diagnosis | ICD-10-CM |
| Q2542 | Hypoplasia of aorta | Diagnosis | ICD-10-CM |
| Q2543 | Congenital aneurysm of aorta | Diagnosis | ICD-10-CM |
| Q2544 | Congenital dilation of aorta | Diagnosis | ICD-10-CM |
| Q2545 | Double aortic arch | Diagnosis | ICD-10-CM |
| Q2546 | Tortuous aortic arch | Diagnosis | ICD-10-CM |
| Q2547 | Right aortic arch | Diagnosis | ICD-10-CM |
| Q2548 | Anomalous origin of subclavian artery | Diagnosis | ICD-10-CM |
| Q2549 | Other congenital malformations of aorta | Diagnosis | ICD-10-CM |
| Q255 | Atresia of pulmonary artery | Diagnosis | ICD-10-CM |
| Q256 | Stenosis of pulmonary artery | Diagnosis | ICD-10-CM |
| Q2571 | Coarctation of pulmonary artery | Diagnosis | ICD-10-CM |
| Q2572 | Congenital pulmonary arteriovenous malformation | Diagnosis | ICD-10-CM |
| Q2579 | Other congenital malformations of pulmonary artery | Diagnosis | ICD-10-CM |
| Q258 | Other congenital malformations of other great arteries | Diagnosis | ICD-10-CM |
| Q259 | Congenital malformation of great arteries, unspecified | Diagnosis | ICD-10-CM |
| Q260 | Congenital stenosis of vena cava | Diagnosis | ICD-10-CM |
| Q261 | Persistent left superior vena cava | Diagnosis | ICD-10-CM |
| Q262 | Total anomalous pulmonary venous connection | Diagnosis | ICD-10-CM |

Appendix J. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Bateman Obstetric Comorbidity Index

| Code | Description | Code | |
|-------------------|--|-----------|-----------|
| | | Category | Code Type |
| Q263 | Partial anomalous pulmonary venous connection | Diagnosis | ICD-10-CM |
| Q264 | Anomalous pulmonary venous connection, unspecified | Diagnosis | ICD-10-CM |
| Q268 | Other congenital malformations of great veins | Diagnosis | ICD-10-CM |
| Q269 | Congenital malformation of great vein, unspecified | Diagnosis | ICD-10-CM |
| Drug abuse | | | |
| F1110 | Opioid abuse, uncomplicated | Diagnosis | ICD-10-CM |
| F1111 | Opioid abuse, in remission | Diagnosis | ICD-10-CM |
| F11120 | Opioid abuse with intoxication, uncomplicated | Diagnosis | ICD-10-CM |
| F11129 | Opioid abuse with intoxication, unspecified | Diagnosis | ICD-10-CM |
| F1120 | Opioid dependence, uncomplicated | Diagnosis | ICD-10-CM |
| F1121 | Opioid dependence, in remission | Diagnosis | ICD-10-CM |
| F11220 | Opioid dependence with intoxication, uncomplicated | Diagnosis | ICD-10-CM |
| F11221 | Opioid dependence with intoxication delirium | Diagnosis | ICD-10-CM |
| F11222 | Opioid dependence with intoxication with perceptual disturbance | Diagnosis | ICD-10-CM |
| F11229 | Opioid dependence with intoxication, unspecified | Diagnosis | ICD-10-CM |
| F1123 | Opioid dependence with withdrawal | Diagnosis | ICD-10-CM |
| F1124 | Opioid dependence with opioid-induced mood disorder | Diagnosis | ICD-10-CM |
| F11250 | Opioid dependence with opioid-induced psychotic disorder with delusions | Diagnosis | ICD-10-CM |
| F11251 | Opioid dependence with opioid-induced psychotic disorder with hallucinations | Diagnosis | ICD-10-CM |
| F11259 | Opioid dependence with opioid-induced psychotic disorder, unspecified | Diagnosis | ICD-10-CM |
| F11281 | Opioid dependence with opioid-induced sexual dysfunction | Diagnosis | ICD-10-CM |
| F11282 | Opioid dependence with opioid-induced sleep disorder | Diagnosis | ICD-10-CM |
| F11288 | Opioid dependence with other opioid-induced disorder | Diagnosis | ICD-10-CM |
| F1129 | Opioid dependence with unspecified opioid-induced disorder | Diagnosis | ICD-10-CM |
| F1190 | Opioid use, unspecified, uncomplicated | Diagnosis | ICD-10-CM |
| F1210 | Cannabis abuse, uncomplicated | Diagnosis | ICD-10-CM |
| F1211 | Cannabis abuse, in remission | Diagnosis | ICD-10-CM |
| F1220 | Cannabis dependence, uncomplicated | Diagnosis | ICD-10-CM |
| F1221 | Cannabis dependence, in remission | Diagnosis | ICD-10-CM |
| F12220 | Cannabis dependence with intoxication, uncomplicated | Diagnosis | ICD-10-CM |
| F12221 | Cannabis dependence with intoxication delirium | Diagnosis | ICD-10-CM |
| F12222 | Cannabis dependence with intoxication with perceptual disturbance | Diagnosis | ICD-10-CM |
| F12229 | Cannabis dependence with intoxication, unspecified | Diagnosis | ICD-10-CM |
| F12250 | Cannabis dependence with psychotic disorder with delusions | Diagnosis | ICD-10-CM |
| F12251 | Cannabis dependence with psychotic disorder with hallucinations | Diagnosis | ICD-10-CM |
| F12259 | Cannabis dependence with psychotic disorder, unspecified | Diagnosis | ICD-10-CM |
| F12280 | Cannabis dependence with cannabis-induced anxiety disorder | Diagnosis | ICD-10-CM |
| F12288 | Cannabis dependence with other cannabis-induced disorder | Diagnosis | ICD-10-CM |
| F1229 | Cannabis dependence with unspecified cannabis-induced disorder | Diagnosis | ICD-10-CM |
| F1290 | Cannabis use, unspecified, uncomplicated | Diagnosis | ICD-10-CM |
| F1310 | Sedative, hypnotic or anxiolytic abuse, uncomplicated | Diagnosis | ICD-10-CM |
| F1311 | Sedative, hypnotic or anxiolytic abuse, in remission | Diagnosis | ICD-10-CM |
| F13120 | Sedative, hypnotic or anxiolytic abuse with intoxication, uncomplicated | Diagnosis | ICD-10-CM |
| F1320 | Sedative, hypnotic or anxiolytic dependence, uncomplicated | Diagnosis | ICD-10-CM |
| F1321 | Sedative, hypnotic or anxiolytic dependence, in remission | Diagnosis | ICD-10-CM |
| F13220 | Sedative, hypnotic or anxiolytic dependence with intoxication, uncomplicated | Diagnosis | ICD-10-CM |
| F13221 | Sedative, hypnotic or anxiolytic dependence with intoxication delirium | Diagnosis | ICD-10-CM |
| F13229 | Sedative, hypnotic or anxiolytic dependence with intoxication, unspecified | Diagnosis | ICD-10-CM |
| F13230 | Sedative, hypnotic or anxiolytic dependence with withdrawal, uncomplicated | Diagnosis | ICD-10-CM |

Appendix J. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Bateman Obstetric Comorbidity Index

| Code | Description | Code Category | Code Type |
|-------------|--|----------------------|------------------|
| F13231 | Sedative, hypnotic or anxiolytic dependence with withdrawal delirium | Diagnosis | ICD-10-CM |
| F13232 | Sedative, hypnotic or anxiolytic dependence with withdrawal with perceptual disturbance | Diagnosis | ICD-10-CM |
| F13239 | Sedative, hypnotic or anxiolytic dependence with withdrawal, unspecified | Diagnosis | ICD-10-CM |
| F1324 | Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced mood disorder | Diagnosis | ICD-10-CM |
| F13250 | Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced psychotic disorder with delusions | Diagnosis | ICD-10-CM |
| F13251 | Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced psychotic disorder with hallucinations | Diagnosis | ICD-10-CM |
| F13259 | Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced psychotic disorder, unspecified | Diagnosis | ICD-10-CM |
| F1326 | Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced persisting amnesic disorder | Diagnosis | ICD-10-CM |
| F1327 | Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced persisting dementia | Diagnosis | ICD-10-CM |
| F13280 | Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced anxiety disorder | Diagnosis | ICD-10-CM |
| F13281 | Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced sexual dysfunction | Diagnosis | ICD-10-CM |
| F13282 | Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced sleep disorder | Diagnosis | ICD-10-CM |
| F13288 | Sedative, hypnotic or anxiolytic dependence with other sedative, hypnotic or anxiolytic-induced disorder | Diagnosis | ICD-10-CM |
| F1329 | Sedative, hypnotic or anxiolytic dependence with unspecified sedative, hypnotic or anxiolytic-induced disorder | Diagnosis | ICD-10-CM |
| F1390 | Sedative, hypnotic, or anxiolytic use, unspecified, uncomplicated | Diagnosis | ICD-10-CM |
| F1410 | Cocaine abuse, uncomplicated | Diagnosis | ICD-10-CM |
| F1411 | Cocaine abuse, in remission | Diagnosis | ICD-10-CM |
| F14120 | Cocaine abuse with intoxication, uncomplicated | Diagnosis | ICD-10-CM |
| F1420 | Cocaine dependence, uncomplicated | Diagnosis | ICD-10-CM |
| F1421 | Cocaine dependence, in remission | Diagnosis | ICD-10-CM |
| F14220 | Cocaine dependence with intoxication, uncomplicated | Diagnosis | ICD-10-CM |
| F14221 | Cocaine dependence with intoxication delirium | Diagnosis | ICD-10-CM |
| F14222 | Cocaine dependence with intoxication with perceptual disturbance | Diagnosis | ICD-10-CM |
| F14229 | Cocaine dependence with intoxication, unspecified | Diagnosis | ICD-10-CM |
| F1423 | Cocaine dependence with withdrawal | Diagnosis | ICD-10-CM |
| F1424 | Cocaine dependence with cocaine-induced mood disorder | Diagnosis | ICD-10-CM |
| F14250 | Cocaine dependence with cocaine-induced psychotic disorder with delusions | Diagnosis | ICD-10-CM |
| F14251 | Cocaine dependence with cocaine-induced psychotic disorder with hallucinations | Diagnosis | ICD-10-CM |
| F14259 | Cocaine dependence with cocaine-induced psychotic disorder, unspecified | Diagnosis | ICD-10-CM |
| F14280 | Cocaine dependence with cocaine-induced anxiety disorder | Diagnosis | ICD-10-CM |
| F14281 | Cocaine dependence with cocaine-induced sexual dysfunction | Diagnosis | ICD-10-CM |
| F14282 | Cocaine dependence with cocaine-induced sleep disorder | Diagnosis | ICD-10-CM |
| F14288 | Cocaine dependence with other cocaine-induced disorder | Diagnosis | ICD-10-CM |
| F1429 | Cocaine dependence with unspecified cocaine-induced disorder | Diagnosis | ICD-10-CM |
| F1490 | Cocaine use, unspecified, uncomplicated | Diagnosis | ICD-10-CM |
| F1510 | Other stimulant abuse, uncomplicated | Diagnosis | ICD-10-CM |
| F1511 | Other stimulant abuse, in remission | Diagnosis | ICD-10-CM |
| F15120 | Other stimulant abuse with intoxication, uncomplicated | Diagnosis | ICD-10-CM |
| F1520 | Other stimulant dependence, uncomplicated | Diagnosis | ICD-10-CM |

Appendix J. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Bateman Obstetric Comorbidity Index

| Code | Description | Code Category | Code Type |
|-------------|--|----------------------|------------------|
| F1521 | Other stimulant dependence, in remission | Diagnosis | ICD-10-CM |
| F15220 | Other stimulant dependence with intoxication, uncomplicated | Diagnosis | ICD-10-CM |
| F15221 | Other stimulant dependence with intoxication delirium | Diagnosis | ICD-10-CM |
| F15222 | Other stimulant dependence with intoxication with perceptual disturbance | Diagnosis | ICD-10-CM |
| F15229 | Other stimulant dependence with intoxication, unspecified | Diagnosis | ICD-10-CM |
| F1523 | Other stimulant dependence with withdrawal | Diagnosis | ICD-10-CM |
| F1524 | Other stimulant dependence with stimulant-induced mood disorder | Diagnosis | ICD-10-CM |
| F15250 | Other stimulant dependence with stimulant-induced psychotic disorder with delusions | Diagnosis | ICD-10-CM |
| F15251 | Other stimulant dependence with stimulant-induced psychotic disorder with hallucinations | Diagnosis | ICD-10-CM |
| F15259 | Other stimulant dependence with stimulant-induced psychotic disorder, unspecified | Diagnosis | ICD-10-CM |
| F15280 | Other stimulant dependence with stimulant-induced anxiety disorder | Diagnosis | ICD-10-CM |
| F15281 | Other stimulant dependence with stimulant-induced sexual dysfunction | Diagnosis | ICD-10-CM |
| F15282 | Other stimulant dependence with stimulant-induced sleep disorder | Diagnosis | ICD-10-CM |
| F15288 | Other stimulant dependence with other stimulant-induced disorder | Diagnosis | ICD-10-CM |
| F1529 | Other stimulant dependence with unspecified stimulant-induced disorder | Diagnosis | ICD-10-CM |
| F1590 | Other stimulant use, unspecified, uncomplicated | Diagnosis | ICD-10-CM |
| F1610 | Hallucinogen abuse, uncomplicated | Diagnosis | ICD-10-CM |
| F1611 | Hallucinogen abuse, in remission | Diagnosis | ICD-10-CM |
| F16120 | Hallucinogen abuse with intoxication, uncomplicated | Diagnosis | ICD-10-CM |
| F1620 | Hallucinogen dependence, uncomplicated | Diagnosis | ICD-10-CM |
| F1621 | Hallucinogen dependence, in remission | Diagnosis | ICD-10-CM |
| F16220 | Hallucinogen dependence with intoxication, uncomplicated | Diagnosis | ICD-10-CM |
| F16221 | Hallucinogen dependence with intoxication with delirium | Diagnosis | ICD-10-CM |
| F16229 | Hallucinogen dependence with intoxication, unspecified | Diagnosis | ICD-10-CM |
| F1624 | Hallucinogen dependence with hallucinogen-induced mood disorder | Diagnosis | ICD-10-CM |
| F16250 | Hallucinogen dependence with hallucinogen-induced psychotic disorder with delusions | Diagnosis | ICD-10-CM |
| F16251 | Hallucinogen dependence with hallucinogen-induced psychotic disorder with hallucinations | Diagnosis | ICD-10-CM |
| F16259 | Hallucinogen dependence with hallucinogen-induced psychotic disorder, unspecified | Diagnosis | ICD-10-CM |
| F16280 | Hallucinogen dependence with hallucinogen-induced anxiety disorder | Diagnosis | ICD-10-CM |
| F16283 | Hallucinogen dependence with hallucinogen persisting perception disorder (flashbacks) | Diagnosis | ICD-10-CM |
| F16288 | Hallucinogen dependence with other hallucinogen-induced disorder | Diagnosis | ICD-10-CM |
| F1629 | Hallucinogen dependence with unspecified hallucinogen-induced disorder | Diagnosis | ICD-10-CM |
| F1690 | Hallucinogen use, unspecified, uncomplicated | Diagnosis | ICD-10-CM |
| F1810 | Inhalant abuse, uncomplicated | Diagnosis | ICD-10-CM |
| F1811 | Inhalant abuse, in remission | Diagnosis | ICD-10-CM |
| F18120 | Inhalant abuse with intoxication, uncomplicated | Diagnosis | ICD-10-CM |
| F1820 | Inhalant dependence, uncomplicated | Diagnosis | ICD-10-CM |
| F1821 | Inhalant dependence, in remission | Diagnosis | ICD-10-CM |
| F18220 | Inhalant dependence with intoxication, uncomplicated | Diagnosis | ICD-10-CM |
| F18221 | Inhalant dependence with intoxication delirium | Diagnosis | ICD-10-CM |
| F18229 | Inhalant dependence with intoxication, unspecified | Diagnosis | ICD-10-CM |
| F1824 | Inhalant dependence with inhalant-induced mood disorder | Diagnosis | ICD-10-CM |
| F18250 | Inhalant dependence with inhalant-induced psychotic disorder with delusions | Diagnosis | ICD-10-CM |
| F18251 | Inhalant dependence with inhalant-induced psychotic disorder with hallucinations | Diagnosis | ICD-10-CM |
| F18259 | Inhalant dependence with inhalant-induced psychotic disorder, unspecified | Diagnosis | ICD-10-CM |
| F1827 | Inhalant dependence with inhalant-induced dementia | Diagnosis | ICD-10-CM |
| F18280 | Inhalant dependence with inhalant-induced anxiety disorder | Diagnosis | ICD-10-CM |
| F18288 | Inhalant dependence with other inhalant-induced disorder | Diagnosis | ICD-10-CM |

Appendix J. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Bateman Obstetric Comorbidity Index

| Code | Description | Code | |
|--------|--|-----------|-----------|
| | | Category | Code Type |
| F1829 | Inhalant dependence with unspecified inhalant-induced disorder | Diagnosis | ICD-10-CM |
| F1890 | Inhalant use, unspecified, uncomplicated | Diagnosis | ICD-10-CM |
| F1910 | Other psychoactive substance abuse, uncomplicated | Diagnosis | ICD-10-CM |
| F1911 | Other psychoactive substance abuse, in remission | Diagnosis | ICD-10-CM |
| F19120 | Other psychoactive substance abuse with intoxication, uncomplicated | Diagnosis | ICD-10-CM |
| F1920 | Other psychoactive substance dependence, uncomplicated | Diagnosis | ICD-10-CM |
| F1921 | Other psychoactive substance dependence, in remission | Diagnosis | ICD-10-CM |
| F19220 | Other psychoactive substance dependence with intoxication, uncomplicated | Diagnosis | ICD-10-CM |
| F19221 | Other psychoactive substance dependence with intoxication delirium | Diagnosis | ICD-10-CM |
| F19222 | Other psychoactive substance dependence with intoxication with perceptual disturbance | Diagnosis | ICD-10-CM |
| F19229 | Other psychoactive substance dependence with intoxication, unspecified | Diagnosis | ICD-10-CM |
| F19230 | Other psychoactive substance dependence with withdrawal, uncomplicated | Diagnosis | ICD-10-CM |
| F19231 | Other psychoactive substance dependence with withdrawal delirium | Diagnosis | ICD-10-CM |
| F19232 | Other psychoactive substance dependence with withdrawal with perceptual disturbance | Diagnosis | ICD-10-CM |
| F19239 | Other psychoactive substance dependence with withdrawal, unspecified | Diagnosis | ICD-10-CM |
| F1924 | Other psychoactive substance dependence with psychoactive substance-induced mood disorder | Diagnosis | ICD-10-CM |
| F19250 | Other psychoactive substance dependence with psychoactive substance-induced psychotic disorder with delusions | Diagnosis | ICD-10-CM |
| F19251 | Other psychoactive substance dependence with psychoactive substance-induced psychotic disorder with hallucinations | Diagnosis | ICD-10-CM |
| F19259 | Other psychoactive substance dependence with psychoactive substance-induced psychotic disorder, unspecified | Diagnosis | ICD-10-CM |
| F1926 | Other psychoactive substance dependence with psychoactive substance-induced persisting amnesic disorder | Diagnosis | ICD-10-CM |
| F1927 | Other psychoactive substance dependence with psychoactive substance-induced persisting dementia | Diagnosis | ICD-10-CM |
| F19280 | Other psychoactive substance dependence with psychoactive substance-induced anxiety disorder | Diagnosis | ICD-10-CM |
| F19281 | Other psychoactive substance dependence with psychoactive substance-induced sexual dysfunction | Diagnosis | ICD-10-CM |
| F19282 | Other psychoactive substance dependence with psychoactive substance-induced sleep disorder | Diagnosis | ICD-10-CM |
| F19288 | Other psychoactive substance dependence with other psychoactive substance-induced disorder | Diagnosis | ICD-10-CM |
| F1929 | Other psychoactive substance dependence with unspecified psychoactive substance-induced disorder | Diagnosis | ICD-10-CM |
| F1990 | Other psychoactive substance use, unspecified, uncomplicated | Diagnosis | ICD-10-CM |
| F550 | Abuse of antacids | Diagnosis | ICD-10-CM |
| F551 | Abuse of herbal or folk remedies | Diagnosis | ICD-10-CM |
| F552 | Abuse of laxatives | Diagnosis | ICD-10-CM |
| F553 | Abuse of steroids or hormones | Diagnosis | ICD-10-CM |
| F554 | Abuse of vitamins | Diagnosis | ICD-10-CM |
| F558 | Abuse of other non-psychoactive substances | Diagnosis | ICD-10-CM |
| O99320 | Drug use complicating pregnancy, unspecified trimester | Diagnosis | ICD-10-CM |
| O99321 | Drug use complicating pregnancy, first trimester | Diagnosis | ICD-10-CM |
| O99322 | Drug use complicating pregnancy, second trimester | Diagnosis | ICD-10-CM |
| O99323 | Drug use complicating pregnancy, third trimester | Diagnosis | ICD-10-CM |
| O99324 | Drug use complicating childbirth | Diagnosis | ICD-10-CM |
| O99325 | Drug use complicating the puerperium | Diagnosis | ICD-10-CM |

Appendix J. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Bateman Obstetric Comorbidity Index

| Code | Description | Code Category | Code Type |
|---|---|----------------------|------------------|
| Gestational hypertension | | | |
| O131 | Gestational [pregnancy-induced] hypertension without significant proteinuria, first trimester | Diagnosis | ICD-10-CM |
| O132 | Gestational [pregnancy-induced] hypertension without significant proteinuria, second trimester | Diagnosis | ICD-10-CM |
| O133 | Gestational [pregnancy-induced] hypertension without significant proteinuria, third trimester | Diagnosis | ICD-10-CM |
| O134 | Gestational [pregnancy-induced] hypertension without significant proteinuria, complicating childbirth | Diagnosis | ICD-10-CM |
| O135 | Gestational [pregnancy-induced] hypertension without significant proteinuria, complicating the puerperium | Diagnosis | ICD-10-CM |
| O139 | Gestational [pregnancy-induced] hypertension without significant proteinuria, unspecified trimester | Diagnosis | ICD-10-CM |
| O161 | Unspecified maternal hypertension, first trimester | Diagnosis | ICD-10-CM |
| O162 | Unspecified maternal hypertension, second trimester | Diagnosis | ICD-10-CM |
| O163 | Unspecified maternal hypertension, third trimester | Diagnosis | ICD-10-CM |
| Human immunodeficiency virus | | | |
| B20 | Human immunodeficiency virus [HIV] disease | Diagnosis | ICD-10-CM |
| Z21 | Asymptomatic human immunodeficiency virus [HIV] infection status | Diagnosis | ICD-10-CM |
| B24 | Unspecified human immunodeficiency virus [HIV] disease | Diagnosis | ICD-10-CM |
| Mild or unspecified preeclampsia | | | |
| O111 | Pre-existing hypertension with pre-eclampsia, first trimester | Diagnosis | ICD-10-CM |
| O112 | Pre-existing hypertension with pre-eclampsia, second trimester | Diagnosis | ICD-10-CM |
| O113 | Pre-existing hypertension with pre-eclampsia, third trimester | Diagnosis | ICD-10-CM |
| O114 | Pre-existing hypertension with pre-eclampsia, complicating childbirth | Diagnosis | ICD-10-CM |
| O115 | Pre-existing hypertension with pre-eclampsia, complicating the puerperium | Diagnosis | ICD-10-CM |
| O119 | Pre-existing hypertension with pre-eclampsia, unspecified trimester | Diagnosis | ICD-10-CM |
| O1400 | Mild to moderate pre-eclampsia, unspecified trimester | Diagnosis | ICD-10-CM |
| O1402 | Mild to moderate pre-eclampsia, second trimester | Diagnosis | ICD-10-CM |
| O1403 | Mild to moderate pre-eclampsia, third trimester | Diagnosis | ICD-10-CM |
| O1404 | Mild to moderate pre-eclampsia, complicating childbirth | Diagnosis | ICD-10-CM |
| O1405 | Mild to moderate pre-eclampsia, complicating the puerperium | Diagnosis | ICD-10-CM |
| O1490 | Unspecified pre-eclampsia, unspecified trimester | Diagnosis | ICD-10-CM |
| O1492 | Unspecified pre-eclampsia, second trimester | Diagnosis | ICD-10-CM |
| O1493 | Unspecified pre-eclampsia, third trimester | Diagnosis | ICD-10-CM |
| O1494 | Unspecified pre-eclampsia, complicating childbirth | Diagnosis | ICD-10-CM |
| O1495 | Unspecified pre-eclampsia, complicating the puerperium | Diagnosis | ICD-10-CM |
| O152 | Eclampsia complicating the puerperium | Diagnosis | ICD-10-CM |
| Multiple gestation | | | |
| O30001 | Twin pregnancy, unspecified number of placenta and unspecified number of amniotic sacs, first trimester | Diagnosis | ICD-10-CM |
| O30002 | Twin pregnancy, unspecified number of placenta and unspecified number of amniotic sacs, second trimester | Diagnosis | ICD-10-CM |
| O30003 | Twin pregnancy, unspecified number of placenta and unspecified number of amniotic sacs, third trimester | Diagnosis | ICD-10-CM |
| O30009 | Twin pregnancy, unspecified number of placenta and unspecified number of amniotic sacs, unspecified trimester | Diagnosis | ICD-10-CM |
| O30011 | Twin pregnancy, monochorionic/monoamniotic, first trimester | Diagnosis | ICD-10-CM |

Appendix J. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Bateman Obstetric Comorbidity Index

| Code | Description | Code | |
|--------|--|-----------|-----------|
| | | Category | Code Type |
| O30012 | Twin pregnancy, monochorionic/monoamniotic, second trimester | Diagnosis | ICD-10-CM |
| O30013 | Twin pregnancy, monochorionic/monoamniotic, third trimester | Diagnosis | ICD-10-CM |
| O30019 | Twin pregnancy, monochorionic/monoamniotic, unspecified trimester | Diagnosis | ICD-10-CM |
| O30031 | Twin pregnancy, monochorionic/diamniotic, first trimester | Diagnosis | ICD-10-CM |
| O30032 | Twin pregnancy, monochorionic/diamniotic, second trimester | Diagnosis | ICD-10-CM |
| O30033 | Twin pregnancy, monochorionic/diamniotic, third trimester | Diagnosis | ICD-10-CM |
| O30039 | Twin pregnancy, monochorionic/diamniotic, unspecified trimester | Diagnosis | ICD-10-CM |
| O30041 | Twin pregnancy, dichorionic/diamniotic, first trimester | Diagnosis | ICD-10-CM |
| O30042 | Twin pregnancy, dichorionic/diamniotic, second trimester | Diagnosis | ICD-10-CM |
| O30043 | Twin pregnancy, dichorionic/diamniotic, third trimester | Diagnosis | ICD-10-CM |
| O30049 | Twin pregnancy, dichorionic/diamniotic, unspecified trimester | Diagnosis | ICD-10-CM |
| O30091 | Twin pregnancy, unable to determine number of placenta and number of amniotic sacs, first trimester | Diagnosis | ICD-10-CM |
| O30092 | Twin pregnancy, unable to determine number of placenta and number of amniotic sacs, second trimester | Diagnosis | ICD-10-CM |
| O30093 | Twin pregnancy, unable to determine number of placenta and number of amniotic sacs, third trimester | Diagnosis | ICD-10-CM |
| O30099 | Twin pregnancy, unable to determine number of placenta and number of amniotic sacs, unspecified trimester | Diagnosis | ICD-10-CM |
| O30101 | Triplet pregnancy, unspecified number of placenta and unspecified number of amniotic sacs, first trimester | Diagnosis | ICD-10-CM |
| O30102 | Triplet pregnancy, unspecified number of placenta and unspecified number of amniotic sacs, second trimester | Diagnosis | ICD-10-CM |
| O30103 | Triplet pregnancy, unspecified number of placenta and unspecified number of amniotic sacs, third trimester | Diagnosis | ICD-10-CM |
| O30109 | Triplet pregnancy, unspecified number of placenta and unspecified number of amniotic sacs, unspecified trimester | Diagnosis | ICD-10-CM |
| O30111 | Triplet pregnancy with two or more monochorionic fetuses, first trimester | Diagnosis | ICD-10-CM |
| O30112 | Triplet pregnancy with two or more monochorionic fetuses, second trimester | Diagnosis | ICD-10-CM |
| O30113 | Triplet pregnancy with two or more monochorionic fetuses, third trimester | Diagnosis | ICD-10-CM |
| O30119 | Triplet pregnancy with two or more monochorionic fetuses, unspecified trimester | Diagnosis | ICD-10-CM |
| O30121 | Triplet pregnancy with two or more monoamniotic fetuses, first trimester | Diagnosis | ICD-10-CM |
| O30122 | Triplet pregnancy with two or more monoamniotic fetuses, second trimester | Diagnosis | ICD-10-CM |
| O30123 | Triplet pregnancy with two or more monoamniotic fetuses, third trimester | Diagnosis | ICD-10-CM |
| O30129 | Triplet pregnancy with two or more monoamniotic fetuses, unspecified trimester | Diagnosis | ICD-10-CM |
| O30191 | Triplet pregnancy, unable to determine number of placenta and number of amniotic sacs, first trimester | Diagnosis | ICD-10-CM |
| O30192 | Triplet pregnancy, unable to determine number of placenta and number of amniotic sacs, second trimester | Diagnosis | ICD-10-CM |
| O30193 | Triplet pregnancy, unable to determine number of placenta and number of amniotic sacs, third trimester | Diagnosis | ICD-10-CM |
| O30199 | Triplet pregnancy, unable to determine number of placenta and number of amniotic sacs, unspecified trimester | Diagnosis | ICD-10-CM |
| O30201 | Quadruplet pregnancy, unspecified number of placenta and unspecified number of amniotic sacs, first trimester | Diagnosis | ICD-10-CM |
| O30202 | Quadruplet pregnancy, unspecified number of placenta and unspecified number of amniotic sacs, second trimester | Diagnosis | ICD-10-CM |
| O30203 | Quadruplet pregnancy, unspecified number of placenta and unspecified number of amniotic sacs, third trimester | Diagnosis | ICD-10-CM |

Appendix J. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Bateman Obstetric Comorbidity Index

| Code | Description | Code | |
|--------|---|-----------|-----------|
| | | Category | Code Type |
| O30209 | Quadruplet pregnancy, unspecified number of placenta and unspecified number of amniotic sacs, unspecified trimester | Diagnosis | ICD-10-CM |
| O30211 | Quadruplet pregnancy with two or more monochorionic fetuses, first trimester | Diagnosis | ICD-10-CM |
| O30212 | Quadruplet pregnancy with two or more monochorionic fetuses, second trimester | Diagnosis | ICD-10-CM |
| O30213 | Quadruplet pregnancy with two or more monochorionic fetuses, third trimester | Diagnosis | ICD-10-CM |
| O30219 | Quadruplet pregnancy with two or more monochorionic fetuses, unspecified trimester | Diagnosis | ICD-10-CM |
| O30221 | Quadruplet pregnancy with two or more monoamniotic fetuses, first trimester | Diagnosis | ICD-10-CM |
| O30222 | Quadruplet pregnancy with two or more monoamniotic fetuses, second trimester | Diagnosis | ICD-10-CM |
| O30223 | Quadruplet pregnancy with two or more monoamniotic fetuses, third trimester | Diagnosis | ICD-10-CM |
| O30229 | Quadruplet pregnancy with two or more monoamniotic fetuses, unspecified trimester | Diagnosis | ICD-10-CM |
| O30291 | Quadruplet pregnancy, unable to determine number of placenta and number of amniotic sacs, first trimester | Diagnosis | ICD-10-CM |
| O30292 | Quadruplet pregnancy, unable to determine number of placenta and number of amniotic sacs, second trimester | Diagnosis | ICD-10-CM |
| O30293 | Quadruplet pregnancy, unable to determine number of placenta and number of amniotic sacs, third trimester | Diagnosis | ICD-10-CM |
| O30299 | Quadruplet pregnancy, unable to determine number of placenta and number of amniotic sacs, unspecified trimester | Diagnosis | ICD-10-CM |
| O30801 | Other specified multiple gestation, unspecified number of placenta and unspecified number of amniotic sacs, first trimester | Diagnosis | ICD-10-CM |
| O30802 | Other specified multiple gestation, unspecified number of placenta and unspecified number of amniotic sacs, second trimester | Diagnosis | ICD-10-CM |
| O30803 | Other specified multiple gestation, unspecified number of placenta and unspecified number of amniotic sacs, third trimester | Diagnosis | ICD-10-CM |
| O30809 | Other specified multiple gestation, unspecified number of placenta and unspecified number of amniotic sacs, unspecified trimester | Diagnosis | ICD-10-CM |
| O30811 | Other specified multiple gestation with two or more monochorionic fetuses, first trimester | Diagnosis | ICD-10-CM |
| O30812 | Other specified multiple gestation with two or more monochorionic fetuses, second trimester | Diagnosis | ICD-10-CM |
| O30813 | Other specified multiple gestation with two or more monochorionic fetuses, third trimester | Diagnosis | ICD-10-CM |
| O30819 | Other specified multiple gestation with two or more monochorionic fetuses, unspecified trimester | Diagnosis | ICD-10-CM |
| O30821 | Other specified multiple gestation with two or more monoamniotic fetuses, first trimester | Diagnosis | ICD-10-CM |
| O30822 | Other specified multiple gestation with two or more monoamniotic fetuses, second trimester | Diagnosis | ICD-10-CM |
| O30823 | Other specified multiple gestation with two or more monoamniotic fetuses, third trimester | Diagnosis | ICD-10-CM |
| O30829 | Other specified multiple gestation with two or more monoamniotic fetuses, unspecified trimester | Diagnosis | ICD-10-CM |
| O30891 | Other specified multiple gestation, unable to determine number of placenta and number of amniotic sacs, first trimester | Diagnosis | ICD-10-CM |
| O30892 | Other specified multiple gestation, unable to determine number of placenta and number of amniotic sacs, second trimester | Diagnosis | ICD-10-CM |
| O30893 | Other specified multiple gestation, unable to determine number of placenta and number of amniotic sacs, third trimester | Diagnosis | ICD-10-CM |
| O30899 | Other specified multiple gestation, unable to determine number of placenta and number of amniotic sacs, unspecified trimester | Diagnosis | ICD-10-CM |
| O3090 | Multiple gestation, unspecified, unspecified trimester | Diagnosis | ICD-10-CM |
| O3091 | Multiple gestation, unspecified, first trimester | Diagnosis | ICD-10-CM |
| O3092 | Multiple gestation, unspecified, second trimester | Diagnosis | ICD-10-CM |
| O3093 | Multiple gestation, unspecified, third trimester | Diagnosis | ICD-10-CM |

Appendix J. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Bateman Obstetric Comorbidity Index

| Code | Description | Code | |
|---------|--|-----------|-----------|
| | | Category | Code Type |
| O3110X0 | Continuing pregnancy after spontaneous abortion of one fetus or more, unspecified trimester, not applicable or unspecified | Diagnosis | ICD-10-CM |
| O3110X1 | Continuing pregnancy after spontaneous abortion of one fetus or more, unspecified trimester, fetus 1 | Diagnosis | ICD-10-CM |
| O3110X2 | Continuing pregnancy after spontaneous abortion of one fetus or more, unspecified trimester, fetus 2 | Diagnosis | ICD-10-CM |
| O3110X3 | Continuing pregnancy after spontaneous abortion of one fetus or more, unspecified trimester, fetus 3 | Diagnosis | ICD-10-CM |
| O3110X4 | Continuing pregnancy after spontaneous abortion of one fetus or more, unspecified trimester, fetus 4 | Diagnosis | ICD-10-CM |
| O3110X5 | Continuing pregnancy after spontaneous abortion of one fetus or more, unspecified trimester, fetus 5 | Diagnosis | ICD-10-CM |
| O3110X9 | Continuing pregnancy after spontaneous abortion of one fetus or more, unspecified trimester, other fetus | Diagnosis | ICD-10-CM |
| O3111X0 | Continuing pregnancy after spontaneous abortion of one fetus or more, first trimester, not applicable or unspecified | Diagnosis | ICD-10-CM |
| O3111X1 | Continuing pregnancy after spontaneous abortion of one fetus or more, first trimester, fetus 1 | Diagnosis | ICD-10-CM |
| O3111X2 | Continuing pregnancy after spontaneous abortion of one fetus or more, first trimester, fetus 2 | Diagnosis | ICD-10-CM |
| O3111X3 | Continuing pregnancy after spontaneous abortion of one fetus or more, first trimester, fetus 3 | Diagnosis | ICD-10-CM |
| O3111X4 | Continuing pregnancy after spontaneous abortion of one fetus or more, first trimester, fetus 4 | Diagnosis | ICD-10-CM |
| O3111X5 | Continuing pregnancy after spontaneous abortion of one fetus or more, first trimester, fetus 5 | Diagnosis | ICD-10-CM |
| O3111X9 | Continuing pregnancy after spontaneous abortion of one fetus or more, first trimester, other fetus | Diagnosis | ICD-10-CM |
| O3112X0 | Continuing pregnancy after spontaneous abortion of one fetus or more, second trimester, not applicable or unspecified | Diagnosis | ICD-10-CM |
| O3112X1 | Continuing pregnancy after spontaneous abortion of one fetus or more, second trimester, fetus 1 | Diagnosis | ICD-10-CM |
| O3112X2 | Continuing pregnancy after spontaneous abortion of one fetus or more, second trimester, fetus 2 | Diagnosis | ICD-10-CM |
| O3112X3 | Continuing pregnancy after spontaneous abortion of one fetus or more, second trimester, fetus 3 | Diagnosis | ICD-10-CM |
| O3112X4 | Continuing pregnancy after spontaneous abortion of one fetus or more, second trimester, fetus 4 | Diagnosis | ICD-10-CM |
| O3112X5 | Continuing pregnancy after spontaneous abortion of one fetus or more, second trimester, fetus 5 | Diagnosis | ICD-10-CM |
| O3112X9 | Continuing pregnancy after spontaneous abortion of one fetus or more, second trimester, other fetus | Diagnosis | ICD-10-CM |
| O3113X0 | Continuing pregnancy after spontaneous abortion of one fetus or more, third trimester, not applicable or unspecified | Diagnosis | ICD-10-CM |
| O3113X1 | Continuing pregnancy after spontaneous abortion of one fetus or more, third trimester, fetus 1 | Diagnosis | ICD-10-CM |
| O3113X2 | Continuing pregnancy after spontaneous abortion of one fetus or more, third trimester, fetus 2 | Diagnosis | ICD-10-CM |
| O3113X3 | Continuing pregnancy after spontaneous abortion of one fetus or more, third trimester, fetus 3 | Diagnosis | ICD-10-CM |

Appendix J. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Bateman Obstetric Comorbidity Index

| Code | Description | Code Category | Code Type |
|-------------|--|----------------------|------------------|
| O3113X4 | Continuing pregnancy after spontaneous abortion of one fetus or more, third trimester, fetus 4 | Diagnosis | ICD-10-CM |
| O3113X5 | Continuing pregnancy after spontaneous abortion of one fetus or more, third trimester, fetus 5 | Diagnosis | ICD-10-CM |
| O3113X9 | Continuing pregnancy after spontaneous abortion of one fetus or more, third trimester, other fetus | Diagnosis | ICD-10-CM |
| O3120X0 | Continuing pregnancy after intrauterine death of one fetus or more, unspecified trimester, not applicable or unspecified | Diagnosis | ICD-10-CM |
| O3120X1 | Continuing pregnancy after intrauterine death of one fetus or more, unspecified trimester, fetus 1 | Diagnosis | ICD-10-CM |
| O3120X2 | Continuing pregnancy after intrauterine death of one fetus or more, unspecified trimester, fetus 2 | Diagnosis | ICD-10-CM |
| O3120X3 | Continuing pregnancy after intrauterine death of one fetus or more, unspecified trimester, fetus 3 | Diagnosis | ICD-10-CM |
| O3120X4 | Continuing pregnancy after intrauterine death of one fetus or more, unspecified trimester, fetus 4 | Diagnosis | ICD-10-CM |
| O3120X5 | Continuing pregnancy after intrauterine death of one fetus or more, unspecified trimester, fetus 5 | Diagnosis | ICD-10-CM |
| O3120X9 | Continuing pregnancy after intrauterine death of one fetus or more, unspecified trimester, other fetus | Diagnosis | ICD-10-CM |
| O3121X0 | Continuing pregnancy after intrauterine death of one fetus or more, first trimester, not applicable or unspecified | Diagnosis | ICD-10-CM |
| O3121X1 | Continuing pregnancy after intrauterine death of one fetus or more, first trimester, fetus 1 | Diagnosis | ICD-10-CM |
| O3121X2 | Continuing pregnancy after intrauterine death of one fetus or more, first trimester, fetus 2 | Diagnosis | ICD-10-CM |
| O3121X3 | Continuing pregnancy after intrauterine death of one fetus or more, first trimester, fetus 3 | Diagnosis | ICD-10-CM |
| O3121X4 | Continuing pregnancy after intrauterine death of one fetus or more, first trimester, fetus 4 | Diagnosis | ICD-10-CM |
| O3121X5 | Continuing pregnancy after intrauterine death of one fetus or more, first trimester, fetus 5 | Diagnosis | ICD-10-CM |
| O3121X9 | Continuing pregnancy after intrauterine death of one fetus or more, first trimester, other fetus | Diagnosis | ICD-10-CM |
| O3122X0 | Continuing pregnancy after intrauterine death of one fetus or more, second trimester, not applicable or unspecified | Diagnosis | ICD-10-CM |
| O3122X1 | Continuing pregnancy after intrauterine death of one fetus or more, second trimester, fetus 1 | Diagnosis | ICD-10-CM |
| O3122X2 | Continuing pregnancy after intrauterine death of one fetus or more, second trimester, fetus 2 | Diagnosis | ICD-10-CM |
| O3122X3 | Continuing pregnancy after intrauterine death of one fetus or more, second trimester, fetus 3 | Diagnosis | ICD-10-CM |
| O3122X4 | Continuing pregnancy after intrauterine death of one fetus or more, second trimester, fetus 4 | Diagnosis | ICD-10-CM |
| O3122X5 | Continuing pregnancy after intrauterine death of one fetus or more, second trimester, fetus 5 | Diagnosis | ICD-10-CM |
| O3122X9 | Continuing pregnancy after intrauterine death of one fetus or more, second trimester, other fetus | Diagnosis | ICD-10-CM |
| O3123X0 | Continuing pregnancy after intrauterine death of one fetus or more, third trimester, not applicable or unspecified | Diagnosis | ICD-10-CM |
| O3123X1 | Continuing pregnancy after intrauterine death of one fetus or more, third trimester, fetus 1 | Diagnosis | ICD-10-CM |
| O3123X2 | Continuing pregnancy after intrauterine death of one fetus or more, third trimester, fetus 2 | Diagnosis | ICD-10-CM |
| O3123X3 | Continuing pregnancy after intrauterine death of one fetus or more, third trimester, fetus 3 | Diagnosis | ICD-10-CM |
| O3123X4 | Continuing pregnancy after intrauterine death of one fetus or more, third trimester, fetus 4 | Diagnosis | ICD-10-CM |
| O3123X5 | Continuing pregnancy after intrauterine death of one fetus or more, third trimester, fetus 5 | Diagnosis | ICD-10-CM |

Appendix J. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Bateman Obstetric Comorbidity Index

| Code | Description | Code Category | Code Type |
|-------------|--|----------------------|------------------|
| O3123X9 | Continuing pregnancy after intrauterine death of one fetus or more, third trimester, other fetus | Diagnosis | ICD-10-CM |
| O3130X0 | Continuing pregnancy after elective fetal reduction of one fetus or more, unspecified trimester, not applicable or unspecified | Diagnosis | ICD-10-CM |
| O3130X1 | Continuing pregnancy after elective fetal reduction of one fetus or more, unspecified trimester, fetus 1 | Diagnosis | ICD-10-CM |
| O3130X2 | Continuing pregnancy after elective fetal reduction of one fetus or more, unspecified trimester, fetus 2 | Diagnosis | ICD-10-CM |
| O3130X3 | Continuing pregnancy after elective fetal reduction of one fetus or more, unspecified trimester, fetus 3 | Diagnosis | ICD-10-CM |
| O3130X4 | Continuing pregnancy after elective fetal reduction of one fetus or more, unspecified trimester, fetus 4 | Diagnosis | ICD-10-CM |
| O3130X5 | Continuing pregnancy after elective fetal reduction of one fetus or more, unspecified trimester, fetus 5 | Diagnosis | ICD-10-CM |
| O3130X9 | Continuing pregnancy after elective fetal reduction of one fetus or more, unspecified trimester, other fetus | Diagnosis | ICD-10-CM |
| O3131X0 | Continuing pregnancy after elective fetal reduction of one fetus or more, first trimester, not applicable or unspecified | Diagnosis | ICD-10-CM |
| O3131X1 | Continuing pregnancy after elective fetal reduction of one fetus or more, first trimester, fetus 1 | Diagnosis | ICD-10-CM |
| O3131X2 | Continuing pregnancy after elective fetal reduction of one fetus or more, first trimester, fetus 2 | Diagnosis | ICD-10-CM |
| O3131X3 | Continuing pregnancy after elective fetal reduction of one fetus or more, first trimester, fetus 3 | Diagnosis | ICD-10-CM |
| O3131X4 | Continuing pregnancy after elective fetal reduction of one fetus or more, first trimester, fetus 4 | Diagnosis | ICD-10-CM |
| O3131X5 | Continuing pregnancy after elective fetal reduction of one fetus or more, first trimester, fetus 5 | Diagnosis | ICD-10-CM |
| O3131X9 | Continuing pregnancy after elective fetal reduction of one fetus or more, first trimester, other fetus | Diagnosis | ICD-10-CM |
| O3132X0 | Continuing pregnancy after elective fetal reduction of one fetus or more, second trimester, not applicable or unspecified | Diagnosis | ICD-10-CM |
| O3132X1 | Continuing pregnancy after elective fetal reduction of one fetus or more, second trimester, fetus 1 | Diagnosis | ICD-10-CM |
| O3132X2 | Continuing pregnancy after elective fetal reduction of one fetus or more, second trimester, fetus 2 | Diagnosis | ICD-10-CM |
| O3132X3 | Continuing pregnancy after elective fetal reduction of one fetus or more, second trimester, fetus 3 | Diagnosis | ICD-10-CM |
| O3132X4 | Continuing pregnancy after elective fetal reduction of one fetus or more, second trimester, fetus 4 | Diagnosis | ICD-10-CM |
| O3132X5 | Continuing pregnancy after elective fetal reduction of one fetus or more, second trimester, fetus 5 | Diagnosis | ICD-10-CM |
| O3132X9 | Continuing pregnancy after elective fetal reduction of one fetus or more, second trimester, other fetus | Diagnosis | ICD-10-CM |
| O3133X0 | Continuing pregnancy after elective fetal reduction of one fetus or more, third trimester, not applicable or unspecified | Diagnosis | ICD-10-CM |
| O3133X1 | Continuing pregnancy after elective fetal reduction of one fetus or more, third trimester, fetus 1 | Diagnosis | ICD-10-CM |
| O3133X2 | Continuing pregnancy after elective fetal reduction of one fetus or more, third trimester, fetus 2 | Diagnosis | ICD-10-CM |

Appendix J. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Bateman Obstetric Comorbidity Index

| Code | Description | Code Category | Code Type |
|-------------|--|----------------------|------------------|
| O3133X3 | Continuing pregnancy after elective fetal reduction of one fetus or more, third trimester, fetus 3 | Diagnosis | ICD-10-CM |
| O3133X4 | Continuing pregnancy after elective fetal reduction of one fetus or more, third trimester, fetus 4 | Diagnosis | ICD-10-CM |
| O3133X5 | Continuing pregnancy after elective fetal reduction of one fetus or more, third trimester, fetus 5 | Diagnosis | ICD-10-CM |
| O3133X9 | Continuing pregnancy after elective fetal reduction of one fetus or more, third trimester, other fetus | Diagnosis | ICD-10-CM |
| O318X10 | Other complications specific to multiple gestation, first trimester, not applicable or unspecified | Diagnosis | ICD-10-CM |
| O318X11 | Other complications specific to multiple gestation, first trimester, fetus 1 | Diagnosis | ICD-10-CM |
| O318X12 | Other complications specific to multiple gestation, first trimester, fetus 2 | Diagnosis | ICD-10-CM |
| O318X13 | Other complications specific to multiple gestation, first trimester, fetus 3 | Diagnosis | ICD-10-CM |
| O318X14 | Other complications specific to multiple gestation, first trimester, fetus 4 | Diagnosis | ICD-10-CM |
| O318X15 | Other complications specific to multiple gestation, first trimester, fetus 5 | Diagnosis | ICD-10-CM |
| O318X19 | Other complications specific to multiple gestation, first trimester, other fetus | Diagnosis | ICD-10-CM |
| O318X20 | Other complications specific to multiple gestation, second trimester, not applicable or unspecified | Diagnosis | ICD-10-CM |
| O318X21 | Other complications specific to multiple gestation, second trimester, fetus 1 | Diagnosis | ICD-10-CM |
| O318X22 | Other complications specific to multiple gestation, second trimester, fetus 2 | Diagnosis | ICD-10-CM |
| O318X23 | Other complications specific to multiple gestation, second trimester, fetus 3 | Diagnosis | ICD-10-CM |
| O318X24 | Other complications specific to multiple gestation, second trimester, fetus 4 | Diagnosis | ICD-10-CM |
| O318X25 | Other complications specific to multiple gestation, second trimester, fetus 5 | Diagnosis | ICD-10-CM |
| O318X29 | Other complications specific to multiple gestation, second trimester, other fetus | Diagnosis | ICD-10-CM |
| O318X30 | Other complications specific to multiple gestation, third trimester, not applicable or unspecified | Diagnosis | ICD-10-CM |
| O318X31 | Other complications specific to multiple gestation, third trimester, fetus 1 | Diagnosis | ICD-10-CM |
| O318X32 | Other complications specific to multiple gestation, third trimester, fetus 2 | Diagnosis | ICD-10-CM |
| O318X33 | Other complications specific to multiple gestation, third trimester, fetus 3 | Diagnosis | ICD-10-CM |
| O318X34 | Other complications specific to multiple gestation, third trimester, fetus 4 | Diagnosis | ICD-10-CM |
| O318X35 | Other complications specific to multiple gestation, third trimester, fetus 5 | Diagnosis | ICD-10-CM |
| O318X39 | Other complications specific to multiple gestation, third trimester, other fetus | Diagnosis | ICD-10-CM |
| O318X90 | Other complications specific to multiple gestation, unspecified trimester, not applicable or unspecified | Diagnosis | ICD-10-CM |
| O318X91 | Other complications specific to multiple gestation, unspecified trimester, fetus 1 | Diagnosis | ICD-10-CM |
| O318X92 | Other complications specific to multiple gestation, unspecified trimester, fetus 2 | Diagnosis | ICD-10-CM |
| O318X93 | Other complications specific to multiple gestation, unspecified trimester, fetus 3 | Diagnosis | ICD-10-CM |
| O318X94 | Other complications specific to multiple gestation, unspecified trimester, fetus 4 | Diagnosis | ICD-10-CM |
| O318X95 | Other complications specific to multiple gestation, unspecified trimester, fetus 5 | Diagnosis | ICD-10-CM |
| O318X99 | Other complications specific to multiple gestation, unspecified trimester, other fetus | Diagnosis | ICD-10-CM |
| Z372 | Twins, both liveborn | Diagnosis | ICD-10-CM |
| Z373 | Twins, one liveborn and one stillborn | Diagnosis | ICD-10-CM |
| Z374 | Twins, both stillborn | Diagnosis | ICD-10-CM |
| Z3750 | Multiple births, unspecified, all liveborn | Diagnosis | ICD-10-CM |
| Z3751 | Triplets, all liveborn | Diagnosis | ICD-10-CM |
| Z3752 | Quadruplets, all liveborn | Diagnosis | ICD-10-CM |
| Z3753 | Quintuplets, all liveborn | Diagnosis | ICD-10-CM |
| Z3754 | Sextuplets, all liveborn | Diagnosis | ICD-10-CM |
| Z3759 | Other multiple births, all liveborn | Diagnosis | ICD-10-CM |
| Z3760 | Multiple births, unspecified, some liveborn | Diagnosis | ICD-10-CM |

Appendix J. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Bateman Obstetric Comorbidity Index

| Code | Description | Code Category | Code Type |
|---------------------------------------|--|----------------------|------------------|
| Z3761 | Triplets, some liveborn | Diagnosis | ICD-10-CM |
| Z3762 | Quadruplets, some liveborn | Diagnosis | ICD-10-CM |
| Z3763 | Quintuplets, some liveborn | Diagnosis | ICD-10-CM |
| Z3764 | Sextuplets, some liveborn | Diagnosis | ICD-10-CM |
| Z3769 | Other multiple births, some liveborn | Diagnosis | ICD-10-CM |
| Z377 | Other multiple births, all stillborn | Diagnosis | ICD-10-CM |
| Placenta previa | | | |
| O4400 | Complete placenta previa NOS or without hemorrhage, unspecified trimester | Diagnosis | ICD-10-CM |
| O4401 | Complete placenta previa NOS or without hemorrhage, first trimester | Diagnosis | ICD-10-CM |
| O4402 | Complete placenta previa NOS or without hemorrhage, second trimester | Diagnosis | ICD-10-CM |
| O4403 | Complete placenta previa NOS or without hemorrhage, third trimester | Diagnosis | ICD-10-CM |
| O4410 | Complete placenta previa with hemorrhage, unspecified trimester | Diagnosis | ICD-10-CM |
| O4411 | Complete placenta previa with hemorrhage, first trimester | Diagnosis | ICD-10-CM |
| O4412 | Complete placenta previa with hemorrhage, second trimester | Diagnosis | ICD-10-CM |
| O4413 | Complete placenta previa with hemorrhage, third trimester | Diagnosis | ICD-10-CM |
| O4420 | Partial placenta previa NOS or without hemorrhage, unspecified trimester | Diagnosis | ICD-10-CM |
| O4421 | Partial placenta previa NOS or without hemorrhage, first trimester | Diagnosis | ICD-10-CM |
| O4422 | Partial placenta previa NOS or without hemorrhage, second trimester | Diagnosis | ICD-10-CM |
| O4423 | Partial placenta previa NOS or without hemorrhage, third trimester | Diagnosis | ICD-10-CM |
| O4430 | Partial placenta previa with hemorrhage, unspecified trimester | Diagnosis | ICD-10-CM |
| O4431 | Partial placenta previa with hemorrhage, first trimester | Diagnosis | ICD-10-CM |
| O4432 | Partial placenta previa with hemorrhage, second trimester | Diagnosis | ICD-10-CM |
| O4433 | Partial placenta previa with hemorrhage, third trimester | Diagnosis | ICD-10-CM |
| O4440 | Low lying placenta NOS or without hemorrhage, unspecified trimester | Diagnosis | ICD-10-CM |
| O4441 | Low lying placenta NOS or without hemorrhage, first trimester | Diagnosis | ICD-10-CM |
| O4442 | Low lying placenta NOS or without hemorrhage, second trimester | Diagnosis | ICD-10-CM |
| O4443 | Low lying placenta NOS or without hemorrhage, third trimester | Diagnosis | ICD-10-CM |
| O4450 | Low lying placenta with hemorrhage, unspecified trimester | Diagnosis | ICD-10-CM |
| O4451 | Low lying placenta with hemorrhage, first trimester | Diagnosis | ICD-10-CM |
| O4452 | Low lying placenta with hemorrhage, second trimester | Diagnosis | ICD-10-CM |
| O4453 | Low lying placenta with hemorrhage, third trimester | Diagnosis | ICD-10-CM |
| Pre-existing diabetes mellitus | | | |
| E1010 | Type 1 diabetes mellitus with ketoacidosis without coma | Diagnosis | ICD-10-CM |
| E1011 | Type 1 diabetes mellitus with ketoacidosis with coma | Diagnosis | ICD-10-CM |
| E1021 | Type 1 diabetes mellitus with diabetic nephropathy | Diagnosis | ICD-10-CM |
| E1022 | Type 1 diabetes mellitus with diabetic chronic kidney disease | Diagnosis | ICD-10-CM |
| E1029 | Type 1 diabetes mellitus with other diabetic kidney complication | Diagnosis | ICD-10-CM |
| E10311 | Type 1 diabetes mellitus with unspecified diabetic retinopathy with macular edema | Diagnosis | ICD-10-CM |
| E10319 | Type 1 diabetes mellitus with unspecified diabetic retinopathy without macular edema | Diagnosis | ICD-10-CM |
| E103211 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, right eye | Diagnosis | ICD-10-CM |
| E103212 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, left eye | Diagnosis | ICD-10-CM |
| E103213 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, bilateral | Diagnosis | ICD-10-CM |
| E103219 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, unspecified eye | Diagnosis | ICD-10-CM |
| E103291 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, right eye | Diagnosis | ICD-10-CM |

Appendix J. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Bateman Obstetric Comorbidity Index

| Code | Description | Code | |
|---------|---|-----------|-----------|
| | | Category | Code Type |
| E103292 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, left eye | Diagnosis | ICD-10-CM |
| E103293 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, bilateral | Diagnosis | ICD-10-CM |
| E103299 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, unspecified eye | Diagnosis | ICD-10-CM |
| E103311 | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, right eye | Diagnosis | ICD-10-CM |
| E103312 | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, left eye | Diagnosis | ICD-10-CM |
| E103313 | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, bilateral | Diagnosis | ICD-10-CM |
| E103319 | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, unspecified eye | Diagnosis | ICD-10-CM |
| E103391 | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, right eye | Diagnosis | ICD-10-CM |
| E103392 | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, left eye | Diagnosis | ICD-10-CM |
| E103393 | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, bilateral | Diagnosis | ICD-10-CM |
| E103399 | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, unspecified eye | Diagnosis | ICD-10-CM |
| E103411 | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, right eye | Diagnosis | ICD-10-CM |
| E103412 | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, left eye | Diagnosis | ICD-10-CM |
| E103413 | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, bilateral | Diagnosis | ICD-10-CM |
| E103419 | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, unspecified eye | Diagnosis | ICD-10-CM |
| E103491 | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, right eye | Diagnosis | ICD-10-CM |
| E103492 | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, left eye | Diagnosis | ICD-10-CM |
| E103493 | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, bilateral | Diagnosis | ICD-10-CM |
| E103499 | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, unspecified eye | Diagnosis | ICD-10-CM |
| E103511 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with macular edema, right eye | Diagnosis | ICD-10-CM |
| E103512 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with macular edema, left eye | Diagnosis | ICD-10-CM |
| E103513 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with macular edema, bilateral | Diagnosis | ICD-10-CM |
| E103519 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with macular edema, unspecified eye | Diagnosis | ICD-10-CM |
| E103521 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, right eye | Diagnosis | ICD-10-CM |
| E103522 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, left eye | Diagnosis | ICD-10-CM |

Appendix J. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Bateman Obstetric Comorbidity Index

| Code | Description | Code | |
|---------|---|-----------|-----------|
| | | Category | Code Type |
| E103523 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, bilateral | Diagnosis | ICD-10-CM |
| E103529 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, unspecified eye | Diagnosis | ICD-10-CM |
| E103531 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, right eye | Diagnosis | ICD-10-CM |
| E103532 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, left eye | Diagnosis | ICD-10-CM |
| E103533 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, bilateral | Diagnosis | ICD-10-CM |
| E103539 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, unspecified eye | Diagnosis | ICD-10-CM |
| E103541 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, right eye | Diagnosis | ICD-10-CM |
| E103542 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, left eye | Diagnosis | ICD-10-CM |
| E103543 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, bilateral | Diagnosis | ICD-10-CM |
| E103549 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, unspecified eye | Diagnosis | ICD-10-CM |
| E103551 | Type 1 diabetes mellitus with stable proliferative diabetic retinopathy, right eye | Diagnosis | ICD-10-CM |
| E103552 | Type 1 diabetes mellitus with stable proliferative diabetic retinopathy, left eye | Diagnosis | ICD-10-CM |
| E103553 | Type 1 diabetes mellitus with stable proliferative diabetic retinopathy, bilateral | Diagnosis | ICD-10-CM |
| E103559 | Type 1 diabetes mellitus with stable proliferative diabetic retinopathy, unspecified eye | Diagnosis | ICD-10-CM |
| E103591 | Type 1 diabetes mellitus with proliferative diabetic retinopathy without macular edema, right eye | Diagnosis | ICD-10-CM |
| E103592 | Type 1 diabetes mellitus with proliferative diabetic retinopathy without macular edema, left eye | Diagnosis | ICD-10-CM |
| E103593 | Type 1 diabetes mellitus with proliferative diabetic retinopathy without macular edema, bilateral | Diagnosis | ICD-10-CM |
| E103599 | Type 1 diabetes mellitus with proliferative diabetic retinopathy without macular edema, unspecified eye | Diagnosis | ICD-10-CM |
| E1036 | Type 1 diabetes mellitus with diabetic cataract | Diagnosis | ICD-10-CM |
| E1037X1 | Type 1 diabetes mellitus with diabetic macular edema, resolved following treatment, right eye | Diagnosis | ICD-10-CM |
| E1037X2 | Type 1 diabetes mellitus with diabetic macular edema, resolved following treatment, left eye | Diagnosis | ICD-10-CM |
| E1037X3 | Type 1 diabetes mellitus with diabetic macular edema, resolved following treatment, bilateral | Diagnosis | ICD-10-CM |
| E1037X9 | Type 1 diabetes mellitus with diabetic macular edema, resolved following treatment, unspecified eye | Diagnosis | ICD-10-CM |
| E1039 | Type 1 diabetes mellitus with other diabetic ophthalmic complication | Diagnosis | ICD-10-CM |
| E1040 | Type 1 diabetes mellitus with diabetic neuropathy, unspecified | Diagnosis | ICD-10-CM |
| E1041 | Type 1 diabetes mellitus with diabetic mononeuropathy | Diagnosis | ICD-10-CM |
| E1042 | Type 1 diabetes mellitus with diabetic polyneuropathy | Diagnosis | ICD-10-CM |
| E1043 | Type 1 diabetes mellitus with diabetic autonomic (poly)neuropathy | Diagnosis | ICD-10-CM |
| E1044 | Type 1 diabetes mellitus with diabetic amyotrophy | Diagnosis | ICD-10-CM |
| E1049 | Type 1 diabetes mellitus with other diabetic neurological complication | Diagnosis | ICD-10-CM |
| E1051 | Type 1 diabetes mellitus with diabetic peripheral angiopathy without gangrene | Diagnosis | ICD-10-CM |
| E1052 | Type 1 diabetes mellitus with diabetic peripheral angiopathy with gangrene | Diagnosis | ICD-10-CM |

Appendix J. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Bateman Obstetric Comorbidity Index

| Code | Description | Code | |
|---------|--|-----------|-----------|
| | | Category | Code Type |
| E1059 | Type 1 diabetes mellitus with other circulatory complications | Diagnosis | ICD-10-CM |
| E10610 | Type 1 diabetes mellitus with diabetic neuropathic arthropathy | Diagnosis | ICD-10-CM |
| E10618 | Type 1 diabetes mellitus with other diabetic arthropathy | Diagnosis | ICD-10-CM |
| E10620 | Type 1 diabetes mellitus with diabetic dermatitis | Diagnosis | ICD-10-CM |
| E10621 | Type 1 diabetes mellitus with foot ulcer | Diagnosis | ICD-10-CM |
| E10622 | Type 1 diabetes mellitus with other skin ulcer | Diagnosis | ICD-10-CM |
| E10628 | Type 1 diabetes mellitus with other skin complications | Diagnosis | ICD-10-CM |
| E10630 | Type 1 diabetes mellitus with periodontal disease | Diagnosis | ICD-10-CM |
| E10638 | Type 1 diabetes mellitus with other oral complications | Diagnosis | ICD-10-CM |
| E10641 | Type 1 diabetes mellitus with hypoglycemia with coma | Diagnosis | ICD-10-CM |
| E10649 | Type 1 diabetes mellitus with hypoglycemia without coma | Diagnosis | ICD-10-CM |
| E1065 | Type 1 diabetes mellitus with hyperglycemia | Diagnosis | ICD-10-CM |
| E1069 | Type 1 diabetes mellitus with other specified complication | Diagnosis | ICD-10-CM |
| E108 | Type 1 diabetes mellitus with unspecified complications | Diagnosis | ICD-10-CM |
| E109 | Type 1 diabetes mellitus without complications | Diagnosis | ICD-10-CM |
| E1100 | Type 2 diabetes mellitus with hyperosmolarity without nonketotic hyperglycemic-hyperosmolar coma (NKHHC) | Diagnosis | ICD-10-CM |
| E1101 | Type 2 diabetes mellitus with hyperosmolarity with coma | Diagnosis | ICD-10-CM |
| E1110 | Type 2 diabetes mellitus with ketoacidosis without coma | Diagnosis | ICD-10-CM |
| E1111 | Type 2 diabetes mellitus with ketoacidosis with coma | Diagnosis | ICD-10-CM |
| E1121 | Type 2 diabetes mellitus with diabetic nephropathy | Diagnosis | ICD-10-CM |
| E1122 | Type 2 diabetes mellitus with diabetic chronic kidney disease | Diagnosis | ICD-10-CM |
| E1129 | Type 2 diabetes mellitus with other diabetic kidney complication | Diagnosis | ICD-10-CM |
| E11311 | Type 2 diabetes mellitus with unspecified diabetic retinopathy with macular edema | Diagnosis | ICD-10-CM |
| E11319 | Type 2 diabetes mellitus with unspecified diabetic retinopathy without macular edema | Diagnosis | ICD-10-CM |
| E113211 | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, right eye | Diagnosis | ICD-10-CM |
| E113212 | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, left eye | Diagnosis | ICD-10-CM |
| E113213 | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, bilateral | Diagnosis | ICD-10-CM |
| E113219 | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, unspecified eye | Diagnosis | ICD-10-CM |
| E113291 | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, right eye | Diagnosis | ICD-10-CM |
| E113292 | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, left eye | Diagnosis | ICD-10-CM |
| E113293 | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, bilateral | Diagnosis | ICD-10-CM |
| E113299 | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, unspecified eye | Diagnosis | ICD-10-CM |
| E113311 | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, right eye | Diagnosis | ICD-10-CM |
| E113312 | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, left eye | Diagnosis | ICD-10-CM |
| E113313 | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, bilateral | Diagnosis | ICD-10-CM |
| E113319 | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, unspecified eye | Diagnosis | ICD-10-CM |

Appendix J. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Bateman Obstetric Comorbidity Index

| Code | Description | Code | |
|---------|---|-----------|-----------|
| | | Category | Code Type |
| E113391 | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, right eye | Diagnosis | ICD-10-CM |
| E113392 | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, left eye | Diagnosis | ICD-10-CM |
| E113393 | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, bilateral | Diagnosis | ICD-10-CM |
| E113399 | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, unspecified eye | Diagnosis | ICD-10-CM |
| E113411 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, right eye | Diagnosis | ICD-10-CM |
| E113412 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, left eye | Diagnosis | ICD-10-CM |
| E113413 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, bilateral | Diagnosis | ICD-10-CM |
| E113419 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, unspecified eye | Diagnosis | ICD-10-CM |
| E113491 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, right eye | Diagnosis | ICD-10-CM |
| E113492 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, left eye | Diagnosis | ICD-10-CM |
| E113493 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, bilateral | Diagnosis | ICD-10-CM |
| E113499 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, unspecified eye | Diagnosis | ICD-10-CM |
| E113511 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema, right eye | Diagnosis | ICD-10-CM |
| E113512 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema, left eye | Diagnosis | ICD-10-CM |
| E113513 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema, bilateral | Diagnosis | ICD-10-CM |
| E113519 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema, unspecified eye | Diagnosis | ICD-10-CM |
| E113521 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, right eye | Diagnosis | ICD-10-CM |
| E113522 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, left eye | Diagnosis | ICD-10-CM |
| E113523 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, bilateral | Diagnosis | ICD-10-CM |
| E113529 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, unspecified eye | Diagnosis | ICD-10-CM |
| E113531 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, right eye | Diagnosis | ICD-10-CM |
| E113532 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, left eye | Diagnosis | ICD-10-CM |
| E113533 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, bilateral | Diagnosis | ICD-10-CM |
| E113539 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, unspecified eye | Diagnosis | ICD-10-CM |
| E113541 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, right eye | Diagnosis | ICD-10-CM |

Appendix J. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Bateman Obstetric Comorbidity Index

| Code | Description | Code Category | Code Type |
|-------------|---|----------------------|------------------|
| E113542 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, left eye | Diagnosis | ICD-10-CM |
| E113543 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, bilateral | Diagnosis | ICD-10-CM |
| E113549 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, unspecified eye | Diagnosis | ICD-10-CM |
| E113551 | Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, right eye | Diagnosis | ICD-10-CM |
| E113552 | Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, left eye | Diagnosis | ICD-10-CM |
| E113553 | Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, bilateral | Diagnosis | ICD-10-CM |
| E113559 | Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, unspecified eye | Diagnosis | ICD-10-CM |
| E113591 | Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, right eye | Diagnosis | ICD-10-CM |
| E113592 | Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, left eye | Diagnosis | ICD-10-CM |
| E113593 | Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, bilateral | Diagnosis | ICD-10-CM |
| E113599 | Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, unspecified eye | Diagnosis | ICD-10-CM |
| E1136 | Type 2 diabetes mellitus with diabetic cataract | Diagnosis | ICD-10-CM |
| E1137X1 | Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment, right eye | Diagnosis | ICD-10-CM |
| E1137X2 | Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment, left eye | Diagnosis | ICD-10-CM |
| E1137X3 | Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment, bilateral | Diagnosis | ICD-10-CM |
| E1137X9 | Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment, unspecified eye | Diagnosis | ICD-10-CM |
| E1139 | Type 2 diabetes mellitus with other diabetic ophthalmic complication | Diagnosis | ICD-10-CM |
| E1140 | Type 2 diabetes mellitus with diabetic neuropathy, unspecified | Diagnosis | ICD-10-CM |
| E1141 | Type 2 diabetes mellitus with diabetic mononeuropathy | Diagnosis | ICD-10-CM |
| E1142 | Type 2 diabetes mellitus with diabetic polyneuropathy | Diagnosis | ICD-10-CM |
| E1143 | Type 2 diabetes mellitus with diabetic autonomic (poly)neuropathy | Diagnosis | ICD-10-CM |
| E1144 | Type 2 diabetes mellitus with diabetic amyotrophy | Diagnosis | ICD-10-CM |
| E1149 | Type 2 diabetes mellitus with other diabetic neurological complication | Diagnosis | ICD-10-CM |
| E1151 | Type 2 diabetes mellitus with diabetic peripheral angiopathy without gangrene | Diagnosis | ICD-10-CM |
| E1152 | Type 2 diabetes mellitus with diabetic peripheral angiopathy with gangrene | Diagnosis | ICD-10-CM |
| E1159 | Type 2 diabetes mellitus with other circulatory complications | Diagnosis | ICD-10-CM |
| E11610 | Type 2 diabetes mellitus with diabetic neuropathic arthropathy | Diagnosis | ICD-10-CM |
| E11618 | Type 2 diabetes mellitus with other diabetic arthropathy | Diagnosis | ICD-10-CM |
| E11620 | Type 2 diabetes mellitus with diabetic dermatitis | Diagnosis | ICD-10-CM |
| E11621 | Type 2 diabetes mellitus with foot ulcer | Diagnosis | ICD-10-CM |
| E11622 | Type 2 diabetes mellitus with other skin ulcer | Diagnosis | ICD-10-CM |
| E11628 | Type 2 diabetes mellitus with other skin complications | Diagnosis | ICD-10-CM |
| E11630 | Type 2 diabetes mellitus with periodontal disease | Diagnosis | ICD-10-CM |
| E11638 | Type 2 diabetes mellitus with other oral complications | Diagnosis | ICD-10-CM |
| E11641 | Type 2 diabetes mellitus with hypoglycemia with coma | Diagnosis | ICD-10-CM |
| E11649 | Type 2 diabetes mellitus with hypoglycemia without coma | Diagnosis | ICD-10-CM |
| E1165 | Type 2 diabetes mellitus with hyperglycemia | Diagnosis | ICD-10-CM |
| E1169 | Type 2 diabetes mellitus with other specified complication | Diagnosis | ICD-10-CM |
| E118 | Type 2 diabetes mellitus with unspecified complications | Diagnosis | ICD-10-CM |

Appendix J. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Bateman Obstetric Comorbidity Index

| Code | Description | Code | |
|---------|--|-----------|-----------|
| | | Category | Code Type |
| E119 | Type 2 diabetes mellitus without complications | Diagnosis | ICD-10-CM |
| E1300 | Other specified diabetes mellitus with hyperosmolarity without nonketotic hyperglycemic-hyperosmolar coma (NKHHC) | Diagnosis | ICD-10-CM |
| E1301 | Other specified diabetes mellitus with hyperosmolarity with coma | Diagnosis | ICD-10-CM |
| E1310 | Other specified diabetes mellitus with ketoacidosis without coma | Diagnosis | ICD-10-CM |
| E1311 | Other specified diabetes mellitus with ketoacidosis with coma | Diagnosis | ICD-10-CM |
| E1321 | Other specified diabetes mellitus with diabetic nephropathy | Diagnosis | ICD-10-CM |
| E1322 | Other specified diabetes mellitus with diabetic chronic kidney disease | Diagnosis | ICD-10-CM |
| E1329 | Other specified diabetes mellitus with other diabetic kidney complication | Diagnosis | ICD-10-CM |
| E13311 | Other specified diabetes mellitus with unspecified diabetic retinopathy with macular edema | Diagnosis | ICD-10-CM |
| E13319 | Other specified diabetes mellitus with unspecified diabetic retinopathy without macular edema | Diagnosis | ICD-10-CM |
| E133211 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, right eye | Diagnosis | ICD-10-CM |
| E133212 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, left eye | Diagnosis | ICD-10-CM |
| E133213 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, bilateral | Diagnosis | ICD-10-CM |
| E133219 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, unspecified eye | Diagnosis | ICD-10-CM |
| E133291 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, right eye | Diagnosis | ICD-10-CM |
| E133292 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, left eye | Diagnosis | ICD-10-CM |
| E133293 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, bilateral | Diagnosis | ICD-10-CM |
| E133299 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, unspecified eye | Diagnosis | ICD-10-CM |
| E133311 | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, right eye | Diagnosis | ICD-10-CM |
| E133312 | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, left eye | Diagnosis | ICD-10-CM |
| E133313 | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, bilateral | Diagnosis | ICD-10-CM |
| E133319 | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, unspecified eye | Diagnosis | ICD-10-CM |
| E133391 | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, right eye | Diagnosis | ICD-10-CM |
| E133392 | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, left eye | Diagnosis | ICD-10-CM |
| E133393 | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, bilateral | Diagnosis | ICD-10-CM |
| E133399 | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, unspecified eye | Diagnosis | ICD-10-CM |
| E133411 | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, right eye | Diagnosis | ICD-10-CM |
| E133412 | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, left eye | Diagnosis | ICD-10-CM |

Appendix J. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Bateman Obstetric Comorbidity Index

| Code | Description | Code | |
|---------|--|-----------|-----------|
| | | Category | Code Type |
| E133413 | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, bilateral | Diagnosis | ICD-10-CM |
| E133419 | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, unspecified eye | Diagnosis | ICD-10-CM |
| E133491 | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, right eye | Diagnosis | ICD-10-CM |
| E133492 | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, left eye | Diagnosis | ICD-10-CM |
| E133493 | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, bilateral | Diagnosis | ICD-10-CM |
| E133499 | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, unspecified eye | Diagnosis | ICD-10-CM |
| E133511 | Other specified diabetes mellitus with proliferative diabetic retinopathy with macular edema, right eye | Diagnosis | ICD-10-CM |
| E133512 | Other specified diabetes mellitus with proliferative diabetic retinopathy with macular edema, left eye | Diagnosis | ICD-10-CM |
| E133513 | Other specified diabetes mellitus with proliferative diabetic retinopathy with macular edema, bilateral | Diagnosis | ICD-10-CM |
| E133519 | Other specified diabetes mellitus with proliferative diabetic retinopathy with macular edema, unspecified eye | Diagnosis | ICD-10-CM |
| E133521 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, right eye | Diagnosis | ICD-10-CM |
| E133522 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, left eye | Diagnosis | ICD-10-CM |
| E133523 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, bilateral | Diagnosis | ICD-10-CM |
| E133529 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, unspecified eye | Diagnosis | ICD-10-CM |
| E133531 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, right eye | Diagnosis | ICD-10-CM |
| E133532 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, left eye | Diagnosis | ICD-10-CM |
| E133533 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, bilateral | Diagnosis | ICD-10-CM |
| E133539 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, unspecified eye | Diagnosis | ICD-10-CM |
| E133541 | Other specified diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, right eye | Diagnosis | ICD-10-CM |
| E133542 | Other specified diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, left eye | Diagnosis | ICD-10-CM |
| E133543 | Other specified diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, bilateral | Diagnosis | ICD-10-CM |
| E133549 | Other specified diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, unspecified eye | Diagnosis | ICD-10-CM |
| E133551 | Other specified diabetes mellitus with stable proliferative diabetic retinopathy, right eye | Diagnosis | ICD-10-CM |
| E133552 | Other specified diabetes mellitus with stable proliferative diabetic retinopathy, left eye | Diagnosis | ICD-10-CM |
| E133553 | Other specified diabetes mellitus with stable proliferative diabetic retinopathy, bilateral | Diagnosis | ICD-10-CM |
| E133559 | Other specified diabetes mellitus with stable proliferative diabetic retinopathy, unspecified eye | Diagnosis | ICD-10-CM |

Appendix J. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Bateman Obstetric Comorbidity Index

| Code | Description | Code Category | Code Type |
|-------------|--|----------------------|------------------|
| E133591 | Other specified diabetes mellitus with proliferative diabetic retinopathy without macular edema, right eye | Diagnosis | ICD-10-CM |
| E133592 | Other specified diabetes mellitus with proliferative diabetic retinopathy without macular edema, left eye | Diagnosis | ICD-10-CM |
| E133593 | Other specified diabetes mellitus with proliferative diabetic retinopathy without macular edema, bilateral | Diagnosis | ICD-10-CM |
| E133599 | Other specified diabetes mellitus with proliferative diabetic retinopathy without macular edema, unspecified eye | Diagnosis | ICD-10-CM |
| E1336 | Other specified diabetes mellitus with diabetic cataract | Diagnosis | ICD-10-CM |
| E1337X1 | Other specified diabetes mellitus with diabetic macular edema, resolved following treatment, right eye | Diagnosis | ICD-10-CM |
| E1337X2 | Other specified diabetes mellitus with diabetic macular edema, resolved following treatment, left eye | Diagnosis | ICD-10-CM |
| E1337X3 | Other specified diabetes mellitus with diabetic macular edema, resolved following treatment, bilateral | Diagnosis | ICD-10-CM |
| E1337X9 | Other specified diabetes mellitus with diabetic macular edema, resolved following treatment, unspecified eye | Diagnosis | ICD-10-CM |
| E1339 | Other specified diabetes mellitus with other diabetic ophthalmic complication | Diagnosis | ICD-10-CM |
| E1340 | Other specified diabetes mellitus with diabetic neuropathy, unspecified | Diagnosis | ICD-10-CM |
| E1341 | Other specified diabetes mellitus with diabetic mononeuropathy | Diagnosis | ICD-10-CM |
| E1342 | Other specified diabetes mellitus with diabetic polyneuropathy | Diagnosis | ICD-10-CM |
| E1343 | Other specified diabetes mellitus with diabetic autonomic (poly)neuropathy | Diagnosis | ICD-10-CM |
| E1344 | Other specified diabetes mellitus with diabetic amyotrophy | Diagnosis | ICD-10-CM |
| E1349 | Other specified diabetes mellitus with other diabetic neurological complication | Diagnosis | ICD-10-CM |
| E1351 | Other specified diabetes mellitus with diabetic peripheral angiopathy without gangrene | Diagnosis | ICD-10-CM |
| E1352 | Other specified diabetes mellitus with diabetic peripheral angiopathy with gangrene | Diagnosis | ICD-10-CM |
| E1359 | Other specified diabetes mellitus with other circulatory complications | Diagnosis | ICD-10-CM |
| E13610 | Other specified diabetes mellitus with diabetic neuropathic arthropathy | Diagnosis | ICD-10-CM |
| E13618 | Other specified diabetes mellitus with other diabetic arthropathy | Diagnosis | ICD-10-CM |
| E13620 | Other specified diabetes mellitus with diabetic dermatitis | Diagnosis | ICD-10-CM |
| E13621 | Other specified diabetes mellitus with foot ulcer | Diagnosis | ICD-10-CM |
| E13622 | Other specified diabetes mellitus with other skin ulcer | Diagnosis | ICD-10-CM |
| E13628 | Other specified diabetes mellitus with other skin complications | Diagnosis | ICD-10-CM |
| E13630 | Other specified diabetes mellitus with periodontal disease | Diagnosis | ICD-10-CM |
| E13638 | Other specified diabetes mellitus with other oral complications | Diagnosis | ICD-10-CM |
| E13641 | Other specified diabetes mellitus with hypoglycemia with coma | Diagnosis | ICD-10-CM |
| E13649 | Other specified diabetes mellitus with hypoglycemia without coma | Diagnosis | ICD-10-CM |
| E1365 | Other specified diabetes mellitus with hyperglycemia | Diagnosis | ICD-10-CM |
| E1369 | Other specified diabetes mellitus with other specified complication | Diagnosis | ICD-10-CM |
| E138 | Other specified diabetes mellitus with unspecified complications | Diagnosis | ICD-10-CM |
| E139 | Other specified diabetes mellitus without complications | Diagnosis | ICD-10-CM |
| O24011 | Pre-existing type 1 diabetes mellitus, in pregnancy, first trimester | Diagnosis | ICD-10-CM |
| O24012 | Pre-existing type 1 diabetes mellitus, in pregnancy, second trimester | Diagnosis | ICD-10-CM |
| O24013 | Pre-existing type 1 diabetes mellitus, in pregnancy, third trimester | Diagnosis | ICD-10-CM |
| O24019 | Pre-existing type 1 diabetes mellitus, in pregnancy, unspecified trimester | Diagnosis | ICD-10-CM |
| O2402 | Pre-existing type 1 diabetes mellitus, in childbirth | Diagnosis | ICD-10-CM |
| O2403 | Pre-existing type 1 diabetes mellitus, in the puerperium | Diagnosis | ICD-10-CM |
| O24111 | Pre-existing type 2 diabetes mellitus, in pregnancy, first trimester | Diagnosis | ICD-10-CM |
| O24112 | Pre-existing type 2 diabetes mellitus, in pregnancy, second trimester | Diagnosis | ICD-10-CM |
| O24113 | Pre-existing type 2 diabetes mellitus, in pregnancy, third trimester | Diagnosis | ICD-10-CM |

Appendix J. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Bateman Obstetric Comorbidity Index

| Code | Description | Code | |
|----------------------------------|---|-----------|-----------|
| | | Category | Code Type |
| O24119 | Pre-existing type 2 diabetes mellitus, in pregnancy, unspecified trimester | Diagnosis | ICD-10-CM |
| O2412 | Pre-existing type 2 diabetes mellitus, in childbirth | Diagnosis | ICD-10-CM |
| O2413 | Pre-existing type 2 diabetes mellitus, in the puerperium | Diagnosis | ICD-10-CM |
| O24311 | Unspecified pre-existing diabetes mellitus in pregnancy, first trimester | Diagnosis | ICD-10-CM |
| O24312 | Unspecified pre-existing diabetes mellitus in pregnancy, second trimester | Diagnosis | ICD-10-CM |
| O24313 | Unspecified pre-existing diabetes mellitus in pregnancy, third trimester | Diagnosis | ICD-10-CM |
| O24319 | Unspecified pre-existing diabetes mellitus in pregnancy, unspecified trimester | Diagnosis | ICD-10-CM |
| O2432 | Unspecified pre-existing diabetes mellitus in childbirth | Diagnosis | ICD-10-CM |
| O2433 | Unspecified pre-existing diabetes mellitus in the puerperium | Diagnosis | ICD-10-CM |
| O24811 | Other pre-existing diabetes mellitus in pregnancy, first trimester | Diagnosis | ICD-10-CM |
| O24812 | Other pre-existing diabetes mellitus in pregnancy, second trimester | Diagnosis | ICD-10-CM |
| O24813 | Other pre-existing diabetes mellitus in pregnancy, third trimester | Diagnosis | ICD-10-CM |
| O24819 | Other pre-existing diabetes mellitus in pregnancy, unspecified trimester | Diagnosis | ICD-10-CM |
| O2482 | Other pre-existing diabetes mellitus in childbirth | Diagnosis | ICD-10-CM |
| O2483 | Other pre-existing diabetes mellitus in the puerperium | Diagnosis | ICD-10-CM |
| O24911 | Unspecified diabetes mellitus in pregnancy, first trimester | Diagnosis | ICD-10-CM |
| O24912 | Unspecified diabetes mellitus in pregnancy, second trimester | Diagnosis | ICD-10-CM |
| O24913 | Unspecified diabetes mellitus in pregnancy, third trimester | Diagnosis | ICD-10-CM |
| O24919 | Unspecified diabetes mellitus in pregnancy, unspecified trimester | Diagnosis | ICD-10-CM |
| O2492 | Unspecified diabetes mellitus in childbirth | Diagnosis | ICD-10-CM |
| O2493 | Unspecified diabetes mellitus in the puerperium | Diagnosis | ICD-10-CM |
| Pre-existing hypertension | | | |
| I10 | Essential (primary) hypertension | Diagnosis | ICD-10-CM |
| I110 | Hypertensive heart disease with heart failure | Diagnosis | ICD-10-CM |
| I119 | Hypertensive heart disease without heart failure | Diagnosis | ICD-10-CM |
| I120 | Hypertensive chronic kidney disease with stage 5 chronic kidney disease or end stage renal disease | Diagnosis | ICD-10-CM |
| I129 | Hypertensive chronic kidney disease with stage 1 through stage 4 chronic kidney disease, or unspecified chronic kidney disease | Diagnosis | ICD-10-CM |
| I130 | Hypertensive heart and chronic kidney disease with heart failure and stage 1 through stage 4 chronic kidney disease, or unspecified chronic kidney disease | Diagnosis | ICD-10-CM |
| I1310 | Hypertensive heart and chronic kidney disease without heart failure, with stage 1 through stage 4 chronic kidney disease, or unspecified chronic kidney disease | Diagnosis | ICD-10-CM |
| I1311 | Hypertensive heart and chronic kidney disease without heart failure, with stage 5 chronic kidney disease, or end stage renal disease | Diagnosis | ICD-10-CM |
| I132 | Hypertensive heart and chronic kidney disease with heart failure and with stage 5 chronic kidney disease, or end stage renal disease | Diagnosis | ICD-10-CM |
| I150 | Renovascular hypertension | Diagnosis | ICD-10-CM |
| I151 | Hypertension secondary to other renal disorders | Diagnosis | ICD-10-CM |
| I152 | Hypertension secondary to endocrine disorders | Diagnosis | ICD-10-CM |
| I158 | Other secondary hypertension | Diagnosis | ICD-10-CM |
| I159 | Secondary hypertension, unspecified | Diagnosis | ICD-10-CM |
| I160 | Hypertensive urgency | Diagnosis | ICD-10-CM |
| I161 | Hypertensive emergency | Diagnosis | ICD-10-CM |
| I169 | Hypertensive crisis, unspecified | Diagnosis | ICD-10-CM |
| N262 | Page kidney | Diagnosis | ICD-10-CM |
| O10011 | Pre-existing essential hypertension complicating pregnancy, first trimester | Diagnosis | ICD-10-CM |
| O10012 | Pre-existing essential hypertension complicating pregnancy, second trimester | Diagnosis | ICD-10-CM |
| O10013 | Pre-existing essential hypertension complicating pregnancy, third trimester | Diagnosis | ICD-10-CM |

Appendix J. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Bateman Obstetric Comorbidity Index

| Code | Description | Code | |
|------------------------------------|--|-----------|-----------|
| | | Category | Code Type |
| O10019 | Pre-existing essential hypertension complicating pregnancy, unspecified trimester | Diagnosis | ICD-10-CM |
| O1002 | Pre-existing essential hypertension complicating childbirth | Diagnosis | ICD-10-CM |
| O1003 | Pre-existing essential hypertension complicating the puerperium | Diagnosis | ICD-10-CM |
| O10111 | Pre-existing hypertensive heart disease complicating pregnancy, first trimester | Diagnosis | ICD-10-CM |
| O10112 | Pre-existing hypertensive heart disease complicating pregnancy, second trimester | Diagnosis | ICD-10-CM |
| O10113 | Pre-existing hypertensive heart disease complicating pregnancy, third trimester | Diagnosis | ICD-10-CM |
| O10119 | Pre-existing hypertensive heart disease complicating pregnancy, unspecified trimester | Diagnosis | ICD-10-CM |
| O1012 | Pre-existing hypertensive heart disease complicating childbirth | Diagnosis | ICD-10-CM |
| O1013 | Pre-existing hypertensive heart disease complicating the puerperium | Diagnosis | ICD-10-CM |
| O10211 | Pre-existing hypertensive chronic kidney disease complicating pregnancy, first trimester | Diagnosis | ICD-10-CM |
| O10212 | Pre-existing hypertensive chronic kidney disease complicating pregnancy, second trimester | Diagnosis | ICD-10-CM |
| O10213 | Pre-existing hypertensive chronic kidney disease complicating pregnancy, third trimester | Diagnosis | ICD-10-CM |
| O10219 | Pre-existing hypertensive chronic kidney disease complicating pregnancy, unspecified trimester | Diagnosis | ICD-10-CM |
| O1022 | Pre-existing hypertensive chronic kidney disease complicating childbirth | Diagnosis | ICD-10-CM |
| O1023 | Pre-existing hypertensive chronic kidney disease complicating the puerperium | Diagnosis | ICD-10-CM |
| O10311 | Pre-existing hypertensive heart and chronic kidney disease complicating pregnancy, first trimester | Diagnosis | ICD-10-CM |
| O10312 | Pre-existing hypertensive heart and chronic kidney disease complicating pregnancy, second trimester | Diagnosis | ICD-10-CM |
| O10313 | Pre-existing hypertensive heart and chronic kidney disease complicating pregnancy, third trimester | Diagnosis | ICD-10-CM |
| O10319 | Pre-existing hypertensive heart and chronic kidney disease complicating pregnancy, unspecified trimester | Diagnosis | ICD-10-CM |
| O1032 | Pre-existing hypertensive heart and chronic kidney disease complicating childbirth | Diagnosis | ICD-10-CM |
| O1033 | Pre-existing hypertensive heart and chronic kidney disease complicating the puerperium | Diagnosis | ICD-10-CM |
| O10411 | Pre-existing secondary hypertension complicating pregnancy, first trimester | Diagnosis | ICD-10-CM |
| O10412 | Pre-existing secondary hypertension complicating pregnancy, second trimester | Diagnosis | ICD-10-CM |
| O10413 | Pre-existing secondary hypertension complicating pregnancy, third trimester | Diagnosis | ICD-10-CM |
| O10419 | Pre-existing secondary hypertension complicating pregnancy, unspecified trimester | Diagnosis | ICD-10-CM |
| O1042 | Pre-existing secondary hypertension complicating childbirth | Diagnosis | ICD-10-CM |
| O1043 | Pre-existing secondary hypertension complicating the puerperium | Diagnosis | ICD-10-CM |
| O10911 | Unspecified pre-existing hypertension complicating pregnancy, first trimester | Diagnosis | ICD-10-CM |
| O10912 | Unspecified pre-existing hypertension complicating pregnancy, second trimester | Diagnosis | ICD-10-CM |
| O10913 | Unspecified pre-existing hypertension complicating pregnancy, third trimester | Diagnosis | ICD-10-CM |
| O10919 | Unspecified pre-existing hypertension complicating pregnancy, unspecified trimester | Diagnosis | ICD-10-CM |
| O1092 | Unspecified pre-existing hypertension complicating childbirth | Diagnosis | ICD-10-CM |
| O1093 | Unspecified pre-existing hypertension complicating the puerperium | Diagnosis | ICD-10-CM |
| O111 | Pre-existing hypertension with pre-eclampsia, first trimester | Diagnosis | ICD-10-CM |
| O112 | Pre-existing hypertension with pre-eclampsia, second trimester | Diagnosis | ICD-10-CM |
| O113 | Pre-existing hypertension with pre-eclampsia, third trimester | Diagnosis | ICD-10-CM |
| O114 | Pre-existing hypertension with pre-eclampsia, complicating childbirth | Diagnosis | ICD-10-CM |
| O115 | Pre-existing hypertension with pre-eclampsia, complicating the puerperium | Diagnosis | ICD-10-CM |
| O119 | Pre-existing hypertension with pre-eclampsia, unspecified trimester | Diagnosis | ICD-10-CM |
| Previous caesarean delivery | | | |
| O34211 | Maternal care for low transverse scar from previous cesarean delivery | Diagnosis | ICD-10-CM |
| O34212 | Maternal care for vertical scar from previous cesarean delivery | Diagnosis | ICD-10-CM |
| O34219 | Maternal care for unspecified type scar from previous cesarean delivery | Diagnosis | ICD-10-CM |

Appendix J. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Bateman Obstetric Comorbidity Index

| Code | Description | Code Category | Code Type |
|---|---|----------------------|------------------|
| Pulmonary hypertension | | | |
| I270 | Primary pulmonary hypertension | Diagnosis | ICD-10-CM |
| I2720 | Pulmonary hypertension, unspecified | Diagnosis | ICD-10-CM |
| I2721 | Secondary pulmonary arterial hypertension | Diagnosis | ICD-10-CM |
| I2722 | Pulmonary hypertension due to left heart disease | Diagnosis | ICD-10-CM |
| I2723 | Pulmonary hypertension due to lung diseases and hypoxia | Diagnosis | ICD-10-CM |
| I2724 | Chronic thromboembolic pulmonary hypertension | Diagnosis | ICD-10-CM |
| I2729 | Other secondary pulmonary hypertension | Diagnosis | ICD-10-CM |
| I2781 | Cor pulmonale (chronic) | Diagnosis | ICD-10-CM |
| I2789 | Other specified pulmonary heart diseases | Diagnosis | ICD-10-CM |
| I279 | Pulmonary heart disease, unspecified | Diagnosis | ICD-10-CM |
| Severe preeclampsia or eclampsia | | | |
| O1410 | Severe pre-eclampsia, unspecified trimester | Diagnosis | ICD-10-CM |
| O1412 | Severe pre-eclampsia, second trimester | Diagnosis | ICD-10-CM |
| O1413 | Severe pre-eclampsia, third trimester | Diagnosis | ICD-10-CM |
| O1414 | Severe pre-eclampsia complicating childbirth | Diagnosis | ICD-10-CM |
| O1415 | Severe pre-eclampsia, complicating the puerperium | Diagnosis | ICD-10-CM |
| O1420 | HELLP syndrome (HELLP), unspecified trimester | Diagnosis | ICD-10-CM |
| O1422 | HELLP syndrome (HELLP), second trimester | Diagnosis | ICD-10-CM |
| O1423 | HELLP syndrome (HELLP), third trimester | Diagnosis | ICD-10-CM |
| O1424 | HELLP syndrome, complicating childbirth | Diagnosis | ICD-10-CM |
| O1425 | HELLP syndrome, complicating the puerperium | Diagnosis | ICD-10-CM |
| O1500 | Eclampsia complicating pregnancy, unspecified trimester | Diagnosis | ICD-10-CM |
| O1502 | Eclampsia complicating pregnancy, second trimester | Diagnosis | ICD-10-CM |
| O1503 | Eclampsia complicating pregnancy, third trimester | Diagnosis | ICD-10-CM |
| O151 | Eclampsia complicating labor | Diagnosis | ICD-10-CM |
| O152 | Eclampsia complicating the puerperium | Diagnosis | ICD-10-CM |
| O159 | Eclampsia, unspecified as to time period | Diagnosis | ICD-10-CM |
| Sickle cell disease | | | |
| D560 | Alpha thalassemia | Diagnosis | ICD-10-CM |
| D561 | Beta thalassemia | Diagnosis | ICD-10-CM |
| D562 | Delta-beta thalassemia | Diagnosis | ICD-10-CM |
| D563 | Thalassemia minor | Diagnosis | ICD-10-CM |
| D565 | Hemoglobin E-beta thalassemia | Diagnosis | ICD-10-CM |
| D568 | Other thalassemias | Diagnosis | ICD-10-CM |
| D569 | Thalassemia, unspecified | Diagnosis | ICD-10-CM |
| D5700 | Hb-SS disease with crisis, unspecified | Diagnosis | ICD-10-CM |
| D5701 | Hb-SS disease with acute chest syndrome | Diagnosis | ICD-10-CM |
| D5702 | Hb-SS disease with splenic sequestration | Diagnosis | ICD-10-CM |
| D571 | Sickle-cell disease without crisis | Diagnosis | ICD-10-CM |
| D5720 | Sickle-cell/Hb-C disease without crisis | Diagnosis | ICD-10-CM |
| D57211 | Sickle-cell/Hb-C disease with acute chest syndrome | Diagnosis | ICD-10-CM |
| D57212 | Sickle-cell/Hb-C disease with splenic sequestration | Diagnosis | ICD-10-CM |
| D57219 | Sickle-cell/Hb-C disease with crisis, unspecified | Diagnosis | ICD-10-CM |
| D5740 | Sickle-cell thalassemia without crisis | Diagnosis | ICD-10-CM |
| D57411 | Sickle-cell thalassemia with acute chest syndrome | Diagnosis | ICD-10-CM |
| D57412 | Sickle-cell thalassemia with splenic sequestration | Diagnosis | ICD-10-CM |
| D57419 | Sickle-cell thalassemia with crisis, unspecified | Diagnosis | ICD-10-CM |
| D5780 | Other sickle-cell disorders without crisis | Diagnosis | ICD-10-CM |

Appendix J. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Bateman Obstetric Comorbidity Index

| Code | Description | Code | |
|-------------------------------------|---|-----------------|------------------|
| | | Category | Code Type |
| D57811 | Other sickle-cell disorders with acute chest syndrome | Diagnosis | ICD-10-CM |
| D57812 | Other sickle-cell disorders with splenic sequestration | Diagnosis | ICD-10-CM |
| D57819 | Other sickle-cell disorders with crisis, unspecified | Diagnosis | ICD-10-CM |
| Systemic lupus erythematosus | | | |
| M320 | Drug-induced systemic lupus erythematosus | Diagnosis | ICD-10-CM |
| M3210 | Systemic lupus erythematosus, organ or system involvement unspecified | Diagnosis | ICD-10-CM |
| M3211 | Endocarditis in systemic lupus erythematosus | Diagnosis | ICD-10-CM |
| M3212 | Pericarditis in systemic lupus erythematosus | Diagnosis | ICD-10-CM |
| M3213 | Lung involvement in systemic lupus erythematosus | Diagnosis | ICD-10-CM |
| M3214 | Glomerular disease in systemic lupus erythematosus | Diagnosis | ICD-10-CM |
| M3215 | Tubulo-interstitial nephropathy in systemic lupus erythematosus | Diagnosis | ICD-10-CM |
| M3219 | Other organ or system involvement in systemic lupus erythematosus | Diagnosis | ICD-10-CM |
| M328 | Other forms of systemic lupus erythematosus | Diagnosis | ICD-10-CM |
| M329 | Systemic lupus erythematosus, unspecified | Diagnosis | ICD-10-CM |

Appendix K. List of Generic and Brand Names of Medical Products Used to Define Obstetric-related Medications

| Generic Name | Brand Name |
|-------------------|--------------------------------|
| Analgesics | |
| acetaminophen | 7T Gummy ES |
| acetaminophen | 8 Hour Pain Reliever |
| acetaminophen | 8HR Muscle Aches-Pain |
| acetaminophen | Acephen |
| acetaminophen | acetaminophen |
| acetaminophen | Acetaminophen Extra Strength |
| acetaminophen | Acetaminophen Pain Relief |
| acetaminophen | Aphen |
| acetaminophen | Arthritis Pain Relief (acetam) |
| acetaminophen | Arthritis Pain Reliever |
| acetaminophen | Athenol |
| acetaminophen | BetaTemp |
| acetaminophen | Child Fever Reducer-Pain Relvr |
| acetaminophen | Child Pain Rel-Fever Reducer |
| acetaminophen | Children's Acetaminophen |
| acetaminophen | Children's Aurophen Pain-Fever |
| acetaminophen | Children's Easy-Melts |
| acetaminophen | Children's Fever Reducing |
| acetaminophen | Children's Mapap |
| acetaminophen | Children's Non-Aspirin |
| acetaminophen | Children's Pain Relief |
| acetaminophen | Children's Pain Reliever |
| acetaminophen | Children's Pain-Fever Relief |
| acetaminophen | Children's Tactinal |
| acetaminophen | Children's Tylenol |
| acetaminophen | Ed-APAP |
| acetaminophen | Fever Reducer |
| acetaminophen | Feverall |
| acetaminophen | Infant Fever Reducer-Pain Relf |
| acetaminophen | Infant Pain Reliever |
| acetaminophen | Infant's Acetaminophen |
| acetaminophen | Infants' Pain and Fever |
| acetaminophen | Infants' Pain Relief |
| acetaminophen | Infant's Pain Relief |
| acetaminophen | Infant's Pain Reliever |
| acetaminophen | Infant's Tylenol |
| acetaminophen | Jr. Acetaminophen |
| acetaminophen | Jr. Str Non-Aspirin Pain |
| acetaminophen | Jr. Strength Pain Reliever |
| acetaminophen | Little Remedies Fever and Pain |
| acetaminophen | Mapap (acetaminophen) |
| acetaminophen | Mapap Arthritis Pain |
| acetaminophen | Mapap Extra Strength |
| acetaminophen | Masophen |
| acetaminophen | M-PAP |
| acetaminophen | Non-Aspirin |
| acetaminophen | Non-Aspirin Childrens |
| acetaminophen | Non-Aspirin Extra Strength |
| acetaminophen | Non-Aspirin Pain Relief |
| acetaminophen | Nortemp |
| acetaminophen | Ofirmev |
| acetaminophen | Pain and Fever |

Appendix K. List of Generic and Brand Names of Medical Products Used to Define Obstetric-related Medications

| Generic Name | Brand Name |
|--|--------------------------------|
| acetaminophen | Pain Relief (acetaminophen) |
| acetaminophen | Pain Relief Adult |
| acetaminophen | Pain Relief Extra Strength |
| acetaminophen | Pain Relief Regular Strength |
| acetaminophen | Pain Reliever (acetaminophen) |
| acetaminophen | Pain Reliever Extra Strength |
| acetaminophen | Pain Reliever Jr Strength |
| acetaminophen | PediaCare Fever Reducer |
| acetaminophen | Pharbetol |
| acetaminophen | Shake That Ache |
| acetaminophen | Silapap |
| acetaminophen | Tactinal |
| acetaminophen | Tactinal Extra Strength |
| acetaminophen | Tylenol |
| acetaminophen | Tylenol 8 Hour |
| acetaminophen | Tylenol Arthritis Pain |
| acetaminophen | Tylenol Extra Strength |
| acetaminophen | Tylophen |
| acetaminophen with codeine phosphate | acetaminophen-codeine |
| acetaminophen with codeine phosphate | Capital with Codeine |
| acetaminophen with codeine phosphate | Tylenol-Codeine #3 |
| acetaminophen with codeine phosphate | Tylenol-Codeine #4 |
| acetaminophen/caffeine | Excedrin Tension Headache |
| acetaminophen/caffeine | Tension Headache |
| acetaminophen/caffeine | Tension Headache Pain Reliever |
| acetaminophen/caffeine | Tension Headache Relief |
| acetaminophen/caffeine/dihydrocodeine bitartrate | acetaminophen-caff-dihydrocod |
| acetaminophen/caffeine/dihydrocodeine bitartrate | Dvorah |
| acetaminophen/caffeine/dihydrocodeine bitartrate | Panlor(acetam-caff-dihydrocod) |
| acetaminophen/caffeine/dihydrocodeine bitartrate | Trezix |
| acetaminophen/chlorpheniramine maleate | Coricidin HBP Cold and Flu |
| acetaminophen/dexbrompheniramine maleate | Actidogesic |
| acetaminophen/dexbrompheniramine maleate | Dologen |
| acetaminophen/dexbrompheniramine maleate | Dologen 325 |
| acetaminophen/dexbrompheniramine maleate | Dologesic (w-dexbromphenirmn) |
| acetaminophen/dexbrompheniramine maleate | Dologesic-DF |
| acetaminophen/dexbrompheniramine maleate | G-Dologen |
| acetaminophen/diphenhydramine citrate | Goody's PM |
| acetaminophen/diphenhydramine citrate | Headache Relief PM |
| acetaminophen/diphenhydramine citrate | Midol PM |
| acetaminophen/diphenhydramine HCl | Acetadryl |
| acetaminophen/diphenhydramine HCl | Aceta-Gesic |
| acetaminophen/diphenhydramine HCl | Acetaminophen PM |
| acetaminophen/diphenhydramine HCl | Acetaminophen PM Extra Str |
| acetaminophen/diphenhydramine HCl | Allergy Severe |
| acetaminophen/diphenhydramine HCl | diphenhydramine-acetaminophen |
| acetaminophen/diphenhydramine HCl | EaZZZe The Pain |
| acetaminophen/diphenhydramine HCl | Headache PM |
| acetaminophen/diphenhydramine HCl | Mapap PM |
| acetaminophen/diphenhydramine HCl | Night Time Pain Medicine |
| acetaminophen/diphenhydramine HCl | Non-Aspirin Nighttime |
| acetaminophen/diphenhydramine HCl | Non-Aspirin Pain Relief PM |
| acetaminophen/diphenhydramine HCl | Non-Aspirin PM |

Appendix K. List of Generic and Brand Names of Medical Products Used to Define Obstetric-related Medications

| Generic Name | Brand Name |
|---|--------------------------------|
| acetaminophen/diphenhydramine HCl | Pain and Sleep |
| acetaminophen/diphenhydramine HCl | Pain Relief PM |
| acetaminophen/diphenhydramine HCl | Pain Relief PM Rapid Release |
| acetaminophen/diphenhydramine HCl | Pain Reliever PM |
| acetaminophen/diphenhydramine HCl | Pain Reliever PM Ex-Strength |
| acetaminophen/diphenhydramine HCl | Percogesic |
| acetaminophen/diphenhydramine HCl | Percogesic Extra Strength |
| acetaminophen/diphenhydramine HCl | Severe Allergy |
| acetaminophen/diphenhydramine HCl | Tylenol PM Extra Strength |
| acetaminophen/diphenhydramine HCl | Wal-Nadol PM |
| acetaminophen/pamabrom | Cramp Tabs |
| acetaminophen/pamabrom | Midol |
| acetaminophen/phenyltoloxamine citrate | Relagesic |
| acetaminophen/pyrilamine maleate | HistaFlex |
| acetaminophen/pyrilamine maleate/caffeine | Menstrual Complete |
| acetaminophen/pyrilamine maleate/caffeine | Menstrual Relief |
| acetaminophen/pyrilamine maleate/caffeine | Midol Complete |
| acetaminophen/pyrilamine maleate/caffeine | Midol Max St Menstrual |
| acetaminophen/pyrilamine maleate/pamabrom | Menstrual Relief(pamabr-pyril) |
| acetaminophen/pyrilamine maleate/pamabrom | Pre-Menstrual Relief |
| alfentanil HCl | alfentanil |
| almotriptan malate | almotriptan malate |
| almotriptan malate | Axert |
| aspirin | Adult Aspirin Regimen |
| aspirin | Adult Low Dose Aspirin |
| aspirin | Aspir-81 |
| aspirin | aspirin |
| aspirin | Aspirin Childrens |
| aspirin | Aspirin Low Dose |
| aspirin | Aspir-Low |
| aspirin | Aspir-Trin |
| aspirin | Bayer Advanced |
| aspirin | Bayer Aspirin |
| aspirin | Bayer Chewable Aspirin |
| aspirin | Children's Aspirin |
| aspirin | Durlaza |
| aspirin | E.C. Prin |
| aspirin | Ecotrin |
| aspirin | Ecotrin Low Strength |
| aspirin | Enteric Coated Aspirin |
| aspirin | Extra Strength Bayer |
| aspirin | Lo-Dose Aspirin |
| aspirin | St Joseph Aspirin |
| aspirin | St. Joseph Aspirin |
| aspirin/acetaminophen/caffeine | Added Strength Headache Relief |
| aspirin/acetaminophen/caffeine | Excedrin Extra Strength |
| aspirin/acetaminophen/caffeine | Excedrin Migraine |
| aspirin/acetaminophen/caffeine | Extra Pain Relief |
| aspirin/acetaminophen/caffeine | Extraprin |
| aspirin/acetaminophen/caffeine | Goody's Extra Strength |
| aspirin/acetaminophen/caffeine | Headache Relief (ASA-acet-caf) |
| aspirin/acetaminophen/caffeine | Migraine Formula |
| aspirin/acetaminophen/caffeine | Migraine Relief |

Appendix K. List of Generic and Brand Names of Medical Products Used to Define Obstetric-related Medications

| Generic Name | Brand Name |
|--|--------------------------------|
| aspirin/acetaminophen/caffeine | Pain Relief (acetamin-asp-caf) |
| aspirin/acetaminophen/caffeine | Pain Reliever (acetam-aspirin) |
| aspirin/acetaminophen/caffeine | Pain Reliever Plus |
| aspirin/acetaminophen/caffeine | Pain-Off |
| aspirin/acetaminophen/caffeine | Vanquish |
| aspirin/acetaminophen/diphenhydramine citrate | Pain Relief PM (w-aspirin) |
| aspirin/caffeine | Anacin |
| aspirin/caffeine | Back and Body Pain Reliever |
| aspirin/caffeine | Bayer Aspirin (with caffeine) |
| aspirin/caffeine | Bayer Back and Body |
| aspirin/caffeine | BC Arthritis |
| aspirin/caffeine | BC Pain Relief |
| aspirin/calcium carbonate/magnesium/aluminum hydroxide | Bayer Plus Extra Strength |
| aspirin/diphenhydramine citrate | Bayer PM |
| aspirin/salicylamide/acetaminophen/caffeine | Pain Relief(with salicylamide) |
| aspirin/sodium bicarbonate/citric acid | Alka-Seltzer Extra Strength |
| aspirin/sodium bicarbonate/citric acid | Alka-Seltzer Original |
| aspirin/sodium bicarbonate/citric acid | Antacid and Pain Relief |
| aspirin/sodium bicarbonate/citric acid | Efferves Pain Relief Antacid |
| aspirin/sodium bicarbonate/citric acid | Effervescent Pain Relief |
| aspirin/sodium bicarbonate/citric acid | Medi-Seltzer |
| benzhydrocodone HCl/acetaminophen | Apadaz |
| benzhydrocodone HCl/acetaminophen | benzhydrocodone-acetaminophen |
| buprenorphine | buprenorphine |
| buprenorphine | Butrans |
| buprenorphine | Sublocade |
| buprenorphine HCl | Belbuca |
| buprenorphine HCl | Buprenex |
| buprenorphine HCl | buprenorphine HCl |
| buprenorphine HCl | Probuphine |
| buprenorphine HCl/naloxone HCl | Bunavail |
| buprenorphine HCl/naloxone HCl | buprenorphine-naloxone |
| buprenorphine HCl/naloxone HCl | Suboxone |
| buprenorphine HCl/naloxone HCl | Zubsolv |
| butalbital/acetaminophen | Allzital |
| butalbital/acetaminophen | Bupap |
| butalbital/acetaminophen | butalbital-acetaminophen |
| butalbital/acetaminophen | Tencon |
| butalbital/acetaminophen/caffeine | butalbital-acetaminophen-caff |
| butalbital/acetaminophen/caffeine | Esgic |
| butalbital/acetaminophen/caffeine | Fioricet |
| butalbital/acetaminophen/caffeine | Phrenilin Forte(with caffeine) |
| butalbital/acetaminophen/caffeine | Vanatol LQ |
| butalbital/acetaminophen/caffeine | Vanatol S |
| butalbital/acetaminophen/caffeine | Vtol LQ |
| butalbital/acetaminophen/caffeine | Zebutal |
| butalbital/acetaminophen/caffeine/codeine phosphate | butalbital-acetaminop-caf-cod |
| butalbital/acetaminophen/caffeine/codeine phosphate | Fioricet with Codeine |
| butalbital/aspirin/caffeine | butalbital-aspirin-caffeine |
| butalbital/aspirin/caffeine | Fiorinal |
| butorphanol tartrate | butorphanol |
| carisoprodol/aspirin/codeine phosphate | carisoprodol-aspirin-codeine |
| choline salicylate/magnesium salicylate | choline,magnesium salicylate |

Appendix K. List of Generic and Brand Names of Medical Products Used to Define Obstetric-related Medications

| Generic Name | Brand Name |
|--|--------------------------------|
| codeine phosphate/butalbital/aspirin/caffeine | Ascomp with Codeine |
| codeine phosphate/butalbital/aspirin/caffeine | Butalbital Compound W/Codeine |
| codeine phosphate/butalbital/aspirin/caffeine | Butalbital Compound-Codeine |
| codeine phosphate/butalbital/aspirin/caffeine | codeine-butalbital-ASA-caff |
| codeine phosphate/butalbital/aspirin/caffeine | Fiorinal-Codeine #3 |
| codeine sulfate | codeine sulfate |
| diflunisal | diflunisal |
| dihydroergotamine mesylate | D.H.E.45 |
| dihydroergotamine mesylate | dihydroergotamine |
| dihydroergotamine mesylate | Migranal |
| eletriptan hydrobromide | eletriptan |
| eletriptan hydrobromide | Relpax |
| erenumab-aooe | Aimovig Autoinjector |
| erenumab-aooe | Aimovig Autoinjector (2 Pack) |
| ergotamine tartrate | Ergomar |
| ergotamine tartrate/caffeine | Cafergot |
| ergotamine tartrate/caffeine | ergotamine-caffeine |
| ergotamine tartrate/caffeine | Migergot |
| fentanyl | Duragesic |
| fentanyl | fentanyl |
| fentanyl | Subsys |
| fentanyl citrate | Abstral |
| fentanyl citrate | Actiq |
| fentanyl citrate | fentanyl citrate |
| fentanyl citrate | Fentora |
| fentanyl citrate | Lazanda |
| fentanyl citrate in 0.9 % sodium chloride/PF | fentanyl citrate (PF)-0.9%NaCl |
| fentanyl citrate in dextrose 5% in water/PF | fentanyl citrate in D5W (PF) |
| fentanyl citrate/bupivacaine HCl in 0.9 % sodium chloride/PF | fentanyl (PF)-bupivacaine-NaCl |
| fentanyl citrate/PF | fentanyl citrate (PF) |
| fentanyl citrate/ropivacaine HCl/sodium chloride 0.9%/PF | fentanyl-ropivacaine-NaCl (PF) |
| fremanezumab-vfrm | Ajovy Autoinjector |
| fremanezumab-vfrm | Ajovy Syringe |
| frovatriptan succinate | Frova |
| frovatriptan succinate | frovatriptan |
| GABAPENTIN | Fanatrex |
| gabapentin | gabapentin |
| gabapentin | gabapentin (bulk) |
| gabapentin | Gralise |
| gabapentin | Gralise 30-Day Starter Pack |
| gabapentin | Neurontin |
| galcanezumab-gnlm | Emgality Pen |
| galcanezumab-gnlm | Emgality Syringe |
| guaifenesin/acetaminophen | Chest Congestion |
| guaifenesin/phenylephrine HCl/acetaminophen | CCP Caffeine Free |
| guaifenesin/phenylephrine HCl/acetaminophen | Cold and Sinus Multi-Symptom |
| guaifenesin/phenylephrine HCl/acetaminophen | Coldonyl |
| guaifenesin/phenylephrine HCl/acetaminophen | Flu Relief Therapy Cold-Chest |
| guaifenesin/phenylephrine HCl/acetaminophen | Mucinex Fast-Max Cold-Sinus |
| guaifenesin/phenylephrine HCl/acetaminophen | Mucinex Fast-Max Cong-HA (GG) |
| guaifenesin/phenylephrine HCl/acetaminophen | Mucinex Freefrom Cold-Flu-Cong |
| guaifenesin/phenylephrine HCl/acetaminophen | Mucinex Sinus-Max Cng-Pain(gg) |
| guaifenesin/phenylephrine HCl/acetaminophen | Mucinex Sinus-Max Pressur-Pain |

Appendix K. List of Generic and Brand Names of Medical Products Used to Define Obstetric-related Medications

| Generic Name | Brand Name |
|--|--------------------------------|
| guaifenesin/phenylephrine HCl/acetaminophen | Mucinex Sinus-Max Sev Congestn |
| guaifenesin/phenylephrine HCl/acetaminophen | Mucus Relief Cold and Sinus |
| guaifenesin/phenylephrine HCl/acetaminophen | Mucus Relief SinusPressur-Pain |
| guaifenesin/phenylephrine HCl/acetaminophen | Mucus Rlf Severe Sinus Congest |
| guaifenesin/phenylephrine HCl/acetaminophen | Pressure-Pain PE Plus Mucus |
| guaifenesin/phenylephrine HCl/acetaminophen | Severe Congestion Relief |
| guaifenesin/phenylephrine HCl/acetaminophen | Severe Sinus |
| guaifenesin/phenylephrine HCl/acetaminophen | Sinus Congestion-Pain(guaif) |
| guaifenesin/phenylephrine HCl/acetaminophen | Sinus Relief Pressure and Pain |
| guaifenesin/phenylephrine HCl/acetaminophen | Sinus Relief Severe Congestion |
| guaifenesin/phenylephrine HCl/acetaminophen | Sudafed PE Head Congestn-Mucus |
| guaifenesin/phenylephrine HCl/acetaminophen | Sudafed PE Pressure-Pain-Mucus |
| guaifenesin/phenylephrine HCl/acetaminophen | Tylenol Cold Head Congest Sevr |
| guaifenesin/phenylephrine HCl/acetaminophen | Tylenol Sinus Severe |
| guaifenesin/phenylephrine HCl/acetaminophen | Wal-Phed PE Triple Relief |
| hydrocodone bitartrate | hydrocodone bitartrate |
| hydrocodone bitartrate | Hysingla ER |
| hydrocodone bitartrate | Zohydro ER |
| hydrocodone bitartrate/acetaminophen | hydrocodone-acetaminophen |
| hydrocodone bitartrate/acetaminophen | Lorcet (hydrocodone) |
| hydrocodone bitartrate/acetaminophen | Lorcet HD |
| hydrocodone bitartrate/acetaminophen | Lorcet Plus |
| hydrocodone bitartrate/acetaminophen | Lortab Elixir |
| hydrocodone bitartrate/acetaminophen | Norco |
| hydrocodone bitartrate/acetaminophen | Vicodin |
| hydrocodone bitartrate/acetaminophen | Vicodin HP |
| hydromorphone HCl | Dilaudid |
| hydromorphone HCl | Exalgo ER |
| hydromorphone HCl | hydromorphone |
| hydromorphone HCl in 0.9 % sodium chloride | hydromorphone in 0.9 % NaCl |
| hydromorphone HCl in 0.9 % sodium chloride/PF | hydromorphone (PF)-0.9 % NaCl |
| hydromorphone HCl in dextrose 5 %-water/PF | hydromorphone in D5W (PF) |
| hydromorphone HCl in sodium chloride, iso-osmotic/PF | hydromorphone(PF)-NaCl,iso-osm |
| hydromorphone HCl in sterile water/PF | hydromorphone (PF) in water |
| hydromorphone HCl/bupivacaine HCl in 0.9% sodium chloride/PF | hydromorphone-bupiv (PF)-NaCl |
| hydromorphone HCl/PF | Dilaudid (PF) |
| hydromorphone HCl/PF | hydromorphone (PF) |
| hydromorphone HCl/ropivacaine in 0.9 % sodium chloride/PF | hydromorph(PF)-ropiv-0.9% NaCl |
| ibuprofen/acetaminophen | Advil Dual Action |
| ibuprofen/oxycodone HCl | ibuprofen-oxycodone |
| isometheptene mucate/caffeine/acetaminophen | isomethepten-caf-acetaminophen |
| isometheptene mucate/caffeine/acetaminophen | Prodrin |
| isometheptene mucate/dichloralphenazone/acetaminophen | isometh-dichloral-acetaminophn |
| isometheptene mucate/dichloralphenazone/acetaminophen | Nodolor |
| levorphanol tartrate | levorphanol tartrate |
| magnesium salicylate | Backache Relief |
| magnesium salicylate | Backache Relief Extra Strength |
| magnesium salicylate | Percogesic Backache Relief |
| magnesium salicylate/acetaminophen/caffeine | Back Pain-Off |
| magnesium salicylate/caffeine | Diurex |
| meperidine HCl | Demerol |
| meperidine HCl | meperidine |
| meperidine HCl in 0.9 % sodium chloride | meperidine in 0.9 % NaCl |

Appendix K. List of Generic and Brand Names of Medical Products Used to Define Obstetric-related Medications

| Generic Name | Brand Name |
|--|--------------------------------|
| meperidine HCl in 0.9 % sodium chloride/PF | meperidine (PF) in 0.9 % NaCl |
| meperidine HCl/PF | Demerol (PF) |
| meperidine HCl/PF | meperidine (PF) |
| methadone HCl | Diskets |
| methadone HCl | Dolophine |
| methadone HCl | methadone |
| methadone HCl | Methadone Intensol |
| methadone HCl | Methadose |
| methadone hydrochloride in 0.9 % sodium chloride | methadone in 0.9 % sod.chlorid |
| methenamine/sodium salicylate | Antibacterial-Urinary Pain Rlf |
| methenamine/sodium salicylate | AZO Urinary Tract Defense |
| methenamine/sodium salicylate | Cystex Plus (methenamine-sal) |
| morphine sulfate | Arymo ER |
| morphine sulfate | Kadian |
| morphine sulfate | MorphaBond ER |
| morphine sulfate | morphine |
| morphine sulfate | morphine concentrate |
| morphine sulfate | MS Contin |
| morphine sulfate in 0.9 % sodium chloride | morphine in 0.9 % sodium chlor |
| morphine sulfate in 0.9 % sodium chloride/PF | morphine (PF) in 0.9 % sod chl |
| morphine sulfate/dextrose 5 % in water | morphine in dextrose 5 % |
| morphine sulfate/dextrose 5%-water/PF | morphine (PF) in dextrose 5 % |
| morphine sulfate/naltrexone HCl | Embeda |
| morphine sulfate/PF | Duramorph (PF) |
| morphine sulfate/PF | Infumorph P/F |
| morphine sulfate/PF | Mitigo (PF) |
| morphine sulfate/PF | morphine (PF) |
| nalbuphine HCl | nalbuphine |
| naratriptan HCl | Amerge |
| naratriptan HCl | naratriptan |
| oliceridine fumarate | Olinvyk |
| orphenadrine citrate/aspirin/caffeine | Norgesic Forte |
| orphenadrine citrate/aspirin/caffeine | orphenadrine-ASA-caffeine |
| orphenadrine citrate/aspirin/caffeine | Orphengestic Forte |
| oxycodone HCl | Oxaydo |
| oxycodone HCl | oxycodone |
| oxycodone HCl | OxyContin |
| oxycodone HCl | Roxicodone |
| oxycodone HCl | RoxyBond |
| oxycodone HCl/acetaminophen | Endocet |
| oxycodone HCl/acetaminophen | Nalocet |
| oxycodone HCl/acetaminophen | oxycodone-acetaminophen |
| oxycodone HCl/acetaminophen | Percocet |
| oxycodone HCl/acetaminophen | Primlev |
| oxycodone HCl/acetaminophen | Prolate |
| oxycodone HCl/aspirin | oxycodone-aspirin |
| oxycodone myristate | Xtampza ER |
| oxymorphone HCl | Opana |
| oxymorphone HCl | oxymorphone |
| pentazocine HCl/naloxone HCl | pentazocine-naloxone |
| pentazocine lactate | Talwin |
| rizatriptan benzoate | Maxalt |
| rizatriptan benzoate | Maxalt-MLT |

Appendix K. List of Generic and Brand Names of Medical Products Used to Define Obstetric-related Medications

| Generic Name | Brand Name |
|---|--------------------------------|
| rizatriptan benzoate | rizatriptan |
| salsalate | Disalcid |
| salsalate | salsalate |
| sufentanil citrate | Dsuvia |
| sufentanil citrate | sufentanil citrate |
| sufentanil citrate/bupivacaine HCl/0.9 % sodium chloride/PF | sufentanil-bupivacain-NaCl(PF) |
| sumatriptan | Imitrex |
| sumatriptan | sumatriptan |
| sumatriptan | Tosymra |
| sumatriptan succinate | Imitrex |
| sumatriptan succinate | Imitrex STATdose Pen |
| sumatriptan succinate | Imitrex STATdose Refill |
| sumatriptan succinate | Onzetra Xsail |
| sumatriptan succinate | sumatriptan succinate |
| sumatriptan succinate | Sumavel DosePro |
| sumatriptan succinate | Zembrace Symtouch |
| sumatriptan succinate/naproxen sodium | sumatriptan-naproxen |
| sumatriptan succinate/naproxen sodium | Treximet |
| tapentadol HCl | Nucynta |
| tapentadol HCl | Nucynta ER |
| tramadol HCl | ConZip |
| tramadol HCl | Qdolo |
| tramadol HCl | tramadol |
| tramadol HCl | Ultram |
| tramadol HCl/acetaminophen | tramadol-acetaminophen |
| tramadol HCl/acetaminophen | Ultracet |
| TRAMADOL HCL/GLUCOSAMINE SULFATE | Synapryn |
| ziconotide acetate | Prialt |
| zolmitriptan | zolmitriptan |
| zolmitriptan | Zomig |
| zolmitriptan | Zomig ZMT |

Antibacterials

| | |
|---|-----------------------------|
| amikacin sulfate | amikacin |
| amikacin sulfate liposomal with nebulizer accessories | Arikayce |
| amoxicillin | amoxicillin |
| amoxicillin | Moxatag |
| amoxicillin/potassium clavulanate | amoxicillin-pot clavulanate |
| amoxicillin/potassium clavulanate | Augmentin |
| amoxicillin/potassium clavulanate | Augmentin ES-600 |
| amoxicillin/potassium clavulanate | Augmentin XR |
| ampicillin sodium | ampicillin sodium |
| ampicillin sodium/sulbactam sodium | ampicillin-sulbactam |
| ampicillin sodium/sulbactam sodium | Unasyn |
| ampicillin trihydrate | ampicillin |
| azithromycin | azithromycin |
| azithromycin | Zithromax |
| azithromycin | Zithromax TRI-PAK |
| azithromycin | Zithromax Z-Pak |
| azithromycin | Zmax |
| aztreonam | Azactam |
| aztreonam | aztreonam |
| aztreonam lysine | Cayston |

Appendix K. List of Generic and Brand Names of Medical Products Used to Define Obstetric-related Medications

| Generic Name | Brand Name |
|--|--------------------------------|
| aztreonam/dextrose-water | Azactam in dextrose (iso-osm) |
| bacitracin | BACiiM |
| bacitracin | bacitracin |
| bismuth subsalicylate/metronidazole/tetracycline HCl | Helidac |
| cefaclor | cefaclor |
| cefadroxil | cefadroxil |
| cefazolin sodium | cefazolin |
| cefazolin sodium in 0.9 % sodium chloride | cefazolin in 0.9% sod chloride |
| cefazolin sodium/dextrose 5 % in water | cefazolin in dextrose 5 % |
| cefazolin sodium/dextrose, iso-osmotic | cefazolin in dextrose (iso-os) |
| cefazolin sodium/water for injection,sterile | cefazolin in sterile water |
| cefdinir | cefdinir |
| cefditoren pivoxil | cefditoren pivoxil |
| cefditoren pivoxil | Spectracef |
| cefepime HCl | cefepime |
| cefepime HCl | Maxipime |
| cefepime HCl in dextrose 5 % in water | cefepime in dextrose 5 % |
| cefepime HCl in iso-osmotic dextrose | cefepime in dextrose,iso-osm |
| cefiderocol sulfate tosylate | Fetroja |
| cefixime | cefixime |
| cefixime | Suprax |
| cefotaxime sodium | cefotaxime |
| cefotaxime sodium | Claforan |
| cefotetan disodium | Cefotan |
| cefotetan disodium | cefotetan |
| cefotetan disodium in iso-osmotic dextrose | cefotetan in dextrose, iso-osm |
| cefoxitin sodium | cefoxitin |
| cefoxitin sodium/dextrose, iso-osmotic | cefoxitin in dextrose, iso-osm |
| cefpodoxime proxetil | cefpodoxime |
| cefprozil | cefprozil |
| ceftaroline fosamil acetate | Teflaro |
| ceftazidime | ceftazidime |
| ceftazidime | Fortaz |
| ceftazidime | Tazicef |
| ceftazidime in dextrose 5% and water | ceftazidime in D5W |
| ceftazidime sodium in iso-osmotic dextrose | Fortaz in dextrose 5 % |
| ceftazidime/avibactam sodium | Avycaz |
| ceftibuten | Cedax |
| ceftibuten | ceftibuten |
| ceftolozane sulfate/tazobactam sodium | Zerbaxa |
| ceftriaxone sodium | ceftriaxone |
| ceftriaxone sodium in iso-osmotic dextrose | ceftriaxone in dextrose,iso-os |
| cefuroxime axetil | Ceftin |
| cefuroxime axetil | cefuroxime axetil |
| cefuroxime sodium | cefuroxime sodium |
| cefuroxime sodium | Zinacef |
| cefuroxime sodium/water for injection,sterile | Zinacef in Sterile Water |
| cephalexin | cephalexin |
| cephalexin | Daxbia |
| cephalexin | Keflex |
| chloramphenicol sod succinate | chloramphenicol sod succinate |
| ciprofloxacin | Cipro |
| ciprofloxacin | ciprofloxacin |

Appendix K. List of Generic and Brand Names of Medical Products Used to Define Obstetric-related Medications

| Generic Name | Brand Name |
|---|--------------------------------|
| ciprofloxacin HCl | Cipro |
| ciprofloxacin HCl | ciprofloxacin HCl |
| ciprofloxacin lactate | ciprofloxacin lactate |
| ciprofloxacin lactate/dextrose 5 % in water | Cipro in D5W |
| ciprofloxacin lactate/dextrose 5 % in water | ciprofloxacin in 5 % dextrose |
| ciprofloxacin/ciprofloxacin HCl | Cipro XR |
| ciprofloxacin/ciprofloxacin HCl | ciprofloxacin (mixture) |
| clarithromycin | clarithromycin |
| clindamycin HCl | Cleocin HCl |
| clindamycin HCl | clindamycin HCl |
| clindamycin palmitate HCl | Cleocin Pediatric |
| clindamycin palmitate HCl | Clindamycin Pediatric |
| clindamycin phosphate | Cleocin |
| clindamycin phosphate | Clin Single Use |
| clindamycin phosphate | clindamycin phosphate |
| clindamycin phosphate in 0.9 % sodium chloride | clindamycin in 0.9 % sod chlor |
| clindamycin phosphate/dextrose 5 % in water | Cleocin in 5 % dextrose |
| clindamycin phosphate/dextrose 5 % in water | clindamycin in 5 % dextrose |
| colistin (as colistimethate sodium) | colistin (colistimethate Na) |
| colistin (as colistimethate sodium) | Coly-Mycin M Parenteral |
| colloidal bismuth subcitrate/metronidazole/tetracycline HCl | Pylera |
| dalbavancin HCl | Dalvance |
| daptomycin | Cubicin |
| daptomycin | Cubicin RF |
| daptomycin | daptomycin |
| delafloxacin meglumine | Baxdela |
| demeclocycline HCl | demeclocycline |
| dicloxacillin sodium | dicloxacillin |
| doripenem | doripenem |
| doxycycline calcium | Vibramycin |
| doxycycline hyclate | Acticlate |
| doxycycline hyclate | Doryx |
| doxycycline hyclate | Doryx MPC |
| doxycycline hyclate | Doxy-100 |
| doxycycline hyclate | doxycycline hyclate |
| doxycycline hyclate | Morgidox |
| doxycycline hyclate | Soloxide |
| doxycycline hyclate | Targadox |
| doxycycline hyclate | Vibramycin |
| doxycycline monohydrate | Avidoxy |
| doxycycline monohydrate | doxycycline monohydrate |
| doxycycline monohydrate | Mondoxyne NL |
| doxycycline monohydrate | Monodox |
| doxycycline monohydrate | Okebo |
| doxycycline monohydrate | Oracea |
| doxycycline monohydrate | Vibramycin |
| eravacycline di-hydrochloride | Xerava |
| ertapenem sodium | ertapenem |
| ertapenem sodium | Invanz |
| erythromycin base | Ery-Tab |
| erythromycin base | erythromycin |
| erythromycin base | PCE |
| erythromycin ethylsuccinate | E.E.S. 400 |

Appendix K. List of Generic and Brand Names of Medical Products Used to Define Obstetric-related Medications

| Generic Name | Brand Name |
|--|--------------------------------|
| erythromycin ethylsuccinate | E.E.S. Granules |
| erythromycin ethylsuccinate | EryPed 200 |
| erythromycin ethylsuccinate | EryPed 400 |
| erythromycin ethylsuccinate | erythromycin ethylsuccinate |
| erythromycin lactobionate | Erythrocin |
| erythromycin stearate | Erythrocin (as stearate) |
| erythromycin stearate | erythromycin stearate |
| fidaxomicin | Difcid |
| fosfomicin tromethamine | fosfomicin tromethamine |
| fosfomicin tromethamine | Monurol |
| gemifloxacin mesylate | Factive |
| gentamicin sulfate | gentamicin |
| gentamicin sulfate in sodium chloride, iso-osmotic | gentamicin in NaCl (iso-osm) |
| gentamicin sulfate/PF | gentamicin sulfate (ped) (PF) |
| gentamicin sulfate/PF | gentamicin sulfate (PF) |
| imipenem/cilastatin sodium | imipenem-cilastatin |
| imipenem/cilastatin sodium | Primaxin IV |
| imipenem/cilastatin sodium/relebactam | Recarbrio |
| lansoprazole/amoxicillin trihydrate/clarithromycin | amoxicil-clarithromy-lansopraz |
| lansoprazole/amoxicillin trihydrate/clarithromycin | Prevpac |
| lefamulin acetate | Xenleta |
| levofloxacin | Levaquin |
| levofloxacin | levofloxacin |
| levofloxacin/dextrose 5 % in water | levofloxacin in D5W |
| lincomycin HCl | Lincocin |
| lincomycin HCl | lincomycin |
| linezolid | linezolid |
| linezolid | Zyvox |
| linezolid in 0.9 % sodium chloride | linezolid-0.9% sodium chloride |
| linezolid in dextrose 5 % in water | linezolid in dextrose 5% |
| linezolid in dextrose 5 % in water | Zyvox |
| meropenem | meropenem |
| meropenem | Merrem |
| meropenem in 0.9 % sodium chloride | meropenem-0.9% sodium chloride |
| meropenem/vaborbactam | Vabomere |
| methenamine hippurate | Hiprex |
| methenamine hippurate | methenamine hippurate |
| methenamine mandelate | methenamine mandelate |
| methenamine mandelate/sodium phosphate,monobasic | Uroqid-Acid No.2 |
| methenamine/methylene blue/benzoic acid/salicylat/hyoscyamin | Hyophen |
| methenamine/methylene blue/salicylate/sodium phos/hyoscyamin | URIMAR-T |
| methenamine/methylene blue/salicylate/sodium phos/hyoscyamin | Ustell |
| methenamine/methylene blue/sod phos/p.salicylate/hyoscyamine | Phosphasal |
| methenamine/methylene blue/sod phos/p.salicylate/hyoscyamine | UR N-C |
| methenamine/methylene blue/sod phos/p.salicylate/hyoscyamine | Urelle |
| methenamine/methylene blue/sod phos/p.salicylate/hyoscyamine | Uretron D-S |
| methenamine/methylene blue/sod phos/p.salicylate/hyoscyamine | Uribel |
| methenamine/methylene blue/sod phos/p.salicylate/hyoscyamine | Urin DS |
| methenamine/methylene blue/sod phos/p.salicylate/hyoscyamine | Uro-458 |
| methenamine/methylene blue/sod phos/p.salicylate/hyoscyamine | UroAv-B |
| methenamine/methylene blue/sod phos/p.salicylate/hyoscyamine | Uro-MP |
| methenamine/methylene blue/sod phos/p.salicylate/hyoscyamine | Utira-C |
| methenamine/methylene blue/sod phos/p.salicylate/hyoscyamine | Vilamit MB |

Appendix K. List of Generic and Brand Names of Medical Products Used to Define Obstetric-related Medications

| Generic Name | Brand Name |
|--|--------------------------------|
| methenamine/methylene blue/sod phos/p.salicylate/hyoscyamine | Vilevev MB |
| methenamine/sod phosph,monobasic/methylene blue/hyoscyamine | methen-sod phos-meth blue-hyos |
| methenamine/sod phosph,monobasic/methylene blue/hyoscyamine | Urogesic-Blue |
| methenamine/sod phosph,monobasic/methylene blue/hyoscyamine | Uryl |
| methenamine/sod phosph,monobasic/methylene blue/hyoscyamine | UTA |
| methenamine/sodium salicylate | Antibacterial-Urinary Pain Rlf |
| methenamine/sodium salicylate | AZO Urinary Tract Defense |
| methenamine/sodium salicylate | Cystex Plus (methenamine-sal) |
| metronidazole | Flagyl |
| metronidazole | metronidazole |
| metronidazole in sodium chloride | Metro I.V. |
| metronidazole in sodium chloride | metronidazole in NaCl (iso-os) |
| minocycline HCl | CoreMino |
| minocycline HCl | Minocin |
| minocycline HCl | minocycline |
| minocycline HCl | Minolira ER |
| minocycline HCl | Solodyn |
| minocycline HCl | Ximino |
| moxifloxacin HCl | Avelox |
| moxifloxacin HCl | moxifloxacin |
| moxifloxacin HCl in sodium acetate and sulfate,water,iso-osm | moxifloxacin-sod.ace,sul-water |
| moxifloxacin HCl in sodium chloride, iso-osmotic | Avelox in NaCl (iso-osmotic) |
| moxifloxacin HCl in sodium chloride, iso-osmotic | moxifloxacin-sod.chloride(iso) |
| nafcillin in dextrose, iso-osmotic | nafcillin in dextrose iso-osm |
| nafcillin sodium | nafcillin |
| neomycin sulfate | neomycin |
| nitrofurantoin | Furadantin |
| nitrofurantoin | nitrofurantoin |
| nitrofurantoin macrocrystal | Macrodantin |
| nitrofurantoin macrocrystal | nitrofurantoin macrocrystal |
| nitrofurantoin monohydrate/macrocrystals | Macrobid |
| nitrofurantoin monohydrate/macrocrystals | nitrofurantoin monohyd/m-cryst |
| ofloxacin | ofloxacin |
| omadacycline tosylate | Nuzyra |
| omadacycline tosylate | Nuzyra (7 Day with Load Dose) |
| omadacycline tosylate | Nuzyra (7 Day) |
| omeprazole magnesium/amoxicillin trihydrate/rifabutin | Talicia |
| omeprazole/clarithromycin/amoxicillin trihydrate | Omeclamox-Pak |
| oritavancin diphosphate | Orbactiv |
| oxacillin sodium | oxacillin |
| oxacillin sodium in iso-osmotic dextrose | oxacillin in dextrose(iso-osm) |
| penicillin G benzathine | Bicillin L-A |
| penicillin G benzathine/penicillin G procaine | Bicillin C-R |
| penicillin G potassium | penicillin G potassium |
| penicillin G potassium | Pfizerpen-G |
| penicillin G potassium/dextrose-water | penicillin G pot in dextrose |
| penicillin G procaine | penicillin G procaine |
| penicillin G sodium | penicillin G sodium |
| penicillin V potassium | penicillin V potassium |
| piperacillin and tazobactam in dextrose, iso-osmotic | Zosyn in dextrose (iso-osm) |
| piperacillin sodium/tazobactam sodium | piperacillin-tazobactam |
| piperacillin sodium/tazobactam sodium | Zosyn |
| plazomicin sulfate | Zemdri |

Appendix K. List of Generic and Brand Names of Medical Products Used to Define Obstetric-related Medications

| Generic Name | Brand Name |
|---|--------------------------------|
| polymyxin B sulfate | polymyxin B sulfate |
| pretomanid | pretomanid |
| quinupristin/dalfopristin | Synercid |
| rifaximin | Xifaxan |
| sarecycline HCl | Seysara |
| secnidazole | Solosec |
| streptomycin sulfate | streptomycin |
| sulfadiazine | sulfadiazine |
| sulfamethoxazole/trimethoprim | Bactrim |
| sulfamethoxazole/trimethoprim | Bactrim DS |
| sulfamethoxazole/trimethoprim | sulfamethoxazole-trimethoprim |
| sulfamethoxazole/trimethoprim | Sulfatrim |
| tedizolid phosphate | Sivextro |
| telavancin HCl | Vibativ |
| tetracycline HCl | tetracycline |
| tigecycline | tigecycline |
| tigecycline | Tygacil |
| tobramycin | Bethkis |
| tobramycin | Tobi Podhaler |
| tobramycin | tobramycin |
| tobramycin in 0.225 % sodium chloride | Tobi |
| tobramycin in 0.225 % sodium chloride | tobramycin in 0.225 % NaCl |
| tobramycin sulfate | tobramycin sulfate |
| tobramycin sulfate/sodium chloride | tobramycin in 0.9 % NaCl |
| tobramycin/nebulizer | Kitabis Pak |
| tobramycin/nebulizer | tobramycin with nebulizer |
| trimethoprim | Primsol |
| trimethoprim | trimethoprim |
| trimethoprim | Trimplex |
| vancomycin HCl | Firvanq |
| vancomycin HCl | Vancocin |
| vancomycin HCl | vancomycin |
| vancomycin HCl in sterile water | vancomycin HCl in water |
| vancomycin HCl in water for injection (PEG-400, NADA) | vancomycin-water inject (PEG) |
| vancomycin in 0.9 % sodium chloride | vancomycin in 0.9 % sodium chl |
| vancomycin in 5 % dextrose in water | vancomycin in dextrose 5 % |

Anticoagulants/platelet inhibitors

| | |
|--|--------------------------------|
| abciximab | Reopro |
| alteplase | Activase |
| alteplase | Cathflo Activase |
| antithrombin III, human recombinant | ATryn |
| apixaban | Eliquis |
| apixaban | Eliquis DVT-PE Treat 30D Start |
| argatroban | argatroban |
| argatroban in 0.9 % sodium chloride | argatroban in 0.9 % sod chlor |
| argatroban in sodium chloride, iso-osmotic | argatroban in NaCl (iso-os) |
| aspirin | Adult Aspirin Regimen |
| aspirin | Adult Low Dose Aspirin |
| aspirin | Aspir-81 |
| aspirin | aspirin |
| aspirin | Aspirin Childrens |
| aspirin | Aspirin Low Dose |

Appendix K. List of Generic and Brand Names of Medical Products Used to Define Obstetric-related Medications

| Generic Name | Brand Name |
|--|--------------------------------|
| aspirin | Aspir-Low |
| aspirin | Aspir-Trin |
| aspirin | Bayer Advanced |
| aspirin | Bayer Aspirin |
| aspirin | Bayer Chewable Aspirin |
| aspirin | Children's Aspirin |
| aspirin | Durlaza |
| aspirin | E.C. Prin |
| aspirin | Ecotrin |
| aspirin | Ecotrin Low Strength |
| aspirin | Enteric Coated Aspirin |
| aspirin | Extra Strength Bayer |
| aspirin | Lo-Dose Aspirin |
| aspirin | St Joseph Aspirin |
| aspirin | St. Joseph Aspirin |
| aspirin/acetaminophen/caffeine | Added Strength Headache Relief |
| aspirin/acetaminophen/caffeine | Excedrin Extra Strength |
| aspirin/acetaminophen/caffeine | Excedrin Migraine |
| aspirin/acetaminophen/caffeine | Extra Pain Relief |
| aspirin/acetaminophen/caffeine | Extraprin |
| aspirin/acetaminophen/caffeine | Goody's Extra Strength |
| aspirin/acetaminophen/caffeine | Headache Relief (ASA-acet-caf) |
| aspirin/acetaminophen/caffeine | Migraine Formula |
| aspirin/acetaminophen/caffeine | Migraine Relief |
| aspirin/acetaminophen/caffeine | Pain Relief (acetamin-asp-caf) |
| aspirin/acetaminophen/caffeine | Pain Reliever (acetam-aspirin) |
| aspirin/acetaminophen/caffeine | Pain Reliever Plus |
| aspirin/acetaminophen/caffeine | Pain-Off |
| aspirin/acetaminophen/caffeine | Vanquish |
| aspirin/acetaminophen/diphenhydramine citrate | Pain Relief PM (w-aspirin) |
| aspirin/caffeine | Anacin |
| aspirin/caffeine | Back and Body Pain Reliever |
| aspirin/caffeine | Bayer Aspirin (with caffeine) |
| aspirin/caffeine | Bayer Back and Body |
| aspirin/caffeine | BC Arthritis |
| aspirin/caffeine | BC Pain Relief |
| aspirin/calcium carbonate | Women's Aspirin with Calcium |
| aspirin/calcium carbonate/magnesium | aspirin,buffd-calcium carb-mag |
| aspirin/calcium carbonate/magnesium | Buffered Aspirin |
| aspirin/calcium carbonate/magnesium | Bufferin |
| aspirin/calcium carbonate/magnesium | Tri-Buffered Aspirin |
| aspirin/calcium carbonate/magnesium/aluminum hydroxide | Bayer Plus Extra Strength |
| aspirin/diphenhydramine citrate | Bayer PM |
| aspirin/dipyridamole | Aggrenox |
| aspirin/dipyridamole | aspirin-dipyridamole |
| aspirin/omeprazole | aspirin-omeprazole |
| aspirin/omeprazole | Yosprala |
| aspirin/salicylamide/acetaminophen/caffeine | Pain Relief(with salicylamide) |
| aspirin/sodium bicarbonate/citric acid | Alka-Seltzer Extra Strength |
| aspirin/sodium bicarbonate/citric acid | Alka-Seltzer Original |
| aspirin/sodium bicarbonate/citric acid | Antacid and Pain Relief |
| aspirin/sodium bicarbonate/citric acid | Efferves Pain Relief Antacid |
| aspirin/sodium bicarbonate/citric acid | Effervescent Pain Relief |

Appendix K. List of Generic and Brand Names of Medical Products Used to Define Obstetric-related Medications

| Generic Name | Brand Name |
|---|--------------------------------|
| aspirin/sodium bicarbonate/citric acid | Medi-Seltzer |
| betrixaban maleate | Bevyxxa |
| bivalirudin | Angiomax |
| bivalirudin | bivalirudin |
| bivalirudin in 0.9 % sodium chloride | bivalirudin-0.9 % sodium chlor |
| cangrelor tetrasodium | Kengreal |
| caplacizumab-yhdp | Cablivi |
| cilostazol | cilostazol |
| clopidogrel bisulfate | clopidogrel |
| clopidogrel bisulfate | Plavix |
| dabigatran etexilate mesylate | Pradaxa |
| dalteparin sodium,porcine | Fragmin |
| defibrotide sodium | Defitelio |
| desirudin | Iprivask |
| dipyridamole | dipyridamole |
| edoxaban tosylate | Savaysa |
| enoxaparin sodium | enoxaparin |
| enoxaparin sodium | Lovenox |
| epoprostenol sodium | epoprostenol |
| epoprostenol sodium | Veletri |
| epoprostenol sodium (glycine) | epoprostenol (glycine) |
| epoprostenol sodium (glycine) | Flolan |
| eptifibatide | eptifibatide |
| eptifibatide | Integrilin |
| fondaparinux sodium | Arixtra |
| fondaparinux sodium | fondaparinux |
| heparin sodium,porcine | heparin (porcine) |
| heparin sodium,porcine | heparin lock flush (porcine) |
| heparin sodium,porcine in 0.45 % sodium chloride | heparin(porcine) in 0.45% NaCl |
| heparin sodium,porcine in 0.45 % sodium chloride/PF | heparin (porc)-0.45% NaCl (PF) |
| heparin sodium,porcine in 0.9 % sodium chloride | heparin (porcine) in 0.9% NaCl |
| heparin sodium,porcine in 0.9 % sodium chloride | heparin flush(porcine)-0.9NaCl |
| heparin sodium,porcine IN 0.9 % sodium chloride/PF | heparin (porcine) in NaCl (PF) |
| heparin sodium,porcine/dextrose 5 % in water | heparin (porcine) in 5 % dex |
| heparin sodium,porcine/PF | Hep Flush-10 (PF) |
| heparin sodium,porcine/PF | Heparin LockFlush(Porcine)(PF) |
| heparin sodium,porcine/PF | heparin, porcine (PF) |
| iloprost tromethamine | Ventavis |
| prasugrel HCl | Effient |
| prasugrel HCl | prasugrel |
| protein C, human | Ceprothin (Blue Bar) |
| protein C, human | Ceprothin (Green Bar) |
| reteplase | Retavase |
| rivaroxaban | Xarelto |
| rivaroxaban | Xarelto DVT-PE Treat 30d Start |
| selexipag | Upravi |
| tenecteplase | TNKase |
| ticagrelor | Brilinta |
| ticlopidine HCl | ticlopidine |
| tirofiban HCl monohydrate | Aggrastat Concentrate |
| tirofiban HCl monohydrate in 0.9 % sodium chloride | Aggrastat in sodium chloride |
| treprostinil | Tyvaso |
| treprostinil diolamine | Orenitram |

Appendix K. List of Generic and Brand Names of Medical Products Used to Define Obstetric-related Medications

| Generic Name | Brand Name |
|--|--------------------------------|
| treprostinil sodium | Remodulin |
| treprostinil sodium | treprostinil sodium |
| treprostinil/nebulizer accessories | Tyvaso Refill Kit |
| treprostinil/nebulizer and accessories | Tyvaso Institutional Start Kit |
| treprostinil/nebulizer and accessories | Tyvaso Starter Kit |
| vorapaxar sulfate | Zontivity |
| warfarin sodium | Coumadin |
| warfarin sodium | Jantoven |
| warfarin sodium | warfarin |

Antihypertensives

| | |
|---|--------------------------------|
| acebutolol HCl | acebutolol |
| aliskiren hemifumarate | aliskiren |
| aliskiren hemifumarate | Tekturna |
| aliskiren hemifumarate/hydrochlorothiazide | Tekturna HCT |
| amiloride HCl | amiloride |
| amiloride HCl/hydrochlorothiazide | amiloride-hydrochlorothiazide |
| amlodipine benzoate | Katerzia |
| amlodipine besylate | amlodipine |
| amlodipine besylate | Norvasc |
| amlodipine besylate/atorvastatin calcium | amlodipine-atorvastatin |
| amlodipine besylate/atorvastatin calcium | Caduet |
| amlodipine besylate/benazepril HCl | amlodipine-benazepril |
| amlodipine besylate/benazepril HCl | Lotrel |
| amlodipine besylate/celecoxib | Consensi |
| amlodipine besylate/olmesartan medoxomil | amlodipine-olmesartan |
| amlodipine besylate/olmesartan medoxomil | Azor |
| amlodipine besylate/valsartan | amlodipine-valsartan |
| amlodipine besylate/valsartan | Exforge |
| amlodipine besylate/valsartan/hydrochlorothiazide | amlodipine-valsartan-hcthiazid |
| amlodipine besylate/valsartan/hydrochlorothiazide | Exforge HCT |
| atenolol | atenolol |
| atenolol | Tenormin |
| atenolol/chlorthalidone | atenolol-chlorthalidone |
| atenolol/chlorthalidone | Tenoretic 100 |
| atenolol/chlorthalidone | Tenoretic 50 |
| azilsartan medoxomil | Edarbi |
| azilsartan medoxomil/chlorthalidone | Edarbyclor |
| benazepril HCl | benazepril |
| benazepril HCl | Lotensin |
| benazepril HCl/hydrochlorothiazide | benazepril-hydrochlorothiazide |
| benazepril HCl/hydrochlorothiazide | Lotensin HCT |
| betaxolol HCl | betaxolol |
| bisoprolol fumarate | bisoprolol fumarate |
| bisoprolol fumarate/hydrochlorothiazide | bisoprolol-hydrochlorothiazide |
| bisoprolol fumarate/hydrochlorothiazide | Ziac |
| bumetanide | bumetanide |
| candesartan cilexetil | Atacand |
| candesartan cilexetil | candesartan |
| candesartan cilexetil/hydrochlorothiazide | Atacand HCT |
| candesartan cilexetil/hydrochlorothiazide | candesartan-hydrochlorothiazid |
| captopril | captopril |
| captopril/hydrochlorothiazide | captopril-hydrochlorothiazide |

Appendix K. List of Generic and Brand Names of Medical Products Used to Define Obstetric-related Medications

| Generic Name | Brand Name |
|---|--------------------------------|
| carvedilol | carvedilol |
| carvedilol | Coreg |
| carvedilol phosphate | carvedilol phosphate |
| carvedilol phosphate | Coreg CR |
| chlorothiazide | chlorothiazide |
| chlorothiazide | Diuril |
| chlorothiazide sodium | chlorothiazide sodium |
| chlorothiazide sodium | Diuril IV |
| chlorthalidone | chlorthalidone |
| clevidipine butyrate | Cleviprex |
| clonidine | Catapres-TTS-1 |
| clonidine | Catapres-TTS-2 |
| clonidine | Catapres-TTS-3 |
| clonidine | clonidine |
| clonidine HCl | Catapres |
| clonidine HCl | clonidine HCl |
| clonidine HCl | Kapvay |
| diltiazem HCl | Cardizem |
| diltiazem HCl | Cardizem CD |
| diltiazem HCl | Cardizem LA |
| diltiazem HCl | Cartia XT |
| diltiazem HCl | diltiazem HCl |
| diltiazem HCl | DILT-XR |
| diltiazem HCl | Matzim LA |
| diltiazem HCl | Taztia XT |
| diltiazem HCl | Tiadyt ER |
| diltiazem HCl | Tiazac |
| diltiazem HCl in 0.9 % sodium chloride | diltiazem HCl in 0.9% NaCl |
| diltiazem HCl/dextrose 5 % in water | diltiazem in dextrose 5 % |
| doxazosin mesylate | Cardura |
| doxazosin mesylate | Cardura XL |
| doxazosin mesylate | doxazosin |
| enalapril maleate | enalapril maleate |
| enalapril maleate | Epaned |
| enalapril maleate | Vasotec |
| enalapril maleate/hydrochlorothiazide | enalapril-hydrochlorothiazide |
| enalapril maleate/hydrochlorothiazide | Vaseretic |
| enalaprilat dihydrate | enalaprilat |
| eplerenone | eplerenone |
| eplerenone | Inspra |
| eprosartan mesylate | eprosartan |
| esmolol HCl | Brevibloc |
| esmolol HCl | esmolol |
| esmolol HCl in sodium chloride, iso-osmotic | Brevibloc in NaCl (iso-osm) |
| esmolol HCl in sodium chloride, iso-osmotic | esmolol in NaCl (iso-osm) |
| esmolol HCl in sterile water | esmolol in sterile water |
| ethacrynate sodium | ethacrynate sodium |
| ethacrynate sodium | Sodium Edecrin |
| ethacrynic acid | Edecrin |
| ethacrynic acid | ethacrynic acid |
| felodipine | felodipine |
| fosinopril sodium | fosinopril |
| fosinopril sodium/hydrochlorothiazide | fosinopril-hydrochlorothiazide |

Appendix K. List of Generic and Brand Names of Medical Products Used to Define Obstetric-related Medications

| Generic Name | Brand Name |
|---|--------------------------------|
| furosemide | furosemide |
| furosemide | Lasix |
| furosemide in 0.9 % sodium chloride | furosemide in 0.9 % NaCl |
| furosemide/dextrose 5 % in water | furosemide in dextrose 5 % |
| guanfacine HCl | guanfacine |
| guanfacine HCl | Intuniv ER |
| hydralazine HCl | hydralazine |
| hydrochlorothiazide | hydrochlorothiazide |
| hydrochlorothiazide | Microzide |
| indapamide | indapamide |
| irbesartan | Avapro |
| irbesartan | irbesartan |
| irbesartan/hydrochlorothiazide | Avalide |
| irbesartan/hydrochlorothiazide | irbesartan-hydrochlorothiazide |
| isosorbide dinitrate/hydralazine HCl | BiDil |
| isoxsuprine HCl | isoxsuprine |
| isradipine | isradipine |
| labetalol HCl | labetalol |
| labetalol HCl in dextrose, iso-osmotic | labetalol in dextrose,iso-osm |
| labetalol HCl in sodium chloride, iso-osmotic | labetalol in NaCl (iso-osmot) |
| labetalol in dextrose 5 % in water | labetalol in dextrose 5 % |
| lisinopril | lisinopril |
| lisinopril | Prinivil |
| lisinopril | Qbrelis |
| lisinopril | Zestril |
| lisinopril/hydrochlorothiazide | lisinopril-hydrochlorothiazide |
| lisinopril/hydrochlorothiazide | Zestoretic |
| losartan potassium | Cozaar |
| losartan potassium | losartan |
| losartan potassium/hydrochlorothiazide | Hyzaar |
| losartan potassium/hydrochlorothiazide | losartan-hydrochlorothiazide |
| macitentan | Opsumit |
| mecamylamine HCl | Vecamyl |
| methylclothiazide | methylclothiazide |
| methyldopa | methyldopa |
| methyldopa/hydrochlorothiazide | methyldopa-hydrochlorothiazide |
| methyldopate HCl | methyldopate |
| metolazone | metolazone |
| metoprolol succinate | Kapspargo Sprinkle |
| metoprolol succinate | metoprolol succinate |
| metoprolol succinate | Toprol XL |
| metoprolol succinate/hydrochlorothiazide | Dutoprol |
| metoprolol succinate/hydrochlorothiazide | metoprolol su-hydrochlorothiaz |
| metoprolol tartrate | Lopressor |
| metoprolol tartrate | metoprolol tartrate |
| metoprolol tartrate/hydrochlorothiazide | Lopressor HCT |
| metoprolol tartrate/hydrochlorothiazide | metoprolol ta-hydrochlorothiaz |
| metyrosine | Demser |
| metyrosine | metyrosine |
| minoxidil | minoxidil |
| moexipril HCl | moexipril |
| moexipril HCl/hydrochlorothiazide | moexipril-hydrochlorothiazide |
| nadolol | Corgard |

Appendix K. List of Generic and Brand Names of Medical Products Used to Define Obstetric-related Medications

| Generic Name | Brand Name |
|--|--------------------------------|
| nadolol | nadolol |
| nadolol/bendroflumethiazide | Corzide |
| nadolol/bendroflumethiazide | nadolol-bendroflumethiazide |
| nebivolol HCl | Bystolic |
| nebivolol HCl/valsartan | Byvalson |
| nicardipine HCl | Cardene IV |
| nicardipine HCl | nicardipine |
| nicardipine HCl in 0.9 % sodium chloride | nicardipine in 0.9 % sod chlor |
| nicardipine in 5 % dextrose in water | nicardipine in 5 % dextrose |
| nicardipine in dextrose, iso-osmotic | Cardene IV in dextrose |
| nifedipine | Adalat CC |
| nifedipine | Afeditab CR |
| nifedipine | nifedipine |
| nifedipine | Procardia |
| nifedipine | Procardia XL |
| nimodipine | nimodipine |
| nimodipine | Nymalize |
| nisoldipine | nisoldipine |
| nisoldipine | Sular |
| nitroprusside sodium | Nitropress |
| nitroprusside sodium | sodium nitroprusside |
| nitroprusside sodium in 0.9 % sodium chloride | Nipride RTU |
| olmesartan medoxomil | Benicar |
| olmesartan medoxomil | olmesartan |
| olmesartan medoxomil/amlodipine besylate/hydrochlorothiazide | olmesartan-amlodipin-hcthiazid |
| olmesartan medoxomil/amlodipine besylate/hydrochlorothiazide | Tribenzor |
| olmesartan medoxomil/hydrochlorothiazide | Benicar HCT |
| olmesartan medoxomil/hydrochlorothiazide | olmesartan-hydrochlorothiazide |
| papaverine HCl | papaverine |
| perindopril arginine/amlodipine besylate | Prestalia |
| perindopril erbumine | perindopril erbumine |
| phenoxybenzamine HCl | Dibenzyline |
| phenoxybenzamine HCl | phenoxybenzamine |
| phentolamine mesylate | phentolamine |
| pindolol | pindolol |
| prazosin HCl | Minipress |
| prazosin HCl | prazosin |
| propranolol HCl | Hemangeol |
| propranolol HCl | Inderal LA |
| propranolol HCl | Inderal XL |
| propranolol HCl | InnoPran XL |
| propranolol HCl | propranolol |
| propranolol HCl/hydrochlorothiazide | propranolol-hydrochlorothiazid |
| quinapril HCl | Accupril |
| quinapril HCl | quinapril |
| quinapril HCl/hydrochlorothiazide | Accuretic |
| quinapril HCl/hydrochlorothiazide | quinapril-hydrochlorothiazide |
| ramipril | Altace |
| ramipril | ramipril |
| sacubitril/valsartan | Entresto |
| spironolactone | Aldactone |
| spironolactone | CaroSpir |
| spironolactone | spironolactone |

Appendix K. List of Generic and Brand Names of Medical Products Used to Define Obstetric-related Medications

| Generic Name | Brand Name |
|--|--------------------------------|
| spironolactone/hydrochlorothiazide | Aldactazide |
| spironolactone/hydrochlorothiazide | spironolacton-hydrochlorothiaz |
| telmisartan | Micardis |
| telmisartan | telmisartan |
| telmisartan/amlodipine besylate | telmisartan-amlodipine |
| telmisartan/amlodipine besylate | Twynsta |
| telmisartan/hydrochlorothiazide | Micardis HCT |
| telmisartan/hydrochlorothiazide | telmisartan-hydrochlorothiazid |
| terazosin HCl | terazosin |
| timolol maleate | timolol maleate |
| tolvaptan | Samsca |
| tolvaptan | tolvaptan |
| torsemide | Demadex |
| torsemide | torsemide |
| trandolapril | trandolapril |
| trandolapril/verapamil HCl | Tarka |
| trandolapril/verapamil HCl | trandolapril-verapamil |
| treprostinil/nebulizer accessories | Tyvaso Refill Kit |
| treprostinil/nebulizer and accessories | Tyvaso Institutional Start Kit |
| treprostinil/nebulizer and accessories | Tyvaso Starter Kit |
| triamterene | Dyrenium |
| triamterene | triamterene |
| triamterene/hydrochlorothiazide | Dyazide |
| triamterene/hydrochlorothiazide | Maxzide |
| triamterene/hydrochlorothiazide | Maxzide-25mg |
| triamterene/hydrochlorothiazide | triamterene-hydrochlorothiazid |
| valsartan | Diovan |
| valsartan | valsartan |
| valsartan/hydrochlorothiazide | Diovan HCT |
| valsartan/hydrochlorothiazide | valsartan-hydrochlorothiazide |
| verapamil HCl | Calan |
| verapamil HCl | Calan SR |
| verapamil HCl | verapamil |
| verapamil HCl | Verelan |
| verapamil HCl | Verelan PM |

Anti-inflammatories

| | |
|---|-------------------------|
| amlodipine besylate/celecoxib | Consensi |
| antiarthritic combination no.2 | glucosamine-chondroitin |
| auranofin | Ridaura |
| celecoxib | Celebrex |
| celecoxib | celecoxib |
| celecoxib/capsaicin/menthol | CapXib |
| celecoxib/capsaicin/methyl salicylate/menthol | NuDroxiPAK |
| celecoxib/lidocaine/menthol | LidoXib |
| chondroitin sulfate A sodium | OptiFlex-C |
| diclofenac potassium | Cambia |
| diclofenac potassium | Cataflam |
| diclofenac potassium | diclofenac potassium |
| diclofenac potassium | Zipsor |
| diclofenac sodium | diclofenac sodium |
| diclofenac sodium | Voltaren-XR |
| diclofenac sodium/misoprostol | Arthrotec 50 |

Appendix K. List of Generic and Brand Names of Medical Products Used to Define Obstetric-related Medications

| Generic Name | Brand Name |
|--|--------------------------------|
| diclofenac sodium/misoprostol | Arthrotec 75 |
| diclofenac sodium/misoprostol | diclofenac-misoprostol |
| diclofenac submicronized | diclofenac submicronized |
| diclofenac submicronized | Zorvolex |
| etodolac | etodolac |
| etodolac | Lodine |
| fenoprofen calcium | fenoprofen |
| fenoprofen calcium | Fenortho |
| fenoprofen calcium | Nalfon |
| fenoprofen calcium | ProFeno |
| flurbiprofen | flurbiprofen |
| glucosamine dipot chl/chondroitin sul A Na/Boswell/turmeric | InvigoFlex AMPM |
| glucosamine HCl | glucosamine HCl |
| glucosamine HCl/cholecalciferol (vit D3)/hyaluronic acid | glucosamine-D3-hyaluronic acid |
| glucosamine HCl/chondro sulfate A/cartilage/collagen type II | Glucosamine-Chondroitin-UC II |
| glucosamine HCl/chondroit/msm/sod borate/hyaluronic sodium | Glucosamine-Chondr (MSM-hyal) |
| glucosamine HCl/chondroitin sul A Na/ascorbic acid/manganese | Cosamin DS (with manganese) |
| glucosamine HCl/chondroitin sulf A/vitamin C/manganese/boron | glucosam-chondr-vit C-Mn-boron |
| glucosamine HCl/chondroitin sulfate A | Endur-Flex |
| glucosamine HCl/chondroitin sulfate A | glucosamine-chondroitin |
| glucosamine HCl/chondroitin sulfate A sodium | Cidaflex |
| glucosamine HCl/chondroitin sulfate A sodium | glucosamine-chondroitin |
| glucosamine HCl/chondroitin sulfate A sodium | Osteo Bi-Flex |
| glucosamine HCl/chondroitin sulfate A sodium/herbal no.270 | Cosamin ASU (with AKBA) |
| glucosamine HCl/chondroitin sulfate A/ascorbic acid/mang | Glucosamine-Chondroitin Complx |
| glucosamine HCl/chondroitin-msm complex no.6/manganese sulf | glucosam-chondr msm6-manganese |
| glucosamine HCl/D3/boswellia serrata | Glucosamine Daily Complex |
| glucosamine HCl/D3/boswellia serrata | glucosamine-D3-Boswellia serr |
| glucosamine HCl/D3/boswellia serrata | Osteo Bi-Flex (5-Loxin) |
| glucosamine HCl/herbal complex no.270 | Cosamin Verde |
| glucosamine HCl/hyaluronic acid | glucosamine HCl-hyaluronic |
| glucosamine HCl/mam/chondroitin su A/boswell/hyaluronic acid | gluc-msm-chon-bos-hyal |
| glucosamine HCl/methylsulfonylmethane | Glucosamine Msm |
| glucosamine HCl/methylsulfonylmethane | glucosamine-methylsulfonylmeth |
| glucosamine HCl/methylsulfonylmethane/Boswellia/herbal 182 | Cosamin Avoca (with Boswellia) |
| glucosamine HCl/methylsulfonylmethane/chondroitin sulfate A | glucosamine HCl-msm-chondroitn |
| glucosamine HCl/methylsulfonylmethane/chondroitin sulfate A | TripleFlex |
| glucosamine HCl/methylsulfonylmethane/herbal complex no.182 | Cosamin Avoca |
| glucosamine HCl/methylsulfonylmethane/hyaluronic acid | glucosamine-msm-hyaluron acid |
| glucosamine HCl/msm/chondroitin sul A Na/vitamin D3 | glucosam-msm-chondroit-vit D3 |
| glucosamine HCl/msm/chondroitin sulfate A/hyaluronic acid | glucosamine-chondroitin |
| glucosamine HCl-chondroitin sul sod-herb 149-hyaluronic acid | Glucos Chond Cplx Advanced |
| glucosamine su dipot chl/chondroitin sul sod/vit C/manganese | glucosam su dip-chondroit-C-Mn |
| glucosamine su dipot chl/chondroitin sul sod/vit C/manganese | glucosamine-chondroitin |
| glucosamine su dipot Cl/chondroitin/collagen hydr/hyaluronc | glucosam-chond su-collag-hy ac |
| glucosamine sulf/chondroit/msm/D3/vit C/folic acid/herbal287 | Algesis |
| glucosamine sulf/methylsulfonylmethane/C/manganese/herbal 21 | Glucosamine-MSM Complex |
| glucosamine sulfate | Cidatine |
| glucosamine sulfate | Dona |
| glucosamine sulfate | Genicin |
| glucosamine sulfate | Glucosamine |
| glucosamine sulfate | glucosamine sulfate |

Appendix K. List of Generic and Brand Names of Medical Products Used to Define Obstetric-related Medications

| Generic Name | Brand Name |
|--|--------------------------------|
| glucosamine sulfate | InvigoFlex D |
| glucosamine sulfate | OptiFlex-G |
| glucosamine sulfate | Synovacin |
| glucosamine sulfate (dipotassium chloride) | Glucosamine Relief |
| glucosamine sulfate (dipotassium chloride) | glucosamine sulfate 2KCl |
| glucosamine sulfate dipot chl/msm/chondroitin/vit C/manganes | Glucosamine Chondroitin |
| glucosamine sulfate dipot/methylsulfonylmethane/chondroitin | glucosamine 2KCl-MSM-chondroit |
| glucosamine sulfate dipotas/chondroitin sul A sod/vit C/mang | Glucosamine-Chondroitin Complx |
| glucosamine sulfate dipotassium chlor/Boswellia serrata ext | InvigoFlex GS |
| glucosamine sulfate dipotassium chlor/chondroitin sulfate A | glucosamine su 2KCl-chondroit |
| glucosamine sulfate dipotassium chlor/chondroitin sulfate A | Glucosamine Sulf-Chondroitin |
| glucosamine sulfate dipotassium chlor/chondroitin sulfate A | Glucosamine-Chondroitin 3X Str |
| glucosamine sulfate dipotassium chlor/chondroitin sulfate A | Glucosamine-Chondroitin DS |
| glucosamine sulfate sodium Cl/chondroitin sulfate A sodium | Optiflex Complete |
| glucosamine sulfate/chondroitin sulfate A/ascorbic acid/mang | Glucosamine Chondroitin MaxStr |
| glucosamine sulfate/chondroitin sulfate A/ascorbic acid/mang | Glucosamine-Chondroitin Complx |
| glucosamine sulfate/chondroitin sulfate A/ascorbic acid/mang | Glucosamine-Chondroitin Max St |
| glucosamine sulfate/chondroitin sulfate A/ascorbic acid/mang | glucosamine-chondroit-vit C-Mn |
| glucosamine sulfate/chondroitin sulfate/dietary supp comb.25 | Trepadone (with bromelain) |
| glucosamine sulfate/chondroitin sulfate/methylsulfonylmethan | Cartivisc |
| glucosamine sulfate/chondroitin sulfate/methylsulfonylmethan | Condrolite |
| glucosamine sulfate/chondroitin sulfate/methylsulfonylmethan | glucosamine sul-chondroitn-msm |
| glucosamine sulfate/chondroitin sulfate/methylsulfonylmethan | Medi-Flexx |
| glucosamine sulfate/methylsulfonylmethane | glucosamine sulfate-msm |
| glucosamine sulfate/methylsulfonylmethane/magnesium/vit C | Glucosamine Complex-MSM |
| glucosamine sulfate/msm/chondroitin sulfateA/vit C/manganese | Flexi Joint |
| glucosamine sulfate/omega-3 fatty acids/vitamin E | Glucosamine-Fish Oil |
| glucosamine/chondr-collagen complex/vit D3/vit C/manganese | Glucosamine-Chondr-D3 (C-mang) |
| glucosamine/chondr-msm combo no.1/vit C/manganese/sod borate | Glucosam-Chond-MSM(with boron) |
| glucosamine/chondr-msm combo no.1/vit C/manganese/sod borate | glucosam-chond-msm1-C-mang-bor |
| glucosamine/chondr-msm combo no.1/vit C/manganese/sod borate | Glucosamine-Chond-MSM Complex |
| glucosamine/chondr-msm1/D3/C/mangan/Boswellia serr/sod borat | Glucosam-Chondr-MSM with vit D |
| glucosamine/chondr-msm1/D3/C/mangan/Boswellia serr/sod borat | Glucosamine-Chondroitin Complx |
| glucosamine/chondroit sul A/collagen,hydrolyz./hyaluronic ac | glucosam-chon-collag-hyalur ac |
| glucosamine/chondroitin sulfA/C/D3/B6/folic/B12/Zn ox/copper | GlucoTen |
| glucosamine/chondroitin sulfate A | Cosamin DS |
| glucosamine/chondroitin sulfate A | glucosamine-chondroitin |
| glucosamine/chondroitin/hyaluronic acid/calcium fructoborate | Move Free Joint Health |
| glucosamine/chondroitin/msm/D3/hyaluronic acid/cal borate | Move Free Plus MSM-Vit D3 |
| glucosamine/chondroitin/msm/hyaluronic ac/calc fructoborate | Move Free Plus MSM |
| glucosamine/chondroitin/om-3/dha/epa/fish oil/plant stanol | Glucosamine Chondroitin PLUS |
| glucosamine/chondroitin-msm no.7/vit C/manganese/boron citr | Glucosamine-Chondr (boswellia) |
| glucosamine/chondroitin-msm no2/vit C/vit D3/manganese/boron | Glucosam-Chondr-MSM with vit D |
| glucosamine/chondroit-msm no.1/C/manganese/boswellia serrata | glucosam-chon-msm1-C-mang-bosw |
| glucosamine/chondroit-msm no.1/C/manganese/boswellia serrata | Glucosamine-Chondroitin 3X |
| glucosamine/chondroit-msm no.1/C/manganese/boswellia serrata | Glucosamine-Chondroitin Complx |
| glucosamine/chondroit-msm no.1/C/manganese/boswellia serrata | Glucosamine-Chondroitin DS |
| glucosamine/chondroit-msm no.1/C/manganese/boswellia serrata | Osteo Bi-Flex Triple Strength |
| glucosamine/methylsulf/vit C/folic ac/manganese/diet 29 | Azalgia |
| glucosamine/methylsulfonylmet/chondroitin/calcium/herbal 115 | Duraflex |
| glucosamine/msm/chondro su A/vitamin D3/Boswellia serrata | glucosamine-msm-chondr-D3-Bosw |

Appendix K. List of Generic and Brand Names of Medical Products Used to Define Obstetric-related Medications

| Generic Name | Brand Name |
|--|--------------------------------|
| glucosamine/msm/chondroitin sA Na/herbal 149/hyaluronic acid | glucosam-msm-chond-hrb149-hyal |
| glucosamine/msm/chondroitin sA Na/herbal 149/hyaluronic acid | Glucos-Chond-MSM (with antiox) |
| glucosamine/msm/collagen typ II/vit C/manganese/herbal no.21 | Glucosamine-MSM Complex |
| glucosamine/msm/collagenII/hyaluronic acid/antiarthritic no3 | Arthri-Flex |
| glucosamine/msm/vit C/boron/manganese/evening primrose oil | Joint Support Complex |
| hydrocodone/ibuprofen | hydrocodone-ibuprofen |
| hydrocodone/ibuprofen | Ibudone |
| ibuprofen | Addaprin |
| ibuprofen | Advil |
| ibuprofen | Advil Liqui-Gel |
| ibuprofen | Advil Migraine |
| ibuprofen | Caldolor |
| ibuprofen | IBU |
| ibuprofen | IBU-200 |
| ibuprofen | ibuprofen |
| ibuprofen | Ibuprofen IB |
| ibuprofen | Ibuprofen Jr Strength |
| ibuprofen | I-Prin |
| ibuprofen | Motrin IB |
| ibuprofen | Provil |
| ibuprofen | Wal-Profen |
| ibuprofen/acetaminophen | Advil Dual Action |
| ibuprofen/diphenhydramine citrate | Advil PM |
| ibuprofen/diphenhydramine citrate | Motrin PM |
| ibuprofen/diphenhydramine HCl | Advil PM Liqui-Gels |
| ibuprofen/famotidine | Duexis |
| ibuprofen/oxycodone HCl | ibuprofen-oxycodone |
| indomethacin | Indocin |
| indomethacin | indomethacin |
| indomethacin, submicronized | indomethacin submicronized |
| indomethacin, submicronized | Tivorbex |
| ketoprofen | ketoprofen |
| ketorolac tromethamine | ketorolac |
| ketorolac tromethamine | ReadySharp ketorolac |
| meclufenamate sodium | meclufenamate |
| mefenamic acid | mefenamic acid |
| meloxicam | Anjeso |
| meloxicam | meloxicam |
| meloxicam | Mobic |
| meloxicam | Qmiiz ODT |
| meloxicam, submicronized | meloxicam submicronized |
| meloxicam, submicronized | Vivlodex |
| methylsulfonylmethane | methylsulfonylmethane |
| methylsulfonylmethane | MSM |
| methylsulfonylmethane/hydrolyzed collagen/co-Q10/herbal 226 | Beauty and Skin Therapy |
| nabumetone | nabumetone |
| nabumetone | Relafen |
| nabumetone | Relafen DS |
| naproxen sodium | Aleve |
| naproxen sodium | All Day Pain Relief |
| naproxen sodium | All Day Relief |
| naproxen sodium | Anaprox DS |
| naproxen sodium | Flanax (naproxen) |

Appendix K. List of Generic and Brand Names of Medical Products Used to Define Obstetric-related Medications

| Generic Name | Brand Name |
|-------------------------------------|-----------------------|
| naproxen sodium | Mediproxen |
| naproxen sodium | Midol (naproxen) |
| naproxen sodium | Naprelan CR |
| naproxen sodium | naproxen sodium |
| naproxen sodium | Wal-Proxen |
| naproxen sodium/diphenhydramine HCl | Aleve PM |
| naproxen sodium/diphenhydramine HCl | Naproxen PM |
| naproxen/esomeprazole magnesium | naproxen-esomeprazole |
| naproxen/esomeprazole magnesium | Vimovo |
| oxaprozin | Daypro |
| oxaprozin | oxaprozin |
| penicillamine | Cuprimine |
| penicillamine | D-Penaminate |
| penicillamine | penicillamine |
| piroxicam | Feldene |
| piroxicam | piroxicam |
| sulindac | sulindac |
| tolmetin sodium | tolmetin |
| TRAMADOL HCL/GLUCOSAMINE SULFATE | Synapryn |

Antimycobacterials

| | |
|---|--------------|
| aminosalicylic acid | Paser |
| bedaquiline fumarate | Sirturo |
| capreomycin sulfate | Capastat |
| cycloserine | cycloserine |
| dapsone | dapsone |
| ethambutol HCl | ethambutol |
| ethambutol HCl | Myambutol |
| ethionamide | Trecator |
| isoniazid | isoniazid |
| omeprazole magnesium/amoxicillin trihydrate/rifabutin | Talicia |
| pretomanid | pretomanid |
| pyrazinamide | pyrazinamide |
| rifabutin | Mycobutin |
| rifabutin | rifabutin |
| rifampin | Rifadin |
| rifampin | rifampin |
| rifampin/isoniazid | Rifamate |
| rifampin/isoniazid/pyrazinamide | Rifater |
| rifapentine | Priftin |

Antimycotics

| | |
|---|--------------------------------|
| amphotericin B | amphotericin B |
| amphotericin B lipid complex | Abelcet |
| amphotericin B liposome | AmBisome |
| anidulafungin | Eraxis(Water Diluent) |
| caspofungin acetate | Cancidas |
| caspofungin acetate | caspofungin |
| clotrimazole | clotrimazole |
| fluconazole | Diflucan |
| fluconazole | fluconazole |
| fluconazole in dextrose, iso-osmotic | fluconazole in dextrose(iso-o) |
| fluconazole in sodium chloride, iso-osmotic | fluconazole in NaCl (iso-osm) |

Appendix K. List of Generic and Brand Names of Medical Products Used to Define Obstetric-related Medications

| Generic Name | Brand Name |
|--|-----------------------------|
| flucytosine | Ancobon |
| flucytosine | flucytosine |
| griseofulvin ultramicrosize | griseofulvin ultramicrosize |
| griseofulvin ultramicrosize | Gris-PEG (ultramicrosize) |
| griseofulvin, microsize | griseofulvin microsize |
| isavuconazonium sulfate | Cresemba |
| itraconazole | itraconazole |
| itraconazole | Onmel |
| itraconazole | Sporanox |
| itraconazole | Sporanox Pulsepak |
| itraconazole | Tolsura |
| ketoconazole | ketoconazole |
| micafungin sodium | micafungin |
| micafungin sodium | Mycamine |
| nystatin | nystatin |
| NYSTATIN/HYDROCORTISONE/DIPHENHYDRAMINE HCL | FIRST-Duke's |
| NYSTATIN/LIDOCAINE HCL/DIPHENHYDRAMINE HCL | First-BXN |
| NYSTATIN/TETRACYCLINE HCL/HYDROCORTISONE/DIPHENHYDRAMINE HCL | FIRST-Mary's Mouthwash |
| posaconazole | Noxafil |
| posaconazole | posaconazole |
| terbinafine HCl | Lamisil |
| terbinafine HCl | terbinafine HCl |
| voriconazole | Vfend |
| voriconazole | Vfend IV |
| voriconazole | voriconazole |

Antivirals

| | |
|--|--------------------------------|
| abacavir sulfate | abacavir |
| abacavir sulfate | Ziagen |
| abacavir sulfate/dolutegravir sodium/lamivudine | Triumeq |
| abacavir sulfate/lamivudine | abacavir-lamivudine |
| abacavir sulfate/lamivudine | Epzicom |
| abacavir sulfate/lamivudine/zidovudine | abacavir-lamivudine-zidovudine |
| abacavir sulfate/lamivudine/zidovudine | Trizivir |
| acyclovir | acyclovir |
| acyclovir | Sitavig |
| acyclovir | Zovirax |
| acyclovir sodium | acyclovir sodium |
| acyclovir sodium | Zovirax (as sodium) |
| acyclovir sodium/dextrose 5 % in water | acyclovir sod in dextrose 5 % |
| adefovir dipivoxil | adefovir |
| adefovir dipivoxil | Hepsera |
| amantadine HCl | amantadine HCl |
| amantadine HCl | Gocovri |
| amantadine HCl | Osmolex ER |
| amprenavir/vitamin E | Agenerase |
| amprenavir/vitamin E/propylene glycol | Agenerase |
| atazanavir sulfate | atazanavir |
| atazanavir sulfate | Reyataz |
| atazanavir sulfate/cobicistat | Evotaz |
| baloxavir marboxil | Xofluza |
| bictegravir sodium/emtricitabine/tenofovir alafenamide fumar | Biktarvy |
| boceprevir | Victrelis |

Appendix K. List of Generic and Brand Names of Medical Products Used to Define Obstetric-related Medications

| Generic Name | Brand Name |
|--|------------------------|
| cidofovir | cidofovir |
| cidofovir | Vistide |
| cobicistat | Tybost |
| daclatasvir dihydrochloride | Daklinza |
| darunavir eth/cobicistat/emtricitabine/tenofovir alafenamide | Symtuza |
| darunavir ethanolate | Prezista |
| darunavir ethanolate/cobicistat | Prezcobix |
| delavirdine mesylate | Rescriptor |
| didanosine | didanosine |
| didanosine | Videx 2 gram Pediatric |
| didanosine | Videx 4 gram Pediatric |
| didanosine | Videx EC |
| didanosine/calcium carbonate/magnesium | Videx |
| didanosine/calcium carbonate/magnesium | Videx Buffered |
| didanosine/sodium citrate | Videx |
| dolutegravir sodium | Tivicay |
| dolutegravir sodium/lamivudine | Dovato |
| dolutegravir sodium/rilpivirine HCl | Juluca |
| doravirine | Pifeltro |
| doravirine/lamivudine/tenofovir disoproxil fumarate | Delstrigo |
| efavirenz | efavirenz |
| efavirenz | Sustiva |
| efavirenz/emtricitabine/tenofovir disoproxil fumarate | Atripla |
| efavirenz/lamivudine/tenofovir disoproxil fumarate | Symfi |
| efavirenz/lamivudine/tenofovir disoproxil fumarate | Symfi Lo |
| elbasvir/grazoprevir | Zepatier |
| elvitegravir | Vitekta |
| elvitegravir/cobicistat/emtricitabine/tenofovir alafenamide | Genvoya |
| elvitegravir/cobicistat/emtricitabine/tenofovir disoproxil | Stribild |
| emtricitabine | Emtriva |
| emtricitabine/rilpivirine HCl/tenofovir alafenamide fumarate | Odefsey |
| emtricitabine/rilpivirine HCl/tenofovir disoproxil fumarate | Complera |
| emtricitabine/tenofovir alafenamide fumarate | Descovy |
| emtricitabine/tenofovir disoproxil fumarate | Truvada |
| enfuvirtide | Fuzeon |
| entecavir | Baraclude |
| entecavir | entecavir |
| etravirine | Intelence |
| famciclovir | famciclovir |
| famciclovir | Famvir |
| fosamprenavir calcium | fosamprenavir |
| fosamprenavir calcium | Lexiva |
| foscarnet sodium | foscarnet |
| foscarnet sodium | Foscavir |
| ganciclovir | Cytovene |
| ganciclovir | ganciclovir |
| ganciclovir sodium | Cytovene |
| ganciclovir sodium | ganciclovir sodium |
| glecaprevir/pibrentasvir | Mavyret |
| ibalizumab-uiyk | Trogarzo |
| indinavir sulfate | Crixivan |
| interferon alfa-2b, recomb. | Intron A |
| interferon alfacon-1 | Infergen |

Appendix K. List of Generic and Brand Names of Medical Products Used to Define Obstetric-related Medications

| Generic Name | Brand Name |
|--|--------------------------|
| interferon beta-1a | Avonex |
| interferon beta-1a/albumin human | Avonex (with albumin) |
| interferon beta-1a/albumin human | Rebif (with albumin) |
| interferon beta-1a/albumin human | Rebif Rebidose |
| interferon beta-1a/albumin human | Rebif Titration Pack |
| interferon beta-1b | Betaseron |
| interferon beta-1b | Extavia |
| interferon gamma-1b, recomb. | Actimmune |
| lamivudine | Epivir |
| lamivudine | Epivir HBV |
| lamivudine | lamivudine |
| lamivudine/tenofovir disoproxil fumarate | Cimduo |
| lamivudine/tenofovir disoproxil fumarate | Temixys |
| lamivudine/zidovudine | Combivir |
| lamivudine/zidovudine | lamivudine-zidovudine |
| ledipasvir/sofosbuvir | Harvoni |
| ledipasvir/sofosbuvir | ledipasvir-sofosbuvir |
| letermovir | Prevymis |
| lopinavir/ritonavir | Kaletra |
| lopinavir/ritonavir | lopinavir-ritonavir |
| maraviroc | Selzentry |
| nelfinavir mesylate | Viracept |
| nevirapine | nevirapine |
| nevirapine | Viramune |
| nevirapine | Viramune XR |
| NEXAVIR | |
| nitazoxanide | Alinia |
| ombitasvir/paritaprevir/ritonavir | Technivie |
| ombitasvir/paritaprevir/ritonavir/dasabuvir sodium | Viekira Pak |
| ombitasvir/paritaprevir/ritonavir/dasabuvir sodium | Viekira XR |
| oseltamivir phosphate | oseltamivir |
| oseltamivir phosphate | Tamiflu |
| peginterferon alfa-2a | Pegasys |
| peginterferon alfa-2a | Pegasys Convenience Pack |
| peginterferon alfa-2a | Pegasys ProClick |
| peginterferon alfa-2b | PegIntron |
| peginterferon alfa-2b | PegIntron Redipen |
| peginterferon alfa-2b | Sylatron |
| peginterferon beta-1a | Plegridy |
| peramivir/PF | Rapivab (PF) |
| raltegravir potassium | Isentress |
| raltegravir potassium | Isentress HD |
| ribavirin | Copegus |
| ribavirin | Moderiba |
| ribavirin | Moderiba Dose Pack |
| ribavirin | Rebetol |
| ribavirin | Ribasphere |
| ribavirin | Ribasphere RibaPak |
| ribavirin | RIBATAB |
| ribavirin | RIBATAB Dose Pack |
| ribavirin | ribavirin |
| ribavirin | Virazole |
| rilpivirine HCl | Edurant |

Appendix K. List of Generic and Brand Names of Medical Products Used to Define Obstetric-related Medications

| Generic Name | Brand Name |
|--|-------------------------------|
| rimantadine HCl | Flumadine |
| rimantadine HCl | rimantadine |
| rimantadine HCl/dietary supplement,misc comb14 | Rimantalist |
| ritonavir | Norvir |
| ritonavir | Norvir Soft Gelatin |
| ritonavir | ritonavir |
| saquinavir | Fortovase |
| saquinavir mesylate | Invirase |
| simeprevir sodium | Olysio |
| Sitavig | |
| sofosbuvir | Sovaldi |
| sofosbuvir/velpatasvir | Epclusa |
| sofosbuvir/velpatasvir | sofosbuvir-velpatasvir |
| sofosbuvir/velpatasvir/voxilaprevir | Vosevi |
| stavudine | stavudine |
| stavudine | Zerit |
| telaprevir | Incivek |
| telbivudine | Tyzeka |
| tenofovir alafenamide | Vemlidy |
| tenofovir disoproxil fumarate | tenofovir disoproxil fumarate |
| tenofovir disoproxil fumarate | Viread |
| tipranavir | Aptivus |
| tipranavir/vitamin E TPGS | Aptivus (with vitamin E) |
| trifluridine/tipiracil HCl | Lonsurf |
| valacyclovir HCl | valacyclovir |
| valacyclovir HCl | Valtrex |
| valganciclovir HCl | Valcyte |
| valganciclovir HCl | valganciclovir |
| zalcitabine | Hivid |
| zanamivir | Relenza Diskhaler |
| ZIAGEN | |
| zidovudine | Retrovir |
| zidovudine | zidovudine |

Corticosteroids

| | |
|--|--------------------------------|
| beclomethasone dipropionate | Qvar |
| beclomethasone dipropionate | Qvar RediHaler |
| betamethasone acetate and sodium phos in sterile water/PF | betameth ac,sod phos(PF)-water |
| betamethasone acetate and sodium phosph/norflurane/HFC 245fa | Betaloan SUIK |
| betamethasone acetate and sodium phosph/norflurane/HFC 245fa | Pod-Care 100CG |
| betamethasone acetate/betamethasone sodium phosphate | Beta-1 |
| betamethasone acetate/betamethasone sodium phosphate | betamethasone acet,sod phos |
| betamethasone acetate/betamethasone sodium phosphate | BSP-0820 |
| betamethasone acetate/betamethasone sodium phosphate | Celestone Soluspan |
| betamethasone acetate/betamethasone sodium phosphate | Pod-Care 100C |
| betamethasone acetate/betamethasone sodium phosphate | ReadySharp Betamethasone |
| betamethasone acetate/betamethasone sodium phosphate/water | betamethasone ace,sod phos-wtr |
| betamethasone sodium phosph in sterile water for injection | betamethasone sod phosph-water |
| budesonide | budesonide |
| budesonide | Entocort EC |
| budesonide | Ortikos |
| budesonide | Pulmicort |
| budesonide | Pulmicort Flexhaler |

Appendix K. List of Generic and Brand Names of Medical Products Used to Define Obstetric-related Medications

| Generic Name | Brand Name |
|---|--------------------------------|
| budesonide | Uceris |
| budesonide/formoterol fumarate | budesonide-formoterol |
| budesonide/formoterol fumarate | Symbicort |
| budesonide/glycopyrrolate/formoterol fumarate | Breztri Aerosphere |
| bupivacaine HCl/dexamethasone sodium phos in sterile water | bupivacaine-dexameth in water |
| ciclesonide | Alvesco |
| cortisone acetate | cortisone |
| deflazacort | Emflaza |
| dexamethasone | Decadron |
| dexamethasone | Dexabliss |
| dexamethasone | dexamethasone |
| dexamethasone | Dexamethasone Intensol |
| dexamethasone | DexPak 10 day |
| dexamethasone | DexPak 13 Day |
| dexamethasone | DexPak 6 Day |
| dexamethasone | Dxevo |
| dexamethasone | Hemady |
| dexamethasone | HiDex |
| dexamethasone | LoCort |
| dexamethasone | TaperDex |
| dexamethasone | ZCort |
| dexamethasone | ZoDex |
| dexamethasone | ZonaCort |
| dexamethasone acetate and sodium phosphate in sterile water | dexamethasone ac, sod ph-water |
| dexamethasone acetate in sodium chloride, iso-osmotic | dexamethasone ace-NaCl,iso-osm |
| dexamethasone sodium phosphate | dexamethasone sodium phosphate |
| dexamethasone sodium phosphate | Dexonto |
| dexamethasone sodium phosphate | ReadySharp dexamethasone |
| dexamethasone sodium phosphate in 0.9 % sodium chloride | dexamethasone-0.9 % sod. chlor |
| dexamethasone sodium phosphate/lidocaine HCl | Lidocidex-I |
| dexamethasone sodium phosphate/PF | Active Injection Kit D (PF) |
| dexamethasone sodium phosphate/PF | dexamethasone sodium phos (PF) |
| dexamethasone sodium phosphate/PF | DoubleDex (PF) |
| dexamethasone sodium phosphate/PF | MAS Care-Pak (PF) |
| dexamethasone/PF/norflurane/pentafluoropropane (HFC 245fa) | DMT SUIK |
| flunisolide | Aerospan |
| fluticasone furoate | Arnuity Ellipta |
| fluticasone furoate/umeclidinium bromide/vilanterol trifrenat | Trelegy Ellipta |
| fluticasone furoate/vilanterol trifrenatate | Breo Ellipta |
| fluticasone propionate | ArmonAir Digihaler |
| fluticasone propionate | ArmonAir RespiClick |
| fluticasone propionate | Flovent Diskus |
| fluticasone propionate | Flovent HFA |
| fluticasone propionate/salmeterol xinafoate | Advair Diskus |
| fluticasone propionate/salmeterol xinafoate | Advair HFA |
| fluticasone propionate/salmeterol xinafoate | AirDuo Digihaler |
| fluticasone propionate/salmeterol xinafoate | AirDuo RespiClick |
| fluticasone propionate/salmeterol xinafoate | fluticasone propion-salmeterol |
| fluticasone propionate/salmeterol xinafoate | Wixela Inhub |
| hydrocortisone | Alkindi Sprinkle |
| hydrocortisone | Cortef |
| hydrocortisone | hydrocortisone |
| hydrocortisone sod succinate | A-Hydrocort |

Appendix K. List of Generic and Brand Names of Medical Products Used to Define Obstetric-related Medications

| Generic Name | Brand Name |
|--|---------------------------------|
| hydrocortisone sod succinate | Solu-Cortef |
| hydrocortisone sodium succinate/PF | Solu-Cortef Act-O-Vial (PF) |
| methylprednisolone | Medrol |
| methylprednisolone | Medrol (Pak) |
| methylprednisolone | Methylpred DP |
| methylprednisolone | methylprednisolone |
| methylprednisolone acetate | Depo-Medrol |
| methylprednisolone acetate | methylprednisolone acetate |
| methylprednisolone acetate | P-Care D40 |
| methylprednisolone acetate | P-Care D80 |
| methylprednisolone acetate | ReadySharp Methylprednisolone |
| methylprednisolone acetate in sodium chloride,iso-osmotic/PF | methylpred ac(PF)-NaCl,iso-osm |
| methylprednisolone acetate in sterile water for injection | methylprednisolone acet-water |
| methylprednisolone acetate/bupivacaine HCl in sterile water | methylprednisol ac-bupivac-wat |
| methylprednisolone acetate/norflurane/HFC 245fa | Medroloan II SUIK |
| methylprednisolone acetate/norflurane/HFC 245fa | Medroloan SUIK |
| methylprednisolone acetate/norflurane/HFC 245fa | P-Care D40G |
| methylprednisolone acetate/norflurane/HFC 245fa | P-Care D80G |
| methylprednisolone sodium succinate | methylprednisolone sodium succ |
| methylprednisolone sodium succinate | Solu-Medrol |
| methylprednisolone sodium succinate/PF | Solu-Medrol (PF) |
| mometasone furoate | Asmanex HFA |
| mometasone furoate | Asmanex Twisthaler |
| mometasone furoate/formoterol fumarate | Dulera |
| prednisolone | Millipred |
| prednisolone | Millipred DP |
| prednisolone | prednisolone |
| prednisolone sodium phosphate | Millipred |
| prednisolone sodium phosphate | Orapred ODT |
| prednisolone sodium phosphate | Pediapred |
| prednisolone sodium phosphate | prednisolone sodium phosphate |
| prednisolone sodium phosphate | Veripred 20 |
| prednisone | prednisone |
| prednisone | Prednisone Intensol |
| prednisone | Rayos |
| triamcinolone acetonide | Kenalog |
| triamcinolone acetonide | Kenalog-40 |
| triamcinolone acetonide | Kenalog-80 |
| triamcinolone acetonide | P-Care K40 |
| triamcinolone acetonide | P-Care K80 |
| triamcinolone acetonide | Pod-Care 100K |
| triamcinolone acetonide | Pro-C-Dure 5 |
| triamcinolone acetonide | Pro-C-Dure 6 |
| triamcinolone acetonide | ReadySharp Triamcinolone |
| triamcinolone acetonide | triamcinolone acetonide |
| triamcinolone acetonide | Zilretta |
| triamcinolone acetonide in 0.9 % sodium chloride | triamcinolone acetone-0.9% NaCl |
| triamcinolone acetonide/0.9% sodium chloride/PF | triamcinol ac (PF) in 0.9%NaCl |
| triamcinolone acetonide/bupivacaine/in 0.9% sodium chloride | triamcinol ace-bupiv-0.9% NaCl |
| triamcinolone acetonide/lidocaine HCl | Lidocilone I |
| triamcinolone diacetate in 0.9 % sodium chloride | triamcinolone diacet-0.9% NaCl |
| triamcinolone diacetate in 0.9 % sodium chloride/PF | triamcinolone dia(PF)-0.9%NaCl |
| triamcinolone hexacetonide | Aristospan Intra-Articular |

Appendix K. List of Generic and Brand Names of Medical Products Used to Define Obstetric-related Medications

| Generic Name | Brand Name |
|---|--------------------------|
| triamcinolone hexacetonide | Aristospan Intralesional |
| triamcinolone/norflurane and pentafluoropropane (HFC 245fa) | P-Care K40G |
| triamcinolone/norflurane and pentafluoropropane (HFC 245fa) | P-Care K80G |
| triamcinolone/norflurane and pentafluoropropane (HFC 245fa) | Pod-Care 100KG |
| triamcinolone/norflurane and pentafluoropropane (HFC 245fa) | Triloan II SUIK |
| triamcinolone/norflurane and pentafluoropropane (HFC 245fa) | Triloan SUIK |

Diabetes medications

| | |
|--|-------------------------------|
| acarbose | acarbose |
| acarbose | Precose |
| albiglutide | Tanzeum |
| alogliptin benzoate | alogliptin |
| alogliptin benzoate | Nesina |
| alogliptin benzoate/metformin HCl | alogliptin-metformin |
| alogliptin benzoate/metformin HCl | Kazano |
| alogliptin benzoate/pioglitazone HCl | alogliptin-pioglitazone |
| alogliptin benzoate/pioglitazone HCl | Oseni |
| bromocriptine mesylate | Cycloset |
| canagliflozin | Invokana |
| canagliflozin/metformin HCl | Invokamet |
| canagliflozin/metformin HCl | Invokamet XR |
| chlorpropamide | chlorpropamide |
| dapagliflozin propanediol | Farxiga |
| dapagliflozin propanediol/metformin HCl | Xigduo XR |
| dapagliflozin propanediol/saxagliptin HCl | Qtern |
| diluent,insulin aspart combination no.1 | Diluting Medium for Novolog |
| dulaglutide | Trulicity |
| empagliflozin | Jardiance |
| empagliflozin/linagliptin | Glyxambi |
| empagliflozin/linagliptin/metformin HCl | Trijardy XR |
| empagliflozin/metformin HCl | Synjardy |
| empagliflozin/metformin HCl | Synjardy XR |
| ertugliflozin pidolate | Steglatro |
| ertugliflozin pidolate/metformin HCl | Segluromet |
| ertugliflozin pidolate/sitagliptin phosphate | Steglujan |
| exenatide | Byetta |
| exenatide microspheres | Bydureon |
| exenatide microspheres | Bydureon BCise |
| glimepiride | Amaryl |
| glimepiride | glimepiride |
| glipizide | glipizide |
| glipizide | Glucotrol |
| glipizide | Glucotrol XL |
| glipizide/metformin HCl | glipizide-metformin |
| glyburide | glyburide |
| glyburide,micronized | glyburide micronized |
| glyburide,micronized | Glynase |
| glyburide/metformin HCl | Glucovance |
| glyburide/metformin HCl | glyburide-metformin |
| insulin aspart | insulin aspart U-100 |
| insulin aspart | Novolog Flexpen U-100 Insulin |
| insulin aspart | Novolog PenFill U-100 Insulin |
| insulin aspart | Novolog U-100 Insulin aspart |

Appendix K. List of Generic and Brand Names of Medical Products Used to Define Obstetric-related Medications

| Generic Name | Brand Name |
|--|---------------------------------|
| insulin aspart (niacinamide) | Fiasp FlexTouch U-100 Insulin |
| insulin aspart (niacinamide) | Fiasp Penfill U-100 Insulin |
| insulin aspart (niacinamide) | Fiasp U-100 Insulin |
| insulin aspart protamine human/insulin aspart | insulin asp prt-insulin aspart |
| insulin aspart protamine human/insulin aspart | Novolog Mix 70-30 U-100 Insulin |
| insulin aspart protamine human/insulin aspart | Novolog Mix 70-30FlexPen U-100 |
| insulin degludec | Tresiba FlexTouch U-100 |
| insulin degludec | Tresiba FlexTouch U-200 |
| insulin degludec | Tresiba U-100 Insulin |
| insulin degludec/liraglutide | Xultophy 100/3.6 |
| insulin detemir | Levemir FlexTouch U-100 Insulin |
| insulin detemir | Levemir U-100 Insulin |
| insulin glargine,human recombinant analog | Basaglar KwikPen U-100 Insulin |
| insulin glargine,human recombinant analog | Lantus Solostar U-100 Insulin |
| insulin glargine,human recombinant analog | Lantus U-100 Insulin |
| insulin glargine,human recombinant analog | Semglee Pen U-100 Insulin |
| insulin glargine,human recombinant analog | Semglee U-100 Insulin |
| insulin glargine,human recombinant analog | Toujeo Max U-300 SoloStar |
| insulin glargine,human recombinant analog | Toujeo SoloStar U-300 Insulin |
| insulin glargine,human recombinant analog/lixisenatide | Soliqua 100/33 |
| insulin glulisine | Apidra SoloStar U-100 Insulin |
| insulin glulisine | Apidra U-100 Insulin |
| insulin lispro | Admelog SoloStar U-100 Insulin |
| insulin lispro | Admelog U-100 Insulin lispro |
| insulin lispro | Humalog Junior KwikPen U-100 |
| insulin lispro | Humalog KwikPen Insulin |
| insulin lispro | Humalog U-100 Insulin |
| insulin lispro | insulin lispro |
| insulin lispro protamine and insulin lispro | Humalog Mix 50-50 Insulin U-100 |
| insulin lispro protamine and insulin lispro | Humalog Mix 50-50 KwikPen |
| insulin lispro protamine and insulin lispro | Humalog Mix 75-25 KwikPen |
| insulin lispro protamine and insulin lispro | Humalog Mix 75-25(U-100)Insulin |
| insulin lispro protamine and insulin lispro | insulin lispro protamin-lispro |
| insulin lispro-aabc | Lyumjev KwikPen U-100 Insulin |
| insulin lispro-aabc | Lyumjev KwikPen U-200 Insulin |
| insulin lispro-aabc | Lyumjev U-100 Insulin |
| insulin NPH human isophane | Humulin N NPH Insulin KwikPen |
| insulin NPH human isophane | Humulin N NPH U-100 Insulin |
| insulin NPH human isophane | Novolin N Flexpen |
| insulin NPH human isophane | Novolin N NPH U-100 Insulin |
| insulin NPH human isophane/insulin regular, human | Humulin 70/30 U-100 Insulin |
| insulin NPH human isophane/insulin regular, human | Humulin 70/30 U-100 KwikPen |
| insulin NPH human isophane/insulin regular, human | Novolin 70/30 U-100 Insulin |
| insulin NPH human isophane/insulin regular, human | Novolin 70-30 FlexPen U-100 |
| insulin regular, human | Afrezza |
| insulin regular, human | Humulin R Regular U-100 Insulin |
| insulin regular, human | Humulin R U-500 (Conc) Insulin |
| insulin regular, human | Humulin R U-500 (Conc) Kwikpen |
| insulin regular, human | Novolin R Flexpen |
| insulin regular, human | Novolin R Regular U-100 Insulin |
| insulin regular, human in 0.9 % sodium chloride | Myxredlin |
| linagliptin | Tradjenta |
| linagliptin/metformin HCl | Jentadueto |

Appendix K. List of Generic and Brand Names of Medical Products Used to Define Obstetric-related Medications

| Generic Name | Brand Name |
|-------------------------------------|--------------------------|
| linagliptin/metformin HCl | Jentaduetto XR |
| liraglutide | Victoza 2-Pak |
| liraglutide | Victoza 3-Pak |
| lixisenatide | Adlyxin |
| metformin HCl | Fortamet |
| metformin HCl | Glucophage |
| metformin HCl | Glucophage XR |
| metformin HCl | Glumetza |
| metformin HCl | metformin |
| metformin HCl | Riomet |
| metformin HCl | Riomet ER |
| miglitol | Glyset |
| miglitol | miglitol |
| nateglinide | nateglinide |
| nateglinide | Starlix |
| pioglitazone HCl | Actos |
| pioglitazone HCl | pioglitazone |
| pioglitazone HCl/glimepiride | DUETACT |
| pioglitazone HCl/glimepiride | pioglitazone-glimepiride |
| pioglitazone HCl/metformin HCl | Actoplus MET |
| pioglitazone HCl/metformin HCl | Actoplus Met XR |
| pioglitazone HCl/metformin HCl | pioglitazone-metformin |
| pramlintide acetate | SymlinPen 120 |
| pramlintide acetate | SymlinPen 60 |
| repaglinide | Prandin |
| repaglinide | repaglinide |
| repaglinide/metformin HCl | repaglinide-metformin |
| rosiglitazone maleate | Avandia |
| rosiglitazone maleate/metformin HCl | Avandamet |
| saxagliptin HCl | Onglyza |
| saxagliptin HCl/metformin HCl | Kombiglyze XR |
| semaglutide | Ozempic |
| semaglutide | Rybelsus |
| sitagliptin phosphate | Januvia |
| sitagliptin phosphate/metformin HCl | Janumet |
| sitagliptin phosphate/metformin HCl | Janumet XR |
| tolazamide | tolazamide |
| tolbutamide | tolbutamide |

Immune serum globulins

| | |
|--|--------------------------------|
| antivenin,Crotalidae (equine) | Anavip |
| antivenin,crotalidae Fab(ovine) | CroFab |
| antivenin,Latrodectus mactans | antivenin Latrodectus mactans |
| antivenin,Micrurus fulvius | antivenin, Micrurus fulvius |
| bezlotoxumab | Zinplava |
| botulism antitoxin heptavalent A,B,C,D,E,F,G(equine)/maltose | botulism antitoxin heptavalent |
| centruroides (scorpion) polyvalent antivenom | Anascorp |
| cytomegalovirus immune globulin (human) | CytoGam |
| hepatitis B immune globulin | HyperHEP B S/D |
| hepatitis B immune globulin | Hyperhep B S-D Neonatal |
| hepatitis B immune globulin | Nabi-HB |
| hepatitis B immune globulin/maltose | HepaGam B |
| immune globulin,gamm(IgG)/glycine/glucose/IgA 0 to 50 mcg/mL | Gammagard S-D (IgA < 1 mcg/mL) |

Appendix K. List of Generic and Brand Names of Medical Products Used to Define Obstetric-related Medications

| Generic Name | Brand Name |
|--|-------------------------------|
| immune globulin,gamm(IgG)/glycine/IgA greater than 50 mcg/mL | Bivigam |
| immune globulin,gamm(IgG)/glycine/IgA greater than 50 mcg/mL | Cuvitru |
| immune globulin,gamm(IgG)/glycine/IgA greater than 50 mcg/mL | Gammagard Liquid |
| immune globulin,gamm(IgG)/glycine/IgA greater than 50 mcg/mL | HyQvia IG Component |
| immune globulin,gamm(IgG)/maltose/IgA greater than 50 mcg/mL | Octagam |
| immune globulin,gamm(IgG)/sorbitol/glycin/IgA 0 to 50 mcg/mL | Gammaplex (with sorbitol) |
| immune globulin,gamm(IgG)/sucrose/IgA greater than 50 mcg/mL | Carimune NF Nanofiltered |
| immune globulin,gamma (IgG)/glycine/IgA 0 to 50 mcg/mL | Gammaplex |
| immune globulin,gamma (IgG)/proline/IgA 0 to 50 mcg/mL | Hizentra |
| immune globulin,gamma (IgG)/proline/IgA 0 to 50 mcg/mL | Privigen |
| immune globulin,gamma (IgG)/sorbitol/IgA 0 to 50 mcg/mL | Flebogamma DIF |
| immune globulin,gamma (IgG)-klhw human | Xembify |
| immune globulin,gamma (IgG)-slra human | Asceniv |
| immune globulin,gamma(IgG) human/hyaluronidase, human recomb | HyQvia |
| immune globulin,gamma(IgG)/glycine | Gamastan |
| immune globulin,gamma(IgG)/glycine | GamaSTAN S/D |
| immune globulin,gamma(IgG)/glycine/IgA average 46 mcg/mL | Gammaked |
| immune globulin,gamma(IgG)/glycine/IgA average 46 mcg/mL | Gamunex-C |
| immune globulin,gamma(IgG)-hipp human/maltose | Cutaquig |
| immune globulin,gamma(IgG)-ifas human/glycine | Panzyga |
| palivizumab | Synagis |
| rabies immune globulin/PF | HyperRAB (PF) |
| rabies immune globulin/PF | HyperRAB S/D (PF) |
| rabies immune globulin/PF | Imogam Rabies-HT (PF) |
| rabies immune globulin/PF | Kedrab (PF) |
| Rho(D) immune globulin | HyperRHO S/D |
| Rho(D) immune globulin | MICRhoGAM Ultra-Filtered PLUS |
| Rho(D) immune globulin | RhoGAM Ultra-Filtered PLUS |
| Rho(D) immune globulin | Rhophylac |
| Rho(D) immune globulin/maltose | WinRho SDF |
| tetanus immune globulin/PF | HyperTET S/D (PF) |
| varicella-zoster immune globulin (human) | Varizig |
| varicella-zoster immune globulin/maltose | Varizig |

Immunostimulants

| | |
|----------------------------------|------------------------|
| aldesleukin | Proleukin |
| BCG live | Tice BCG |
| BCG vaccine, live/PF | BCG vaccine, live (PF) |
| dupilumab | Dupixent Pen |
| dupilumab | Dupixent Syringe |
| elapegademase-lvlr | Revcovi |
| filgrastim | Neupogen |
| filgrastim-aafi | Nivestym |
| filgrastim-sndz | Zarxio |
| glatiramer acetate | Copaxone |
| glatiramer acetate | glatiramer |
| glatiramer acetate | Glatopa |
| interferon alfa-2b,recomb. | Intron A |
| interferon alfa-n3 | Alferon N |
| interferon beta-1a | Avonex |
| interferon beta-1a/albumin human | Avonex (with albumin) |
| interferon beta-1a/albumin human | Rebif (with albumin) |
| interferon beta-1a/albumin human | Rebif Rebidose |

Appendix K. List of Generic and Brand Names of Medical Products Used to Define Obstetric-related Medications

| Generic Name | Brand Name |
|--|----------------------|
| interferon beta-1a/albumin human | Rebif Titration Pack |
| interferon beta-1b | Betaseron |
| interferon beta-1b | Extavia |
| interferon gamma-1b,recomb. | Actimmune |
| pegademase bovine | Adagen |
| pegfilgrastim | Neulasta |
| pegfilgrastim | Neulasta Onpro |
| pegfilgrastim-apgf | Nyvepria |
| pegfilgrastim-bmez | Ziextenzo |
| pegfilgrastim-cbqv | Udenyca |
| pegfilgrastim-jmdb | Fulphila |
| peginterferon alfa-2a | Pegasys |
| peginterferon alfa-2a | Pegasys ProClick |
| peginterferon alfa-2b | PegIntron |
| peginterferon alfa-2b | Sylatron |
| peginterferon beta-1a | Plegridy |
| plerixafor | Mozobil |
| sargramostim | Leukine |
| sipuleucel-T/lactated ringers solution | Provenge |
| tbo-filgrastim | Granix |

Immunosuppressants

| | |
|--------------------------------|--------------------------------|
| abatacept | Orencia |
| abatacept | Orencia ClickJect |
| abatacept/maltose | Orencia (with maltose) |
| adalimumab | Humira |
| adalimumab | Humira Pediatric Crohns Start |
| adalimumab | Humira Pen |
| adalimumab | Humira Pen Crohns-UC-HS Start |
| adalimumab | Humira Pen Psor-Uveits-Adol HS |
| adalimumab | Humira(CF) |
| adalimumab | Humira(CF) Pedi Crohns Starter |
| adalimumab | Humira(CF) Pen |
| adalimumab | Humira(CF) Pen Crohns-UC-HS |
| adalimumab | Humira(CF) Pen Psor-Uv-Adol HS |
| alemtuzumab | Campath |
| alemtuzumab | Lemtrada |
| anakinra | Kineret |
| anti-thymocyte globulin,rabbit | Thymoglobulin |
| apremilast | Otezla |
| apremilast | Otezla Starter |
| azathioprine | Azasan |
| azathioprine | azathioprine |
| azathioprine | Imuran |
| azathioprine sodium | azathioprine sodium |
| baricitinib | Olumiant |
| basiliximab | Simulect |
| belatacept | Nulojix |
| belimumab | Benlysta |
| brodalumab | Siliq |
| canakinumab/PF | Ilaris (PF) |
| certolizumab pegol | Cimzia |
| certolizumab pegol | Cimzia Powder for Reconst |

Appendix K. List of Generic and Brand Names of Medical Products Used to Define Obstetric-related Medications

| Generic Name | Brand Name |
|----------------------------------|-----------------------------|
| certolizumab pegol | Cimzia Starter Kit |
| cyclosporine | cyclosporine |
| cyclosporine | Sandimmune |
| cyclosporine, modified | cyclosporine modified |
| cyclosporine, modified | Gengraf |
| cyclosporine, modified | Neoral |
| daclizumab | Zinbryta |
| dimethyl fumarate | dimethyl fumarate |
| dimethyl fumarate | Tecfidera |
| eculizumab | Soliris |
| emapalumab-lzsg | Gamifant |
| etanercept | Enbrel |
| etanercept | Enbrel Mini |
| etanercept | Enbrel SureClick |
| fingolimod HCl | Gilenya |
| golimumab | Simponi |
| golimumab | Simponi ARIA |
| guselkumab | Tremfya |
| infliximab | Remicade |
| infliximab-abda | Renflexis |
| infliximab-axxq | Avsola |
| infliximab-dyyb | Inflectra |
| interferon beta-1a/albumin human | Avonex (with albumin) |
| interferon beta-1a/albumin human | Rebif (with albumin) |
| interferon beta-1a/albumin human | Rebif Rebidose |
| interferon beta-1a/albumin human | Rebif Titration Pack |
| ixekizumab | Taltz Autoinjector |
| ixekizumab | Taltz Autoinjector (2 Pack) |
| ixekizumab | Taltz Autoinjector (3 Pack) |
| ixekizumab | Taltz Syringe |
| ixekizumab | Taltz Syringe (2 Pack) |
| ixekizumab | Taltz Syringe (3 Pack) |
| leflunomide | Arava |
| leflunomide | leflunomide |
| lenalidomide | Revlimid |
| methotrexate/PF | Otrexup (PF) |
| methotrexate/PF | Rasuvo (PF) |
| methotrexate/PF | RediTrex (PF) |
| mycophenolate mofetil | CellCept |
| mycophenolate mofetil | mycophenolate mofetil |
| mycophenolate mofetil HCl | CellCept Intravenous |
| mycophenolate mofetil HCl | mycophenolate mofetil (HCl) |
| mycophenolate sodium | mycophenolate sodium |
| mycophenolate sodium | Myfortic |
| natalizumab | Tysabri |
| ocrelizumab | Ocrevus |
| ozanimod hydrochloride | Zeposia |
| ozanimod hydrochloride | Zeposia Starter Kit |
| ozanimod hydrochloride | Zeposia Starter Pack |
| pirfenidone | Esbriet |
| pomalidomide | Pomalyst |
| ravulizumab-cwvz | Ultomiris |
| rilonacept | Arcalyst |

Appendix K. List of Generic and Brand Names of Medical Products Used to Define Obstetric-related Medications

| Generic Name | Brand Name |
|---------------------|-----------------------|
| risankizumab-rzaa | Skyrizi |
| sarilumab | Kevzara |
| secukinumab | Cosentyx |
| secukinumab | Cosentyx (2 Syringes) |
| secukinumab | Cosentyx Pen |
| secukinumab | Cosentyx Pen (2 Pens) |
| siltuximab | Sylvant |
| siponimod | Mayzent |
| siponimod | Mayzent Starter Pack |
| sirolimus | Rapamune |
| sirolimus | sirolimus |
| tacrolimus | Astagraf XL |
| tacrolimus | Envarsus XR |
| tacrolimus | Prograf |
| tacrolimus | tacrolimus |
| temsirolimus | temsirolimus |
| temsirolimus | Torisel |
| teriflunomide | Aubagio |
| thalidomide | Thalomid |
| tildrakizumab-asmn | Ilumya |
| tocilizumab | Actemra |
| tocilizumab | Actemra ACTPen |
| tofacitinib citrate | Xeljanz |
| tofacitinib citrate | Xeljanz XR |
| upadacitinib | Rinvoq |
| ustekinumab | Stelara |
| vedolizumab | Entyvio |

Medicines for obstructive airway disease

| | |
|---|--------------------------------|
| acridinium bromide | Tudorza Pressair |
| acridinium bromide/formoterol fumarate | Duaklir Pressair |
| albuterol sulfate | albuterol sulfate |
| albuterol sulfate | Proair Digihaler |
| albuterol sulfate | ProAir HFA |
| albuterol sulfate | ProAir RespiClick |
| albuterol sulfate | Proventil HFA |
| albuterol sulfate | Ventolin HFA |
| aminophylline | aminophylline |
| arformoterol tartrate | Brovana |
| benralizumab | Fasenra |
| benralizumab | Fasenra Pen |
| brompheniramine maleate/pseudoephedrine HCl/dextromethorphan | brompheniramine-pseudoeph-DM |
| budesonide/formoterol fumarate | budesonide-formoterol |
| budesonide/formoterol fumarate | Symbicort |
| budesonide/glycopyrrolate/formoterol fumarate | Breztri Aerosphere |
| ephedrine sulfate | Akovaz |
| ephedrine sulfate | Bronkaid Max |
| ephedrine sulfate | Emerphed |
| ephedrine sulfate | ephedrine sulfate |
| ephedrine sulfate in 0.9 % sodium chloride/PF | ephedrine sulfate-0.9%NaCl(PF) |
| ephedrine sulfate in sterile water for injection/PF | ephedrine sulfate in water(PF) |
| ephedrine sulfate/guaifenesin | Bronkaid Dual Action |
| ephedrine sulfate/PF | ephedrine sulfate (PF) |
| fluticasone furoate/umeclidinium bromide/vilanterol trifenate | Trelegy Ellipta |

Appendix K. List of Generic and Brand Names of Medical Products Used to Define Obstetric-related Medications

| Generic Name | Brand Name |
|--|--------------------------------|
| fluticasone furoate/vilanterol trifenate | Breo Ellipta |
| fluticasone propionate/salmeterol xinafoate | Advair Diskus |
| fluticasone propionate/salmeterol xinafoate | Advair HFA |
| fluticasone propionate/salmeterol xinafoate | AirDuo Digihaler |
| fluticasone propionate/salmeterol xinafoate | AirDuo RespiClick |
| fluticasone propionate/salmeterol xinafoate | fluticasone propion-salmeterol |
| fluticasone propionate/salmeterol xinafoate | Wixela Inhub |
| formoterol fumarate | Perforomist |
| glycopyrrolate | Seebri Neohaler |
| glycopyrrolate/formoterol fumarate | Bevespi Aerosphere |
| glycopyrrolate/nebulizer accessories | Lonhala Magnair Refill |
| glycopyrrolate/nebulizer and accessories | Lonhala Magnair Starter |
| guaifenesin/dextromethorphan HBr/pseudoephedrine HCl | Actinel |
| guaifenesin/dextromethorphan HBr/pseudoephedrine HCl | Actinel Pediatric |
| guaifenesin/dextromethorphan HBr/pseudoephedrine HCl | Aquanaz PSE |
| guaifenesin/dextromethorphan HBr/pseudoephedrine HCl | Bionel |
| guaifenesin/dextromethorphan HBr/pseudoephedrine HCl | Bionel Pediatric |
| guaifenesin/dextromethorphan HBr/pseudoephedrine HCl | Capmist DM |
| guaifenesin/dextromethorphan HBr/pseudoephedrine HCl | Desgen DM (pseudoephedrine) |
| guaifenesin/dextromethorphan HBr/pseudoephedrine HCl | Despec-DM (pseudoeph-DM-guaif) |
| guaifenesin/dextromethorphan HBr/pseudoephedrine HCl | Pecgen PSE |
| guaifenesin/dextromethorphan HBr/pseudoephedrine HCl | Poly-Vent DM |
| guaifenesin/dextromethorphan HBr/pseudoephedrine HCl | TRISPEC PSE |
| guaifenesin/dextromethorphan HBr/pseudoephedrine HCl | Tusnel DM Pediatric(pseudoeph) |
| guaifenesin/dextromethorphan HBr/pseudoephedrine HCl | Tusnel New Formula |
| guaifenesin/dextromethorphan HBr/pseudoephedrine HCl | Tusnel Pediatric |
| guaifenesin/dextromethorphan HBr/pseudoephedrine HCl | Tussin CF |
| guaifenesin/ephedrine HCl | Bronchial Asthma Relief |
| guaifenesin/ephedrine HCl | Primatene Asthma |
| guaifenesin/pseudoephedrine HCl | Congest-Eze |
| guaifenesin/pseudoephedrine HCl | Entex T |
| guaifenesin/pseudoephedrine HCl | Maxifed |
| guaifenesin/pseudoephedrine HCl | Mucinex D |
| guaifenesin/pseudoephedrine HCl | Mucinex D Maximum Strength |
| guaifenesin/pseudoephedrine HCl | Mucus D |
| guaifenesin/pseudoephedrine HCl | Mucus Relief D (pseudoephed) |
| guaifenesin/pseudoephedrine HCl | Poly-Vent IR |
| guaifenesin/pseudoephedrine HCl | pseudoephedrine-guaifenesin |
| guaifenesin/pseudoephedrine HCl | Respire-30 |
| guaifenesin/pseudoephedrine HCl | Tusnel Pediatric |
| hydrocodone bitartrate/pseudoephedrine HCl/guaifenesin | Hycofenix |
| indacaterol maleate | Arcapta Neohaler |
| indacaterol maleate/glycopyrrolate | Utibron Neohaler |
| ipratropium bromide/albuterol sulfate | Combivent Respimat |
| ipratropium bromide/albuterol sulfate | ipratropium-albuterol |
| levabuterol HCl | levabuterol HCl |
| levabuterol HCl | Xopenex |
| levabuterol HCl | Xopenex Concentrate |
| levabuterol tartrate | levabuterol tartrate |
| levabuterol tartrate | Xopenex HFA |
| mepolizumab | Nucala |
| metaproterenol sulfate | metaproterenol |
| mometasone furoate/formoterol fumarate | Dulera |

Appendix K. List of Generic and Brand Names of Medical Products Used to Define Obstetric-related Medications

| Generic Name | Brand Name |
|--|-------------------------------|
| montelukast sodium | montelukast |
| montelukast sodium | Singulair |
| olodaterol HCl | Striverdi Respimat |
| omalizumab | Xolair |
| pseudoephedrine HCl/chlophedianol HCl/guaifenesin | Certuss-D |
| pseudoephedrine HCl/codeine phosphate/guaifenesin | Coditussin DAC |
| pseudoephedrine HCl/codeine phosphate/guaifenesin | Guaifenesin DAC |
| pseudoephedrine HCl/codeine phosphate/guaifenesin | Lortuss EX |
| pseudoephedrine HCl/codeine phosphate/guaifenesin | Virtussin DAC |
| pseudoephedrine HCl/codeine phosphate/guaifenesin | Zodryl DEC 25 |
| pseudoephedrine HCl/codeine phosphate/guaifenesin | Zodryl DEC 30 |
| pseudoephedrine HCl/codeine phosphate/guaifenesin | Zodryl DEC 35 |
| pseudoephedrine HCl/codeine phosphate/guaifenesin | Zodryl DEC 40 |
| pseudoephedrine HCl/codeine phosphate/guaifenesin | Zodryl DEC 50 |
| pseudoephedrine HCl/codeine phosphate/guaifenesin | Zodryl DEC 60 |
| pseudoephedrine HCl/codeine phosphate/guaifenesin | Zodryl DEC 80 |
| pseudoephedrine/dextromethorphan/guaifenesin/acetaminophen | Cough and Cold |
| pseudoephedrine/dextromethorphan/guaifenesin/acetaminophen | Daytime Cold and Flu Relief |
| pseudoephedrine/dextromethorphan/guaifenesin/acetaminophen | Duraflu |
| racpinephrine HCl | Asthmanefrin Refill |
| racpinephrine HCl | S2 Racpinephrine |
| reslizumab | Cinqair |
| revefenacin | Yupelri |
| roflumilast | Daliresp |
| salmeterol xinafoate | Serevent Diskus |
| terbutaline sulfate | terbutaline |
| theophylline anhydrous | Elixophyllin |
| theophylline anhydrous | Theo-24 |
| theophylline anhydrous | theophylline |
| theophylline in dextrose 5 % in water | theophylline in dextrose 5 % |
| tiotropium bromide | Spiriva Respimat |
| tiotropium bromide | Spiriva with HandiHaler |
| tiotropium bromide/olodaterol HCl | Stiolto Respimat |
| umeclidinium bromide | Incruse Ellipta |
| umeclidinium bromide/vilanterol trifenate | Anoro Ellipta |
| zafirlukast | Accolate |
| zafirlukast | zafirlukast |
| zileuton | zileuton |
| zileuton | Zyflo |
| zileuton | Zyflo CR |
| Nasal preparations | |
| 0.9 % sodium chloride | Little Remedies Saline Mist |
| 0.9 % sodium chloride | Nasal Mist |
| 0.9 % sodium chloride | Sterile Saline |
| aloe/sodium chloride/vitamin E | ENTSOL |
| ascorbic acid/vitamin D3/vitamin E/zinc gluconate/elderberry | Airborne Vits Zinc Elderberry |
| azelastine HCl | Astepro |
| azelastine HCl | azelastine |
| azelastine HCl | azelastine (bulk) |
| azelastine HCl/fluticasone propionate | azelastine-fluticasone |
| azelastine HCl/fluticasone propionate | Dymista |
| azelastine/fluticasone/sodium chloride/sodium bicarbonate | Ticalast |

Appendix K. List of Generic and Brand Names of Medical Products Used to Define Obstetric-related Medications

| Generic Name | Brand Name |
|--|--------------------------------|
| beclomethasone dipropionate | Beconase AQ |
| beclomethasone dipropionate | QNASL |
| beclomethasone dipropionate | Qvar |
| beclomethasone dipropionate | Qvar RediHaler |
| brompheniramine maleate/phenylephrine HCl | Brohist D |
| brompheniramine maleate/phenylephrine HCl | Child Triaminic Cold-Allergy |
| brompheniramine maleate/phenylephrine HCl | Child Wal-Tap Cold-Allergy |
| brompheniramine maleate/phenylephrine HCl | Children's Cold-Allergy (PE) |
| brompheniramine maleate/phenylephrine HCl | Children's Dibromm Cold-Allerg |
| brompheniramine maleate/phenylephrine HCl | Cold and Allergy (bromphen-PE) |
| brompheniramine maleate/phenylephrine HCl | Dimaphen (PE) |
| brompheniramine maleate/phenylephrine HCl | Dimetapp Cold-Allergy (PE) |
| brompheniramine maleate/phenylephrine HCl | Glenmax PEB |
| brompheniramine maleate/phenylephrine HCl | Maxi-Tuss PE |
| brompheniramine maleate/phenylephrine HCl | Ru-Hist D |
| brompheniramine maleate/phenylephrine HCl | Rynex PE |
| brompheniramine maleate/phenylephrine HCl | Vazobid-PD |
| brompheniramine maleate/phenylephrine HCl | Wal-Tap |
| brompheniramine maleate/pseudoephedrine HCl | Brotapp |
| brompheniramine maleate/pseudoephedrine HCl | Lodrane D |
| brompheniramine maleate/pseudoephedrine HCl | Rynex PSE |
| brompheniramine maleate/pseudoephedrine HCl | Valu-Tapp |
| brompheniramine maleate/pseudoephedrine HCl/chlophedianol | Atuss DA |
| brompheniramine maleate/pseudoephedrine HCl/chlophedianol | Y-Tuss |
| brompheniramine maleate/pseudoephedrine HCl/codeine phosphat | Mar-Cof BP |
| brompheniramine maleate/pseudoephedrine HCl/codeine phosphat | Rydex |
| brompheniramine maleate/pseudoephedrine HCl/dextromethorphan | Bio-Dtuss DMX |
| brompheniramine maleate/pseudoephedrine HCl/dextromethorphan | Bromfed DM |
| brompheniramine maleate/pseudoephedrine HCl/dextromethorphan | brompheniramine-pseudoeph-DM |
| brompheniramine maleate/pseudoephedrine HCl/dextromethorphan | Brotapp DM |
| budesonide | budesonide |
| budesonide | Pulmicort |
| budesonide | Pulmicort Flexhaler |
| budesonide | Rhinocort Allergy |
| budesonide/formoterol fumarate | budesonide-formoterol |
| budesonide/formoterol fumarate | Symbicort |
| budesonide/glycopyrrolate/formoterol fumarate | Breztri Aerosphere |
| cetirizine HCl/pseudoephedrine HCl | All Day Allergy-D |
| cetirizine HCl/pseudoephedrine HCl | Allergy Complete-D |
| cetirizine HCl/pseudoephedrine HCl | Allergy D-12 |
| cetirizine HCl/pseudoephedrine HCl | Allergy Relief-D (cetirizine) |
| cetirizine HCl/pseudoephedrine HCl | Allergy-Congest Relief-D (cet) |
| cetirizine HCl/pseudoephedrine HCl | Aller-Tec D |
| cetirizine HCl/pseudoephedrine HCl | Cetiri-D |
| cetirizine HCl/pseudoephedrine HCl | cetirizine-pseudoephedrine |
| cetirizine HCl/pseudoephedrine HCl | Wal-Zyr D |
| cetirizine HCl/pseudoephedrine HCl | Zyrtec-D |
| chlorcyclizine HCl/pseudoephedrine HCl | Stahist AD |
| chlorpheniramine maleate/pseudoephedrine HCl | LoHist - D |
| chlorpheniramine maleate/pseudoephedrine HCl | SudoGest Cold and Allergy |
| chlorpheniramine maleate/pseudoephedrine HCl | SudoGest Sinus and Allergy |
| chlorpheniramine maleate/pseudoephedrine HCl | Wal-Finate-D |
| chlorpheniramine maleate/pseudoephedrine HCl | Wal-phed |

Appendix K. List of Generic and Brand Names of Medical Products Used to Define Obstetric-related Medications

| Generic Name | Brand Name |
|--|--------------------------------|
| chlorpheniramine maleate/pseudoephedrine HCl/codeine | Zodryl DAC 25 |
| chlorpheniramine maleate/pseudoephedrine HCl/codeine | Zodryl DAC 30 |
| chlorpheniramine maleate/pseudoephedrine HCl/codeine | Zodryl DAC 35 |
| chlorpheniramine maleate/pseudoephedrine HCl/codeine | Zodryl DAC 40 |
| chlorpheniramine maleate/pseudoephedrine HCl/codeine | Zodryl DAC 50 |
| chlorpheniramine maleate/pseudoephedrine HCl/codeine | Zodryl DAC 60 |
| chlorpheniramine maleate/pseudoephedrine HCl/codeine | Zodryl DAC 80 |
| chlorpheniramine maleate/pseudoephedrine HCl/ibuprofen | Advil Allergy Sinus |
| ciclesonide | Alvesco |
| ciclesonide | Omnaris |
| ciclesonide | Zetonna |
| cocaine HCl | cocaine |
| cocaine HCl | Goprelto |
| cocaine HCl | Numbrino |
| cromolyn sodium | cromolyn |
| cromolyn sodium | cromolyn (bulk) |
| cromolyn sodium | Gastrocrom |
| cromolyn sodium | Nasal Allergy Symptom Control |
| cromolyn sodium | Nasalcrom |
| desloratadine/pseudoephedrine sulfate | Clarinet-D 12 HOUR |
| dexbrompheniramine maleate/phenylephrine HCl | Alahist PE |
| dexbrompheniramine maleate/phenylephrine HCl | Ala-Hist PE |
| dexbrompheniramine maleate/phenylephrine HCl | Dallergy (dexbrompheniramn-PE) |
| dexbrompheniramine maleate/phenylephrine HCl | dexbrompheniramine-phenyleph |
| dexbrompheniramine maleate/pseudoephedrine HCl | Acticon (dexbromph-pse) |
| dexbrompheniramine maleate/pseudoephedrine HCl | Conex |
| dexbrompheniramine maleate/pseudoephedrine HCl/chlophedianol | Chlo Tuss |
| dexchlorpheniramine maleate/phenylephrine HCl | Rymed (dexchlorpheniramine-PE) |
| dexchlorpheniramine maleate/phenylephrine HCl | Stahist (dexchlorpheniramine) |
| dexchlorpheniramine maleate/pseudoephedrine HCl | Deltuss DP |
| dexchlorpheniramine maleate/pseudoephedrine HCl | Rescon |
| dextromethorphan HBr/pseudoephedrine HCl/acetaminophen | DAY-TIME |
| dextromethorphan HBr/pseudoephedrine HCl/acetaminophen | Daytime Cold and Flu Relief |
| dextromethorphan HBr/pseudoephedrine HCl/acetaminophen | Non-Aspirin Flu |
| diphenhydramine HCl in 0.9 % sodium chloride | diphenhydramine-0.9 % sod.chlr |
| doxylamine succ/pseudoephedrine HCl/dextromethorphan Hbr | Glentuss |
| doxylamine succ/pseudoephedrine HCl/dextromethorphan Hbr | Lortuss DM |
| doxylamine succinate/phenylephrine HCl | doxylamine-phenylephrine |
| doxylamine succinate/phenylephrine HCl | Poly Hist Forte |
| doxylamine succinate/phenylephrine HCl | Poly Hist Forte (doxylamine) |
| doxylamine succinate/pseudoephedrine HCl | Lortuss LQ |
| epinephrine HCl | Adrenalin |
| epinephrine HCl | epinephrine HCl |
| eucalyptus/peppermint oil | Ponaris |
| fexofenadine HCl/pseudoephedrine HCl | Allegra-D 12 Hour |
| fexofenadine HCl/pseudoephedrine HCl | Allegra-D 24 Hour |
| fexofenadine HCl/pseudoephedrine HCl | Allergy Relief-D(fexofenadine) |
| fexofenadine HCl/pseudoephedrine HCl | Allergy-Congest Relief-D(fexo) |
| fexofenadine HCl/pseudoephedrine HCl | fexofenadine-pseudoephedrine |
| fexofenadine HCl/pseudoephedrine HCl | Wal-Fex D 12 Hour |
| fexofenadine HCl/pseudoephedrine HCl | Wal-Fex D 24 Hour |
| flunisolide | Aerospan |
| flunisolide | flunisolide |

Appendix K. List of Generic and Brand Names of Medical Products Used to Define Obstetric-related Medications

| Generic Name | Brand Name |
|---|---------------------------------|
| flunisolide | flunisolide (bulk) |
| fluticasone furoate | Arnuity Ellipta |
| fluticasone furoate | Children's Flonase Sensimist |
| fluticasone furoate | Flonase Sensimist |
| fluticasone furoate/umeclidinium bromide/vilanterol trifenate | Trelegy Ellipta |
| fluticasone furoate/vilanterol trifenate | Breo Ellipta |
| fluticasone propionate | 24 Hour Allergy Relief |
| fluticasone propionate | Aller-Flo |
| fluticasone propionate | Allergy Relief (fluticasone) |
| fluticasone propionate | ArmonAir Digihaler |
| fluticasone propionate | ArmonAir RespiClick |
| fluticasone propionate | Children's 24 Hr Allergy Relief |
| fluticasone propionate | Children's Flonase Allergy Rlf |
| fluticasone propionate | ClariSpray |
| fluticasone propionate | Flonase Allergy Relief |
| fluticasone propionate | Flovent Diskus |
| fluticasone propionate | Flovent HFA |
| fluticasone propionate | fluticasone propionate |
| fluticasone propionate | fluticasone propionate (bulk) |
| fluticasone propionate | Xhance |
| fluticasone propionate, micronized | fluticasone prop, micro (bulk) |
| fluticasone propionate/salmeterol xinafoate | Advair Diskus |
| fluticasone propionate/salmeterol xinafoate | Advair HFA |
| fluticasone propionate/salmeterol xinafoate | AirDuo Digihaler |
| fluticasone propionate/salmeterol xinafoate | AirDuo RespiClick |
| fluticasone propionate/salmeterol xinafoate | fluticasone propion-salmeterol |
| fluticasone propionate/salmeterol xinafoate | Wixela Inhub |
| fluticasone propionate/sodium chloride/sodium bicarbonate | Ticanase |
| fluticasone propionate/sodium chloride/sodium bicarbonate | Ticaspray |
| guaifenesin/dextromethorphan HBr/pseudoephedrine HCl | Actinel |
| guaifenesin/dextromethorphan HBr/pseudoephedrine HCl | Actinel Pediatric |
| guaifenesin/dextromethorphan HBr/pseudoephedrine HCl | Aquanaz PSE |
| guaifenesin/dextromethorphan HBr/pseudoephedrine HCl | Bionel |
| guaifenesin/dextromethorphan HBr/pseudoephedrine HCl | Bionel Pediatric |
| guaifenesin/dextromethorphan HBr/pseudoephedrine HCl | Capmist DM |
| guaifenesin/dextromethorphan HBr/pseudoephedrine HCl | Desgen DM (pseudoephedrine) |
| guaifenesin/dextromethorphan HBr/pseudoephedrine HCl | Despec-DM (pseudoeph-DM-guaif) |
| guaifenesin/dextromethorphan HBr/pseudoephedrine HCl | Pecgen PSE |
| guaifenesin/dextromethorphan HBr/pseudoephedrine HCl | Poly-Vent DM |
| guaifenesin/dextromethorphan HBr/pseudoephedrine HCl | TRISPEC PSE |
| guaifenesin/dextromethorphan HBr/pseudoephedrine HCl | Tusnel DM Pediatric(pseudoeph) |
| guaifenesin/dextromethorphan HBr/pseudoephedrine HCl | Tusnel New Formula |
| guaifenesin/dextromethorphan HBr/pseudoephedrine HCl | Tusnel Pediatric |
| guaifenesin/dextromethorphan HBr/pseudoephedrine HCl | Tussin CF |
| guaifenesin/pseudoephedrine HCl | Congest-Eze |
| guaifenesin/pseudoephedrine HCl | Entex T |
| guaifenesin/pseudoephedrine HCl | Maxifed |
| guaifenesin/pseudoephedrine HCl | Mucinex D |
| guaifenesin/pseudoephedrine HCl | Mucinex D Maximum Strength |
| guaifenesin/pseudoephedrine HCl | Mucus D |
| guaifenesin/pseudoephedrine HCl | Mucus Relief D (pseudoephed) |
| guaifenesin/pseudoephedrine HCl | Poly-Vent IR |
| guaifenesin/pseudoephedrine HCl | pseudoephedrine-guaifenesin |

Appendix K. List of Generic and Brand Names of Medical Products Used to Define Obstetric-related Medications

| Generic Name | Brand Name |
|---|--------------------------------|
| guaifenesin/pseudoephedrine HCl | Respire-30 |
| guaifenesin/pseudoephedrine HCl | Tusnel Pediatric |
| hypromellose | Alzair |
| hypromellose | hypromellose |
| hypromellose | hypromellose (bulk) |
| hypromellose | Methocel E 4 M |
| hypromellose capsules (empty) | AR Caps |
| hypromellose capsules (empty) | Capsule #0 (hypromellose) |
| hypromellose capsules (empty) | Capsule #00 (hypromellose) |
| hypromellose capsules (empty) | Capsule #1 (hypromellose) |
| hypromellose capsules (empty) | Capsule #3 (hypromellose) |
| hypromellose capsules (empty) | Capsule Coni-Snap #0(hypromel) |
| hypromellose capsules (empty) | Capsule Coni-Snap #1(hypromel) |
| hypromellose capsules (empty) | Capsule Coni-Snap #3(hypromel) |
| hypromellose delayed release capsules (empty) | Capsule #0 DRcaps |
| hypromellose delayed release capsules (empty) | Capsule #1 DRcaps |
| ibuprofen/pseudoephedrine HCl | Advil Cold and Sinus |
| ibuprofen/pseudoephedrine HCl | Cold and Sinus Pain Relief |
| ibuprofen/pseudoephedrine HCl | Cold-Sinus Relief |
| ibuprofen/pseudoephedrine HCl | Ibuprofen Cold-Sinus(with PSE) |
| ibuprofen/pseudoephedrine HCl | Wal-Profen Cold-Sinus |
| ibuprofen/pseudoephedrine HCl | Wal-Profen D Cold and Sinus |
| ipratropium bromide | Atrovent HFA |
| ipratropium bromide | ipratropium bromide |
| ipratropium bromide | ipratropium bromide (bulk) |
| ipratropium bromide/albuterol sulfate | Combivent Respimat |
| ipratropium bromide/albuterol sulfate | ipratropium-albuterol |
| levmetamfetamine | Decongestant Inhaler |
| levmetamfetamine | Nasal Decongestant Inhaler |
| levmetamfetamine | Vapor Inhaler |
| loratadine/pseudoephedrine sulfate | Alavert D-12 Allergy-Sinus |
| loratadine/pseudoephedrine sulfate | AllerClear D-12hr |
| loratadine/pseudoephedrine sulfate | AllerClear D-24hr |
| loratadine/pseudoephedrine sulfate | Allergy and Congestion Relief |
| loratadine/pseudoephedrine sulfate | Allergy Relief D12 |
| loratadine/pseudoephedrine sulfate | Allergy Relief D-24hr |
| loratadine/pseudoephedrine sulfate | Allergy Relief,Nasal Decongest |
| loratadine/pseudoephedrine sulfate | Allergy Relief-D (loratadine) |
| loratadine/pseudoephedrine sulfate | Allergy-Congestion Relief-D |
| loratadine/pseudoephedrine sulfate | Claritin-D 12 Hour |
| loratadine/pseudoephedrine sulfate | Claritin-D 24 Hour |
| loratadine/pseudoephedrine sulfate | Lorata-D |
| loratadine/pseudoephedrine sulfate | lorata-dine D |
| loratadine/pseudoephedrine sulfate | Loratadine-D |
| loratadine/pseudoephedrine sulfate | loratadine-pseudoephedrine |
| loratadine/pseudoephedrine sulfate | Wal-itin D |
| loratadine/pseudoephedrine sulfate | Wal-Itin D 12 Hour |
| menthol/eucal/thymol/camphor/benz/sod chloride/pot chlorate | Alkalol Nasal Wash |
| mometasone furoate | Asmanex HFA |
| mometasone furoate | Asmanex Twisthaler |
| mometasone furoate | mometasone |
| mometasone furoate | Nasonex |
| mometasone furoate | Sinuva |

Appendix K. List of Generic and Brand Names of Medical Products Used to Define Obstetric-related Medications

| Generic Name | Brand Name |
|--|---------------------------------|
| mometasone furoate/formoterol fumarate | Dulera |
| mupirocin calcium | Bactroban Nasal |
| naproxen sodium/pseudoephedrine HCl | Aleve Cold and Sinus |
| naproxen sodium/pseudoephedrine HCl | Aleve Sinus and Headache |
| naproxen sodium/pseudoephedrine HCl | Aleve-D Sinus and Cold |
| naproxen sodium/pseudoephedrine HCl | Aleve-D Sinus and Headache |
| naproxen sodium/pseudoephedrine HCl | All Day Pain Relief Sinus,Cold |
| naproxen sodium/pseudoephedrine HCl | Sinus and Cold-D |
| naproxen sodium/pseudoephedrine HCl | Sudafed Sinus 12Hr Pressr-Pain |
| oil moisturizing combination no.2 | GeloNasal |
| olopatadine HCl | olopatadine |
| olopatadine HCl | Patanase |
| oxymetazoline HCl | 12 Hour Nasal Relief Spray |
| oxymetazoline HCl | 12 Hour Nasal Spray |
| oxymetazoline HCl | Afrin (oxymetazoline) |
| oxymetazoline HCl | Afrin No Drip(oxymetazolin) |
| oxymetazoline HCl | Afrin Sinus (oxymetazoline) |
| oxymetazoline HCl | Anefrin |
| oxymetazoline HCl | Child Mucinex Stuffy Nose Spry |
| oxymetazoline HCl | Dristan Long Lasting |
| oxymetazoline HCl | Giltuss Severe Sinus |
| oxymetazoline HCl | Long Acting Nasal Spray |
| oxymetazoline HCl | Mucinex Sinus-Max |
| oxymetazoline HCl | Nasal Decongestant (oxymetazl) |
| oxymetazoline HCl | Nasal Relief |
| oxymetazoline HCl | Nasal Spray (oxymetazoline) |
| oxymetazoline HCl | Nasal Spray 12Hr(oxymetazoline) |
| oxymetazoline HCl | Nasal Spray Extra Moisturizing |
| oxymetazoline HCl | Nasal Spray Long Acting |
| oxymetazoline HCl | Nasal Spray Sinus |
| oxymetazoline HCl | No Drip |
| oxymetazoline HCl | No Drip Nasal Mist |
| oxymetazoline HCl | Original Nasal Spray |
| oxymetazoline HCl | oxymetazoline |
| oxymetazoline HCl | oxymetazoline (bulk) |
| oxymetazoline HCl | Sinus Nasal Spray |
| oxymetazoline HCl | Sinus Relief (oxymetazoline) |
| oxymetazoline HCl | Vicks QlearQuil(oxymetazoline) |
| oxymetazoline HCl | Vicks Sinex 12-Hour |
| oxymetazoline HCl | Vicks Sinex Ultra Fine Mist 12 |
| phenylephrine HCl/diphenhydramine HCl | Allergy and Sinus Relief |
| phenylephrine HCl/diphenhydramine HCl | Benadryl Allergy Plus Congest |
| phenylephrine HCl/diphenhydramine HCl | Child Allergy Plus Congestion |
| phenylephrine HCl/diphenhydramine HCl | Child Benadryl Plus Congestion |
| phenylephrine HCl/diphenhydramine HCl | Children Night Time Cold-Cough |
| phenylephrine HCl/diphenhydramine HCl | Childs Triacting Cold-Cough |
| phenylephrine HCl/diphenhydramine HCl | Cold and Cough (diphenhydr-pe) |
| phenylephrine HCl/diphenhydramine HCl | Dimetapp Cold-Congestion |
| phenylephrine HCl/diphenhydramine HCl | Dr Manzanilla Cough-Cold |
| phenylephrine HCl/diphenhydramine HCl | Sudafed PE Day and Night |
| phenylephrine HCl/diphenhydramine HCl | Triaminic Cold and CoughNT(PE) |
| phenylephrine HCl/diphenhydramine HCl | Wal-Dryl-D Allergy and Sinus |
| phenylephrine HCl/pheniramine maleate | Alahist D |

Appendix K. List of Generic and Brand Names of Medical Products Used to Define Obstetric-related Medications

| Generic Name | Brand Name |
|--|--------------------------------|
| phenylephrine HCl/promethazine HCl | Promethazine VC |
| phenylephrine HCl/promethazine HCl | promethazine-phenylephrine |
| phenylephrine HCl/pyrilamine maleate | Glen PE |
| phenylephrine HCl/pyrilamine maleate | pyrilamine-phenylephrine |
| phenylephrine HCl/triprolidine HCl | Dr Manzanilla PE |
| phenylephrine HCl/triprolidine HCl | Histex PE |
| phenylephrine HCl/triprolidine HCl | Stahist TP |
| polyethylene glycol/potassium chl/propylene gly/sod.chloride | Rhinase |
| povidone-iodine | povidone-iodine (bulk) |
| povidone-iodine | Skin And Nasal Antiseptic |
| promethazine HCl in 0.9 % sodium chloride | promethazine in 0.9 % NaCl |
| propylhexedrine | Benzedrex |
| pseudoephedrine HCl | 12 Hour Decongestant |
| pseudoephedrine HCl | 12 Hour Nasal Decongest (PSE) |
| pseudoephedrine HCl | Adult Nasal Decongestant |
| pseudoephedrine HCl | Children's Silfedrine |
| pseudoephedrine HCl | Children's Sudafed |
| pseudoephedrine HCl | Long Acting Nasal Decong (PSE) |
| pseudoephedrine HCl | Nasal Decongestant (pseudoeph) |
| pseudoephedrine HCl | Nexafed |
| pseudoephedrine HCl | Pedia Relief Infant Nasal |
| pseudoephedrine HCl | pseudoephedrine HCl |
| pseudoephedrine HCl | Sinus 12 Hour |
| pseudoephedrine HCl | Sudafed |
| pseudoephedrine HCl | Sudafed 12 Hour |
| pseudoephedrine HCl | Sudafed 24 Hour |
| pseudoephedrine HCl | Sudogest |
| pseudoephedrine HCl | Sudogest 12-hour |
| pseudoephedrine HCl | Suphedrin |
| pseudoephedrine HCl | Suphedrine |
| pseudoephedrine HCl | Suphedrine 12 Hour |
| pseudoephedrine HCl | Valu-Tapp Decongestant |
| pseudoephedrine HCl | Wal-phed |
| pseudoephedrine HCl | Wal-phed 12 hour |
| pseudoephedrine HCl | Wal-Phed D |
| pseudoephedrine HCl | Zephrex-D |
| pseudoephedrine HCl/acetaminophen | Nexafed Sinus Pressure-Pain |
| pseudoephedrine HCl/acetaminophen/chlorpheniramine | Allergy Sinus-D |
| pseudoephedrine HCl/acrivastine | Semprex-D |
| pseudoephedrine HCl/chlophedianol HCl | Rondec-D |
| pseudoephedrine HCl/chlophedianol HCl/guaifenesin | Certuss-D |
| pseudoephedrine HCl/chlorpheniramine maleate/bellad alk | Respa-AR |
| pseudoephedrine HCl/codeine phosphate/guaifenesin | Coditussin DAC |
| pseudoephedrine HCl/codeine phosphate/guaifenesin | Guaifenesin DAC |
| pseudoephedrine HCl/codeine phosphate/guaifenesin | Lortuss EX |
| pseudoephedrine HCl/codeine phosphate/guaifenesin | Virtussin DAC |
| pseudoephedrine HCl/codeine phosphate/guaifenesin | Zodryl DEC 25 |
| pseudoephedrine HCl/codeine phosphate/guaifenesin | Zodryl DEC 30 |
| pseudoephedrine HCl/codeine phosphate/guaifenesin | Zodryl DEC 35 |
| pseudoephedrine HCl/codeine phosphate/guaifenesin | Zodryl DEC 40 |
| pseudoephedrine HCl/codeine phosphate/guaifenesin | Zodryl DEC 50 |
| pseudoephedrine HCl/codeine phosphate/guaifenesin | Zodryl DEC 60 |
| pseudoephedrine HCl/codeine phosphate/guaifenesin | Zodryl DEC 80 |

Appendix K. List of Generic and Brand Names of Medical Products Used to Define Obstetric-related Medications

| Generic Name | Brand Name |
|--|--------------------------------|
| pyrilamine maleate/pseudoephedrine HCl/chlophedianol HCl | Ninjacof-D |
| salt irrigation solution no.1 | Ocean Complete |
| sea salt/sodium citrate/citric acid/sod bicarb/aloe vera xt | NasalCare Refill |
| sea salt/sodium citrate/citric acid/sod bicarb/aloe vera xt | NasalCare with Irrigator |
| sodium chloride | Altamist |
| sodium chloride | Ayr Allergy and Sinus |
| sodium chloride | Ayr Saline |
| sodium chloride | Baby Ayr Saline |
| sodium chloride | Children's Saline Nasal Spray |
| sodium chloride | Deep Sea Nasal |
| sodium chloride | Little Remedies |
| sodium chloride | NasaDrops |
| sodium chloride | Nasal Moisturizing |
| sodium chloride | Nasal Spray (sodium chloride) |
| sodium chloride | Ocean Nasal |
| sodium chloride | Saline Mist |
| sodium chloride | Saline Nasal |
| sodium chloride | Saline Nasal Mist |
| sodium chloride | Saline Nose |
| sodium chloride | sodium chloride |
| sodium chloride and bicarb/squeeze bottle nasal rinse device | Ayr Sinus Rinse |
| sodium chloride and bicarb/squeeze bottle nasal rinse device | Nasal Relief Sinus Wash-bottle |
| sodium chloride and bicarb/squeeze bottle nasal rinse device | Nasal Wash |
| sodium chloride and bicarb/squeeze bottle nasal rinse device | Neilmed Sinus Rinse Complete |
| sodium chloride and bicarb/squeeze bottle nasal rinse device | Sinus Rinse Pediatric |
| sodium chloride and bicarb/squeeze bottle nasal rinse device | Sinus Rinse Pediatric Starter |
| sodium chloride and bicarb/squeeze bottle nasal rinse device | Sinus Rinse Starter |
| sodium chloride and bicarb/squeeze bottle nasal rinse device | Sinus Wash System |
| sodium chloride for inhalation | Hyper-Sal |
| sodium chloride for inhalation | NebuSal |
| sodium chloride for inhalation | Pulmosal |
| sodium chloride for inhalation | sodium chloride |
| sodium chloride, sodium bicarb-electric nasal rinse device | Sinugator Nasal Wash Kit |
| sodium chloride,sod bicarb with neti pot nasal rinse device | Ayr Saline Nasal Neti Rinse |
| sodium chloride,sod bicarb with neti pot nasal rinse device | Nasaflo |
| sodium chloride,sod bicarb with neti pot nasal rinse device | Nasaflo Porcelain Kit |
| sodium chloride,sod bicarb with neti pot nasal rinse device | Nasal Relief Sinus Wash w/Neti |
| sodium chloride,sod bicarb with neti pot nasal rinse device | NeilMed NasaFlo |
| sodium chloride,sod bicarb with neti pot nasal rinse device | Sinus Wash Neti Pot |
| sodium chloride/aloe vera | Ayr Saline |
| sodium chloride/aloe vera | Ayr Saline Gel |
| sodium chloride/aloe vera | Saline Nasal (aloe vera) |
| sodium chloride/sodium bicarb/nasal rinse device and stand | Nasadock Plus Kit |
| sodium chloride/sodium bicarbonate | Ayr Sinus Rinse Refill |
| sodium chloride/sodium bicarbonate | Nasa Mist |
| sodium chloride/sodium bicarbonate | NasaMist |
| sodium chloride/sodium bicarbonate | Neilmed Pediat Sinus Rinse Ref |
| sodium chloride/sodium bicarbonate | Neilmed Sinus Rinse Refill |
| sodium chloride/sodium bicarbonate | Sinuflo ReadyRinse |
| sodium chloride/sodium bicarbonate | Sinus Rinse |
| sodium chloride/sodium bicarbonate | Sinus Wash |
| sodium chloride/sodium bicarbonate/hyaluronate sod/aloe vera | Nasogel |
| sodium chloride/sodium cit/potassium/magnes/calc/amino acid | Enterade Advanced Oncology |

Appendix K. List of Generic and Brand Names of Medical Products Used to Define Obstetric-related Medications

| Generic Name | Brand Name |
|--|----------------------------|
| sodium chloride/sodium phosphate,dibasic/potassium phosphate | ENTSOL |
| sodium chloride/sodium phosphate,dibasic/potassium phosphate | ENTsol Nasal Wash |
| sodium chloride/yerba santa/glycerin | Pretz |
| thonzylamine HCl/phenylephrine HCl | Nasopen PE |
| triprolidine HCl/pseudoephedrine HCl | Aprodine |
| triprolidine HCl/pseudoephedrine HCl | Ed A-Hist PSE |
| triprolidine HCl/pseudoephedrine HCl | Maxifed TR |
| triprolidine HCl/pseudoephedrine HCl | Maxi-Tuss TR |
| triprolidine HCl/pseudoephedrine HCl | Ritifed |
| triprolidine HCl/pseudoephedrine HCl | Wal-Act D Cold and Allergy |

Psychoanaleptics

| | |
|------------------------------------|--------------------------------|
| amantadine HCl | amantadine HCl |
| amantadine HCl | Gocovri |
| amantadine HCl | Osmolex ER |
| amitriptyline HCl | amitriptyline |
| amitriptyline HCl/chlordiazepoxide | amitriptyline-chlordiazepoxide |
| amoxapine | amoxapine |
| amphetamine | Adzenys ER |
| amphetamine | Adzenys XR-ODT |
| amphetamine | amphetamine |
| amphetamine | Dyanavel XR |
| amphetamine sulfate | amphetamine sulfate |
| amphetamine sulfate | Evekeo |
| amphetamine sulfate | Evekeo ODT |
| apomorphine HCl | APOKYN |
| apomorphine HCl | Kynmobi |
| armodafinil | armodafinil |
| armodafinil | Nuvigil |
| atomoxetine HCl | atomoxetine |
| atomoxetine HCl | Strattera |
| benztropine mesylate | benztropine |
| benztropine mesylate | Cogentin |
| brexanolone | Zulresso |
| bromocriptine mesylate | bromocriptine |
| bromocriptine mesylate | Cycloset |
| bromocriptine mesylate | Parlodel |
| bupropion HBr | Aplenzin |
| bupropion HCl | bupropion HCl |
| bupropion HCl | bupropion HCl (smoking deter) |
| bupropion HCl | Forfivo XL |
| bupropion HCl | Wellbutrin SR |
| bupropion HCl | Wellbutrin XL |
| bupropion HCl | Zyban |
| caffeine | Alertness Aid |
| caffeine | Awake |
| caffeine | caffeine |
| caffeine | Stay Awake |
| caffeine | Stay Awake Maximum Strength |
| caffeine | Vivarin |
| caffeine citrate | Cafcit |
| caffeine citrate | caffeine citrate |
| caffeine/sodium benzoate | caffeine-sodium benzoate |

Appendix K. List of Generic and Brand Names of Medical Products Used to Define Obstetric-related Medications

| Generic Name | Brand Name |
|--|-------------------------------|
| carbamazepine | carbamazepine |
| carbamazepine | Carbatrol |
| carbamazepine | Epitol |
| carbamazepine | Equetro |
| carbamazepine | Tegretol |
| carbamazepine | Tegretol XR |
| carbidopa | carbidopa |
| carbidopa | Lodosyn |
| carbidopa/levodopa | carbidopa-levodopa |
| carbidopa/levodopa | Duopa |
| carbidopa/levodopa | Rytary |
| carbidopa/levodopa | Sinemet |
| carbidopa/levodopa | Sinemet CR |
| carbidopa/levodopa/entacapone | carbidopa-levodopa-entacapone |
| carbidopa/levodopa/entacapone | Stalevo 100 |
| carbidopa/levodopa/entacapone | Stalevo 125 |
| carbidopa/levodopa/entacapone | Stalevo 150 |
| carbidopa/levodopa/entacapone | Stalevo 200 |
| carbidopa/levodopa/entacapone | Stalevo 50 |
| carbidopa/levodopa/entacapone | Stalevo 75 |
| chlordiazepoxide/clidinium bromide | chlordiazepoxide-clidinium |
| chlordiazepoxide/clidinium bromide | Librax (with clidinium) |
| citalopram hydrobromide | Celexa |
| citalopram hydrobromide | citalopram |
| clomipramine HCl | Anafranil |
| clomipramine HCl | clomipramine |
| clonazepam | clonazepam |
| clonazepam | Klonopin |
| desipramine HCl | desipramine |
| desipramine HCl | Norpramin |
| desvenlafaxine | desvenlafaxine |
| desvenlafaxine | Khedezla |
| desvenlafaxine succinate | desvenlafaxine succinate |
| desvenlafaxine succinate | Pristiq |
| dexmethylphenidate HCl | dexmethylphenidate |
| dexmethylphenidate HCl | Focalin |
| dexmethylphenidate HCl | Focalin XR |
| dextroamphetamine sulfate | Dexedrine Spansule |
| dextroamphetamine sulfate | dextroamphetamine |
| dextroamphetamine sulfate | ProCentra |
| dextroamphetamine sulfate | Zenzedi |
| dextroamphetamine sulf-saccharate/amphetamine sulf-aspartate | Adderall |
| dextroamphetamine sulf-saccharate/amphetamine sulf-aspartate | Adderall XR |
| dextroamphetamine sulf-saccharate/amphetamine sulf-aspartate | dextroamphetamine-amphetamine |
| dextroamphetamine sulf-saccharate/amphetamine sulf-aspartate | Mydayis |
| divalproex sodium | Depakote |
| divalproex sodium | Depakote ER |
| divalproex sodium | Depakote Sprinkles |
| divalproex sodium | divalproex |
| donepezil HCl | Aricept |
| donepezil HCl | donepezil |
| doxepin HCl | doxepin |
| doxepin HCl | Silenor |

Appendix K. List of Generic and Brand Names of Medical Products Used to Define Obstetric-related Medications

| Generic Name | Brand Name |
|---|--------------------------------|
| duloxetine HCl | Cymbalta |
| duloxetine HCl | Drizalma Sprinkle |
| duloxetine HCl | duloxetine |
| entacapone | Comtan |
| entacapone | entacapone |
| ergotamine tartrate/caffeine | Cafergot |
| ergotamine tartrate/caffeine | ergotamine-caffeine |
| ergotamine tartrate/caffeine | Migergot |
| escitalopram oxalate | escitalopram oxalate |
| escitalopram oxalate | Lexapro |
| esketamine HCl | Spravato |
| fluoxetine HCl | fluoxetine |
| fluoxetine HCl | Prozac |
| fluoxetine HCl | Sarafem |
| fluvoxamine maleate | fluvoxamine |
| galantamine HBr | galantamine |
| galantamine HBr | Razadyne |
| galantamine HBr | Razadyne ER |
| imipramine HCl | imipramine HCl |
| imipramine HCl | Tofranil |
| imipramine pamoate | imipramine pamoate |
| isocarboxazid | Marplan |
| isometheptene mucate/caffeine/acetaminophen | isomethepten-caf-acetaminophen |
| isometheptene mucate/caffeine/acetaminophen | Prodrin |
| istradefylline | Nourianz |
| lamotrigine | Lamictal |
| lamotrigine | Lamictal ODT |
| lamotrigine | Lamictal ODT Starter (Blue) |
| lamotrigine | Lamictal ODT Starter (Green) |
| lamotrigine | Lamictal ODT Starter (Orange) |
| lamotrigine | Lamictal Starter (Blue) Kit |
| lamotrigine | Lamictal Starter (Green) Kit |
| lamotrigine | Lamictal Starter (Orange) Kit |
| lamotrigine | Lamictal XR |
| lamotrigine | Lamictal XR Starter (Blue) |
| lamotrigine | Lamictal XR Starter (Green) |
| lamotrigine | Lamictal XR Starter (Orange) |
| lamotrigine | lamotrigine |
| lamotrigine | Subvenite |
| lamotrigine | Subvenite Starter (Blue) Kit |
| lamotrigine | Subvenite Starter (Green) Kit |
| lamotrigine | Subvenite Starter (Orange) Kit |
| levodopa | Inbrija |
| levomilnacipran HCl | Fetzima |
| lisdexamfetamine dimesylate | Vyvanse |
| lorazepam in 0.9 % sodium chloride | lorazepam in 0.9% sod chloride |
| lorazepam in 5 % dextrose and water | lorazepam in dextrose 5 % |
| lumateperone tosylate | Caplyta |
| maprotiline HCl | maprotiline |
| memantine HCl | memantine |
| memantine HCl | Namenda |
| memantine HCl | Namenda Titration Pak |
| memantine HCl | Namenda XR |

Appendix K. List of Generic and Brand Names of Medical Products Used to Define Obstetric-related Medications

| Generic Name | Brand Name |
|--|--------------------------------|
| memantine HCl/donepezil HCl | Namzaric |
| methamphetamine HCl | Desoxyn |
| methamphetamine HCl | methamphetamine |
| methylphenidate | Cotempla XR-ODT |
| methylphenidate | Daytrana |
| methylphenidate HCl | Adhansia XR |
| methylphenidate HCl | Aptensio XR |
| methylphenidate HCl | Concerta |
| methylphenidate HCl | Jornay PM |
| methylphenidate HCl | Metadate ER |
| methylphenidate HCl | Methylin |
| methylphenidate HCl | methylphenidate HCl |
| methylphenidate HCl | QuilliChew ER |
| methylphenidate HCl | Quillivant XR |
| methylphenidate HCl | Relexxii |
| methylphenidate HCl | Ritalin |
| methylphenidate HCl | Ritalin LA |
| midazolam HCl in 0.9 % sodium chloride | midazolam in 0.9 % sod chlorid |
| milnacipran HCl | Savella |
| mirtazapine | mirtazapine |
| mirtazapine | Remeron |
| mirtazapine | Remeron SolTab |
| modafinil | modafinil |
| modafinil | Provigil |
| naltrexone HCl/bupropion HCl | Contrave |
| nefazodone HCl | nefazodone |
| nortriptyline HCl | nortriptyline |
| nortriptyline HCl | Pamelor |
| olanzapine/fluoxetine HCl | olanzapine-fluoxetine |
| olanzapine/fluoxetine HCl | Symbyax |
| opicapone | Ongentys |
| paroxetine HCl | paroxetine HCl |
| paroxetine HCl | Paxil |
| paroxetine HCl | Paxil CR |
| paroxetine mesylate | Brisdelle |
| paroxetine mesylate | paroxetine mesylate(menop.sym) |
| paroxetine mesylate | Pexeva |
| perphenazine/amitriptyline HCl | perphenazine-amitriptyline |
| phenelzine sulfate | Nardil |
| phenelzine sulfate | phenelzine |
| pramipexole di-HCl | Mirapex |
| pramipexole di-HCl | Mirapex ER |
| pramipexole di-HCl | pramipexole |
| protriptyline HCl | protriptyline |
| rasagiline mesylate | Azilect |
| rasagiline mesylate | rasagiline |
| resveratrol/chromium pico/green tea/EGCG/caffeine/digestive3 | Resveratrol Diet |
| rivastigmine | Exelon |
| rivastigmine | rivastigmine |
| rivastigmine tartrate | rivastigmine tartrate |
| ropinirole HCl | Requip |
| ropinirole HCl | Requip XL |
| ropinirole HCl | ropinirole |

Appendix K. List of Generic and Brand Names of Medical Products Used to Define Obstetric-related Medications

| Generic Name | Brand Name |
|---|--------------------------------|
| rotigotine | Neupro |
| safinamide mesylate | Xadago |
| selegiline | Emsam |
| selegiline HCl | selegiline HCl |
| selegiline HCl | Zelapar |
| sertraline HCl | sertraline |
| sertraline HCl | Zoloft |
| solriamfetol HCl | Sunosi |
| tolcapone | Tasmar |
| tolcapone | tolcapone |
| tranylcypromine sulfate | Parnate |
| tranylcypromine sulfate | tranylcypromine |
| trazodone HCl | trazodone |
| trihexyphenidyl HCl | trihexyphenidyl |
| trimipramine maleate | Surmontil |
| trimipramine maleate | trimipramine |
| tryptophan | tryptophan |
| valproic acid | Depakene |
| valproic acid | valproic acid |
| valproic acid (as sodium salt) (valproate sodium) | Depacon |
| valproic acid (as sodium salt) (valproate sodium) | Depakene |
| valproic acid (as sodium salt) (valproate sodium) | valproate sodium |
| valproic acid (as sodium salt) (valproate sodium) | valproic acid (as sodium salt) |
| venlafaxine HCl | Effexor XR |
| venlafaxine HCl | venlafaxine |
| vilazodone HCl | Viibryd |
| vortioxetine hydrobromide | Trintellix |

Psycholeptics

| | |
|--|--------------------------------|
| alprazolam | alprazolam |
| alprazolam | Alprazolam IntenSol |
| alprazolam | Xanax |
| alprazolam | Xanax XR |
| amitriptyline HCl/chlordiazepoxide | amitriptyline-chlordiazepoxide |
| amobarbital sodium | Amytal |
| aripiprazole | Abilify |
| aripiprazole | Abilify Maintena |
| aripiprazole | Abilify MyCite |
| aripiprazole | aripiprazole |
| aripiprazole lauroxil | Aristada |
| aripiprazole lauroxil, submicronized | Aristada Initio |
| asenapine | Secuado |
| asenapine maleate | asenapine maleate |
| asenapine maleate | Saphris |
| brexpiprazole | Rexulti |
| bromelains/melatonin/herbal complex no.233 | MidNite PM |
| bupirone HCl | bupirone |
| butabarbital sodium | Butisol |
| butalbital/acetaminophen | Allzital |
| butalbital/acetaminophen | Bupap |
| butalbital/acetaminophen | butalbital-acetaminophen |
| butalbital/acetaminophen | Tencon |
| butalbital/acetaminophen/caffeine | butalbital-acetaminophen-caff |

Appendix K. List of Generic and Brand Names of Medical Products Used to Define Obstetric-related Medications

| Generic Name | Brand Name |
|--|--------------------------------|
| butalbital/acetaminophen/caffeine | Esgic |
| butalbital/acetaminophen/caffeine | Fioricet |
| butalbital/acetaminophen/caffeine | Phrenilin Forte(with caffeine) |
| butalbital/acetaminophen/caffeine | Vanatol LQ |
| butalbital/acetaminophen/caffeine | Vanatol S |
| butalbital/acetaminophen/caffeine | Vtol LQ |
| butalbital/acetaminophen/caffeine | Zebutal |
| butalbital/acetaminophen/caffeine/codeine phosphate | butalbital-acetaminop-caf-cod |
| butalbital/acetaminophen/caffeine/codeine phosphate | Fioricet with Codeine |
| butalbital/aspirin/caffeine | butalbital-aspirin-caffeine |
| butalbital/aspirin/caffeine | Fiorinal |
| calcium carb,hydroxide/soy isoflavone/black cohosh/melatonin | Estroven Nighttime (cal-meltn) |
| calcium phosphate, tribasic/melatonin | Alka-Seltzer PM (melatonin) |
| cariprazine HCl | Vraylar |
| chlordiazepoxide HCl | chlordiazepoxide HCl |
| chlordiazepoxide/clidinium bromide | chlordiazepoxide-clidinium |
| chlordiazepoxide/clidinium bromide | Librax (with clidinium) |
| chlorpromazine HCl | chlorpromazine |
| clobazam | clobazam |
| clobazam | Onfi |
| clobazam | Sympazan |
| clorazepate dipotassium | clorazepate dipotassium |
| clorazepate dipotassium | Tranxene T-Tab |
| clozapine | clozapine |
| clozapine | Clozaril |
| clozapine | FazaClo |
| clozapine | Versacloz |
| codeine phosphate/butalbital/aspirin/caffeine | Ascomp with Codeine |
| codeine phosphate/butalbital/aspirin/caffeine | Butalbital Compound W/Codeine |
| codeine phosphate/butalbital/aspirin/caffeine | Butalbital Compound-Codeine |
| codeine phosphate/butalbital/aspirin/caffeine | codeine-butalbital-ASA-caff |
| codeine phosphate/butalbital/aspirin/caffeine | Fiorinal-Codeine #3 |
| dexmedetomidine HCl | dexmedetomidine |
| dexmedetomidine HCl | Precedex |
| dexmedetomidine HCl in 0.9 % sodium chloride | dexmedetomidine in 0.9 % NaCl |
| dexmedetomidine HCl in 0.9 % sodium chloride | Precedex in 0.9 % sodium chlor |
| dexmedetomidine in 5 % dextrose in water | dexmedetomidine in dextrose 5% |
| diazepam | Diastat |
| diazepam | Diastat AcuDial |
| diazepam | diazepam |
| diazepam | Diazepam Intensol |
| diazepam | Valium |
| diazepam | Valtoco |
| droperidol | droperidol |
| estazolam | estazolam |
| eszopiclone | eszopiclone |
| eszopiclone | Lunesta |
| ethyl alcohol/herbal drugs | Lydia Pinkham Herbal |
| fluphenazine decanoate | fluphenazine decanoate |
| fluphenazine HCl | fluphenazine HCl |
| flurazepam HCl | flurazepam |
| haloperidol | haloperidol |
| haloperidol decanoate | Haldol Decanoate |

Appendix K. List of Generic and Brand Names of Medical Products Used to Define Obstetric-related Medications

| Generic Name | Brand Name |
|---|--------------------------------|
| haloperidol decanoate | haloperidol decanoate |
| haloperidol lactate | Haldol |
| haloperidol lactate | haloperidol lactate |
| hydroxyzine HCl | hydroxyzine HCl |
| hydroxyzine pamoate | hydroxyzine pamoate |
| hydroxyzine pamoate | Vistaril |
| iloperidone | Fanapt |
| isometheptene mucate/dichloralphenazone/acetaminophen | isometh-dichloral-acetaminophn |
| isometheptene mucate/dichloralphenazone/acetaminophen | Nodolor |
| lithium carbonate | lithium carbonate |
| lithium carbonate | Lithobid |
| lithium citrate | lithium citrate |
| lorazepam | Ativan |
| lorazepam | lorazepam |
| lorazepam | Lorazepam Intensol |
| lorazepam in 0.9 % sodium chloride | lorazepam in 0.9% sod chloride |
| lorazepam in 5 % dextrose and water | lorazepam in dextrose 5 % |
| loxapine | Adasuve |
| loxapine succinate | loxapine succinate |
| lurasidone HCl | Latuda |
| melatonin | Meladox |
| melatonin | Melatin |
| melatonin | melatonin |
| melatonin | VitaJoy Melatonin |
| melatonin/5-HTP/valerian/folic acid/dietary combination 28 | Hypnosom |
| melatonin/5-Hydroxytryptophan/tryptophan/B6/magnesium oxide | Somnicin |
| melatonin/chamomile flower | melatonin-chamomile flower |
| melatonin/GABA/5-HTP/theanine/magnesium citrate,oxide/herbs | Sopordren |
| melatonin/gamma-aminobutyric acid/herbal complex no.183 | Sintralyne-PM |
| melatonin/gamma-aminobutyric acid/valerian | Medi-Doze |
| melatonin/genistein/herbal complex no.233 | Midnite for Menopause |
| melatonin/herbal complex no.184 | melatonin-herbal complex #184 |
| melatonin/herbal complex no.233 | MidNite |
| melatonin/lemon balm leaf extract | melatonin-lemon balm leaf extr |
| melatonin/pyridoxal phosphate | Melatonin-B6 (pyridoxal phos) |
| melatonin/pyridoxal phosphate | melatonin-pyridoxal phos (B6) |
| melatonin/pyridoxine | Melatonin (with B6) |
| melatonin/pyridoxine | melatonin-pyridoxine (vit B6) |
| melatonin/pyridoxine HCl (vit B6) | melatonin-pyridoxine HCl (B6) |
| melatonin/tryptophan | Restone |
| melatonin/tryptophan | Wrestone |
| melatonin/tryptophan/valerian/chamomile/niacin/inositol/B6 | Toprophan |
| meprobamate | meprobamate |
| midazolam | Nayzilam |
| midazolam HCl | midazolam |
| midazolam HCl in 0.9 % sodium chloride | midazolam in 0.9 % sod chlorid |
| midazolam HCl in 0.9 % sodium chloride/PF | midazolam (PF) in 0.9 % NaCl |
| midazolam HCl in dextrose 5% in water | midazolam in dextrose 5 % |
| midazolam HCl/PF | midazolam (PF) |
| midazolam in sodium chloride, iso-osmotic/PF | midazolam in NaCl,iso-osmo(PF) |
| midazolam/ketamine HCl/ondansetron HCl | MKO (Midazolam-Ketamine-Ondan) |
| molindone HCl | molindone |

Appendix K. List of Generic and Brand Names of Medical Products Used to Define Obstetric-related Medications

| Generic Name | Brand Name |
|---|--------------------------------|
| olanzapine | olanzapine |
| olanzapine | Zyprexa |
| olanzapine | Zyprexa Zydis |
| olanzapine pamoate | Zyprexa Relprevv |
| olanzapine/fluoxetine HCl | olanzapine-fluoxetine |
| olanzapine/fluoxetine HCl | Symbyax |
| oxazepam | oxazepam |
| paliperidone | Invega |
| paliperidone | paliperidone |
| paliperidone palmitate | Invega Sustenna |
| paliperidone palmitate | Invega Trinza |
| pentobarbital sodium | Nembutal Sodium |
| pentobarbital sodium | pentobarbital sodium |
| perphenazine | perphenazine |
| perphenazine/amitriptyline HCl | perphenazine-amitriptyline |
| phenobarbital | phenobarbital |
| phenobarbital sodium | phenobarbital sodium |
| phenobarbital sodium in 0.9 % sodium chloride | phenobarbital in 0.9 % sod chl |
| phenobarbital/hyoscyamine sulf/atropine sulf/scopolamine Hb | Donnatal |
| phenobarbital/hyoscyamine sulf/atropine sulf/scopolamine Hb | phenobarb-hyoscy-atropine-scop |
| phenobarbital/hyoscyamine sulf/atropine sulf/scopolamine Hb | Phenohydro |
| pimavanserin tartrate | Nuplazid |
| pimozide | Orap |
| pimozide | pimozide |
| prochlorperazine | Compazine |
| prochlorperazine | Compro |
| prochlorperazine | prochlorperazine |
| prochlorperazine edisylate | prochlorperazine Edisylate |
| prochlorperazine maleate | Compazine |
| prochlorperazine maleate | prochlorperazine maleate |
| quazepam | Doral |
| quazepam | quazepam |
| quetiapine fumarate | quetiapine |
| quetiapine fumarate | Seroquel |
| quetiapine fumarate | Seroquel XR |
| ramelteon | ramelteon |
| ramelteon | Rozerem |
| remimazolam besylate | Byfavo |
| risperidone | Perseris |
| risperidone | Risperdal |
| risperidone | Risperdal M-TAB |
| risperidone | risperidone |
| risperidone microspheres | Risperdal Consta |
| secobarbital sodium | Seconal Sodium |
| suvorexant | Belsomra |
| tasimelteon | Hetlioz |
| temazepam | Restoril |
| temazepam | temazepam |
| thioridazine HCl | thioridazine |
| thiothixene | thiothixene |
| triazolam | Halcion |
| triazolam | triazolam |
| trifluoperazine HCl | trifluoperazine |

Appendix K. List of Generic and Brand Names of Medical Products Used to Define Obstetric-related Medications

| Generic Name | Brand Name |
|---|----------------------------|
| valerian root | valerian root |
| valerian root | valerian root (bulk) |
| valerian root extract | valerian root extract |
| valerian root extract/hops | valerian root extract-hops |
| valerian root/oats/cayenne seed/hops/skullcap/wood betony | Reflex |
| valerian root/oats/cayenne seed/hops/skullcap/wood betony | Valinex |
| valerian rt/passion flowr/celery/catnip/hops/bit.orang peel | Relax and Sleep |
| valerian/passion flower/hops/lemon balm | valerian-flower-hops-lemon |
| zaleplon | Sonata |
| zaleplon | zaleplon |
| ziprasidone HCl | Geodon |
| ziprasidone HCl | ziprasidone HCl |
| ziprasidone mesylate | Geodon |
| ziprasidone mesylate | ziprasidone mesylate |
| zolpidem tartrate | Ambien |
| zolpidem tartrate | Ambien CR |
| zolpidem tartrate | Edluar |
| zolpidem tartrate | Intermezzo |
| zolpidem tartrate | zolpidem |
| zolpidem tartrate | Zolpimist |

Appendix L. List of International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Obstetric-related Medications

| Code | Description | Code | |
|-----------------------|---|-----------|-----------|
| | | Category | Code Type |
| Analgesics | | | |
| 80143 | Acetaminophen | Procedure | HCPCS |
| C9040 | Injection, fremanezumab-vfrm, 1 mg | Procedure | HCPCS |
| J0595 | Injection, butorphanol tartrate, 1 mg | Procedure | HCPCS |
| J1110 | Injection, dihydroergotamine mesylate, per 1 mg | Procedure | HCPCS |
| J2175 | Injection, meperidine HCl, per 100 mg | Procedure | HCPCS |
| J2270 | Injection, morphine sulfate, up to 10 mg | Procedure | HCPCS |
| J2274 | Injection, morphine sulfate, preservative free for epidural or intrathecal use, 10 mg | Procedure | HCPCS |
| J2300 | Injection, nalbuphine HCl, per 10 mg | Procedure | HCPCS |
| J2410 | Injection, oxymorphone HCl, up to 1 mg | Procedure | HCPCS |
| J3030 | Injection, sumatriptan succinate, 6 mg (code may be used for Medicare when drug administered under the direct supervision of a physician, not for use when drug is self-administered) | Procedure | HCPCS |
| J3031 | Injection, fremanezumab-vfrm, 1 mg (code may be used for Medicare when drug administered under the direct supervision of a physician, not for use when drug is self-administered) | Procedure | HCPCS |
| S0012 | Butorphanol tartrate, nasal spray, 25 mg | Procedure | HCPCS |
| S0092 | Injection, hydromorphone HCl, 250 mg (loading dose for infusion pump) | Procedure | HCPCS |
| S0093 | Injection, morphine sulfate, 500 mg (loading dose for infusion pump) | Procedure | HCPCS |
| J3010 | Injection, fentanyl citrate, 0.1 mg | Procedure | HCPCS |
| J1810 | Injection, droperidol and fentanyl citrate, up to 2 ml ampule | Procedure | HCPCS |
| J1170 | Injection, hydromorphone, up to 4 mg | Procedure | HCPCS |
| J2180 | Injection, meperidine and promethazine hcl, up to 50 mg | Procedure | HCPCS |
| J3070 | Injection, pentazocine, 30 mg | Procedure | HCPCS |
| Antibacterials | | | |
| J7682 | Tobramycin, inhalation solution, FDA-approved final product, noncompounded, unit dose form, administered through DME. per 300 mg | Procedure | HCPCS |
| J3243 | Injection, tigecycline, 1 mg | Procedure | HCPCS |
| 84695 | Gentamicin | Procedure | CPT-4 |
| C9116 | Injection, ertapenem sodium, per 1 gram vial | Procedure | HCPCS |
| S0073 | Injection, aztreonam, 500 mg | Procedure | HCPCS |
| J0561 | Injection, penicillin G benzathine, 100,000 units | Procedure | HCPCS |
| Q0144 | Azithromycin dihydrate, oral, capsules/powder, 1 g | Procedure | HCPCS |
| J2265 | Injection, minocycline HCl, 1 mg | Procedure | HCPCS |
| 80202 | Vancomycin | Procedure | CPT-4 |
| J0693 | Injection, cefiderocol, 5 mg | Procedure | HCPCS |
| S0016 | Injection, amikacin sulfate, 500 mg | Procedure | HCPCS |
| J0694 | Injection, ceftazidime sodium, 1 g | Procedure | HCPCS |
| S0072 | Injection, amikacin sulfate, 100 mg | Procedure | HCPCS |
| J0714 | Injection, ceftazidime and avibactam, 0.5 g/0.125 g | Procedure | HCPCS |
| J2280 | Injection, moxifloxacin, 100 mg | Procedure | HCPCS |
| J0295 | Injection, ampicillin sodium/sulbactam sodium, per 1.5 g | Procedure | HCPCS |
| J3370 | Injection, vancomycin HCl, 500 mg | Procedure | HCPCS |
| S0080 | Injection, pentamidine isethionate, 300 mg | Procedure | HCPCS |
| J0743 | Injection, cilastatin sodium; imipenem, per 250 mg | Procedure | HCPCS |
| S0030 | Injection, metronidazole, 500 mg | Procedure | HCPCS |
| 80150 | Amikacin | Procedure | CPT-4 |
| J3260 | Injection, tobramycin sulfate, up to 80 mg | Procedure | HCPCS |
| J0558 | Injection, penicillin G benzathine and penicillin G procaine, 100,000 units | Procedure | HCPCS |

Appendix L. List of International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Obstetric-related Medications

| Code | Description | Code | |
|-------|---|-----------|-----------|
| | | Category | Code Type |
| 84810 | Tobramycin | Procedure | CPT-4 |
| C9462 | Injection, delafloxacin, 1 mg | Procedure | HCPCS |
| J2010 | Injection, lincomycin HCl, up to 300 mg | Procedure | HCPCS |
| S0039 | Injection, sulfamethoxazole and trimethoprim, 10 ml | Procedure | HCPCS |
| J0456 | Injection, azithromycin, 500 mg | Procedure | HCPCS |
| J0121 | Injection, omadacycline, 1 mg | Procedure | HCPCS |
| J1335 | Injection, ertapenem sodium, 500 mg | Procedure | HCPCS |
| S0081 | Injection, piperacillin sodium, 500 mg | Procedure | HCPCS |
| J2510 | Injection, penicillin G procaine, aqueous, up to 600,000 units | Procedure | HCPCS |
| J1267 | Injection, doripenem, 10 mg | Procedure | HCPCS |
| 80170 | Gentamicin | Procedure | CPT-4 |
| J0692 | Injection, cefepime HCl, 500 mg | Procedure | HCPCS |
| J0560 | Injection, penicillin G benzathine, up to 600,000 units | Procedure | HCPCS |
| J3000 | Injection, streptomycin, up to 1 g | Procedure | HCPCS |
| J3090 | Injection, tedizolid phosphate, 1 mg | Procedure | HCPCS |
| J0559 | Injection, penicillin G benzathine and penicillin G procaine, 2500 units | Procedure | HCPCS |
| J0691 | Injection, lefamulin, 1 mg | Procedure | HCPCS |
| J0291 | Injection, plazomicin, 5 mg | Procedure | HCPCS |
| S0077 | Injection, clindamycin phosphate, 300 mg | Procedure | HCPCS |
| J0540 | Injection, penicillin G benzathine and penicillin G procaine, up to 1,200,000 units | Procedure | HCPCS |
| J0122 | Injection, eravacycline, 1 mg | Procedure | HCPCS |
| S0142 | Colistimethate sodium, inhalation solution administered through DME, concentrated form, per mg | Procedure | HCPCS |
| J0290 | Injection, ampicillin sodium, 500 mg | Procedure | HCPCS |
| J0695 | Injection, ceftolozane 50 mg and tazobactam 25 mg | Procedure | HCPCS |
| J0715 | Injection, ceftizoxime sodium, per 500 mg | Procedure | HCPCS |
| J0698 | Injection, cefotaxime sodium, per g | Procedure | HCPCS |
| J0878 | Injection, daptomycin, 1 mg | Procedure | HCPCS |
| J2770 | Injection, quinupristin/dalfopristin, 500 mg (150/350) | Procedure | HCPCS |
| J0875 | Injection, dalbavancin, 5 mg | Procedure | HCPCS |
| J7685 | Tobramycin, inhalation solution, compounded product, administered through DME, unit dose form, per 300 mg | Procedure | HCPCS |
| J0530 | Injection, penicillin G benzathine and penicillin G procaine, up to 600,000 units | Procedure | HCPCS |
| J1956 | Injection, levofloxacin, 250 mg | Procedure | HCPCS |
| 80200 | Tobramycin | Procedure | CPT-4 |
| J0697 | Injection, sterile cefuroxime sodium, per 750 mg | Procedure | HCPCS |
| J0712 | Injection, ceftaroline fosamil, 10 mg | Procedure | HCPCS |
| C9051 | Injection, omadacycline, 1 mg | Procedure | HCPCS |
| J2700 | Injection, oxacillin sodium, up to 250 mg | Procedure | HCPCS |
| J0696 | Injection, ceftriaxone sodium, per 250 mg | Procedure | HCPCS |
| J0770 | Injection, colistimethate sodium, up to 150 mg | Procedure | HCPCS |
| J0550 | Injection, penicillin G benzathine and penicillin G procaine, up to 2,400,000 units | Procedure | HCPCS |
| J2020 | Injection, linezolid, 200 mg | Procedure | HCPCS |
| C9039 | Injection, plazomicin, 5 mg | Procedure | HCPCS |
| J1364 | Injection, erythromycin lactobionate, per 500 mg | Procedure | HCPCS |
| J0278 | Injection, amikacin sulfate, 100 mg | Procedure | HCPCS |
| S0074 | Injection, cefotetan disodium, 500 mg | Procedure | HCPCS |
| 82112 | Amikacin | Procedure | CPT-4 |
| J3095 | Injection, telavancin, 10 mg | Procedure | HCPCS |

Appendix L. List of International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Obstetric-related Medications

| Code | Description | Code | |
|--------------------------|--|-----------|------------|
| | | Category | Code Type |
| J0720 | Injection, chloramphenicol sodium succinate, up to 1 g | Procedure | HCPCS |
| S0040 | Injection, ticarcillin disodium and clavulanate potassium, 3.1 g | Procedure | HCPCS |
| J0580 | Injection, penicillin G benzathine, up to 2,400,000 units | Procedure | HCPCS |
| J2540 | Injection, penicillin G potassium, up to 600,000 units | Procedure | HCPCS |
| J1580 | Injection, garamycin, gentamicin, up to 80 mg | Procedure | HCPCS |
| C9054 | Injection, lefamulin (Xenleta), 1 mg | Procedure | HCPCS |
| J0744 | Injection, ciprofloxacin for intravenous infusion, 200 mg | Procedure | HCPCS |
| J2186 | Injection, meropenem, vaborbactam, 10 mg/10 mg, (20 mg) | Procedure | HCPCS |
| J0690 | Injection, cefazolin sodium, 500 mg | Procedure | HCPCS |
| J2543 | Injection, piperacillin sodium/tazobactam sodium, 1 g/0.125 g (1.125 g) | Procedure | HCPCS |
| J2407 | Injection, oritavancin, 10 mg | Procedure | HCPCS |
| J0742 | Injection, imipenem 4 mg, cilastatin 4 mg and relebactam 2 mg | Procedure | HCPCS |
| J2185 | Injection, meropenem, 100 mg | Procedure | HCPCS |
| S0032 | Injection, nafcillin sodium, 2 g | Procedure | HCPCS |
| J0713 | Injection, ceftazidime, per 500 mg | Procedure | HCPCS |
| Anticoagulants | | | |
| C9047 | Injection, caplacizumab-yhdp, 1 mg | Procedure | HCPCS |
| J0130 | Injection abciximab, 10 mg | Procedure | HCPCS |
| J0583 | Injection, bivalirudin, 1 mg | Procedure | HCPCS |
| J0883 | Injection, argatroban, 1 mg (for non-ESRD use) | Procedure | HCPCS |
| J0884 | Injection, argatroban, 1 mg (for ESRD on dialysis) | Procedure | HCPCS |
| J1327 | Injection, eptifibatide, 5 mg | Procedure | HCPCS |
| J1650 | Injection, enoxaparin sodium, 10 mg | Procedure | HCPCS |
| J1652 | Injection, fondaparinux sodium, 0.5 mg | Procedure | HCPCS |
| J2993 | Injection, reteplase, 18.1 mg | Procedure | HCPCS |
| J2997 | Injection, alteplase recombinant, 1 mg | Procedure | HCPCS |
| J3101 | Injection, tenecteplase, 1 mg | Procedure | HCPCS |
| J7197 | Antithrombin iii (human), per i.u. | Procedure | HCPCS |
| J7196 | Injection, antithrombin recombinant, 50 i.u. | Procedure | HCPCS |
| J0883 | Injection, argatroban, 1 mg (for non-esrd use) | Procedure | HCPCS |
| J1645 | Injection, dalteparin sodium, per 2500 iu | Procedure | HCPCS |
| XW03392 | Introduction of Defibrotide Sodium Anticoagulant into Peripheral Vein, Percutaneous Approach, New Technology Group 2 | Procedure | ICD-10-PCS |
| XW04392 | Introduction of Defibrotide Sodium Anticoagulant into Central Vein, Percutaneous Approach, New Technology Group 2 | Procedure | ICD-10-PCS |
| J1325 | Injection, epoprostenol, 0.5 mg | Procedure | HCPCS |
| J1642 | Injection, heparin sodium, (heparin lock flush), per 10 units | Procedure | HCPCS |
| J1644 | Injection, heparin sodium, per 1000 units | Procedure | HCPCS |
| J2724 | Injection, protein c concentrate, intravenous, human, 10 iu | Procedure | HCPCS |
| J3246 | Injection, tirofiban hcl, 0.25 mg | Procedure | HCPCS |
| Antihypertensives | | | |
| C9248 | Injection, clevidipine butyrate, 1 mg | Procedure | HCPCS |
| J0210 | Injection, methyldopate HCl, up to 250 mg | Procedure | HCPCS |
| J0360 | Injection, hydralazine HCl, up to 20 mg | Procedure | HCPCS |
| J1205 | Injection, chlorothiazide sodium, per 500 mg | Procedure | HCPCS |
| J1800 | Injection, propranolol HCl, up to 1 mg | Procedure | HCPCS |
| J1940 | Injection, furosemide, up to 20 mg | Procedure | HCPCS |
| J2440 | Injection, papaverine HCl, up to 60 mg | Procedure | HCPCS |
| J2760 | Injection, phentolamine mesylate, up to 5 mg | Procedure | HCPCS |

Appendix L. List of International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Obstetric-related Medications

| Code | Description | Code | |
|----------------------------|---|-----------|-----------|
| | | Category | Code Type |
| S0171 | Injection, bumetanide, 0.5 mg | Procedure | HCPCS |
| Anti-inflammatories | | | |
| C9059 | Injection, meloxicam, 1 mg | Procedure | HCPCS |
| J1738 | Injection, meloxicam, 1 mg | Procedure | HCPCS |
| J1741 | Injection, ibuprofen, 100 mg | Procedure | HCPCS |
| J1885 | Injection, ketorolac tromethamine, per 15 mg | Procedure | HCPCS |
| Antimycotics | | | |
| 80187 | Posaconazole | Procedure | CPT-4 |
| 80285 | Voriconazole | Procedure | CPT-4 |
| J0285 | Injection, amphotericin B, 50 mg | Procedure | HCPCS |
| J0287 | Injection, amphotericin B lipid complex, 10 mg | Procedure | HCPCS |
| J0288 | Injection, amphotericin B cholesteryl sulfate complex, 10 mg | Procedure | HCPCS |
| J0289 | Injection, amphotericin B liposome, 10 mg | Procedure | HCPCS |
| J0348 | Injection, anidulafungin, 1 mg | Procedure | HCPCS |
| J0637 | Injection, caspofungin acetate, 5 mg | Procedure | HCPCS |
| J2248 | Injection, micafungin sodium, 1 mg | Procedure | HCPCS |
| J3465 | Injection, voriconazole, 10 mg | Procedure | HCPCS |
| J1450 | Injection fluconazole, 200 mg | Procedure | HCPCS |
| Antivirals | | | |
| J0740 | Injection, cidofovir, 375 mg | Procedure | HCPCS |
| J1324 | Injection, enfuvirtide, 1 mg | Procedure | HCPCS |
| J1455 | Injection, foscarnet sodium, per 1,000 mg | Procedure | HCPCS |
| J1570 | Injection, ganciclovir sodium, 500 mg | Procedure | HCPCS |
| J1746 | Injection, ibalizumab-uiyk, 10 mg | Procedure | HCPCS |
| J1826 | Injection, interferon beta-1a, 30 mcg | Procedure | HCPCS |
| J1830 | Injection interferon beta-1b, 0.25 mg (code may be used for Medicare when drug administered under the direct supervision of a physician, not for use when drug is self-administered) | Procedure | HCPCS |
| J3485 | Injection, zidovudine, 10 mg | Procedure | HCPCS |
| J9212 | Injection, interferon alfacon-1, recombinant, 1 mcg | Procedure | HCPCS |
| J9214 | Injection, interferon, alfa-2b, recombinant, 1 million units | Procedure | HCPCS |
| Q3027 | Injection, interferon beta-1a, 1 mcg for intramuscular use | Procedure | HCPCS |
| Q3028 | Injection, interferon beta-1a, 1 mcg for subcutaneous use | Procedure | HCPCS |
| S0104 | Zidovudine, oral, 100 mg | Procedure | HCPCS |
| J0133 | Injection, acyclovir, 5 mg | Procedure | HCPCS |
| J1826 | Injection, interferon beta-1a, 30 mcg | Procedure | HCPCS |
| Q3027 | Injection, interferon beta-1a, 1 mcg for intramuscular use | Procedure | HCPCS |
| Q3028 | Injection, interferon beta-1a, 1 mcg for subcutaneous use | Procedure | HCPCS |
| J9216 | Injection, interferon, gamma 1-b, 3 million units | Procedure | HCPCS |
| J1830 | Injection, interferon beta-1b, 0.25 mg (code may be used for medicare when drug administered under the direct supervision of a physician, not for use when drug is self administered) | Procedure | HCPCS |
| J9213 | Injection, interferon, alfa-2a, recombinant, 3 million units | Procedure | HCPCS |
| S0145 | Injection, pegylated interferon alfa-2a, 180 mcg per ml | Procedure | HCPCS |
| S0148 | Injection, pegylated interferon alfa-2b, 10 mcg | Procedure | HCPCS |
| J9214 | Injection, interferon, alfa-2b, recombinant, 1 million units | Procedure | HCPCS |
| J2547 | Injection, peramivir, 1 mg | Procedure | HCPCS |
| Corticosteroids | | | |

Appendix L. List of International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Obstetric-related Medications

| Code | Description | Code | |
|-------|--|-----------|-----------|
| | | Category | Code Type |
| C9469 | Injection, triamcinolone acetonide, preservative-free, extended-release, microsphere formulation. 1 mg | Procedure | HCPCS |
| J1020 | Injection, methylprednisolone acetate, 20 mg | Procedure | HCPCS |
| J1030 | Injection, methylprednisolone acetate, 40 mg | Procedure | HCPCS |
| J1040 | Injection, methylprednisolone acetate, 80 mg | Procedure | HCPCS |
| J1100 | Injection, dexamethasone sodium phosphate, 1 mg | Procedure | HCPCS |
| J2920 | Injection, methylprednisolone sodium succinate, up to 40 mg | Procedure | HCPCS |
| J2930 | Injection, methylprednisolone sodium succinate, up to 125 mg | Procedure | HCPCS |
| J3300 | Injection, triamcinolone acetonide, preservative free, 1 mg | Procedure | HCPCS |
| J3301 | Injection, triamcinolone acetonide, not otherwise specified, 10 mg | Procedure | HCPCS |
| J3303 | Injection, triamcinolone hexacetonide, per 5 mg | Procedure | HCPCS |
| J3304 | Injection, triamcinolone acetonide, preservative-free, extended-release, microsphere formulation. 1 mg | Procedure | HCPCS |
| Q9993 | Injection, triamcinolone acetonide, preservative-free, extended-release, microsphere formulation. 1 mg | Procedure | HCPCS |
| J7637 | Dexamethasone, inhalation solution, compounded product, administered through dme, concentrated form, per milligram | Procedure | HCPCS |
| J7638 | Dexamethasone, inhalation solution, compounded product, administered through dme, unit dose form, per milligram | Procedure | HCPCS |
| J1094 | Injection, dexamethasone acetate, 1 mg | Procedure | HCPCS |
| J8540 | Dexamethasone, oral, 0.25 mg | Procedure | HCPCS |
| J1700 | Injection, hydrocortisone acetate, up to 25 mg | Procedure | HCPCS |
| J1710 | Injection, hydrocortisone sodium phosphate, up to 50 mg | Procedure | HCPCS |
| J1720 | Injection, hydrocortisone sodium succinate, up to 100 mg | Procedure | HCPCS |
| J7509 | Methylprednisolone oral, per 4 mg | Procedure | HCPCS |
| J3302 | Injection, triamcinolone diacetate, per 5 mg | Procedure | HCPCS |
| J7683 | Triamcinolone, inhalation solution, compounded product, administered through dme, concentrated form, per milligram | Procedure | HCPCS |
| J7684 | Triamcinolone, inhalation solution, compounded product, administered through dme, unit dose form, per milligram | Procedure | HCPCS |

Diabetes medications

| | | | |
|-------|---|-----------|-------|
| S5571 | Insulin delivery device, disposable pen (including insulin); 3 ml size | Procedure | HCPCS |
| S5570 | Insulin delivery device, disposable pen (including insulin); 1.5 ml size | Procedure | HCPCS |
| S5566 | Insulin cartridge for use in insulin delivery device other than pump; 300 units | Procedure | HCPCS |
| S5565 | Insulin cartridge for use in insulin delivery device other than pump; 150 units | Procedure | HCPCS |
| S5553 | Insulin, long acting; 5 units | Procedure | HCPCS |
| S5552 | Insulin, intermediate acting (nph or lente); 5 units | Procedure | HCPCS |
| S5551 | Insulin, most rapid onset (lispro or aspart); 5 units | Procedure | HCPCS |
| S5550 | Insulin, rapid onset, 5 units | Procedure | HCPCS |
| J1817 | Insulin for administration through dme (i.e., insulin pump) per 50 units | Procedure | HCPCS |
| J1815 | Injection, insulin, per 5 units | Procedure | HCPCS |

Immune serum globulins

| | | | |
|-------|--|-----------|-------|
| 90371 | Hepatitis B immune globulin (HBIG), human, for intramuscular use | Procedure | CPT-4 |
| 90384 | Rho(D) immune globulin (RhIg), human, full-dose, for intramuscular use | Procedure | CPT-4 |
| 90385 | Rho(D) immune globulin (RhIg), human, mini-dose, for intramuscular use | Procedure | CPT-4 |
| 90386 | Rho(D) immune globulin (RhIgIV), human, for intravenous use | Procedure | CPT-4 |
| 90396 | Varicella-zoster immune globulin, human, for intramuscular use | Procedure | CPT-4 |
| C9490 | Injection, bezlotoxumab, 10 mg | Procedure | HCPCS |

Appendix L. List of International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Obstetric-related Medications

| Code | Description | Code | |
|------------------|--|-----------|-----------|
| | | Category | Code Type |
| J0565 | Injection, bezlotoxumab, 10 mg | Procedure | HCPCS |
| J1571 | Injection, hepatitis B immune globulin (Hepagam B), intramuscular, 0.5 ml | Procedure | HCPCS |
| J1573 | Injection, hepatitis B immune globulin (Hepagam B), intravenous, 0.5 ml | Procedure | HCPCS |
| J2788 | Injection, Rho D immune globulin, human, minidose, 50 mcg (250 IU) | Procedure | HCPCS |
| J2790 | Injection, Rho D immune globulin, human, full dose, 300 mcg (1500 IU) | Procedure | HCPCS |
| J2791 | Injection, Rho D immune globulin (human), (Rhophylac), intramuscular or intravenous, 100 IU | Procedure | HCPCS |
| J2792 | Injection, Rho D immune globulin, intravenous, human, solvent detergent, 100 IU | Procedure | HCPCS |
| J0841 | Injection, crotalidae immune f(ab') ₂ (equine), 120 mg | Procedure | HCPCS |
| J0716 | Injection, centruroides immune f(ab) ₂ , up to 120 milligrams | Procedure | HCPCS |
| J0850 | Injection, cytomegalovirus immune globulin intravenous (human), per vial | Procedure | HCPCS |
| J1566 | Injection, immune globulin, intravenous, lyophilized (e.g., powder), not otherwise specified, 500 mg | Procedure | HCPCS |
| J1670 | Injection, tetanus immune globulin, human, up to 250 units | Procedure | HCPCS |
| J2792 | Injection, rho d immune globulin, intravenous, human, solvent detergent, 100 iu | Procedure | HCPCS |
| J7504 | Lymphocyte immune globulin, antithymocyte globulin, equine, parenteral, 250 mg | Procedure | HCPCS |
| J2788 | Injection, rho d immune globulin, human, minidose, 50 micrograms (250 i.u.) | Procedure | HCPCS |
| J2790 | Injection, rho d immune globulin, human, full dose, 300 micrograms (1500 i.u.) | Procedure | HCPCS |
| J1561 | Injection, immune globulin, (gamunex-c/gammaked), non-lyophilized (e.g., liquid), 500 mg | Procedure | HCPCS |
| J1562 | Injection, immune globulin (vivaglobin), 100 mg | Procedure | HCPCS |
| J1568 | Injection, immune globulin, (octagam), intravenous, non-lyophilized (e.g., liquid), 500 mg | Procedure | HCPCS |
| J1670 | Injection, tetanus immune globulin, human, up to 250 units | Procedure | HCPCS |
| Immunostimulants | | | |
| C9058 | Injection, pegfilgrastim-bmez, biosimilar, (Ziextenzo) 0.5 mg | Procedure | HCPCS |
| J1442 | Injection, filgrastim (G-CSF), excludes biosimilars, 1 mcg | Procedure | HCPCS |
| J1447 | Injection, tbo-filgrastim, 1 mcg | Procedure | HCPCS |
| J1595 | Injection, glatiramer acetate, 20 mg | Procedure | HCPCS |
| J1826 | Injection, interferon beta-1a, 30 mcg | Procedure | HCPCS |
| J1830 | Injection interferon beta-1b, 0.25 mg (code may be used for Medicare when drug administered under the direct supervision of a physician, not for use when drug is self-administered) | Procedure | HCPCS |
| J2504 | Injection, pegademase bovine, 25 IU | Procedure | HCPCS |
| J2505 | Injection, pegfilgrastim, 6 mg | Procedure | HCPCS |
| J2562 | Injection, plerixafor, 1 mg | Procedure | HCPCS |
| J2820 | Injection, sargramostim (GM-CSF), 50 mcg | Procedure | HCPCS |
| J9015 | Injection, aldesleukin, per single use vial | Procedure | HCPCS |
| J9214 | Injection, interferon, alfa-2b, recombinant, 1 million units | Procedure | HCPCS |
| J9215 | Injection, interferon, alfa-N3, (human leukocyte derived), 250,000 IU | Procedure | HCPCS |
| Q3027 | Injection, interferon beta-1a, 1 mcg for intramuscular use | Procedure | HCPCS |
| Q3028 | Injection, interferon beta-1a, 1 mcg for subcutaneous use | Procedure | HCPCS |
| Q5101 | Injection, filgrastim-sndz, biosimilar, (Zarxio), 1 mcg | Procedure | HCPCS |
| Q5108 | Injection, pegfilgrastim-jmdb, biosimilar, (Fulphila), 0.5 mg | Procedure | HCPCS |
| Q5110 | Injection, filgrastim-aafi, biosimilar, (Nivestym), 1 mcg | Procedure | HCPCS |
| Q5111 | Injection, pegfilgrastim-cbqv, biosimilar, (Udenyca), 0.5 mg | Procedure | HCPCS |
| Q5120 | Injection, pegfilgrastim-bmez, biosimilar, (ZIEXTENZO), 0.5 mg | Procedure | HCPCS |
| Q5122 | Injection, pegfilgrastim-apgf, biosimilar, (Nyvepria), 0.5 mg | Procedure | HCPCS |
| J9212 | Injection, interferon alfacon-1, recombinant, 1 mcg | Procedure | HCPCS |
| J1826 | Injection, interferon beta-1a, 30 mcg | Procedure | HCPCS |
| Q3028 | Injection, interferon beta-1a, 1 mcg for subcutaneous use | Procedure | HCPCS |

Appendix L. List of International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Obstetric-related Medications

| Code | Description | Code | |
|---------------------------|---|-----------|-----------|
| | | Category | Code Type |
| J9216 | Injection, interferon, gamma 1-b, 3 million units | Procedure | HCPCS |
| J1830 | Injection, interferon beta-1b, 0.25 mg (code may be used for medicare when drug administered under the direct supervision of a physician, not for use when drug is self administered) | Procedure | HCPCS |
| J9213 | Injection, interferon, alfa-2a, recombinant, 3 million units | Procedure | HCPCS |
| S0145 | Injection, pegylated interferon alfa-2a, 180 mcg per ml | Procedure | HCPCS |
| S0148 | Injection, pegylated interferon alfa-2b, 10 mcg | Procedure | HCPCS |
| J9214 | Injection, interferon, alfa-2b, recombinant, 1 million units | Procedure | HCPCS |
| Q2043 | Sipuleucel-t, minimum of 50 million autologous cd54+ cells activated with pap-gm-csf, including leukapheresis and all other preparatory procedures, per infusion | Procedure | HCPCS |
| Immunosuppressants | | | |
| 80145 | Adalimumab | Procedure | CPT-4 |
| 80158 | Cyclosporine | Procedure | CPT-4 |
| 80197 | Tacrolimus | Procedure | CPT-4 |
| 80230 | Infliximab | Procedure | CPT-4 |
| 80280 | Vedolizumab | Procedure | CPT-4 |
| 4153F | Combination peginterferon and ribavirin therapy prescribed (HEP-C) | Procedure | CPT |
| C9006 | Injection, tacrolimus, per 5 mg (1 amp) | Procedure | HCPCS |
| C9020 | Sirolimus tablet, 1 mg | Procedure | HCPCS |
| C9029 | Injection, guselkumab, 1 mg | Procedure | HCPCS |
| C9050 | Injection, emapalumab-lzsg, 1 mg | Procedure | HCPCS |
| C9052 | Injection, ravulizumab-cwvz, 10 mg | Procedure | HCPCS |
| C9106 | Sirolimus, per 1 mg/ml | Procedure | HCPCS |
| C9126 | Injection natalizumab per 5 mg | Procedure | HCPCS |
| C9129 | Injection, clofarabine, per 1 mg | Procedure | HCPCS |
| C9211 | Injection, alefacept, for intravenous use, per 7.5 mg | Procedure | HCPCS |
| C9212 | Injection, alefacept, for intramuscular use, per 7.5 mg | Procedure | HCPCS |
| C9230 | Injection, abatacept, per 10 mg | Procedure | HCPCS |
| C9236 | Injection, eculizumab, 10 mg | Procedure | HCPCS |
| C9249 | Injection, certolizumab pegol, 1 mg | Procedure | HCPCS |
| C9261 | Injection, ustekinumab, 1 mg | Procedure | HCPCS |
| C9264 | Injection, tocilizumab, 1 mg | Procedure | HCPCS |
| C9286 | Injection, belatacept, 1 mg | Procedure | HCPCS |
| C9436 | Azathioprine, parenteral, brand name, per 100 mg | Procedure | HCPCS |
| C9438 | Cyclosporine, oral, 100 mg, brand name | Procedure | HCPCS |
| C9487 | Ustekinumab, for intravenous injection, 1 mg | Procedure | HCPCS |
| C9494 | Injection, ocrelizumab, 1 mg | Procedure | HCPCS |
| J0129 | Injection, abatacept, 10 mg (code may be used for Medicare when drug administered under the direct supervision of a physician, not for use when drug is self-administered) | Procedure | HCPCS |
| J0135 | Injection, adalimumab, 20 mg | Procedure | HCPCS |
| J0202 | Injection, alemtuzumab, 1 mg | Procedure | HCPCS |
| J0215 | Injection, alefacept, 0.5 mg | Procedure | HCPCS |
| J0480 | Injection, basiliximab, 20 mg | Procedure | HCPCS |
| J0485 | Injection, belatacept, 1 mg | Procedure | HCPCS |
| J0490 | Injection, belimumab, 10 mg | Procedure | HCPCS |
| J0638 | Injection, canakinumab, 1 mg | Procedure | HCPCS |
| J0638 | Injection, canakinumab, 1 mg | Procedure | HCPCS |
| J0717 | Injection, certolizumab pegol, 1 mg (code may be used for Medicare when drug administered under the direct supervision of a physician, not for use when drug is self-administered) | Procedure | HCPCS |

Appendix L. List of International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Obstetric-related Medications

| Code | Description | Code | |
|-------|--|-----------|-----------|
| | | Category | Code Type |
| J0718 | Injection, certolizumab pegol, 1 mg | Procedure | HCPCS |
| J1300 | Injection, eculizumab, 10 mg | Procedure | HCPCS |
| J1303 | Injection, ravulizumab-cwvz, 10 mg | Procedure | HCPCS |
| J1438 | Injection, etanercept, 25 mg (code may be used for Medicare when drug administered under the direct supervision of a physician, not for use when drug is self-administered) | Procedure | HCPCS |
| J1595 | Injection, glatiramer acetate, 20 mg | Procedure | HCPCS |
| J1600 | Injection, gold sodium thiomalate, up to 50 mg | Procedure | HCPCS |
| J1602 | Injection, golimumab, 1 mg, for intravenous use | Procedure | HCPCS |
| J1628 | Injection, guselkumab, 1 mg | Procedure | HCPCS |
| J1745 | Injection, infliximab, excludes biosimilar, 10 mg | Procedure | HCPCS |
| J1825 | Injection, interferon beta-1a, 33 mcg | Procedure | HCPCS |
| J1826 | Injection, interferon beta-1a, 30 mcg | Procedure | HCPCS |
| J1830 | Injection interferon beta-1b, 0.25 mg (code may be used for Medicare when drug administered under the direct supervision of a physician, not for use when drug is self-administered) | Procedure | HCPCS |
| J2323 | Injection, natalizumab, 1 mg | Procedure | HCPCS |
| J2350 | Injection, ocrelizumab, 1 mg | Procedure | HCPCS |
| J2504 | Injection, pegademase bovine, 25 IU | Procedure | HCPCS |
| J2793 | Injection, riloncept, 1 mg | Procedure | HCPCS |
| J2860 | Injection, siltuximab, 10 mg | Procedure | HCPCS |
| J2910 | Injection, aurothioglucose, up to 50 mg | Procedure | HCPCS |
| J3245 | Injection, tildrakizumab, 1 mg | Procedure | HCPCS |
| J3262 | Injection, tocilizumab, 1 mg | Procedure | HCPCS |
| J3357 | Ustekinumab, for subcutaneous injection, 1 mg | Procedure | HCPCS |
| J3358 | Ustekinumab, for intravenous injection, 1 mg | Procedure | HCPCS |
| J3380 | Injection, vedolizumab, 1 mg | Procedure | HCPCS |
| J7500 | Azathioprine, oral, 50 mg | Procedure | HCPCS |
| J7500 | Azathioprine, oral, 50 mg | Procedure | HCPCS |
| J7501 | Azathioprine, parenteral, 100 mg | Procedure | HCPCS |
| J7502 | Cyclosporine, oral, 100 mg | Procedure | HCPCS |
| J7503 | Tacrolimus, extended release, (Envarsus XR), oral, 0.25 mg | Procedure | HCPCS |
| J7505 | Muromonab-CD3, parenteral, 5 mg | Procedure | HCPCS |
| J7507 | Tacrolimus, immediate release, oral, 1 mg | Procedure | HCPCS |
| J7508 | Tacrolimus, extended release, (Astagraf XL), oral, 0.1 mg | Procedure | HCPCS |
| J7511 | Lymphocyte immune globulin, antithymocyte globulin, rabbit, parenteral, 25 mg | Procedure | HCPCS |
| J7513 | Daclizumab, parenteral, 25 mg | Procedure | HCPCS |
| J7515 | Cyclosporine, oral, 25 mg | Procedure | HCPCS |
| J7516 | Cyclosporine, parenteral, 250 mg | Procedure | HCPCS |
| J7517 | Mycophenolate mofetil, oral, 250 mg | Procedure | HCPCS |
| J7520 | Sirolimus, oral, 1 mg | Procedure | HCPCS |
| J7525 | Tacrolimus, parenteral, 5 mg | Procedure | HCPCS |
| J8610 | Methotrexate; oral, 2.5 mg | Procedure | HCPCS |
| J9027 | Injection, clofarabine, 1 mg | Procedure | HCPCS |
| J9210 | Injection, emapalumab-lzsg, 1 mg | Procedure | HCPCS |
| J9212 | Injection, interferon alfacon-1, recombinant, 1 mcg | Procedure | HCPCS |
| J9213 | Injection, interferon, alfa-2a, recombinant, 3 million units | Procedure | HCPCS |
| J9214 | Injection, interferon, alfa-2b, recombinant, 1 million units | Procedure | HCPCS |
| J9215 | Injection, interferon, alfa-N3, (human leukocyte derived), 250,000 IU | Procedure | HCPCS |
| J9216 | Injection, interferon, gamma 1-b, 3 million units | Procedure | HCPCS |

Appendix L. List of International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Obstetric-related Medications

| Code | Description | Code | |
|---|---|-----------|------------|
| | | Category | Code Type |
| J9250 | Methotrexate sodium, 5 mg | Procedure | HCPCS |
| J9260 | Methotrexate sodium, 50 mg | Procedure | HCPCS |
| K0119 | Azathioprine, oral, tab, 50 mg | Procedure | HCPCS |
| K0120 | Azathioprine, parenteral, 100 mg | Procedure | HCPCS |
| K0122 | Cyclosporine, parenteral, 250 mg | Procedure | HCPCS |
| K0412 | Mycophenolate mofetil, oral, 250 mg (CellCept) | Procedure | HCPCS |
| Q2010 | Injection, glatiramer acetate, per dose | Procedure | HCPCS |
| Q2012 | Injection, pegademase bovine, 25 IU | Procedure | HCPCS |
| Q2019 | Injection, basiliximab, 20 mg | Procedure | HCPCS |
| Q2044 | Injection, belimumab, 10 mg | Procedure | HCPCS |
| Q3025 | Injection, interferon beta-1a, 11 mcg for intramuscular use | Procedure | HCPCS |
| Q3026 | Injection, interferon beta-1a, 11 mcg for subcutaneous use | Procedure | HCPCS |
| Q3027 | Injection, interferon beta-1a, 1 mcg for intramuscular use | Procedure | HCPCS |
| Q3028 | Injection, interferon beta-1a, 1 mcg for subcutaneous use | Procedure | HCPCS |
| Q4079 | Injection, natalizumab, 1 mg | Procedure | HCPCS |
| Q5102 | Injection, infliximab, biosimilar, 10 mg | Procedure | HCPCS |
| Q5103 | Injection, infliximab-dyyb, biosimilar, (Inflectra), 10 mg | Procedure | HCPCS |
| Q5104 | Injection, infliximab-abda, biosimilar, (Renflexis), 10 mg | Procedure | HCPCS |
| Q5109 | Injection, infliximab-qbtx, biosimilar, (Ixifi), 10 mg | Procedure | HCPCS |
| Q5121 | Injection, infliximab-axxq, biosimilar, (AVSOLA), 10 mg | Procedure | HCPCS |
| Q9989 | Ustekinumab, for intravenous injection, 1 mg | Procedure | HCPCS |
| S0145 | Injection, pegylated interferon alfa-2a, 180 mcg per ml | Procedure | HCPCS |
| S0146 | Injection, pegylated interferon alfa-2b, 10 mcg per 0.5 ml | Procedure | HCPCS |
| S0148 | Injection, pegylated interferon alfa-2B, 10 mcg | Procedure | HCPCS |
| S0162 | Injection, efalizumab, 125 mg | Procedure | HCPCS |
| S0176 | Hydroxyurea, oral, 500 mg | Procedure | HCPCS |
| S0193 | Injection alefacept, 7.5 mg (includes dose packaging) | Procedure | HCPCS |
| XW033G5 | Introduction of Sarilumab into Peripheral Vein, Percutaneous Approach, New Technology Group 5 | Procedure | ICD-10-PCS |
| XW043G5 | Introduction of Sarilumab into Central Vein, Percutaneous Approach, New Technology Group 5 | Procedure | ICD-10-PCS |
| Medicines for obstructive airway disease | | | |
| C9466 | Injection, benralizumab, 1 mg | Procedure | HCPCS |
| J0517 | Injection, benralizumab, 1 mg | Procedure | HCPCS |
| J2182 | Injection, mepolizumab, 1 mg | Procedure | HCPCS |
| J2357 | Injection, omalizumab, 5 mg | Procedure | HCPCS |
| J2786 | Injection, reslizumab, 1 mg | Procedure | HCPCS |
| J3105 | Injection, terbutaline sulfate, up to 1 mg | Procedure | HCPCS |
| J7680 | Terbutaline sulfate, inhalation solution, compounded product, administered through DME, concentrated form, per mg | Procedure | HCPCS |
| J7681 | Terbutaline sulfate, inhalation solution, compounded product, administered through DME, unit dose form, per mg | Procedure | HCPCS |
| J2810 | Injection, theophylline, per 40 mg | Procedure | HCPCS |
| J0280 | Aminophyllin 250mg injection | Procedure | HCPCS |
| Nasal preparations | | | |
| J1200 | Injection, diphenhydramine hcl, up to 50 mg | Procedure | HCPCS |
| Psychoanaleptics | | | |
| C9055 | Injection, brexanolone, 1 mg | Procedure | HCPCS |
| J0364 | Injection, apomorphine HCl, 1 mg | Procedure | HCPCS |

Appendix L. List of International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Obstetric-related Medications

| Code | Description | Code | |
|----------------------|---|-----------|-----------|
| | | Category | Code Type |
| J0515 | Injection, benztropine mesylate, per 1 mg | Procedure | HCPCS |
| J1632 | Injection, brexanolone, 1 mg | Procedure | HCPCS |
| Psycholeptics | | | |
| C9035 | Injection, aripiprazole lauroxil (Aristada Initio), 1 mg | Procedure | HCPCS |
| C9037 | Injection, risperidone (Perseris), 0.5 mg | Procedure | HCPCS |
| J0400 | Injection, aripiprazole, intramuscular, 0.25 mg | Procedure | HCPCS |
| J0401 | Injection, aripiprazole, extended release, 1 mg | Procedure | HCPCS |
| J1631 | Injection, haloperidol decanoate, per 50 mg | Procedure | HCPCS |
| J1790 | Injection, droperidol, up to 5 mg | Procedure | HCPCS |
| J1810 | Injection, droperidol and fentanyl citrate, up to 2 ml ampule | Procedure | HCPCS |
| J1942 | Injection, aripiprazole lauroxil, 1 mg | Procedure | HCPCS |
| J1943 | Injection, aripiprazole lauroxil, (Aristada Initio), 1 mg | Procedure | HCPCS |
| J1944 | Injection, aripiprazole lauroxil, (Aristada), 1 mg | Procedure | HCPCS |
| J2060 | Injection, lorazepam, 2 mg | Procedure | HCPCS |
| J2250 | Injection, midazolam HCl, per 1 mg | Procedure | HCPCS |
| J0400 | Injection, aripiprazole, intramuscular, 0.25 mg | Procedure | HCPCS |
| J0401 | Injection, aripiprazole, extended release, 1 mg | Procedure | HCPCS |
| C9035 | Injection, aripiprazole lauroxil (aristada initio), 1 mg | Procedure | HCPCS |
| J2358 | Injection, olanzapine, long-acting, 1 mg | Procedure | HCPCS |
| J2426 | Injection, paliperidone palmitate extended release, 1 mg | Procedure | HCPCS |
| J2515 | Injection, pentobarbital sodium, per 50 mg | Procedure | HCPCS |
| J2560 | Injection, phenobarbital sodium, up to 120 mg | Procedure | HCPCS |
| J2680 | Injection, fluphenazine decanoate, up to 25 mg | Procedure | HCPCS |
| J2794 | Injection, risperidone (RISPERDAL CONSTA), 0.5 mg | Procedure | HCPCS |
| J2798 | Injection, risperidone, (Perseris), 0.5 mg | Procedure | HCPCS |
| J3230 | Injection, chlorpromazine HCl, up to 50 mg | Procedure | HCPCS |
| J3360 | Injection, diazepam, up to 5 mg | Procedure | HCPCS |
| J3410 | Injection, hydroxyzine HCl, up to 25 mg | Procedure | HCPCS |
| J3486 | Injection, ziprasidone mesylate, 10 mg | Procedure | HCPCS |
| S0166 | Injection, olanzapine, 2.5 mg | Procedure | HCPCS |
| J0300 | Injection, amobarbital, up to 125 mg | Procedure | HCPCS |
| J1630 | Injection, haloperidol, up to 5 mg | Procedure | HCPCS |

Appendix M. List of Generic Names of Medical Products Used to Define Potential COVID-19 Medications

Generic Name

Angiotensin-converting Enzyme Inhibitors (ACEI) or Angiotensin Receptor Blockers (ARB)

amlodipine besylate/benazepril HCl
 amlodipine besylate/olmesartan medoxomil
 amlodipine besylate/valsartan
 amlodipine besylate/valsartan/hydrochlorothiazide
 azilsartan medoxomil
 azilsartan medoxomil/chlorthalidone
 benazepril HCl
 benazepril HCl/hydrochlorothiazide
 candesartan cilexetil
 candesartan cilexetil/hydrochlorothiazide
 captopril
 captopril/hydrochlorothiazide
 enalapril maleate
 enalapril maleate/hydrochlorothiazide
 enalaprilat dihydrate
 eprosartan mesylate
 fosinopril sodium
 fosinopril sodium/hydrochlorothiazide
 irbesartan
 irbesartan/hydrochlorothiazide
 lisinopril
 lisinopril/hydrochlorothiazide
 losartan potassium
 losartan potassium/hydrochlorothiazide
 moexipril HCl
 moexipril HCl/hydrochlorothiazide
 nebivolol HCl/valsartan
 olmesartan medoxomil
 olmesartan medoxomil/amlodipine besylate/hydrochlorothiazide
 olmesartan medoxomil/hydrochlorothiazide
 perindopril arginine/amlodipine besylate
 perindopril erbumine
 quinapril HCl
 quinapril HCl/hydrochlorothiazide
 ramipril
 sacubitril/valsartan
 telmisartan
 telmisartan/amlodipine besylate
 telmisartan/hydrochlorothiazide
 trandolapril
 trandolapril/verapamil HCl
 valsartan
 valsartan/hydrochlorothiazide

Azithromycin

azithromycin

Baricitinib

baricitinib

Chloroquine

chloroquine phosphate

Corticosteroids (inhaled)

BECLOMETHASONE DIPROP
 BECLOMETHASONE DIPROP HFA BREATH ACT INH AER 40 MCG/ACT

Appendix M. List of Generic Names of Medical Products Used to Define Potential COVID-19 Medications

Generic Name

BECLOMETHASONE DIPROPIONATE
 BUDESONIDE
 BUDESONIDE INHALATION SUSP 0.25 MG/2ML
 BUDESONIDE INHALATION SUSP 0.5 MG/2ML
 BUDESONIDE/FORMOTEROL FUMARATE
 BUDESONIDE/FORMOTEROL FUMARATE DIHYD
 BUDESONIDE/GLYCOPYRROLATE/FORMOTEROL FUMARATE
 CICLESONIDE
 FLUNISOLIDE
 FLUNISOLIDE/MENTHOL
 FLUTICASONE FUROATE
 FLUTICASONE FUROATE/UMECLIDINIUM BROMIDE/VILANTEROL TRIFENAT
 FLUTICASONE FUROATE/VILANTEROL
 FLUTICASONE FUROATE/VILANTEROL TRIFENATATE
 FLUTICASONE PROPIONATE
 FLUTICASONE PROPIONATE HFA INHAL AER 220 MCG/ACT (250/VALVE)
 FLUTICASONE PROPIONATE HFA INHAL AERO 44 MCG/ACT (50/VALVE)
 FLUTICASONE PROPIONATE/SALMETEROL XINAFOATE
 FLUTICASONE/SALMETEROL
 FLUTICASONE/SALMETEROL INHAL
 MOMETASONE FUROATE
 MOMETASONE FUROATE/FORMOTEROL FUMARATE
 TRIAMCINOLONE ACETONIDE

Corticosteroids (other)

BETAMETHASONE
 BETAMETHASONE ACETATE AND SODIUM PHOS IN STERILE WATER/PF
 BETAMETHASONE ACETATE/BETAMETHASONE SODIUM PHOSPHATE
 BETAMETHASONE ACETATE/BETAMETHASONE SODIUM PHOSPHATE/WATER
 BETAMETHASONE ACETATE/SOD PHOSPHATE
 BETAMETHASONE SOD PHOS/ACE
 BETAMETHASONE SOD PHOS/ACET INJ
 BETAMETHASONE SOD PHOSPHATE/ACETATE
 BETAMETHASONE SODIUM PHOSPH IN STERILE WATER FOR INJECTION
 BETAMETHASONE SODIUM PHOSPHATE
 BUPIVACAINE HCL/DEXAMETHASONE SODIUM PHOS IN STERILE WATER
 CORTISONE ACETATE
 DEXAMETH/BUPIV/EPI 0.01%/0.375%/1:200000 INJ
 DEXAMETHASONE
 DEXAMETHASONE ACETATE
 DEXAMETHASONE ACETATE AND SODIUM PHOSPHATE IN STERILE WATER
 DEXAMETHASONE ACETATE IN SODIUM CHLORIDE, ISO/OSMOTIC
 DEXAMETHASONE ACETATE/SOD PHOSPHATE
 DEXAMETHASONE PF
 DEXAMETHASONE SOD PHOS PF
 DEXAMETHASONE SOD PHOS PF INJ 10 MG/ML/BUPIV 0.25%
 DEXAMETHASONE SOD PHOS/DEXTROSE IV
 DEXAMETHASONE SOD PHOS/NACL IV
 DEXAMETHASONE SOD PHOSPHATE
 DEXAMETHASONE SOD PHOSPHATE PRESERVATIVE FREE
 DEXAMETHASONE SODIUM PHOSPHATE
 DEXAMETHASONE SODIUM PHOSPHATE IN 0.9 % SODIUM CHLORIDE
 DEXAMETHASONE SODIUM PHOSPHATE INJ 10 MG/ML
 DEXAMETHASONE SODIUM PHOSPHATE IV

Appendix M. List of Generic Names of Medical Products Used to Define Potential COVID-19 Medications

Generic Name

DEXAMETHASONE SODIUM PHOSPHATE PF INJ 10 MG/ML
 DEXAMETHASONE SODIUM PHOSPHATE/LIDOCAINE HCL
 DEXAMETHASONE SODIUM PHOSPHATE/PF
 DEXAMETHASONE/SALIVA COLLECTION DEVICE
 FLUDROCORTISONE ACETATE
 HYDROCORTISONE
 HYDROCORTISONE SOD SUCCINATE
 HYDROCORTISONE SODIUM PHOSPHATE
 HYDROCORTISONE SODIUM SUCCINATE
 HYDROCORTISONE SODIUM SUCCINATE PF
 HYDROCORTISONE SODIUM SUCCINATE/PF
 METHYLPREDNISOLONE
 METHYLPREDNISOLONE ACE 40 MG/ML/BUPIVACAINE
 METHYLPREDNISOLONE ACE/LIDOCAINE
 METHYLPREDNISOLONE ACETATE
 METHYLPREDNISOLONE ACETATE IN SODIUM CHLORIDE,ISO/OSMOTIC/PF
 METHYLPREDNISOLONE ACETATE IN STERILE WATER FOR INJECTION
 METHYLPREDNISOLONE ACETATE W/ LIDOCAINE
 METHYLPREDNISOLONE ACETATE/BUPIVACAINE HCL
 METHYLPREDNISOLONE ACETATE/BUPIVACAINE HCL IN STERILE WATER
 METHYLPREDNISOLONE INJ 40 MG/ML/LIDOCAINE INJ 1%
 METHYLPREDNISOLONE SOD SUCC
 METHYLPREDNISOLONE SODIUM SUCCINATE
 METHYLPREDNISOLONE SODIUM SUCCINATE/PF
 PREDNISOLONE
 PREDNISOLONE ACETATE
 PREDNISOLONE SOD PHOS ORALLY DISINTEGR
 PREDNISOLONE SOD PHOSPH ORAL
 PREDNISOLONE SOD PHOSPHATE
 PREDNISOLONE SOD PHOSPHATE ORAL
 PREDNISOLONE SODIUM PHOSPHATE
 PREDNISOLONE SODIUM PHOSPHATE/PEAK FLOW METER
 PREDNISOLONE SYRUP 15 MG/5ML (USP SOLUTION EQUIVALENT)
 PREDNISON
 PREDNISON ORAL
 PREDNISON TAB 3 X 50 MG/DIPHENHYDRAMINE CAP 1 X 50 MG KIT
 TRIAMCINOLONE
 TRIAMCINOLONE ACETONIDE
 TRIAMCINOLONE ACETONIDE IN 0.9 % SODIUM CHLORIDE
 TRIAMCINOLONE ACETONIDE/0.9% SODIUM CHLORIDE/PF
 TRIAMCINOLONE ACETONIDE/BUPIVACAINE/ IN 0.9% SODIUM CHLORIDE
 TRIAMCINOLONE ACETONIDE/LIDOCAINE
 TRIAMCINOLONE ACETONIDE/LIDOCAINE HCL
 TRIAMCINOLONE DIACETATE
 TRIAMCINOLONE DIACETATE IN 0.9 % SODIUM CHLORIDE
 TRIAMCINOLONE DIACETATE IN 0.9 % SODIUM CHLORIDE/PF
 TRIAMCINOLONE HEXACETONIDE
 TRIAMCINOLONE INJ 10 MG/ML/LIDOCAINE HCL INJ 2%
 TRIAMCINOLONE INJ 40 MG/ML/BUPIV 0.5%/LIDO 1%
 TRIAMCINOLONE INJ 40 MG/ML/BUPIV 0.5%/LIDO 2%
 TRIAMCINOLONE INJ 40 MG/ML/LIDOCAINE HCL INJ 2%

Hydroxychloroquine

hydroxychloroquine sulfate

Appendix M. List of Generic Names of Medical Products Used to Define Potential COVID-19 Medications

| Generic Name |
|---|
| Interferon-beta |
| anakinra canakinumab/PF colchicine eculizumab interferon beta-1a interferon beta-1a/albumin human interferon beta-1b peginterferon beta-1a |
| Interleukin 6 inhibitors |
| sarilumab siltuximab tocilizumab |
| Lopinavir / Ritonavir |
| lopinavir/ritonavir |
| Methylprednisolone |
| methylprednisolone acetate methylprednisolone acetate in sodium chloride,iso-osmotic/PF methylprednisolone acetate in sterile water for injection methylprednisolone acetate/bupivacaine HCl in sterile water methylprednisolone sodium succinate methylprednisolone sodium succinate/PF |
| Monoclonal antibody |
| bamlanivimab casirivimab (REGN10933) etesevimab imdevimab (REGN10987) Sotrovimab |
| NSAIDs (other) |
| diclofenac potassium diclofenac sodium diclofenac sodium/misoprostol diclofenac submicronized etodolac fenoprofen calcium flurbiprofen hydrocodone/ibuprofen ibuprofen ibuprofen/acetaminophen ibuprofen/diphenhydramine citrate ibuprofen/diphenhydramine HCl ibuprofen/famotidine ibuprofen/oxycodone HCl indomethacin indomethacin, submicronized ketoprofen ketorolac tromethamine meclufenamate sodium mefenamic acid meloxicam meloxicam, submicronized nabumetone naproxen sodium |

Appendix M. List of Generic Names of Medical Products Used to Define Potential COVID-19 Medications

Generic Name

naproxen sodium/diphenhydramine HCl

naproxen/esomeprazole magnesium

oxaprozin

piroxicam

sulindac

tolmetin sodium

Prednisolone

prednisolone

prednisolone sodium phosphate

Remdesivir

remdesivir

Appendix N. List of International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS) and Healthcare Common Procedure Coding System (HCPCS) Codes Used to Define Potential COVID-19 Medications

| Code | Description | Code Category | Code Type |
|----------------------------------|--|----------------------|------------------|
| Azithromycin | | | |
| J0456 | Injection, azithromycin, 500 mg | Procedure | HCPCS |
| Q0144 | Azithromycin dihydrate, oral, capsules/powder, 1 g | Procedure | HCPCS |
| Baricitinib | | | |
| XW0DXM6 | Introduction of Baricitinib into Mouth and Pharynx, External Approach, New Technology Group 6 | Procedure | ICD-10-PCS |
| XW0G7M6 | Introduction of Baricitinib into Upper GI, Via Natural or Artificial Opening, New Technology Group 6 | Procedure | ICD-10-PCS |
| XW0H7M6 | Introduction of Baricitinib into Lower GI, Via Natural or Artificial Opening, New Technology Group 6 | Procedure | ICD-10-PCS |
| Chloroquine | | | |
| J0390 | Injection, chloroquine HCl, up to 250 mg | Procedure | HCPCS |
| Corticosteroids (inhaled) | | | |
| J7637 | Dexamethasone, inhalation solution, compounded product, administered through DME, concentrated form, per mg | Procedure | HCPCS |
| J7641 | Flunisolide, inhalation solution, compounded product, administered through DME, unit dose, per mg | Procedure | HCPCS |
| J7622 | Beclomethasone, inhalation solution, compounded product, administered through DME, unit dose form, per mg | Procedure | HCPCS |
| J7684 | Triamcinolone, inhalation solution, compounded product, administered through DME, unit dose form, per mg | Procedure | HCPCS |
| J7626 | Budesonide, inhalation solution, FDA-approved final product, noncompounded, administered through DME, unit dose form, up to 0.5 mg | Procedure | HCPCS |
| J7624 | Betamethasone, inhalation solution, compounded product, administered through DME, unit dose form, per mg | Procedure | HCPCS |
| J7627 | Budesonide, inhalation solution, compounded product, administered through DME, unit dose form, up to 0.5 mg | Procedure | HCPCS |
| J7633 | Budesonide, inhalation solution, FDA-approved final product, noncompounded, administered through DME, concentrated form, per 0.25 mg | Procedure | HCPCS |
| J7634 | Budesonide, inhalation solution, compounded product, administered through DME, concentrated form, per 0.25 mg | Procedure | HCPCS |
| J7638 | Dexamethasone, inhalation solution, compounded product, administered through DME, unit dose form, per mg | Procedure | HCPCS |
| J7401 | Mometasone furoate sinus implant, 10 mcg | Procedure | HCPCS |
| J7683 | Triamcinolone, inhalation solution, compounded product, administered through DME, concentrated form, per mg | Procedure | HCPCS |
| Corticosteroids (other) | | | |
| J3302 | Injection, triamcinolone diacetate, per 5 mg | Procedure | HCPCS |
| J7509 | Methylprednisolone, oral, per 4 mg | Procedure | HCPCS |
| J1020 | Injection, methylprednisolone acetate, 20 mg | Procedure | HCPCS |
| J7684 | Triamcinolone, inhalation solution, compounded product, administered through DME, unit dose form, per mg | Procedure | HCPCS |
| J8540 | Dexamethasone, oral, 0.25 mg | Procedure | HCPCS |
| J7624 | Betamethasone, inhalation solution, compounded product, administered through DME, unit dose form, per mg | Procedure | HCPCS |
| J3300 | Injection, triamcinolone acetonide, preservative free, 1 mg | Procedure | HCPCS |
| J1030 | Injection, methylprednisolone acetate, 40 mg | Procedure | HCPCS |
| J2650 | Injection, prednisolone acetate, up to 1 ml | Procedure | HCPCS |
| J3304 | Injection, triamcinolone acetonide, preservative-free, extended-release, microsphere formulation, 1 mg | Procedure | HCPCS |

Appendix N. List of International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS) and Healthcare Common Procedure Coding System (HCPCS) Codes Used to Define Potential COVID-19 Medications

| Code | Description | Code Category | Code Type |
|---------------------------------|--|----------------------|------------------|
| J7510 | Prednisolone, oral, per 5 mg | Procedure | HCPCS |
| J0702 | Injection, betamethasone acetate 3 mg and betamethasone sodium phosphate 3 mg | Procedure | HCPCS |
| J2920 | Injection, methylprednisolone sodium succinate, up to 40 mg | Procedure | HCPCS |
| J1100 | Injection, dexamethasone sodium phosphate, 1 mg | Procedure | HCPCS |
| J1700 | Injection, hydrocortisone acetate, up to 25 mg | Procedure | HCPCS |
| J1720 | Injection, hydrocortisone sodium succinate, up to 100 mg | Procedure | HCPCS |
| J2930 | Injection, methylprednisolone sodium succinate, up to 125 mg | Procedure | HCPCS |
| J1040 | Injection, methylprednisolone acetate, 80 mg | Procedure | HCPCS |
| J1094 | Injection, dexamethasone acetate, 1 mg | Procedure | HCPCS |
| J1710 | Injection, hydrocortisone sodium phosphate, up to 50 mg | Procedure | HCPCS |
| J3301 | Injection, triamcinolone acetonide, not otherwise specified, 10 mg | Procedure | HCPCS |
| J7512 | Prednisone, immediate release or delayed release, oral, 1 mg | Procedure | HCPCS |
| J7683 | Triamcinolone, inhalation solution, compounded product, administered through DME, concentrated form, per mg | Procedure | HCPCS |
| J3303 | Injection, triamcinolone hexacetonide, per 5 mg | Procedure | HCPCS |
| Interferon-beta | | | |
| J0638 | Injection, canakinumab, 1 mg | Procedure | HCPCS |
| J1825 | Injection, interferon beta-1a, 33 mcg | Procedure | HCPCS |
| J1826 | Injection, interferon beta-1a, 30 mcg | Procedure | HCPCS |
| J1830 | Injection interferon beta-1b, 0.25 mg (code may be used for Medicare when drug administered under the direct supervision of a physician, not for use when drug is self-administered) | Procedure | HCPCS |
| Q3027 | Injection, interferon beta-1a, 1 mcg for intramuscular use | Procedure | HCPCS |
| Q3028 | Injection, interferon beta-1a, 1 mcg for subcutaneous use | Procedure | HCPCS |
| J1300 | Injection, eculizumab, 10 mg | Procedure | HCPCS |
| Interleukin 6 inhibitors | | | |
| J3262 | Injection, tocilizumab, 1 mg | Procedure | HCPCS |
| J2860 | Injection, siltuximab, 10mg | Procedure | HCPCS |
| XW033G5 | Introduction of Sarilumab into Peripheral Vein, Percutaneous Approach, New Technology Group 5 | Procedure | ICD-10-PCS |
| XW043G5 | Introduction of Sarilumab into Central Vein, Percutaneous Approach, New Technology Group 5 | Procedure | ICD-10-PCS |
| Methylprednisolone | | | |
| J1020 | Injection, methylprednisolone acetate, 20 mg | Procedure | HCPCS |
| J1030 | Injection, methylprednisolone acetate, 40 mg | Procedure | HCPCS |
| J1040 | Injection, methylprednisolone acetate, 80 mg | Procedure | HCPCS |
| J2920 | Injection, methylprednisolone sodium succinate, up to 40 mg | Procedure | HCPCS |
| J2930 | Injection, methylprednisolone sodium succinate, up to 125 mg | Procedure | HCPCS |
| J7509 | Methylprednisolone, oral, per 4 mg | Procedure | HCPCS |
| Monoclonal antibody | | | |
| Q0245 | Injection, bamlanivimab and etesevimab, 2100 mg | Procedure | HCPCS |
| M0245 | Intravenous infusion, bamlanivimab and etesevimab, includes infusion and post administration monitoring | Procedure | HCPCS |
| M0246 | Intravenous infusion, bamlanivimab and etesevimab, includes infusion and post administration monitoring in the home or residence | Procedure | HCPCS |
| Q0239 | Injection, bamlanivimab-xxxx, 700 mg | Procedure | HCPCS |
| M0239 | intravenous infusion, bamlanivimab-xxxx, includes infusion and post administration monitoring | Procedure | HCPCS |

Appendix N. List of International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS) and Healthcare Common Procedure Coding System (HCPCS) Codes Used to Define Potential COVID-19 Medications

| Code | Description | Code | |
|-------------------|---|-----------|------------|
| | | Category | Code Type |
| XW033F6 | Introduction of Bamlanivimab Monoclonal Antibody into Peripheral Vein, Percutaneous Approach, New Technology Group 6 | Procedure | ICD-10-PCS |
| XW043F6 | Introduction of Bamlanivimab Monoclonal Antibody into Central Vein, Percutaneous Approach, New Technology Group 6 | Procedure | ICD-10-PCS |
| Q0243 | Injection, casirivimab and imdevimab, 2400 mg | Procedure | HCPCS |
| Q0244 | Injection, casirivimab and imdevimab, 1200 mg | Procedure | HCPCS |
| M0243 | intravenous infusion, casirivimab and imdevimab includes infusion and post administration monitoring | Procedure | HCPCS |
| M0244 | Intravenous infusion or subcutaneous injection, casirivimab and imdevimab includes infusion or injection, and post administration monitoring in the home or residence | Procedure | HCPCS |
| XW033G6 | Introduction of REGN-COV2 monoclonal antibody into peripheral vein, percutaneous approach, new technology group 6 | Procedure | ICD-10-PCS |
| XW043G6 | Introduction of REGN-COV2 monoclonal antibody into central vein, percutaneous approach, new technology group 6 | Procedure | ICD-10-PCS |
| Q0247 | Injection, sotrovimab, 500 mg | Procedure | HCPCS |
| M0247 | Intravenous infusion, sotrovimab, includes infusion and post administration monitoring | Procedure | HCPCS |
| M0248 | Intravenous infusion, sotrovimab, includes infusion and post administration monitoring in the home or residence | Procedure | HCPCS |
| Remdesivir | | | |
| XW033E5 | Introduction of Remdesivir Anti-infective into Peripheral Vein, Percutaneous Approach, New Technology Group 5 | Procedure | ICD-10-PCS |
| XW043E5 | Introduction of Remdesivir Anti-infective into Central Vein, Percutaneous Approach, New Technology Group 5 | Procedure | ICD-10-PCS |

Appendix O. List of Generic and Brand Names of Medical Products Used to Define Vaccinations

| Generic Name | Brand Name |
|--|--------------------------------|
| Influenza A vaccination | |
| flu vaccine quad 2018-2019(4 years and older)cell derived/PF | EZ Flu 2018-19(Flucelvax)(PF) |
| flu vaccine quad 2018-2019(4 years and older)cell derived/PF | Flucelvax Quad 2018-2019 (PF) |
| flu vaccine quad 2019-2020(4 years and older)cell derived/PF | Flucelvax Quad 2019-2020 (PF) |
| flu vaccine quad 2020-2021(4 years and older)cell derived/PF | Flucelvax Quad 2020-2021 (PF) |
| flu vaccine quadriv 2018-2019(4 years and older)cell derived | Flucelvax Quad 2018-2019 |
| flu vaccine quadriv 2019-2020(4 years and older)cell derived | Flucelvax Quad 2019-2020 |
| flu vaccine quadriv 2020-2021(4 years and older)cell derived | Flucelvax Quad 2020-2021 |
| influenza vaccine quadrivalent live 2018-2019 (2 yrs-49 yrs) | Flumist Quad 2018-2019 |
| influenza vaccine quadrivalent live 2019-2020 (2 yrs-49 yrs) | Flumist Quad 2019-2020 |
| influenza vaccine quadrivalent live 2020-2021 (2 yrs-49 yrs) | Flumist Quad 2020-2021 |
| influenza vaccine tvs 2019-20 (65 yr up)/adjuvant MF59C.1/PF | Fluad 2019-2020 (65 yr up)(PF) |
| influenza virus vacc quad 2020 south hem (6 mos and up) | Fluzone Quad Southern Hem 2020 |
| influenza virus vacc quad 2020 south hem (6 mos and up)/PF | Fluzone Quad South Hem2020(PF) |
| influenza virus vacc quad 2021 south hem (6 months and up) | Fluzone Quad Southern Hem 2021 |
| influenza virus vacc quad 2021 south hem (6 mos and up)/PF | Fluzone Quad South Hem2021(PF) |
| influenza virus vaccine quadrival 2018-2019(6 mos and up)/PF | Afluria Quad 2018-2019 (PF) |
| influenza virus vaccine quadrival 2018-2019(6 mos and up)/PF | Fluarix Quad 2018-2019 (PF) |
| influenza virus vaccine quadrival 2018-2019(6 mos and up)/PF | Flulaval Quad 2018-2019 (PF) |
| influenza virus vaccine quadrival 2019-20 (6 mos-35 mos)/PF | Afluria Qd 2019-20(6-35mo)(PF) |
| influenza virus vaccine quadrival 2019-2020(6 mos and up)/PF | Fluarix Quad 2019-2020 (PF) |
| influenza virus vaccine quadrival 2019-2020(6 mos and up)/PF | Flulaval Quad 2019-2020 (PF) |
| influenza virus vaccine quadrival 2019-2020(6 mos and up)/PF | Fluzone Quad 2019-2020 (PF) |
| influenza virus vaccine quadrival 2020-2021(6 mos and up)/PF | Fluarix Quad 2020-2021 (PF) |
| influenza virus vaccine quadrival 2020-2021(6 mos and up)/PF | Flulaval Quad 2020-2021 (PF) |
| influenza virus vaccine quadrival 2020-2021(6 mos and up)/PF | Fluzone Quad 2020-2021 (PF) |
| influenza virus vaccine quadrival split 2020-21(65 yr up)/PF | Fluzone HighDose Quad 20-21 PF |
| influenza virus vaccine quadrivalent 2018-19 (36 mos up)/PF | Fluzone Quad 2018-2019 (PF) |
| influenza virus vaccine quadrivalent 2018-19 (6 mos and up) | Afluria Quad 2018-2019 |
| influenza virus vaccine quadrivalent 2018-19 (6 mos and up) | Flulaval Quad 2018-2019 |
| influenza virus vaccine quadrivalent 2018-19 (6 mos and up) | Fluzone Quad 2018-2019 |
| influenza virus vaccine quadrivalent 2019-20 (36 mos up)/PF | Afluria Qd 2019-20(3yr up)(PF) |
| influenza virus vaccine quadrivalent 2019-20 (6 mos and up) | Afluria Quad 2019-20(6mo up) |
| influenza virus vaccine quadrivalent 2019-20 (6 mos and up) | Flulaval Quad 2019-2020 |
| influenza virus vaccine quadrivalent 2019-20 (6 mos and up) | Fluzone Quad 2019-2020 |
| influenza virus vaccine quadrivalent 2020-21 (36 mos up)/PF | Afluria Qd 2020-21(3yr up)(PF) |
| influenza virus vaccine quadrivalent 2020-21 (6 mos and up) | Afluria Quad 2020-2021(6mo up) |
| influenza virus vaccine quadrivalent 2020-21 (6 mos and up) | Fluzone Quad 2020-2021 |
| influenza virus vaccine qv 2018-19(18 yrs and older)rcmb/PF | Flublok Quad 2018-2019 (PF) |
| influenza virus vaccine qv 2019-20(18 yrs and older)rcmb/PF | Flublok Quad 2019-2020 (PF) |
| influenza virus vaccine qv 2020-21(18 yrs and older)rcmb/PF | Flublok Quad 2020-2021 (PF) |
| influenza virus vaccine trival split 2018-2019(65 yr up)/PF | Fluzone High-Dose 2018-19 (PF) |
| influenza virus vaccine trivalent 2018-19 (6 mos and older) | Afluria 2018-2019 |
| influenza virus vaccine tvs 2018-2019(6 months and older)/PF | Afluria 2018-2019 (PF) |
| Pertussis vaccination | |
| diphtheria,pertussis(acellular),tetanus vaccine | Adacel(Tdap Adolesn/Adult)(PF) |
| diphtheria,pertussis(acellular),tetanus vaccine | Boostrix Tdap |
| Pneumococcal vaccination | |
| pneumococcal 13-valent conjugate vaccine (Diphtheria crm)/PF | Prevnar 13 (PF) |
| pneumococcal 23-valent polysaccharide vaccine | Pneumovax 23 |
| | Prevnar20 |

Appendix P. List of Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Vaccinations

| Code | Description | Code | |
|--------------------------------|--|-----------|-----------|
| | | Category | Code Type |
| Influenza A vaccination | | | |
| 90630 | Influenza virus vaccine, quadrivalent (IIV4), split virus, preservative free, for intradermal use | Procedure | CPT-4 |
| 90653 | Influenza vaccine, inactivated (IIV), subunit, adjuvanted, for intramuscular use | Procedure | CPT-4 |
| 90654 | Influenza virus vaccine, trivalent (IIV3), split virus, preservative-free, for intradermal use | Procedure | CPT-4 |
| 90656 | Influenza virus vaccine, trivalent (IIV3), split virus, preservative free, 0.5 mL dosage, for intramuscular use | Procedure | CPT-4 |
| 90658 | Influenza virus vaccine, trivalent (IIV3), split virus, 0.5 mL dosage, for intramuscular use | Procedure | CPT-4 |
| 90659 | Influenza virus vaccine, whole virus, for intramuscular or jet injection use | Procedure | CPT-4 |
| 90660 | Influenza virus vaccine, trivalent, live (LAIV3), for intranasal use | Procedure | CPT-4 |
| 90661 | Influenza virus vaccine, trivalent (ccIIV3), derived from cell cultures, subunit, preservative and antibiotic free, 0.5 mL dosage, for intramuscular use | Procedure | CPT-4 |
| 90662 | Influenza virus vaccine (IIV), split virus, preservative free, enhanced immunogenicity via increased antigen content, for intramuscular use | Procedure | CPT-4 |
| 90663 | Influenza virus vaccine, pandemic formulation, H1N1 | Procedure | CPT-4 |
| 90664 | Influenza virus vaccine, live (LAIV), pandemic formulation, for intranasal use | Procedure | CPT-4 |
| 90666 | Influenza virus vaccine (IIV), pandemic formulation, split virus, preservative free, for intramuscular use | Procedure | CPT-4 |
| 90667 | Influenza virus vaccine (IIV), pandemic formulation, split virus, adjuvanted, for intramuscular use | Procedure | CPT-4 |
| 90668 | Influenza virus vaccine (IIV), pandemic formulation, split virus, for intramuscular use | Procedure | CPT-4 |
| 90672 | Influenza virus vaccine, quadrivalent, live (LAIV4), for intranasal use | Procedure | CPT-4 |
| 90673 | Influenza virus vaccine, trivalent (RIV3), derived from recombinant DNA, hemagglutinin (HA) protein only, preservative and antibiotic free, for intramuscular use | Procedure | CPT-4 |
| 90674 | Influenza virus vaccine, quadrivalent (ccIIV4), derived from cell cultures, subunit, preservative and antibiotic free, 0.5 mL dosage, for intramuscular use | Procedure | CPT-4 |
| 90686 | Influenza virus vaccine, quadrivalent (IIV4), split virus, preservative free, 0.5 mL dosage, for intramuscular use | Procedure | CPT-4 |
| 90688 | Influenza virus vaccine, quadrivalent (IIV4), split virus, 0.5 mL dosage, for intramuscular use | Procedure | CPT-4 |
| 90682 | Influenza virus vaccine, quadrivalent (RIV4), derived from recombinant DNA, hemagglutinin (HA) protein only, preservative and antibiotic free, for intramuscular use | Procedure | CPT-4 |
| 90756 | Influenza virus vaccine, quadrivalent (ccIIV4), derived from cell cultures, subunit, antibiotic free, 0.5mL dosage, for intramuscular use | Procedure | CPT-4 |
| Q2033 | Influenza vaccine, recombinant hemagglutinin antigens, for intramuscular use (Flublok) | Procedure | HCPCS |
| Q2034 | Influenza virus vaccine, split virus, for intramuscular use (Agriflu) | Procedure | HCPCS |
| Q2035 | Influenza virus vaccine, split virus, when administered to individuals 3 years of age and older, for intramuscular use (AFLURIA) | Procedure | HCPCS |
| Q2036 | Influenza virus vaccine, split virus, when administered to individuals 3 years of age and older, for intramuscular use (FLULAVAL) | Procedure | HCPCS |
| Q2037 | Influenza virus vaccine, split virus, when administered to individuals 3 years of age and older, for intramuscular use (FLUVIRIN) | Procedure | HCPCS |

Appendix P. List of Healthcare Common Procedure Coding System (HCPCS), Current Procedural Terminology, Category II (CPT Category II), and Current Procedural Terminology, Fourth Edition (CPT-4) Codes Used to Define Vaccinations

| Code | Description | Code | |
|---------------------------------|---|-----------|-----------------|
| | | Category | Code Type |
| Q2038 | Influenza virus vaccine, split virus, when administered to individuals 3 years of age and older, for intramuscular use (Fluzone) | Procedure | HCPCS |
| 4037F | Influenza immunization ordered or administered (COPD, PV, CKD, ESRD)(IBD) | Procedure | CPT Category II |
| 4274F | Influenza immunization administered or previously received (HIV) (P-ESRD) | Procedure | CPT Category II |
| G0008 | Administration of influenza virus vaccine | Procedure | HCPCS |
| G8482 | Influenza immunization administered or previously received | Procedure | HCPCS |
| G8636 | Influenza immunization administered or previously received | Procedure | HCPCS |
| G9141 | Influenza A (H1N1) immunization administration (includes the physician counseling the patient/family) | Procedure | HCPCS |
| G9142 | Influenza A (H1N1) vaccine, any route of administration | Procedure | HCPCS |
| Q0034 | Administration of influenza vaccine to Medicare beneficiaries by participating demonstration sites | Procedure | HCPCS |
| Q2039 | Influenza virus vaccine, not otherwise specified | Procedure | HCPCS |
| G8639 | Influenza immunization was administered or previously received | Procedure | HCPCS |
| G8108 | Patient documented to have received influenza vaccination during influenza season | Procedure | HCPCS |
| Pertussis vaccination | | | |
| 90697 | Diphtheria, tetanus toxoids, acellular pertussis vaccine, inactivated poliovirus vaccine, Haemophilus influenzae type b PRP-OMP conjugate vaccine, and hepatitis B vaccine (DTaP-IPV-Hib-HepB), for intramuscular use | Procedure | CPT-4 |
| 90698 | Diphtheria, tetanus toxoids, acellular pertussis vaccine, Haemophilus influenzae type b, and inactivated poliovirus vaccine, (DTaP-IPV/Hib), for intramuscular use | Procedure | CPT-4 |
| 90715 | Tetanus, diphtheria toxoids and acellular pertussis vaccine (Tdap), when administered to individuals 7 years or older, for intramuscular use | Procedure | CPT-4 |
| 90723 | Diphtheria, tetanus toxoids, acellular pertussis vaccine, hepatitis B, and inactivated poliovirus vaccine (DTaP-HepB-IPV), for intramuscular use | Procedure | CPT-4 |
| Pneumococcal vaccination | | | |
| 90669 | Pneumococcal conjugate vaccine, 7 valent (PCV7), for intramuscular use | Procedure | CPT-4 |
| 90732 | Pneumococcal polysaccharide vaccine, 23-valent (PPSV23), adult or immunosuppressed patient dosage, when administered to individuals 2 years or older, for subcutaneous or intramuscular use | Procedure | CPT-4 |
| 90670 | Pneumococcal conjugate vaccine, 13 valent (PCV13), for intramuscular use | Procedure | CPT-4 |
| G0009 | Administration of pneumococcal vaccine | Procedure | HCPCS |
| G8864 | Pneumococcal vaccine administered or previously received | Procedure | HCPCS |
| 4040F | Pneumococcal vaccine administered or previously received (COPD) (PV), (IBD) | Procedure | CPT Category II |

Appendix Q. Specifications of Parameters Used to Define Cohort Entry

As part of the COVID-19 pregnancy study to understand the natural history of COVID-19 in pregnant patients, we evaluated the prevalence of medication use among pregnant patients with and without COVID-19 and non-pregnant patients with COVID-19 and described maternal at-risk conditions and the severity of COVID-19 in the Rapid COVID-19 Sentinel Distributed Database (SDD).

- Query period:** January 1, 2020 - May 31, 2021
- Coverage requirement:** Medical & Drug Coverage
- Pre-index enrollment requirement:** 484 days prior to live birth delivery date
(183 days pre-pregnancy period + 301 days longest possible pregnancy duration)
- Post-index enrollment requirement:** N/A
- Enrollment gap:** 45 days
- Sex:** Female only
- Age groups:** 12-24, 25-39, 40-55 years
- Stratifications:** Pregnancy period (pre-pregnancy, trimesters)*Medical Product of Interest (MOI); Age group*MOI
- Data Partners:** All available rapid COVID-19 SDD partners
- Envelope macro:** Run envelope macro. Reclassify institutional stay (IS), outpatient (AV), emergency department (ED), and other ambulatory (OA) encounters that occur during an inpatient stay as inpatient (IP) encounters

Pregnancy Episode

| Scenario | Pre-pregnancy start evaluation period | Delivery codes definition | Delivery care setting | Principal diagnosis position | Delivery washout period (days) | Delivery washout definition | Cohort definition | Pregnancy duration definition (pre/postterm codes) | Pregnancy duration in absence of pre/postterm codes | Pre/postterm evaluation window | Matched non-pregnant cohort |
|----------|---------------------------------------|--|-----------------------|------------------------------|--------------------------------|--|---|--|---|--------------------------------|-----------------------------|
| 1 | 183 days | MEPREP ¹ pregnancy algorithm: Live birth delivery codes | Inpatient (IP) | Any diagnostic position | 301 | Live birth delivery, stillbirth delivery, spontaneous abortion | First valid pregnancy episode during the query period | MEPREP pregnancy algorithm: Gestational age codes | 273 days | 7 days | Yes |

Appendix Q. Specifications of Parameters Used to Define Cohort Entry

| Scenario | Pregnancy Episode | | | | | | | | | | |
|----------|---------------------------------------|---|-----------------------|------------------------------|--------------------------------|--|---|--|---|--------------------------------|-----------------------------|
| | Pre-pregnancy start evaluation period | Delivery codes definition | Delivery care setting | Principal diagnosis position | Delivery washout period (days) | Delivery washout definition | Cohort definition | Pregnancy duration definition (pre/postterm codes) | Pregnancy duration in absence of pre/postterm codes | Pre/postterm evaluation window | Matched non-pregnant cohort |
| 2 | 183 days | MEPREP pregnancy algorithm: Live birth delivery codes | Inpatient (IP) | Any diagnostic position | 301 | Live birth delivery, stillbirth delivery, spontaneous abortion | First valid pregnancy episode during the query period | MEPREP pregnancy algorithm: Gestational age codes | 273 days | 7 days | Yes |
| 3 | 183 days | MEPREP pregnancy algorithm: Live birth delivery codes | Inpatient (IP) | Any diagnostic position | 301 | Live birth delivery, stillbirth delivery, spontaneous abortion | First valid pregnancy episode during the query period | MEPREP pregnancy algorithm: Gestational age codes | 273 days | 7 days | Yes |
| 4 | 183 days | MEPREP pregnancy algorithm: Live birth delivery codes | Inpatient (IP) | Any diagnostic position | 301 | Live birth delivery, stillbirth delivery, spontaneous abortion | First valid pregnancy episode during the query period | MEPREP pregnancy algorithm: Gestational age codes | 273 days | 7 days | Yes |
| 5 | 183 days | MEPREP pregnancy algorithm: Live birth delivery codes | Inpatient (IP) | Any diagnostic position | 301 | Live birth delivery, stillbirth delivery, spontaneous abortion | First valid pregnancy episode during the query period | MEPREP pregnancy algorithm: Gestational age codes | 273 days | 7 days | Yes |

Appendix Q. Specifications of Parameters Used to Define Cohort Entry

| Scenario | Pregnancy Episode | | | | | | | | | | |
|----------|---------------------------------------|---|-----------------------|------------------------------|--------------------------------|--|---|--|---|--------------------------------|-----------------------------|
| | Pre-pregnancy start evaluation period | Delivery codes definition | Delivery care setting | Principal diagnosis position | Delivery washout period (days) | Delivery washout definition | Cohort definition | Pregnancy duration definition (pre/postterm codes) | Pregnancy duration in absence of pre/postterm codes | Pre/postterm evaluation window | Matched non-pregnant cohort |
| 6 | 183 days | MEPREP pregnancy algorithm: Live birth delivery codes | Inpatient (IP) | Any diagnostic position | 301 | Live birth delivery, stillbirth delivery, spontaneous abortion | First valid pregnancy episode during the query period | MEPREP pregnancy algorithm: Gestational age codes | 273 days | 7 days | Yes |
| 7 | 183 days | MEPREP pregnancy algorithm: Live birth delivery codes | Inpatient (IP) | Any diagnostic position | 301 | Live birth delivery, stillbirth delivery, spontaneous abortion | First valid pregnancy episode during the query period | MEPREP pregnancy algorithm: Gestational age codes | 273 days | 7 days | No |

¹Medication Exposure in Pregnancy Risk Evaluation Program

Appendix Q. Specifications of Parameters Used to Define Cohort Entry

| Inclusion/Exclusion Criteria | | | | | | Number of instances required to define condition | Anchor date (<i>will not require use of the Mother-Infant cohort file</i>) | Evaluation period (days) | |
|------------------------------|-----------|--|-------------------|------------------------------|--|--|--|--------------------------------|---|
| Scenario | Criteria | Condition | Care setting | Principal diagnosis position | Date of lab result | | | | |
| 1 | Inclusion | COVID-19 pre-pregnancy: | | | | N/A | 1 | Estimated pregnancy start date | (-183, -1) <i>pre-pregnancy period</i> |
| | | A) U07.1 diagnosis | Any care setting | Any diagnostic position | N/A | | | | |
| | | B) B97.21, B97.29, B34.2, J12.81 diagnosis | Inpatient (IP/IS) | Any diagnostic position | N/A | | | | |
| | | C) Positive or presumptive positive PCR SARS-CoV-2 laboratory result | Any care setting | N/A | Hierarchical first occurrence of lab date, then order date, then result date | | | | |
| 2 | Inclusion | COVID-19 First trimester: | | | | N/A | 1 | Estimated pregnancy start date | (0, +90) <i>1st trimester</i> |
| | | A) U07.1 diagnosis | Any care setting | Any diagnostic position | N/A | | | | |
| | | B) B97.21, B97.29, B34.2, J12.81 diagnosis | Inpatient (IP/IS) | Any diagnostic position | N/A | | | | |
| | | C) Positive or presumptive positive PCR SARS-CoV-2 laboratory result | Any care setting | N/A | Hierarchical first occurrence of lab date, then order date, then result date | | | | |
| 3 | Inclusion | COVID-19 Second trimester: | | | | N/A | 1 | Estimated pregnancy start date | (+91, +180) <i>2nd trimester</i> |
| | | A) U07.1 diagnosis | Any care setting | Any diagnostic position | N/A | | | | |
| | | B) B97.21, B97.29, B34.2, J12.81 diagnosis | Inpatient (IP/IS) | Any diagnostic position | N/A | | | | |
| | | C) Positive or presumptive positive PCR SARS-CoV-2 laboratory result | Any care setting | N/A | Hierarchical first occurrence of lab date, then order date, then result date | | | | |

Appendix Q. Specifications of Parameters Used to Define Cohort Entry

| Inclusion/Exclusion Criteria | | | | | | Number of instances required to define condition | Anchor date (<i>will not require use of the Mother-Infant cohort file</i>) | Evaluation period (days) | |
|------------------------------|-----------|--|-------------------|------------------------------|--|--|--|--------------------------------|--|
| Scenario | Criteria | Condition | Care setting | Principal diagnosis position | Date of lab result | | | | |
| 4 | Inclusion | COVID-19 Third trimester: | | | | N/A | 1 | Estimated pregnancy start date | (+181, +273) 3rd trimester |
| | | A) U07.1 diagnosis | Any care setting | Any diagnostic position | N/A | | | | |
| | | B) B97.21, B97.29, B34.2, J12.81 diagnosis | Inpatient (IP/IS) | Any diagnostic position | N/A | | | | |
| | | C) Positive or presumptive positive PCR SARS-CoV-2 laboratory result | Any care setting | N/A | Hierarchical first occurrence of lab date, then order date, then result date | | | | |
| 5 | Inclusion | COVID-19 pre-pregnancy or pregnancy: | | | | N/A | 1 | Estimated pregnancy start date | (-183, +273) pre-pregnancy period, 1st, 2nd, or 3rd trimester |
| | | A) U07.1 diagnosis | Any care setting | Any diagnostic position | N/A | | | | |
| | | B) B97.21, B97.29, B34.2, J12.81 | Inpatient (IP/IS) | Any diagnostic position | N/A | | | | |
| | | C) Positive or presumptive positive PCR SARS-CoV-2 laboratory result | Any care setting | N/A | Hierarchical first occurrence of lab date, then order date, then result date | | | | |
| 6 | Inclusion | COVID-19 pre-pregnancy or pregnancy: | | | | N/A | 1 | Estimated pregnancy start date | (-183, +273) pre-pregnancy period, 1st, 2nd, or 3rd trimester |
| | | A) U07.1 diagnosis | Any care setting | Any diagnostic position | N/A | | | | |
| | | B) B97.21, B97.29, B34.2, J12.81 | Any care setting | Any diagnostic position | N/A | | | | |
| | | C) Positive or presumptive positive PCR SARS-CoV-2 laboratory result | Any care setting | N/A | Hierarchical first occurrence of lab date, then order date, then result date | | | | |

Appendix Q. Specifications of Parameters Used to Define Cohort Entry

| Inclusion/Exclusion Criteria | | | | | | | | |
|------------------------------|-----------|--|------------------|------------------------------|--|--|--|---|
| Scenario | Criteria | Condition | Care setting | Principal diagnosis position | Date of lab result | Number of instances required to define condition | Anchor date (will not require use of the Mother-Infant cohort file) | Evaluation period (days) |
| | | No evidence of COVID-19: | | | | | | (-183, +273) |
| 7 | Exclusion | A) U07.1 diagnosis | Any care setting | Any diagnostic position | N/A | 1 | Estimated pregnancy start date | <i>pre-pregnancy period, 1st, 2nd, or 3rd trimester</i> |
| | | B) B97.21, B97.29, B34.2, J12.81 | Any care setting | Any diagnostic position | N/A | | | |
| | | C) Positive or presumptive positive PCR SARS-CoV-2 laboratory result | Any care setting | N/A | Hierarchical first occurrence of lab date, then order date, then result date | | | |

International Classification of Diseases, Ninth Revision (ICD-9), International Classification of Diseases, Tenth Revision (ICD-10), Healthcare Common Procedure Coding System (HCPCS), and Current Procedural Terminology, Fourth Edition (CPT) codes are provided by Optum360. National Drug Codes are checked against First Data Bank's "FDB MedKnowledge®."

Appendix R. Specifications of Parameters Used to Define Baseline Characteristics

| Scenario(s) of interest | Covariate number | Combo covariate | Condition | Care setting | Principal diagnosis position | Anchor date per Mother-Infant Linkage (MIL) file | Evaluation period (days) |
|-------------------------|------------------|------------------------------|--|-------------------|------------------------------|--|------------------------------------|
| | -- | -- | Any recorded diagnosis in any care setting | Any | Any | Estimated pregnancy start date | (-183, -1) pre-pregnancy period |
| | 1 | 1 and not (2 or 3 or 4 or 5) | COVID-19 severity: <u>Level 1 (non-severe)</u> Any recorded diagnosis | Any | Any | Estimated pregnancy start date | (-183, -1) pre-pregnancy period |
| | 2 | 2 and not (3 or 4 or 5) | COVID-19 severity: <u>Level 2</u> Hospitalization for COVID-19 diagnosis | Inpatient (IP/IS) | Any | Estimated pregnancy start date | (-183, -1) pre-pregnancy period |
| | 3 | 3 and not (4 or 5) | COVID-19 severity: <u>Level 3</u> Hospitalization for COVID-19 diagnosis with ICU admission | Inpatient (IP/IS) | Any | Estimated pregnancy start date | (-183, -1) pre-pregnancy period |
| 1) and 2) | 4 | 4 and not 5 | COVID-19 severity: Level 4 Hospitalization for COVID-19 diagnosis with ARDS or requiring intubation or invasive mechanical ventilation | Inpatient (IP/IS) | Any | Estimated pregnancy start date | (-183, -1) pre-pregnancy period |
| | 5 | 5 | COVID-19 severity: <u>Level 5</u> Death during hospitalization for COVID-19 diagnosis | Inpatient (IP/IS) | Any | Estimated pregnancy start date | (-183, -1) pre-pregnancy period |
| | -- | 2 or 3 or 4 or 5 | Severe COVID-19 diagnosis (aggregate Levels 2-5) | Inpatient (IP/IS) | Any | Estimated pregnancy start date | (-183, -1) pre-pregnancy period |
| | -- | -- | Any hospitalization for COVID-19 diagnosis | Inpatient (IP/IS) | Any | Estimated pregnancy start date | (-183, -1) pre-pregnancy period |
| | -- | -- | A) Hospitalization for COVID-19 as the primary diagnosis | Inpatient (IP/IS) | Primary | Estimated pregnancy start date | (-183, -1) pre-pregnancy period |

| Appendix R. Specifications of Parameters Used to Define Baseline Characteristics | | | | | | | |
|--|------------------|------------------------------|--|---|------------------------------|--|------------------------------------|
| Scenario(s) of interest | Covariate number | Combo covariate | Condition | Care setting | Principal diagnosis position | Anchor date per Mother-Infant Linkage (MIL) file | Evaluation period (days) |
| 1) and 2) | -- | -- | B) Hospitalization for COVID-19 diagnosis with no obstetric reason | Inpatient (IP/IS) | Any | Estimated pregnancy start date | (-183, -1) pre-pregnancy period |
| | -- | -- | C) Hospitalization for COVID-19 diagnosis and obstetric reason | Inpatient (IP/IS) | Any | Estimated pregnancy start date | (-183, -1) pre-pregnancy period |
| | -- | -- | D) Hospitalization for obstetric reason without COVID-19 diagnosis | Inpatient (IP/IS) | Any | Estimated pregnancy start date | (-183, -1) pre-pregnancy period |
| | -- | -- | Supplemental oxygen | Any | Any | Estimated pregnancy start date | (-183, -1) pre-pregnancy period |
| | -- | -- | High-flow oxygen or non-invasive mechanical ventilation | Inpatient (IP/IS) | Any | Estimated pregnancy start date | (-183, -1) pre-pregnancy period |
| | -- | -- | Intubation or invasive mechanical ventilation | Inpatient (IP/IS) | Any | Estimated pregnancy start date | (-183, -1) pre-pregnancy period |
| | 2) and 3) | -- | | Any recorded diagnosis in any care setting | Any | Any | Estimated pregnancy start date |
| 1 | | 1 and not (2 or 3 or 4 or 5) | COVID-19 severity: <u>Level 1 (non-severe)</u> Any recorded diagnosis | Any | Any | Estimated pregnancy start date | (0, +90) 1st trimester |
| 2 | | 2 and not (3 or 4 or 5) | COVID-19 severity: <u>Level 2</u> Hospitalization for COVID-19 diagnosis | Inpatient (IP/IS) | Any | Estimated pregnancy start date | (0, +90) 1st trimester |
| 3 | | 3 and not (4 or 5) | COVID-19 severity: <u>Level 3</u> Hospitalization for COVID-19 diagnosis with ICU admission | Inpatient (IP/IS) | Any | Estimated pregnancy start date | (0, +90) 1st trimester |
| | 4 | 4 and not 5 | COVID-19 severity: Level 4 Hospitalization for COVID-19 diagnosis with ARDS or requiring intubation or invasive mechanical ventilation | Inpatient (IP/IS) | Primary | Estimated pregnancy start date | (0, +90) 1st trimester |

Appendix R. Specifications of Parameters Used to Define Baseline Characteristics

| Scenario(s) of interest | Covariate number | Combo covariate | Condition | Care setting | Principal diagnosis position | Anchor date per Mother-Infant Linkage (MIL) file | Evaluation period (days) |
|-------------------------|------------------|------------------|---|-------------------|------------------------------|--|---------------------------|
| 2) and 3) | 5 | 5 | COVID-19 severity: <u>Level 5</u> Death during hospitalization for COVID-19 diagnosis | Inpatient (IP/IS) | Any | Estimated pregnancy start date | (0, +90) 1st trimester |
| | -- | 2 or 3 or 4 or 5 | Severe COVID-19 diagnosis (aggregate Levels 2-5) | Inpatient (IP/IS) | Any | Estimated pregnancy start date | (0, +90) 1st trimester |
| | -- | -- | Any hospitalization for COVID-19 diagnosis | Inpatient (IP/IS) | Any | Estimated pregnancy start date | (0, +90) 1st trimester |
| | -- | -- | A) Hospitalization for COVID-19 as the primary diagnosis | Inpatient (IP/IS) | Any | Estimated pregnancy start date | (0, +90) 1st trimester |
| | -- | -- | B) Hospitalization for COVID-19 diagnosis with no obstetric reason | Inpatient (IP/IS) | Any | Estimated pregnancy start date | (0, +90) 1st trimester |
| | -- | -- | C) Hospitalization for COVID-19 diagnosis and obstetric reason | Inpatient (IP/IS) | Any | Estimated pregnancy start date | (0, +90) 1st trimester |
| | -- | -- | D) Hospitalization for obstetric reason without COVID-19 diagnosis | Inpatient (IP/IS) | Any | Estimated pregnancy start date | (0, +90) 1st trimester |
| | -- | -- | Supplemental oxygen | Any | Any | Estimated pregnancy start date | (0, +90) 1st trimester |

| Appendix R. Specifications of Parameters Used to Define Baseline Characteristics | | | | | | | | |
|--|------------------|---|---|-------------------|--------------------------------|--|--------------------------|---------------|
| Scenario(s) of interest | Covariate number | Combo covariate | Condition | Care setting | Principal diagnosis position | Anchor date per Mother-Infant Linkage (MIL) file | Evaluation period (days) | |
| 2) and 3) | -- | -- | High-flow oxygen or non-invasive mechanical ventilation | Inpatient (IP/IS) | Any | Estimated pregnancy start date | (0, +90) | 1st trimester |
| | -- | -- | Intubation or invasive mechanical ventilation | Inpatient (IP/IS) | Any | Estimated pregnancy start date | (0, +90) | 1st trimester |
| 3) and 4) | -- | | Any recorded diagnosis in any care setting | Any | Any | Estimated pregnancy start date | (+91, +180) | 2nd trimester |
| | 1 | 1 and not (2 or 3 or 4 or 5) | COVID-19 severity: <u>Level 1 (non-severe)</u> Any recorded diagnosis | Any | Any | Estimated pregnancy start date | (+91, +180) | 2nd trimester |
| | 2 | 2 and not (3 or 4 or 5) | COVID-19 severity: <u>Level 2</u> Hospitalization for COVID-19 diagnosis | Inpatient (IP/IS) | Any | Estimated pregnancy start date | (+91, +180) | 2nd trimester |
| | 3 | 3 and not (4 or 5) | COVID-19 severity: <u>Level 3</u> Hospitalization for COVID-19 diagnosis with ICU admission | Inpatient (IP/IS) | Any | Estimated pregnancy start date | (+91, +180) | 2nd trimester |
| | 4 | 4 and not 5 | COVID-19 severity: <u>Level 4</u> Hospitalization for COVID-19 diagnosis with ARDS or requiring intubation or invasive mechanical ventilation | Inpatient (IP/IS) | Any | Estimated pregnancy start date | (+91, +180) | 2nd trimester |
| | 5 | 5 | COVID-19 severity: <u>Level 5</u> Death during hospitalization for COVID-19 diagnosis | Inpatient (IP/IS) | Any | Estimated pregnancy start date | (+91, +180) | 2nd trimester |
| -- | 2 or 3 or 4 or 5 | Severe COVID-19 diagnosis (aggregate Levels 2-5) | Inpatient (IP/IS) | Any | Estimated pregnancy start date | (+91, +180) | 2nd trimester | |

Appendix R. Specifications of Parameters Used to Define Baseline Characteristics

| Scenario(s) of interest | Covariate number | Combo covariate | Condition | Care setting | Principal diagnosis position | Anchor date per Mother-Infant Linkage (MIL) file | Evaluation period (days) |
|-------------------------|------------------|------------------------------|--|-------------------|------------------------------|--|-------------------------------|
| 3) and 4) | -- | -- | Any hospitalization for COVID-19 diagnosis | Inpatient (IP/IS) | Any | Estimated pregnancy start date | (+91, +180) 2nd trimester |
| | -- | -- | A) Hospitalization for COVID-19 as the primary diagnosis | Inpatient (IP/IS) | Primary | Estimated pregnancy start date | (+91, +180) 2nd trimester |
| | -- | -- | B) Hospitalization for COVID-19 diagnosis with no obstetric reason | Inpatient (IP/IS) | Any | Estimated pregnancy start date | (+91, +180) 2nd trimester |
| | -- | -- | C) Hospitalization for COVID-19 diagnosis and obstetric reason | Inpatient (IP/IS) | Any | Estimated pregnancy start date | (+91, +180) 2nd trimester |
| | -- | -- | D) Hospitalization for obstetric reason without COVID-19 diagnosis | Inpatient (IP/IS) | Any | Estimated pregnancy start date | (+91, +180) 2nd trimester |
| | -- | -- | Supplemental oxygen | Any | Any | Estimated pregnancy start date | (+91, +180) 2nd trimester |
| | -- | -- | High-flow oxygen or non-invasive mechanical ventilation | Inpatient (IP/IS) | Any | Estimated pregnancy start date | (+91, +180) 2nd trimester |
| | -- | -- | Intubation or invasive mechanical ventilation | Inpatient (IP/IS) | Any | Estimated pregnancy start date | (+91, +180) 2nd trimester |
| 4) | -- | | Any recorded diagnosis in any care setting | Any | Any | Estimated pregnancy start date | (+181, +273) 3rd trimester |
| | 1 | 1 and not (2 or 3 or 4 or 5) | COVID-19 severity: <u>Level 1 (non-severe)</u> Any recorded diagnosis | Any | Any | Estimated pregnancy start date | (+181, +273) 3rd trimester |
| | 2 | 2 and not (3 or 4 or 5) | COVID-19 severity: <u>Level 2</u> Hospitalization for COVID-19 diagnosis | Inpatient (IP/IS) | Any | Estimated pregnancy start date | (+181, +273) 3rd trimester |

Appendix R. Specifications of Parameters Used to Define Baseline Characteristics

| Scenario(s) of interest | Covariate number | Combo covariate | Condition | Care setting | Principal diagnosis position | Anchor date per Mother-Infant Linkage (MIL) file | Evaluation period (days) |
|-------------------------|------------------|--------------------|--|-------------------|------------------------------|--|-------------------------------|
| 4) | 3 | 3 and not (4 or 5) | COVID-19 severity: <u>Level 3</u> Hospitalization for COVID-19 diagnosis with ICU admission | Inpatient (IP/IS) | Any | Estimated pregnancy start date | (+181, +273) 3rd trimester |
| | 4 | 4 and not 5 | COVID-19 severity: Level 4 Hospitalization for COVID-19 diagnosis with ARDS or requiring intubation or invasive mechanical ventilation | Inpatient (IP/IS) | Primary | Estimated pregnancy start date | (+181, +273) 3rd trimester |
| | 5 | 5 | COVID-19 severity: <u>Level 5</u> Death during hospitalization for COVID-19 diagnosis | Inpatient (IP/IS) | Any | Estimated pregnancy start date | (+181, +273) 3rd trimester |
| | -- | 2 or 3 or 4 or 5 | Severe COVID-19 diagnosis (aggregate Levels 2-5) | Inpatient (IP/IS) | Any | Estimated pregnancy start date | (+181, +273) 3rd trimester |
| | -- | -- | Any hospitalization for COVID-19 diagnosis | Inpatient (IP/IS) | Any | Estimated pregnancy start date | (+181, +273) 3rd trimester |
| | -- | -- | A) Hospitalization for COVID-19 as the primary diagnosis | Inpatient (IP/IS) | Any | Estimated pregnancy start date | (+181, +273) 3rd trimester |
| | -- | -- | B) Hospitalization for COVID-19 diagnosis with no obstetric reason | Inpatient (IP/IS) | Any | Estimated pregnancy start date | (+181, +273) 3rd trimester |
| | -- | -- | C) Hospitalization for COVID-19 diagnosis and obstetric reason | Inpatient (IP/IS) | Any | Estimated pregnancy start date | (+181, +273) 3rd trimester |

Appendix R. Specifications of Parameters Used to Define Baseline Characteristics

| Scenario(s) of interest | Covariate number | Combo covariate | Condition | Care setting | Principal diagnosis position | Anchor date per Mother-Infant Linkage (MIL) file | Evaluation period (days) |
|-------------------------|------------------|------------------------------|--|-------------------|------------------------------|--|--|
| 4) | -- | -- | D) Hospitalization for obstetric reason without COVID-19 diagnosis | Inpatient (IP/IS) | Any | Estimated pregnancy start date | (+181, +273) 3rd trimester |
| | -- | -- | Supplemental oxygen | Any | Any | Estimated pregnancy start date | (+181, +273) 3rd trimester |
| | -- | -- | High-flow oxygen or non-invasive mechanical ventilation | Inpatient (IP/IS) | Any | Estimated pregnancy start date | (+181, +273) 3rd trimester |
| | -- | -- | Intubation or invasive mechanical ventilation | Inpatient (IP/IS) | Any | Estimated pregnancy start date | (+181, +273) 3rd trimester |
| 5) | -- | | Any recorded diagnosis in any care setting | Any | Any | Estimated pregnancy start date | (-183, +273) pre-pregnancy or pregnancy |
| | 1 | 1 and not (2 or 3 or 4 or 5) | COVID-19 severity: Level 1 (non-severe) Any recorded diagnosis | Any | Any | Estimated pregnancy start date | (-183, +273) pre-pregnancy or pregnancy |
| | 2 | 2 and not (3 or 4 or 5) | COVID-19 severity: <u>Level 2</u> Hospitalization for COVID-19 diagnosis | Inpatient (IP/IS) | Any | Estimated pregnancy start date | (-183, +273) pre-pregnancy or pregnancy |
| | 3 | 3 and not (4 or 5) | COVID-19 severity: <u>Level 3</u> Hospitalization for COVID-19 diagnosis with ICU admission | Inpatient (IP/IS) | Any | Estimated pregnancy start date | (-183, +273) pre-pregnancy or pregnancy |
| | 4 | 4 and not 5 | COVID-19 severity: Level 4 Hospitalization for COVID-19 diagnosis with ARDS or requiring intubation or invasive mechanical ventilation | Inpatient (IP/IS) | Any | Estimated pregnancy start date | (-183, +273) pre-pregnancy or pregnancy |

Appendix R. Specifications of Parameters Used to Define Baseline Characteristics

| Scenario(s) of interest | Covariate number | Combo covariate | Condition | Care setting | Principal diagnosis position | Anchor date per Mother-Infant Linkage (MIL) file | Evaluation period (days) |
|-------------------------|------------------|------------------|---|-------------------|------------------------------|--|---|
| 5) | 5 | 5 | COVID-19 severity: <u>Level 5</u> Death during hospitalization for COVID-19 diagnosis | Inpatient (IP/IS) | Any | Estimated pregnancy start date | (-183, +273) pre-pregnancy or pregnancy |
| | -- | 2 or 3 or 4 or 5 | Severe COVID-19 diagnosis (aggregate Levels 2-5) | Inpatient (IP/IS) | Any | Estimated pregnancy start date | (-183, +273) pre-pregnancy or pregnancy |
| | -- | -- | Any hospitalization for COVID-19 diagnosis | Inpatient (IP/IS) | Any | Estimated pregnancy start date | (-183, +273) pre-pregnancy or pregnancy |
| | -- | -- | A) Hospitalization for COVID-19 as the primary diagnosis | Inpatient (IP/IS) | Primary | Estimated pregnancy start date | (-183, +273) pre-pregnancy or pregnancy |
| | -- | -- | B) Hospitalization for COVID-19 diagnosis with no obstetric reason | Inpatient (IP/IS) | Any | Estimated pregnancy start date | (-183, +273) pre-pregnancy or pregnancy |
| | -- | -- | C) Hospitalization for COVID-19 diagnosis and obstetric reason | Inpatient (IP/IS) | Any | Estimated pregnancy start date | (-183, +273) pre-pregnancy or pregnancy |
| | -- | -- | D) Hospitalization for obstetric reason without COVID-19 diagnosis | Inpatient (IP/IS) | Any | Estimated pregnancy start date | (-183, +273) pre-pregnancy or pregnancy |
| | -- | -- | Supplemental oxygen | Any | Any | Estimated pregnancy start date | (-183, +273) pre-pregnancy or pregnancy |
| | -- | -- | High-flow oxygen or non-invasive mechanical ventilation | Inpatient (IP/IS) | Any | Estimated pregnancy start date | (-183, +273) pre-pregnancy or pregnancy |
| | -- | -- | Intubation or invasive mechanical ventilation | Inpatient (IP/IS) | Any | Estimated pregnancy start date | (-183, +273) pre-pregnancy or pregnancy |
| | -- | -- | Cancer | Any | Any | Estimated pregnancy start date | (-183, +90) pre-pregnancy or 1st trimester |

Appendix R. Specifications of Parameters Used to Define Baseline Characteristics

| Scenario(s) of interest | Covariate number | Combo covariate | Condition | Care setting | Principal diagnosis position | Anchor date per Mother-Infant Linkage (MIL) file | Evaluation period (days) |
|-------------------------|------------------|-----------------|--|--------------|------------------------------|--|--|
| -- | -- | -- | Cardiovascular and other vascular diseases | Any | Any | Estimated pregnancy start date | (-183, +90) pre-pregnancy or 1st trimester |
| -- | -- | -- | Congenital heart disease | Any | Any | Estimated pregnancy start date | (-183, +90) pre-pregnancy or 1st trimester |
| -- | -- | -- | Cardiovascular disease (included heart failure, coronary artery disease, and cardiomyopathies) | Any | Any | Estimated pregnancy start date | (-183, +90) pre-pregnancy or 1st trimester |
| -- | -- | -- | Other vascular diseases | Any | Any | Estimated pregnancy start date | (-183, +90) pre-pregnancy or 1st trimester |
| -- | -- | -- | Endocrine disorders | Any | Any | Estimated pregnancy start date | (-183, +90) pre-pregnancy or 1st trimester |
| -- | -- | -- | Diabetes mellitus | Any | Any | Estimated pregnancy start date | (-183, +90) pre-pregnancy or 1st trimester |
| -- | -- | -- | Obesity (BMI \geq 30 kg/m ²) | Any | Any | Estimated pregnancy start date | (-183, +90) pre-pregnancy or 1st trimester |
| -- | -- | -- | Hypertension | Any | Any | Estimated pregnancy start date | (-183, +90) pre-pregnancy or 1st trimester |
| -- | -- | -- | Immunological diseases | Any | Any | Estimated pregnancy start date | (-183, +90) pre-pregnancy or 1st trimester |
| -- | -- | -- | Human immunodeficiency virus infection | Any | Any | Estimated pregnancy start date | (-183, +90) pre-pregnancy or 1st trimester |
| -- | -- | -- | Immunosuppression | Any | Any | Estimated pregnancy start date | (-183, +90) pre-pregnancy or 1st trimester |

Appendix R. Specifications of Parameters Used to Define Baseline Characteristics

| Scenario(s) of interest | Covariate number | Combo covariate | Condition | Care setting | Principal diagnosis position | Anchor date per Mother-Infant Linkage (MIL) file | Evaluation period (days) |
|-------------------------|------------------|-----------------|--|--------------|------------------------------|--|---|
| -- | -- | -- | Mental disorders | Any | Any | Estimated pregnancy start date | (-183, +90) pre-pregnancy or 1st trimester |
| -- | -- | -- | Renal disease: Chronic kidney disease | Any | Any | Estimated pregnancy start date | (-183, +90) pre-pregnancy or 1st trimester |
| -- | -- | -- | Respiratory diseases | Any | Any | Estimated pregnancy start date | (-183, +90) pre-pregnancy or 1st trimester |
| -- | -- | -- | Asthma | Any | Any | Estimated pregnancy start date | (-183, +90) pre-pregnancy or 1st trimester |
| -- | -- | -- | Chronic obstructive pulmonary disease | Any | Any | Estimated pregnancy start date | (-183, +90) pre-pregnancy or 1st trimester |
| -- | -- | -- | Other chronic respiratory diseases | Any | Any | Estimated pregnancy start date | (-183, +90) pre-pregnancy or 1st trimester |
| -- | -- | -- | Rheumatic diseases | Any | Any | Estimated pregnancy start date | (-183, +90) pre-pregnancy or 1st trimester |
| -- | -- | -- | Sickle cell disease | Any | Any | Estimated pregnancy start date | (-183, +90) pre-pregnancy or 1st trimester |
| -- | -- | -- | Smoking | Any | Any | Estimated pregnancy start date | (-183, +90) pre-pregnancy or 1st trimester |
| -- | -- | -- | Spontaneous abortion | Any | Any | Estimated pregnancy start date | (0, +140) 0-19 weeks |
| -- | -- | -- | Stillbirth | Any | Any | Estimated pregnancy start date | (+140, +273) 20+ weeks |

Appendix R. Specifications of Parameters Used to Define Baseline Characteristics

| Scenario(s) of interest | Covariate number | Combo covariate | Condition | Care setting | Principal diagnosis position | Anchor date per Mother-Infant Linkage (MIL) file | Evaluation period (days) |
|-------------------------|------------------|-----------------|---|--------------|------------------------------|--|---|
| -- | -- | -- | Congenital anomaly | Any | Any | Estimated pregnancy start date | (+140, +273) 20+ weeks |
| -- | -- | -- | Eclampsia/Preeclampsia | Any | Any | Estimated pregnancy start date | (+140, +273) 20+ weeks |
| -- | -- | -- | Gestational diabetes | Any | Any | Estimated pregnancy start date | (+140, +273) 20+ weeks |
| -- | -- | -- | Gestational hypertension | Any | Any | Estimated pregnancy start date | (+140, +273) 20+ weeks |
| -- | -- | -- | Intrauterine growth restriction | Any | Any | Estimated pregnancy start date | (+140, +273) 20+ weeks |
| -- | -- | -- | Caesarean section | Any | Any | Estimated pregnancy start date | (+266, +280) +/-7 days of delivery |
| -- | -- | -- | Low birth weight | Any | Any | Estimated pregnancy start date | (+266, +280) +/-7 days of delivery |
| -- | -- | -- | Pre-term birth | Any | Any | Estimated pregnancy start date | (+266, +280) +/-7 days of delivery |
| -- | -- | -- | Small for gestational age | Any | Any | Estimated pregnancy start date | (+266, +280) +/-7 days of delivery |
| -- | -- | -- | Assisted reproductive technology | Any | Any | Estimated pregnancy start date | (-183, -1) pre-pregnancy |
| -- | -- | -- | Prior pregnancy with congenital anomaly | Any | Any | Estimated pregnancy start date | (enrollment history, -1) ever in pre-pregnancy |

| Appendix R. Specifications of Parameters Used to Define Baseline Characteristics | | | | | | | |
|--|------------------|-----------------|---|--------------|------------------------------|--|--|
| Scenario(s) of interest | Covariate number | Combo covariate | Condition | Care setting | Principal diagnosis position | Anchor date per Mother-Infant Linkage (MIL) file | Evaluation period (days) |
| -- | -- | -- | Prior pregnancy delivered small for gestational age | Any | Any | Estimated pregnancy start date | (enrollment history, -1) ever in pre-pregnancy |
| -- | -- | -- | Prior pregnancy with stillbirth delivery | Any | Any | Estimated pregnancy start date | (enrollment history, -1) ever in pre-pregnancy |
| -- | -- | -- | Prior pregnancy with congenital anomaly, small for gestational age, or stillbirth | Any | Any | Estimated pregnancy start date | (enrollment history, -1) ever in pre-pregnancy |
| -- | -- | -- | Bateman obstetric score | -- | -- | Estimated pregnancy start date | (-183, +273) pre-pregnancy or pregnancy |
| -- | -- | -- | Health service utilization intensity | -- | -- | Estimated pregnancy start date | (-183, +273) pre-pregnancy or pregnancy |
| -- | -- | -- | Mean number of ambulatory encounters | AV | -- | Estimated pregnancy start date | (-183, +273) pre-pregnancy or pregnancy |
| -- | -- | -- | Mean number of emergency room encounters | ED | -- | Estimated pregnancy start date | (-183, +273) pre-pregnancy or pregnancy |
| -- | -- | -- | Mean number of inpatient hospital encounters | IP | -- | Estimated pregnancy start date | (-183, +273) pre-pregnancy or pregnancy |
| -- | -- | -- | Mean number of non-acute institutional encounters | IS | -- | Estimated pregnancy start date | (-183, +273) pre-pregnancy or pregnancy |
| -- | -- | -- | Mean number of other ambulatory encounters | OA | -- | Estimated pregnancy start date | (-183, +273) pre-pregnancy or pregnancy |

| Appendix R. Specifications of Parameters Used to Define Baseline Characteristics | | | | | | | | |
|--|------------------|-----------------|-------------------------------------|--------------|------------------------------|--|--------------------------|----------------------------|
| Scenario(s) of interest | Covariate number | Combo covariate | Condition | Care setting | Principal diagnosis position | Anchor date per Mother-Infant Linkage (MIL) file | Evaluation period (days) | |
| -- | -- | -- | Drug utilization | -- | -- | Estimated pregnancy start date | (-183, +273) | pre-pregnancy or pregnancy |
| -- | -- | -- | Mean number of unique drug classes | -- | -- | Estimated pregnancy start date | (-183, +273) | pre-pregnancy or pregnancy |
| -- | -- | -- | Mean number of generics | -- | -- | Estimated pregnancy start date | (-183, +273) | pre-pregnancy or pregnancy |
| -- | -- | -- | Mean number of filled prescriptions | -- | -- | Estimated pregnancy start date | (-183, +273) | pre-pregnancy or pregnancy |

*When COVFROM or COVTO > 181, replace the value with the calculation: $EpisodeEndDt - IndexDt + COVFROM/COVTO - 273$

Appendix S. Specifications of Parameters Used to Define Medical Product Utilization

Evaluation periods: 183 days pre-pregnancy; First trimester; Second trimester; Third trimester
Evaluate dispensings on delivery date: Yes
Evaluate evidence of dispensing date or days supply: Dispensing date
Evaluation number: All valid medical product exposure dispensings
Stockpiling: Generic name
Episode gap: 0 days
Episode extension: 0 days
Care setting: Dispensing: outpatient pharmacy dispensing;
Administration: any care setting

| Medical Product of Interest (MOI) number | Exposure | Exposure incidence washout period | Forced days supply |
|--|--|-----------------------------------|--------------------|
| Obstetric-related medications | | | |
| 1 | Analgesics | 0 days | 1 |
| 2 | Antibacterials | 0 days | 1 |
| 3 | Anticoagulants/platelet inhibitors | 0 days | 1 |
| 4 | Antihypertensives | 0 days | 1 |
| 5 | Anti-inflammatories | 0 days | 1 |
| 6 | Antimycobacterials | 0 days | 1 |
| 7 | Antimycotics | 0 days | 1 |
| 8 | Antivirals | 0 days | 1 |
| 9 | Corticosteroids | 0 days | 1 |
| 10 | Diabetes | 0 days | 1 |
| 11 | Immune sera and globulins | 0 days | 1 |
| 12 | Immunostimulants | 0 days | 1 |
| 13 | Immunosuppressants | 0 days | 1 |
| 14 | Medicines for obstructive airway disease | 0 days | 1 |
| 15 | Nasal preparations | 0 days | 1 |
| 16 | Psychoanaleptics | 0 days | 1 |
| 17 | Psycholeptics | 0 days | 1 |

| Appendix S. Specifications of Parameters Used to Define Medical Product Utilization | | | |
|--|-------------------------------------|--|---------------------------|
| Medical Product of Interest (MOI) number | Exposure | Exposure incidence washout period | Forced days supply |
| Potential COVID-19 medications | | | |
| 18 | ACEI ¹ /ARB ² | 0 days | 1 |
| 19 | Azithromycin | 0 days | 1 |
| 20 | Baricitinib | 0 days | 1 |
| 21 | Chloroquine | 0 days | 1 |
| 22 | Corticosteroids (inhaled) | 0 days | 1 |
| 23 | Corticosteroids (other) | 0 days | 1 |
| 24 | Hydroxychloroquine | 0 days | 1 |
| 25 | Interferon-beta | 0 days | 1 |
| 26 | Interleukin 6 inhibitors | 0 days | 1 |
| 27 | Lopinavir / Ritonavir | 0 days | 1 |
| 28 | Methylprednisolone | 0 days | 1 |
| 29 | Monoclonal antibody | 0 days | 1 |
| 30 | NSAIDs (other) | 0 days | 1 |
| 31 | Prednisolone | 0 days | 1 |
| 32 | Remdesivir | 0 days | 1 |
| Vaccinations | | | |
| 33 | Influenza A vaccination | 0 days | 1 |
| 34 | Pertussis vaccination | 0 days | 1 |
| 35 | Pneumococcal vaccination | 0 days | 1 |

¹ Angiotensin-converting Enzyme Inhibitors

² Angiotensin Receptor Blockers

Appendix T. Pictorial Diagram to Detail the Design of the Analysis

